

FOR OFFICIAL USE.

QUARTERLY RETURN

OF

MARRIAGES, BIRTHS, AND DEATHS

REGISTERED IN

ENGLAND AND WALES

AND IN THE REGISTRATION COUNTIES;

AND OF BIRTHS, DEATHS, AND NOTIFIED CASES OF INFECTIOUS DISEASE
IN CERTAIN LARGE TOWNS.

Published by Authority of the Registrar-General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.2; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 285.]

[Price 1s. Net,

Marriages—October, November, December, 1919.

Births and Deaths—January, February, March, 1920.

*General Register Office, Somerset House,
30th April, 1920.*

The figures in this publication are tabulated mainly from statistical Returns furnished by the local Registrars, and may not be found to correspond exactly with the authoritative figures for the whole year to be published later in the Annual Report. *Tables of the deaths (by sex, age and cause) in England and Wales during the second and third quarters of the year 1919 are included and similar tables for subsequent quarters will be published from time to time as available in future issues of this Return.*

ENGLAND AND WALES.

The figures in this Quarterly Return are based upon the BIRTHS and DEATHS registered in the 1,932 registration sub-districts of England and Wales in the three months ended 31st March 1920; and the MARRIAGES in 16,114 churches or chapels, in 17,569 registered places of worship unconnected with the Established Church, and in 634 Superintendent Registrars' Offices, in the three months ended 31st December, 1919.

The births registered during the three months ended 31st March, 1920, numbered 271,082 and the deaths 137,637; the number of persons married during the three months ended 31st December, 1919, was 203,202.

Marriages.

The number of persons married during the *fourth* quarter of 1919 showed a decrease of 9,192 from the number in the preceding quarter, but was 53,094 more than that in the *fourth* quarter of 1918; it corresponds to an annual rate of 21·5 per 1,000 total population in 1919.

Births.

The births registered in the *first* quarter of 1920 were 47,513 more than in the preceding quarter, and 126,162 more than in the *first* quarter of 1919; it was the highest number recorded in any quarter since the establishment of civil registration.

Of the 271,082 births, 12,054 (or 2,087 more than the number in the corresponding quarter of 1919) were illegitimate; the distribution of the illegitimate births among the several registration counties is shown in Table IV*a*.

The births of males numbered 139,118 and those of females 131,964. Male births were in proportion to female births as 1,054 to 1,000, the average proportion in the ten preceding first quarters being 1,042.

The 271,082 births registered during the quarter correspond to an annual rate of 29·0 per 1,000 total population in 1919.*

Natural Increase of Population.

The natural increase of population in England and Wales last quarter by excess of births over deaths was 133,445, against 14,810 and 24,303, in the first quarters of 1917 and 1918, and a natural decrease of 47,002 in the first quarter of 1919. This statement excludes all deaths among the armed forces except those registered in this country.

Deaths.

The deaths registered in England and Wales last quarter were 22,877 more than in the preceding quarter, but 54,285 fewer than in the first quarter of 1919.

The 137,637 registered deaths included 70,098 of males and 67,539 of females.

The civilian death-rate for the quarter cannot be stated at present, the number of non-civilian deaths included in the total of 137,637 being as yet unknown. The civilian death-rate in the whole group of 244 towns dealt with in Table III. which comprises 63 per cent. of the population of England and Wales was, however, 15·6 per 1,000; and during recent quarters the rate in this group of towns has corresponded closely to that in the country as a whole. Influenza was stated to be either a primary or a contributory cause of death in 4,037, or 2·9 per cent. of the total deaths registered last quarter. Thirteen deaths from small pox were registered during the quarter; of these, 11 belonged to the 244 towns and are shown in Tables V. and VII.† Of the other two one belonged to Grays Urban District and one to Stroud Rural District. The three deaths in London belonged to the Borough of Poplar.

* The estimate of population for the year 1920, which will depend upon the movements of births, deaths, migrations, &c., up to the 30th June next, not being available, the estimate for 1919 has been used for the purpose of the present return.

† Tables V. and VII. show 12 deaths from small-pox, one of the deaths in Liverpool being registered after the end of the quarter.

Infant Mortality.

Infant mortality, measured by the proportion of deaths under one year of age to registered births, was equal to 88 per 1,000, being 32 per 1,000 below the average in the ten preceding first quarters, and the lowest recorded rate for any first quarter of the year.

Urban Mortality.

Table III. shows the birth-rates, the death-rates from all causes, from the principal epidemic diseases, and from violence, and the infant mortality, together with the proportion of inquest cases, of uncertified deaths, and of deaths in public institutions among the civilian population during the last five quarters in the 96 great towns, in the 148 smaller towns, and in the whole of England and Wales. The numbers of deaths from influenza last quarter in the several 244 towns are shown in Tables V. and VII., and the death-rates in the 96 great towns in Table VI.

The highest death-rates per 1,000 from the several epidemic diseases among the 96 great towns last quarter, as shown by Table VI., were as follows:—from *enteric fever*, 0·07 in Hastings, Huddersfield and South Shields, 0·08 in Wakefield, 0·13 in Rochdale, 0·14 in Wigan, and 0·21 in Tynemouth; from *measles*, 1·41 in Bootle, 1·42 in Nottingham, 1·46 in Liverpool, 1·68 in Gloucester, 1·71 in St. Helens, 1·79 in Wigan, and 2·56 in Barnsley; from *scarlet fever*, 0·20 in Wolverhampton and in Birmingham, 0·22 in Merthyr Tydfil, 0·27 in Stoke-on-Trent, 0·36 in Bootle, and 0·44 in Darlington; from *whooping-cough*, 0·64 in Leeds, 0·65 in West Ham and in Liverpool, 0·67 in Stockport, 0·73 in West Hartlepool, 0·79 in Stockton-on-Tees, 0·89 in Birkenhead, 0·93 in Lincoln, and 1·84 in Gloucester; from *diphtheria*, 0·47 in Bootle, 0·48 in Gloucester, 0·51 in Nottingham, and 0·62 in Merthyr Tydfil; and from *influenza*, 1·05 in Southend-on-Sea, 1·06 in West Ham, 1·22 in Birmingham, 1·76 in South Shields, and 2·45 in Dudley. The highest death-rates per 1,000 births from *diarrhoea and enteritis* among children under 2 years of age were 10·2 in Oldham, 10·5 in Liverpool, 10·6 in Leicester, 11·2 in South Sbiels, 12·0 in Oxford, 12·1 in Stockton-on-Tees, 15·9 in Middlesbrough, and 18·7 in Wakefield.

UNITED KINGDOM.

In the United Kingdom 280,760 *births* and 147,022 *deaths* were registered in the three months ended 31st December, 1919. The natural increase of population was, therefore, 133,738. The number of *persons married* in the United Kingdom during the quarter was 239,460.

For facts, in detail, concerning Scotland and Ireland reference should be made to the Quarterly Returns of the Registrars-General of those parts of the United Kingdom.

COLONIAL AND FOREIGN CITIES.

The Registrar-General has been favoured with returns of vital statistics by the authorities of certain Colonial and Foreign Cities. From these a summary has been constructed for the 13 weeks ended 3rd April, 1920 (Table XIII.). A column showing the death-rate from influenza has been inserted in this table.

RETURNS OF NOTIFIED CASES OF INFECTIOUS DISEASE.

Tables VIII.—XI. (pages 20–31) show the numbers and the rate to population of cases of infectious sickness among the civilian population notified, under Act of Parliament, to the Sanitary Authorities of certain of the largest towns in England and Wales, during the 13 weeks ended 3rd April, 1920. The figures for London are supplied by the London County Council.

METEOROLOGY.*

January.

Except for a brief cold spell about the 6th and 7th, weather of an oceanic or south-westerly type prevailed during the greater part of January. Depressions, which were often of great size and intensity, followed one another in rapid succession and very commonly travelled on a north-easterly course, so that winds from westerly or south-westerly points predominated, with the result that the general character of the month was mild, wet, and windy. Gales were frequent and widespread, and at times the speed of the wind was very great. Snow was infrequent, but there were considerable falls on the 10th and also during the night of the 28th–29th. Between the 14th and 17th there was much coastal fog and mist, but generally fogs during the month were remarkably rare.

Temperature.†—The mean temperature of the month was above the normal in all Districts. The excess of warmth was especially striking during the week which ended on the 17th, when the normal was exceeded by 6·0a at Wilton (near Salisbury), 5·8a at Raunds (Northants) and at Oxford. Notable high individual readings were 290a at Colwyn Bay on the 17th, and 289a at Cullompton (Devon) on the 16th. On the 7th a minimum of 264a was recorded at Grayshott (Hants) and 265a at Wilton.

Precipitation.—The month's total precipitation, which was made up of rain, snow, sleet, and hail, exceeded the normal in all Districts. The excess ranged from 8 mm. in England East to 52 mm. in England South-West. The general rainfall in England and Wales expressed as a percentage of the normal was 150, compared with 147 over the British Isles as a whole. Over the latter area January was the second consecutive month with a rainfall more than 40 per cent. above the normal.

Sunshine.—The mean daily amount of sunshine was very evenly distributed, the sunniest District being England North-East with 1·93 hr. per day and the least sunny England North-West with 1·39 hr. per day. The deviations from the normal ranged from

* Furnished by the Director of the Meteorological Office. For further information the reader is referred to the Monthly Weather Report (Price 6d., post free 7d.) and other publications of the Meteorological Office. Maps illustrating the distribution of rainfall, pressure, temperature, and sunshine are given in the Monthly Weather Report. The normal values for each month, mostly based on 35 years' observations, are shown in "The Book of Normals of Meteorological Elements for the British Isles." (M.O. 236 (Section I.), 1919, Price 2s. net.)

† Temperature is given on the Absolute Centigrade Scale. To the nearest degree: 255a = 0° F., 273a = 32° F., 280a = 45° F., 300a = 81° F., and 310a = 99° F.

— 0·01 hr. per day in England South-East and South-West to
+ 0·54 hr. in England North-East.

February.

Although less rainy than either of the two months which preceded it, February was very mild. This excess of warmth was mainly due to some unusually warm days on which the maximum temperatures recorded at some of the stations were higher than any previously recorded in February. Many of the nights, on the other hand, were very cold, and ground frosts, although only occasionally severe, were fairly numerous. The heaviest snowfall occurred during the night of the 19th—20th, and the only other falls of any importance were during the week which ended on the 14th. Hail was seldom reported and there was also a notable absence of thunderstorms. Gales also were rare. Wet fogs and mists were frequent, especially during the early morning, the fogs experienced in London on the 25th and 27th being the densest of the winter.

Temperature.—In all Districts the mean temperature of the month was above the normal, the excess ranging from 2·0a in England North-West to 1·7a in England North-East. At East Ham on the 18th a maximum of 29·1a was recorded. Meltham (Yorks) on the same day registered 28·9a, the highest in February at this station for at least 43 years. Only once during the past 34 years has so mild a February been recorded at Totland Bay (Isle of Wight).

Precipitation.—In all Districts except England North-West, where there was an excess of 9 mm., the monthly aggregates of rainfall were below the normal. The largest deficiency was 40 mm. in England South-West. Over the South and East of England there was a considerable deficiency, large areas in the Thames Valley having less than 13 mm.

Sunshine.—The mean daily amount of sunshine varied from 3·05 hr. per day in England East to 2·42 hr. in England South-West. In the former District the normal was exceeded by 0·39 hr. per day, but in the latter District there was a deficiency of 0·21 hr.

March.

Like the three months which preceded it March was notable for its unusual mildness. Winds from Westerly or South-westerly points predominated, winds which were frequently accompanied by copious precipitation in form of snow, sleet, hail, and rain. A striking feature of the month was the frequency of the warm days. At Kew Observatory, for instance, the maximum temperature was between 28·6a and 29·2a on sixteen occasions, and fell below the normal on only five days.

Temperature.—In all Districts for the third month in succession the mean temperature was above the normal, the excess ranging from 2·3a in England East to 1·3a in England South-West. From the 21st to the 23rd there was an unusually fine and warm spell over the greater part of England, and a maximum of 29·2a was recorded at Raunds, Worksop, Salisbury, and Westminster. The coldest weather of the month occurred during the week which ended on the 27th.

Precipitation.—The monthly aggregates of rainfall were very varied and ranged from 118 mm. in England South-West to 30 mm.

in England East, the departure from the normal varying from 53 mm. in the former district to -13 mm. in the latter. The general rainfall expressed at a percentage of the normal was 150, compared with 139 over the British Isles as a whole.

Sunshine.—The mean daily amount of sunshine varied from 4·66 hr. per day in England East to 3·10 hr. in England South-West. In the former districts there was an excess of 0·79 hr. per day, but in the latter there was a deficiency of 0·46 hr.

THE QUARTER.

In all districts the mean temperature of the quarter was above the normal, the excess varying from 1·9a in the Midlands and in England North-East and South-East to 1·4a in England South-West. The aggregate rainfall varied from 291 mm. in England North-West to 98 mm. in England East, the former District having an excess of 85 mm. and the latter a deficiency of 30 mm. The mean daily amount of sunshine did not greatly differ from the normal; the sunniest District was England East with 3·12 hr. per day, and the least sunny England South-West with 2·35 hr. per day.

TABLES.

TABLE I.—**Marriages, Births, and Deaths** registered in **England and Wales** in the Years **1910-1920**, and in each Quarter of those Years.

YEAR - - -	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.*	1919.*	1920.*
Marriages - - -	267,721	274,943	283,834	286,583	294,401	360,885	279,846	258,855	286,807	369,007	—
Births - - -	896,962	881,138	872,737	881,890	879,096	814,614	785,520	668,346	662,773	692,680	—
Deaths - - -	483,247	527,810	486,939	504,975	516,742	562,253	508,217	498,922	611,991	504,254	—
MARRIAGES.											
Quarter ended the last day of											
March - - -	56,432	44,808	44,737	60,926	51,046	55,472	67,952	50,770	65,658	60,138	—
June - - -	61,036	75,656	74,619	65,904	81,312	97,220	74,550	63,854	67,120	101,071	—
September - - -	76,545	77,873	83,505	83,636	82,048	102,671	67,477	69,740	78,975	106,197	—
December - - -	73,708	76,606	80,973	76,117	79,995	105,522	69,867	74,491	75,054	101,601	—
BIRTHS.											
March - - -	221,684	223,585	222,600	216,629	217,414	221,523	194,965	178,729	162,308	144,920	271,082
June - - -	234,825	225,774	218,070	227,470	226,152	213,109	209,006	173,408	170,239	148,824	—
September - - -	227,146	222,506	219,232	225,501	227,238	196,501	198,307	162,526	168,451	175,367	—
December - - -	213,307	209,273	212,835	212,290	208,292	183,481	183,242	153,683	161,775	223,569	—
DEATHS.											
March - - -	136,400	143,128	144,642	146,541	146,193	177,243	142,983	163,919	138,005	191,922	137,637
June - - -	115,671	119,966	115,777	121,743	124,128	138,575	126,534	127,707	118,550	108,460	—
September - - -	104,149	140,949	101,680	113,446	115,535	109,406	102,435	94,560	114,218	89,112	—
December - - -	127,027	123,767	124,840	123,245	130,886	137,029	136,265	112,736	241,218	114,760	—

* Provisional.

TABLE II.—**Annual Rate** per 1,000, of **Persons Married**, of **Births**, and of **Deaths**, in the Years **1910-1920**, and in each Quarter of those Years.

Estimated Population of England and Wales in thousands, in the middle of each Year - - -	35,792	36,190	36,382	36,606	36,961	35,359*	34,500*	33,711*	33,475*	35,993*	35,993†
YEAR - - -	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Persons married - -	15·0	15·2	15·6	15·7	15·9	19·4†	14·9†	13·8†	15·3†	19·7†	—
Births - - -	25·1	24·3	23·9	24·1	23·8	21·9†	20·9†	17·8†	17·7†	18·5†	—
Deaths - - -	13·5	14·6	13·3	13·8	14·0	15·7*	14·4*	14·4*	17·6*	13·8*	—
PERSONS MARRIED.											
Quarter ended the last day of											
March - - -	12·8	10·0	9·9	13·5	11·2	12·1†	14·5†	11·0†	14·2†	13·0†	—
June - - -	13·7	16·8	16·5	14·4	17·6	20·9†	15·9†	13·6†	14·3†	21·6†	—
September - - -	17·0	17·1	18·2	18·1	17·6	21·9†	14·3†	14·7†	16·7†	22·5†	—
December - - -	16·3	16·8	17·7	16·5	17·2	22·5†	14·8†	15·7†	15·9†	21·5†	—
BIRTHS.											
March - - -	25·1	25·1	24·5	24·0	23·9	24·1†	20·8†	19·3†	17·5†	15·7†	29·0†
June - - -	26·3	25·0	24·0	24·9	24·5	22·9†	22·3†	18·5†	18·2†	15·9†	—
September - - -	25·2	24·4	23·9	24·4	24·4	20·9†	21·0†	17·2†	17·8†	18·6†	—
December - - -	23·6	22·9	23·2	23·0	22·4	19·5†	19·4†	16·2†	17·1†	23·7†	—
DEATHS.											
March - - -	15·5	16·0	15·9	16·2	16·0	20·1*	16·4*	19·3*	16·4*	21·0*	—
June - - -	13·0	13·3	12·8	13·3	13·5	15·4*	14·4*	14·8*	13·8*	11·9*	—
September - - -	11·5	15·5	11·1	12·3	12·4	12·1*	11·4*	10·8*	13·0*	9·7*	—
December - - -	14·1	13·6	13·6	13·4	14·0	15·1*	15·3*	13·0*	27·0*	12·6*	—

* Civilians only.

† Based upon total populations specially estimated for this purpose.

‡ Estimated civilian population in 1919 provisionally adopted for 1920. (See page ii.)

TABLE III.—**Birth-rate, Civilian Death-rate, and Analysis of Mortality** during the last Five Quarters.

(Provisional figures. Populations estimated to the middle of 1919 have been used for rates for that year; but, for the reason stated on page ii, the populations for 1919 are continued in use for 1920.)

	QUARTER.	ANNUAL BIRTH-RATE PER 1,000 TOTAL POPULATION.	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION.										DEATH-RATE PER 1000 BIRTHS.		PERCENTAGE OF TOTAL DEATHS.*		
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.	Diarrhoea and Enteritis (under 2 Years).	Total deaths under one Year.	Deaths in Public Institutions.	Certified Causes.	Inquest Cases.	Uncertified Causes of Death.
ENGLAND AND WALES	1919. First	15.7	21.0	0.01	0.00	0.08	0.03	0.10	0.14	3.94	0.46	7.0	149	22.0	94.0	4.7	1.3
	Second	15.9	11.9	0.01	0.06	0.09	0.03	0.07	0.10	0.54	0.46	5.2	80	25.0	92.2	6.5	1.3
	Third	18.6	9.7	0.02	0.00	0.06	0.02	0.04	0.10	0.06	0.48	17.3	70	25.5	90.8	7.9	1.3
	Fourth	23.7	12.6	0.02	—	0.16	0.05	0.07	0.18	0.18	0.50	8.2	71	24.6	91.5	7.1	1.4
	1920. First	29.0	+	+	+	+	+	+	+	+	+	4.2	88	23.0	92.4	6.3	1.3
96 GREAT TOWNS (Census Populations exceeding 50,000).	1919. First	15.8	21.4	0.02	0.00	0.10	0.04	0.09	0.14	4.12	0.47	8.1	150	25.8	93.7	5.5	0.8
	Second	16.1	11.7	0.01	0.00	0.14	0.03	0.06	0.11	0.52	0.42	6.1	82	31.2	92.1	7.1	0.8
	Third	19.0	9.5	0.01	0.00	0.08	0.03	0.04	0.11	0.06	0.43	22.3	76	32.1	90.9	8.4	0.7
	Fourth	25.0	12.7	0.02	—	0.18	0.06	0.08	0.20	0.18	0.47	11.0	76	30.7	91.3	7.9	0.8
	1920. First	30.3	16.1	0.01	0.00	0.46	0.06	0.29	0.24	0.53	0.48	5.5	97	29.0	92.5	6.7	0.8
148 SMALLER TOWNS (Census Populations, 20,000-50,000).	1919. First	15.5	19.3	0.01	0.00	0.06	0.02	0.12	0.12	3.70	0.40	7.3	153	15.0	94.9	3.7	1.4
	Second	15.5	10.9	0.01	0.00	0.07	0.02	0.09	0.11	0.53	0.37	4.9	81	17.3	93.2	5.3	1.5
	Third	18.4	8.8	0.02	—	0.07	0.03	0.05	0.10	0.06	0.38	16.0	71	17.6	92.5	6.1	1.4
	Fourth	23.5	11.4	0.02	—	0.19	0.04	0.06	0.16	0.15	0.39	6.2	70	17.7	92.7	5.5	1.8
	1920. First	28.3	13.9	0.02	0.00	0.25	0.03	0.17	0.19	0.44	0.43	3.8	89	15.3	93.4	5.1	1.5

* Non-civilians are included in these figures for England and Wales but not for other areas.

+ The numbers of deaths of non-civilians in England and Wales during the First Quarter of 1920 have not yet been ascertained. Until these are known the civilian death-rates cannot be calculated. (See page ii.)

TABLE IV.—England and Wales and Registration Counties.—MARRIAGES registered in the Quarter ended 31st December, 1919 : BIRTHS and DEATHS registered in the Quarter ended 31st March, 1920.

NOTE.—The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with Poor Law Unions of the same names. The differences between Registration Counties and Administrative Counties are shown in Table 7 of Vol. II. of the Census Report, 1911 (Cd. 6259). The numbers of marriages, births, and deaths are the numbers actually registered in each case.

REGISTRATION COUNTIES.	MAR- RIAGES in Quarter ended 31st Dec. 1919.	BIRTHS in Quarter ended 31st March 1920.	DEATHS in Quarter ended 31st March 1920.	The DEATHS registered include												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	REGISTRATION COUNTIES.
				Deaths of		Deaths from							Violence.						
				Infants under 1 Year of age.	Persons aged 65 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.							
England and Wales	101,601	271,082	137,637	23,860	44,993	122	13	3,095	476	1,857	1,915	1,149	4,037	4,686	8,631	31,620	1,771	England and Wales.	
LONDON*	13,355	36,303	18,342	3,431	5,413	8	-	519	50	416	335	221	626	615	1,492	8,148	43	LONDON.*	
SURREY	2,145	6,133	3,017	407	1,164	1	-	30	7	31	59	16	118	72	205	820	10	SURREY.	
KENT	2,957	7,191	3,497	525	1,351	2	5	54	10	48	46	19	86	123	189	738	83	KENT.	
SUSSEX	1,732	3,990	2,278	230	1,071	1	-	23	6	5	27	4	47	73	149	513	8	SUSSEX.	
HAMPSHIRE	2,505	6,360	3,230	438	1,205	2	-	48	1	54	36	12	105	102	191	753	30	HAMPSHIRE.	
BERKSHIRE	878	2,114	1,052	137	456	-	-	7	-	8	14	6	33	25	49	230	27	BERKSHIRE.	
MIDDLESEX	2,886	8,506	3,598	577	1,216	3	-	62	20	38	80	18	116	101	227	957	4	MIDDLESEX.	
HERTFORDSHIRE	694	1,765	888	114	395	-	-	5	3	9	7	3	14	26	44	228	12	HERTFORDSHIRE.	
BUCKINGHAMSHIRE	504	1,236	597	79	285	-	-	6	1	3	5	-	21	15	23	96	6	BUCKINGHAMSHIRE.	
OXFORDSHIRE	506	1,180	621	78	317	-	-	1	-	3	4	4	16	13	21	116	12	OXFORDSHIRE.	
NORTHAMPTONSHIRE	1,106	2,371	1,169	143	519	-	-	5	-	12	14	4	32	40	53	163	31	NORTHAMPTONSHIRE.	
HUNTINGDONSHIRE	129	284	166	20	96	-	-	-	-	-	5	-	1	2	2	27	4	HUNTINGDONSHIRE.	
BEDFORDSHIRE	574	1,272	661	85	319	1	-	2	2	5	5	2	13	17	30	122	15	BEDFORDSHIRE.	
CAMBRIDGESHIRE	672	1,406	710	83	321	-	-	9	5	2	4	2	19	18	20	138	12	CAMBRIDGESHIRE.	
Essex	3,632	10,285	4,776	802	1,673	2	5	47	6	116	97	20	224	138	262	1,156	71	Essex.	
SUFFOLK	1,192	2,758	1,286	203	575	2	-	9	2	12	16	3	27	52	86	248	22	SUFFOLK.	
NORFOLK	1,450	3,379	1,637	239	792	1	-	6	2	17	18	5	26	51	105	303	21	NORFOLK.	
WILTSHIRE	778	1,794	868	126	376	-	-	1	1	4	6	1	6	22	42	180	10	WILTSHIRE.	
DORSETSHIRE	571	1,300	697	97	308	-	-	5	2	4	1	2	25	42	46	120	12	DORSETSHIRE.	
DEVONSHIRE	1,841	4,414	2,736	312	1,185	3	-	29	2	6	37	13	117	82	151	463	31	DEVONSHIRE.	
CORNWALL	856	1,839	1,206	122	584	3	-	3	1	5	29	4	22	22	63	127	8	CORNWALL.	
SOMERSETSHIRE	1,240	2,849	1,633	149	800	-	-	4	3	6	11	9	44	62	100	261	12	SOMERSETSHIRE.	
GLOUCESTERSHIRE	1,761	4,831	2,545	326	971	2	-	67	4	43	21	20	53	74	196	627	8	GLOUCESTERSHIRE.	
HEREFORDSHIRE	250	722	399	34	207	-	-	3	-	1	1	1	5	15	19	53	10	HEREFORDSHIRE.	
SHROPSHIRE	661	1,718	864	99	435	-	-	15	1	6	7	3	27	26	40	117	27	SHROPSHIRE.	
STAFFORDSHIRE	4,084	11,729	5,160	1,015	1,469	4	-	111	29	82	48	65	238	168	323	782	57	STAFFORDSHIRE.	
WORCESTERSHIRE	857	2,289	1,274	174	495	-	-	12	-	10	11	9	82	51	76	209	16	WORCESTERSHIRE.	
WARWICKSHIRE	3,637	10,493	4,939	797	1,443	-	-	45	48	102	87	53	299	163	209	1,277	142	WARWICKSHIRE.	

TABLE IV. (continued). ENGLAND AND WALES and REGISTRATION COUNTIES.—MARRIAGES registered in the Quarter ended 31st December 1919; BIRTHS and DEATHS registered in the Quarter ended 31st March 1920.

REGISTRATION COUNTIES.	The DEATHS registered include														REGISTRATION COUNTIES.									
	MAR- RIAGES in Quarter ended 31st Dec., 1919.	BIRTHS in Quarter ended 31st March 1920.	DEATHS in Quarter ended 31st March 1920.	Deaths of		Deaths from								Violence.		Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.						
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.											
LEICESTERSHIRE -	1,439	3,380	1,622	273	633	4	-	23	3	5	28	20	24	40	79	329	34	LEICESTERSHIRE.						
RUTLANDSHIRE -	47	122	50	7	29	-	-	1	-	-	-	-	1	2	2	1	4	RUTLANDSHIRE.						
LINCOLNSHIRE -	1,544	3,966	2,058	337	759	2	-	89	4	52	38	10	46	80	106	283	29	LINCOLNSHIRE.						
NOTTINGHAMSHIRE -	2,319	5,830	2,687	548	756	-	-	162	4	24	49	12	32	81	117	552	60	NOTTINGHAMSHIRE.						
DERBYSHIRE -	1,571	4,128	1,801	314	609	1	-	37	2	18	21	12	30	62	102	316	50	DERBYSHIRE.						
CHESHIRE -	2,268	6,285	3,339	554	1,125	7	1	61	9	77	26	20	97	114	234	710	21	CHESHIRE.						
LANCASHIRE -	13,131	35,999	20,641	3,892	5,443	22	1	676	86	290	244	234	493	756	1,302	4,885	312	LANCASHIRE.						
WEST RIDING -	8,861	22,260	12,298	2,369	3,523	19	-	437	27	134	120	105	325	445	869	2,330	61	WEST RIDING.						
EAST RIDING (WITH YORK).	1,640	4,111	2,157	384	664	3	-	92	5	7	19	17	45	63	128	507	13	EAST RIDING (WITH YORK).						
NORTH RIDING -	1,169	3,360	1,658	341	541	1	-	3	9	15	28	21	27	47	103	200	20	NORTH RIDING.						
DURHAM -	4,411	13,690	5,767	1,364	1,392	7	1	148	58	63	83	66	128	198	273	762	212	DURHAM.						
NORTHUMBERLAND -	1,831	5,937	2,940	581	804	9	-	31	12	28	35	23	63	110	185	561	66	NORTHUMBERLAND.						
CUMBERLAND -	742	1,937	1,071	169	359	1	-	43	1	15	28	4	16	38	47	136	32	CUMBERLAND.						
WESTMORLAND -	165	326	224	15	107	-	-	1	4	1	-	-	6	10	14	22	3	WESTMORLAND.						
MONMOUTHSHIRE -	1,312	3,811	1,556	352	398	-	-	24	9	7	20	12	63	83	104	197	12	MONMOUTHSHIRE.						
GLAMORGANSHIRE -	3,487	9,758	4,436	1,007	996	8	-	97	27	61	86	44	100	241	412	585	6	GLAMORGANSHIRE.						
CARMARTHENSHIRE -	419	1,099	634	123	194	-	-	-	-	8	19	17	35	25	32	39	13	CARMARTHENSHIRE.						
PEMBROKESHIRE -	236	569	284	39	110	-	-	1	1	-	3	2	10	14	15	25	14	PEMBROKESHIRE.						
CARDIGANSHIRE -	205	368	305	28	155	-	-	1	1	1	-	4	2	10	12	19	9	CARDIGANSHIRE.						
BRECKNOCKSHIRE -	144	348	203	43	75	1	-	-	-	2	1	-	3	6	16	18	2	BRECKNOCKSHIRE.						
RADNORSHIRE -	36	93	61	7	23	-	-	1	-	-	-	-	2	4	4	5	2	RADNORSHIRE.						
MONTGOMERYSHIRE -	127	351	235	24	120	1	-	2	-	-	3	1	1	4	9	20	10	MONTGOMERYSHIRE.						
FLINTSHIRE -	169	535	242	40	105	-	-	1	-	-	3	-	3	8	12	14	11	FLINTSHIRE.						
DENBIGHSHIRE -	367	967	607	97	207	1	-	30	7	1	17	5	27	19	17	81	11	DENBIGHSHIRE.						
MERIONETHSHIRE -	111	319	233	24	115	-	-	-	-	-	4	-	5	5	6	10	3	MERIONETHSHIRE.						
CARNARVONSHIRE -	317	795	540	60	246	-	-	6	1	-	8	-	8	9	14	39	12	CARNARVONSHIRE.						
ANGLESEY -	80	227	142	26	64	-	-	-	-	-	1	1	3	2	4	2	5	ANGLESEY.						

TABLE IVa.—**England and Wales and Registration Counties.**—
 ILLEGITIMATE BIRTHS registered in the Quarter ended 31st March of the
 Years 1919 and 1920.

REGISTRATION COUNTIES.	Illegitimate Births registered during the Quarter ended		REGISTRATION COUNTIES.	Illegitimate Births registered during the Quarter ended	
	31st March 1919.	31st March 1920.		31st March 1919.	31st March 1920.
England and Wales.	9,967	12,054	Leicestershire - - -	80	151
London - - - -	1,415	1,676	Rutlandshire - - -	1	7
Surrey - - - -	250	269	Lincolnshire - - -	208	226
Kent - - - -	286	308	Nottinghamshire - - -	248	324
Sussex - - - -	200	246	Derbyshire - - -	143	176
Hampshire - - -	309	278	Cheshire - - - -	224	252
Berkshire - - -	89	115	Lancashire - - - -	1,218	1,590
Middlesex - - -	192	262	Yorkshire (West Riding)-	796	1,120
Hertfordshire - - -	54	58	Yorkshire (East Riding	167	198
Buckinghamshire - - -	49	54	with York).		
Oxfordshire - - -	60	78	Yorkshire (North Riding)	153	158
Northamptonshire - - -	68	125	Durham - - - -	445	563
Huntingdonshire - - -	12	13	Northumberland - - -	226	263
Bedfordshire - - -	75	68	Cumberland - - - -	100	127
Cambridgeshire - - -	67	79	Westmorland - - - -	17	29
Essex - - - -	277	294	Monmouthshire - - -	118	120
Suffolk - - - -	135	163	Glamorganshire - - -	271	337
Norfolk - - - -	159	208	Carmarthenshire - - -	34	37
Wiltshire - - - -	104	103	Pembrokeshire - - -	37	19
Dorsetshire - - -	60	53	Cardiganshire - - -	25	20
Devonshire - - -	171	194	Brecknockshire - - -	13	12
Cornwall - - - -	79	77	Radnorshire - - - -	5	10
Somersetshire - - -	98	107	Montgomeryshire - - -	25	26
Gloucestershire - - -	203	191	Flintshire - - - -	23	28
Herefordshire - - -	44	49	Denbighshire - - -	31	63
Shropshire - - -	86	118	Merionethshire - - -	27	37
Staffordshire - - -	338	464	Carnarvonshire - - -	38	59
Worcestershire - - -	75	96	Anglesey - - - -	23	24
Warwickshire - - -	316	332			

NOTE.—The 96 Great Towns are those with populations exceeding 50,000 persons at the Census of 1911. The births here shown are those actually registered in the several towns. The deaths relate to the civilian population only; those in London have been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents occurring in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County. (See also Table XII.) The deaths in the other towns have been corrected as far as possible, (1) by the exclusion of all deaths of non-residents and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1919.	BIRTHS.	DEATHS.	Deaths of		Deaths from								Deaths in Public Institutions.			Uncertified Causes of Death.	MEAN TEMPERATURE (De- grees Fabr.). *	RAIN- FALL (Milli- metres). *	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
96 Towns	17,806,093	139,972	71,286	13,640	20,262	57	11	2,025	272	1,303	1059	773	2,342	2,151	4,790	20,647	555	43.4	190	96 Towns.
LONDON	-	35,567	17,808	3,311	5,343	11	3	529	58	416	353	211	651	546	1,397	7,723	41	44.3†	108†	LONDON.
(CROYDON	-	1,261	638	82	244	-	-	15	3	-	9	3	28	13	55	146	-	42.3§	147§	(CROYDON.
WIMBLEDON	-	316	161	21	54	-	-	-	-	-	6	-	7	7	14	52	-	-	99	WIMBLEDON.
EALING	-	420	218	27	30	-	-	1	-	-	3	1	11	9	14	48	-	-	-	EALING.
ACTON	-	423	206	36	65	-	-	-	-	1	4	1	5	5	11	59	-	-	-	ACTON.
WILLESDEN	-	1,166	462	87	135	-	-	11	2	5	7	2	12	10	22	173	-	-	-	WILLESDEN.
HORNSEY	-	424	241	25	89	1	-	-	2	5	7	-	10	5	14	61	-	-	-	HORNSEY.
TOTTENHAM	-	1,152	477	94	133	-	-	14	3	6	12	3	13	9	30	163	-	44.8	115	TOTTENHAM.
EDMONTON	-	601	233	59	56	-	-	1	-	3	3	-	14	6	25	68	-	-	-	EDMONTON.
ENFIELD	-	375	206	29	59	-	-	6	-	1	4	-	12	5	10	65	-	43.2	119	ENFIELD.
WEST HAM	-	2,935	1,240	246	327	1	2	8	2	47	29	9	76	39	78	375	2	-	-	WEST HAM.
EAST HAM	-	1,041	470	100	127	-	2	8	-	12	7	2	23	18	40	141	1	-	-	EAST HAM.
LEYTON	-	819	424	78	134	-	1	9	1	16	13	5	24	8	22	141	-	-	-	LEYTON.
WALTHAMSTOW	-	935	450	86	120	1	-	3	-	9	12	2	13	15	36	141	1	-	-	WALTHAMSTOW.
ILFORD	-	467	260	41	101	-	-	2	-	1	3	1	16	8	18	49	-	-	-	ILFORD.
GILLINGHAM	-	376	147	28	48	-	-	3	1	2	1	2	6	3	3	19	4	-	-	GILLINGHAM.
HASTINGS	-	329	231	13	112	1	-	2	-	1	6	1	6	5	11	62	1	-	-	HASTINGS.
EASTBOURNE	-	254	125	15	58	-	-	1	-	-	-	1	6	1	7	17	2	44.7	173	EASTBOURNE.
BRIGHTON	-	919	510	67	209	-	-	4	2	2	4	4	7	18	44	161	-	44.1	170	BRIGHTON.
PORTSMOUTH	-	1,900	859	160	284	-	-	23	-	30	12	4	24	21	56	199	7	44.9	156	PORTSMOUTH.
BOURNEMOUTH	-	375	246	11	122	-	-	-	-	-	-	-	4	9	17	36	-	43.9	182	BOURNEMOUTH.
SOUTHAMPTON	-	868	449	81	147	-	-	11	-	8	12	4	5	5	19	144	-	44.6	173	SOUTHAMPTON.
READING	-	636	311	46	121	-	-	4	-	4	2	5	15	4	10	56	4	43.5	97	READING.
OXFORD	-	332	168	22	76	-	-	-	-	-	2	4	8	5	6	36	-	43.9	112	OXFORD.
NORTHAMPTON	-	654	311	46	116	-	-	-	-	4	4	3	8	7	11	65	5	-	-	NORTHAMPTON.
CAMBRIDGE	-	355	166	12	68	-	-	1	-	-	2	1	3	5	5	37	-	43.1	101	CAMBRIDGE.

* The values for Mean Temperature and Rainfall relate to the calendar quarter.
† These values refer to the Royal Observatory, Greenwich.
‡ These towns are included within the Metropolitan Outer Ring.
§ Observations made at Addington Hills.

TABLE V. (continued).—96 Great Towns, &c.—Population, Births, and Deaths in the 13 Weeks ended 3rd April, 1920.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1919.	BIRTHS.	DEATHS.	The DEATHS registered include											MEAN TEMPERATURE (De- grees Fahr.).	RAIN- FALL. (Milli- metres).	TOWNS.			
				Deaths of		Deaths from														
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.				Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTHEND ON SEA.	84,034	491	273	30	118	-	-	-	-	7	3	-	22	6	10	42	12	44·0	67	SOUTHEND ON SEA.
IPSWICH.	78,011	616	284	44	111	-	-	-	-	3	8	-	3	11	23	79	-	42·9	88	IPSWICH.
GREAT YARMOUTH.	53,078	447	181	33	76	-	-	-	-	2	1	1	1	10	13	25	-	42·5	95	GREAT YARMOUTH.
NORWICH.	119,993	926	470	84	196	1	-	7	-	12	5	2	11	14	42	121	-	43·1	110	NORWICH.
SWINDON.	51,527	344	179	36	60	-	-	-	-	3	1	-	-	2	6	22	-	-	-	SWINDON.
EXETER.	59,014	409	200	25	99	-	-	3	-	1	1	2	2	5	13	30	1	-	-	EXETER.
PLYMOUTH.	181,967	1,551	836	148	262	2	-	23	-	6	19	4	40	20	53	152	-	45·8	270	PLYMOUTH.
BATH.	65,919	415	250	24	138	-	-	-	-	-	1	-	5	7	16	65	-	45·0	195	BATH.
BRISTOL.	361,247	2,775	1,317	199	477	2	-	36	2	6	13	13	22	45	123	379	-	44·3†	258†	BRISTOL.
GLOUCESTER.	50,100	391	221	31	52	-	-	21	-	23	6	1	10	3	9	39	1	-	-	GLOUCESTER.
STOKE ON TRENT.	239,316	2,203	912	208	173	2	-	52	16	1	8	9	12	31	68	161	14	-	-	STOKE ON TRENT.
WOLVERHAMPTON.	98,403	821	369	69	89	-	-	8	5	10	1	4	19	8	19	83	1	-	-	WOLVERHAMPTON.
WALSALL.	92,724	826	338	70	90	-	-	4	-	9	5	8	8	8	22	57	1	-	-	WALSALL.
WEST BROMWICH.	69,899	648	237	60	51	-	-	-	-	3	1	2	16	6	14	40	3	-	-	WEST BROMWICH.
DUDLEY.	54,017	503	305	81	81	-	-	6	1	-	1	4	33	2	4	24	7	-	-	DUDLEY.
BIRMINGHAM.	861,585	7,008	3,477	576	940	-	-	14	42	96	73	41	263	102	127	957	125	42·7	178	BIRMINGHAM.
SMETHWICK.	72,152	545	239	41	75	-	-	-	1	8	6	2	6	6	9	42	1	-	-	SMETHWICK.
COVENTRY.	132,048	940	369	75	92	-	-	11	-	4	3	5	15	11	17	82	3	-	153	COVENTRY.
LEICESTER.	236,059	1,608	783	160	273	3	-	7	-	1	13	17	6	18	45	212	10	-	-	LEICESTER.
LINCOLN.	60,581	398	215	42	68	-	-	19	1	14	-	3	8	4	4	31	2	43·1	155	LINCOLN.
GRIMSBY.	78,813	634	339	64	71	-	-	26	1	8	6	2	5	17	23	66	2	-	-	GRIMSBY.
NOTTINGHAM.	257,573	2,004	1,116	220	310	-	-	91	3	12	33	9	5	21	43	363	7	42·3	158	NOTTINGHAM.
DERBY.	123,930	938	404	92	145	-	-	6	2	-	1	4	4	16	44	115	-	-	-	DERBY.

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† Observations made at Clifton.

TABLE V. (continued).—96 Great Towns, &c.—Population, Births, and Deaths in the 13 Weeks ended 3rd April, 1920.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1919.	BIRTHS.	DEATHS.	The DEATHS registered include													MEAN TEMPERATURE (De- grees Fabr.). *	RAIN- FALL (Milli- metres). *	TOWNS.		
				Deaths of		Deaths from								Violence.		Inquest Cases.				Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.							
STOCKPORT	-	850	509	100	131	-	-	17	1	21	5	6	7	11	29	105	-	STOCKPORT.			
BIRKENHEAD	-	1,212	610	143	151	-	-	23	2	33	5	3	22	23	40	166	7	BIRKENHEAD.			
WALLASEY	-	537	280	39	105	1	-	1	-	4	2	1	22	4	13	59	1	WALLASEY.			
LIVERPOOL	-	7,420	4,358	923	862	-	2	282	21	125	80	78	124	133	308	1,517	48	LIVERPOOL.			
BOOTLE	-	648	353	84	52	-	-	27	7	6	9	5	18	11	13	70	9	BOOTLE.			
ST. HELENS	-	957	430	104	75	-	-	43	-	2	6	4	19	16	16	116	20	ST. HELENS.			
SOUTHPORT	-	336	251	16	125	-	-	-	-	1	-	1	9	8	10	31	6	SOUTHPORT.			
WIGAN	-	747	429	78	84	3	-	39	1	2	7	2	12	17	40	43	-	WIGAN.			
WARRINGTON	-	632	233	60	55	-	-	-	1	1	4	3	7	7	9	60	11	WARRINGTON.			
BOLTON	-	1,136	701	133	217	1	-	19	-	8	14	9	9	21	51	135	3	BOLTON			
BURY	-	304	239	38	79	-	-	1	-	5	2	2	4	7	13	44	2	BURY.			
MANCHESTER	-	5,685	3,090	645	782	3	-	121	12	43	9	47	76	86	172	966	24	MANCHESTER.			
SALFORD	-	1,807	901	214	198	1	-	16	7	13	14	16	12	31	76	255	2	SALFORD.			
OLDHAM	-	985	675	109	168	1	-	-	4	9	6	10	23	32	47	148	-	OLDHAM.			
ROCHDALE	-	548	381	71	92	3	-	5	2	8	1	-	6	13	32	69	3	ROCHDALE.			
BURNLEY	-	712	396	102	110	-	-	3	-	1	3	4	1	12	31	82	1	BURNLEY.			
BLACKBURN	-	772	478	86	166	-	-	-	1	1	3	4	18	14	36	89	2	BLACKBURN.			
PRESTON	-	879	508	86	158	-	-	11	3	2	6	3	9	12	17	90	5	PRESTON.			
BLACKPOOL	-	313	276	33	108	-	-	1	-	-	5	-	5	2	5	29	8	BLACKPOOL.			
BARROW IN FURNESS	-	511	246	48	62	1	-	11	-	6	1	1	2	10	10	44	7	BARROW IN FURNESS.			
HUDDERSFIELD	-	551	417	54	136	2	-	6	-	3	6	1	2	22	43	87	2	HUDDERSFIELD.			
HALIFAX	-	572	420	65	147	-	-	2	1	4	2	1	14	15	37	81	-	HALIFAX.			
BRADFORD	-	1,628	1,090	187	362	1	-	4	1	6	6	6	18	31	97	305	1	BRADFORD.			
LEEDS	-	3,315	2,206	450	510	-	-	126	9	69	24	21	105	69	162	479	-	LEEDS.			
DEWSBURY	-	336	231	44	57	-	-	11	2	3	2	1	5	4	10	29	-	DEWSBURY.			
WAKEFIELD	-	374	211	33	62	1	-	8	-	-	4	7	3	9	21	43	-	WAKEFIELD.			
BARNLEY	-	500	244	71	46	-	-	33	-	5	-	1	9	6	14	15	-	BARNLEY.			

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† These values refer to Blundellsands.

‡ These values refer to Bidston Observatory.

§ These values refer to Hutton.

TABLE V. (continued).—96 Great Towns, &c.—Population, Births, and Deaths in the 13 Weeks ended 3rd April, 1920.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.	BIRTHS.	DEATHS.	The DEATHS registered include										MEAN TEMPERATURE (De- grees Fahr.) *	RAIN- FALL (Milli- metres). *	TOWNS.				
				Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years)	Influenza.							Violence.
SHEFFIELD	473,695	3,674	1,646	391	424	-	-	5	2	5	8	29	39	66	131	450	2	43·1	243	SHEFFIELD.
ROTHERHAM	69,034	606	210	53	56	-	-	-	-	4	2	2	1	3	7	39	7	-	-	ROTHERHAM.
YORK	74,531	642	307	38	112	-	-	1	1	1	6	1	6	6	19	93	-	42·7	128	YORK.
HULL	279,664	2,444	1,235	254	306	1	-	74	4	3	9	14	39	34	71	283	9	43·0	140	HULL.
MIDDLESBROUGH	127,142	1,256	589	186	118	-	-	-	4	5	4	20	4	15	36	87	9	-	-	MIDDLESBROUGH.
DARLINGTON	64,058	502	231	44	65	-	-	5	7	8	1	1	4	4	7	39	8	-	-	DARLINGTON.
STOCKTON ON TEES	60,696	577	251	54	67	-	-	-	1	12	6	7	1	5	7	30	5	-	-	STOCKTON ON TEES.
WEST HARTLEPOOL	65,515	605	248	59	52	1	-	14	1	12	2	2	4	5	10	45	4	-	-	WEST HARTLEPOOL.
SUNDERLAND	149,263	1,576	678	137	186	-	-	13	1	6	6	6	11	25	49	141	24	-	-	SUNDERLAND.
SOUTH SHIELDS	111,502	1,159	609	143	115	2	-	-	1	-	4	13	49	17	21	82	27	-	-	SOUTH SHIELDS.
GATESHEAD	123,392	1,236	528	131	126	-	1	3	3	4	4	-	4	12	15	97	19	-	-	GATESHEAD.
NEWCASTLE ON TYNE	275,099	2,418	1,177	260	299	2	-	14	3	20	11	12	32	38	95	247	2	-	-	NEWCASTLE ON TYNE.
TYNEMOUTH	58,007	534	260	48	69	3	-	2	-	1	1	1	10	7	12	48	11	41·7	147	TYNEMOUTH.
CARLISLE	55,198	371	188	29	64	-	-	3	-	5	1	-	5	2	8	25	5	-	-	CARLISLE.
NEWPORT (MON.)	87,251	742	312	60	75	-	-	19	1	1	2	4	9	14	19	55	-	44·7	304	NEWPORT (MON.).
CARDIFF	204,436	1,515	724	146	166	3	-	43	8	12	11	6	8	33	76	113	-	43·8	290	CARDIFF.
RHONDDA	177,911	1,417	572	148	103	1	-	17	7	9	5	11	13	23	39	45	3	-	-	RHONDDA.
MERTHYR TYDFIL	71,638	604	314	60	87	-	-	2	4	2	11	1	4	17	21	55	-	-	-	MERTHYR TYDFIL.
ABERDARE	51,384	404	194	55	46	-	-	-	-	7	2	4	4	14	13	10	-	-	-	ABERDARE.
SWANSEA	160,810	1,082	514	99	151	1	-	4	-	3	11	-	11	26	60	77	-	44·9	376	SWANSEA.
GREATER LONDON	7,258,623	55,789	27,097	4,909	8,415	17	8	660	83	576	537	267	1,035	813	2,023	10,275	55	-	-	GREATER LONDON.
OUTER RING	2,900,314	20,222	9,289	1,598	3,072	6	5	131	25	160	184	56	384	267	626	2,552	14	-	-	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,668,251	12,335	5,686	1,111	1,724	3	5	78	13	106	119	29	264	157	389	1,682	4	-	-	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,232,063	7,887	3,603	587	1,348	3	-	53	12	54	65	27	120	110	237	870	10	-	-	REMAINDER OF OUTER RING.
EDINBURGH†	342,300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41·1	178	EDINBURGH.†
GLASGOW†	1,115,500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41·6	354	GLASGOW.†
DUBLIN (Registra- tion Area).‡	415,000	3,287	2,030	419	536	2	-	26	8	60	15	27	22	37	34	788	64	{ 44·8 ^a 43·4 ^b	208 ^a 215 ^b	DUBLIN (Registra- tion Area).‡
BELFAST†	413,000	3,420	2,504	556	433	16	-	117	49	41	10	27	144	28	52	640	35	-	-	BELFAST.†

* The values for Mean Temperature and Rainfall relate to the calendar quarter

a Phoenix Park

b Ballymullen Park

NOTE.—The rates in this table are based upon the figures shown in Table V.

TOWNS.		ANNUAL BIRTH-RATE PER 1,000 TOTAL POPULATION, 1919.*	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION, 1919.										DEATH-RATE PER 1,000 BIRTHS.		PERCENTAGE of Total Deaths.			TOWNS.
			Deaths from										Diar- rhoea and Enter- itis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
All Causes.		13 Weeks ended :— 29th Mar., 1919.†	3rd Apl., 1920.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.	5·5	97	6·7	29·0	0·8	96 Towns.	
96 Towns		21·4	16·1	0·01	0·00	0·46	0·06	0·29	0·24	0·53	0·48							
LONDON	-	19·6	16·4	0·01	0·00	0·49	0·05	0·38	0·32	0·60	0·50	5·9	93	7·8	43·4	0·2	LONDON.	
{ CROYDON	-	17·6	13·9	-	-	0·33	0·07	-	0·20	0·61	0·28	2·4	65	8·6	22·9	-	{ CROYDON.	
{ WIMBLEDON	-	15·6	10·8	-	-	-	-	-	0·40	0·47	0·47	-	66	8·7	32·3	-	{ WIMBLEDON.	
{ EALING	-	16·7	11·9	-	-	0·05	-	-	0·16	0·60	0·49	2·4	64	6·4	22·0	-	{ EALING.	
{ ACTON	-	15·3	13·4	-	-	-	-	0·06	0·26	0·32	0·32	2·4	85	5·3	28·6	-	{ ACTON.	
{ WILLESDEN	-	15·6	11·5	-	-	0·27	0·05	0·12	0·17	0·30	0·25	1·7	75	4·8	37·4	-	{ WILLESDEN.	
{ HORNSEY	-	14·9	10·2	0·04	-	-	0·09	0·21	0·30	0·43	0·21	-	59	5·8	25·3	-	{ HORNSEY.	
{ TOTTENHAM	-	17·1	13·5	-	-	0·40	0·09	0·17	0·34	0·37	0·26	2·6	82	6·3	34·2	-	{ TOTTENHAM.	
{ EDMONTON	-	14·9	13·2	-	-	0·06	-	0·17	0·17	0·79	0·34	-	98	10·7	29·2	-	{ EDMONTON.	
{ ENFIELD	-	15·0	14·1	-	-	0·41	-	0·07	0·27	0·82	0·34	-	77	4·9	31·6	-	{ ENFIELD.	
{ WEST HAM	-	18·5	17·3	0·01	0·03	0·11	0·03	0·65	0·40	1·06	0·54	3·1	84	6·3	30·2	0·2	{ WEST HAM.	
{ EAST HAM	-	13·9	13·1	-	0·06	0·22	-	0·33	0·19	0·64	0·50	1·9	96	8·5	30·0	0·2	{ EAST HAM.	
{ LEYTON	-	16·1	13·7	-	0·03	0·29	0·03	0·52	0·42	0·78	0·26	6·1	95	5·2	33·0	-	{ LEYTON.	
{ WALTHAMSTOW	-	13·0	14·1	0·03	-	0·09	-	0·28	0·38	0·41	0·47	2·1	92	8·0	31·3	0·2	{ WALTHAMSTOW.	
{ ILFORD	-	13·6	13·1	-	-	0·10	-	0·05	0·15	0·81	0·40	2·1	88	6·9	18·8	-	{ ILFORD.	
GILLINGHAM	-	15·5	13·6	-	-	0·28	0·09	0·18	0·09	0·55	0·28	5·3	74	2·0	12·9	2·7	GILLINGHAM.	
HASTINGS	-	22·0	16·1	0·07	-	0·14	-	0·07	0·42	0·42	0·35	3·0	40	4·8	26·8	0·4	HASTINGS.	
EASTBOURNE	-	17·7	10·4	-	-	0·08	-	-	-	0·50	0·08	3·9	59	5·6	13·6	1·6	EASTBOURNE.	
BRIGHTON	-	21·7	15·4	-	-	0·12	0·06	0·06	0·12	0·21	0·55	4·4	73	8·6	31·6	-	BRIGHTON.	
PORTSMOUTH	-	18·3	15·3	-	-	0·41	-	0·54	0·21	0·43	0·37	2·1	84	6·5	23·2	0·8	PORTSMOUTH.	
BOURNEMOUTH	-	20·1	11·9	-	-	-	-	-	-	0·19	0·44	-	29	6·9	14·6	-	BOURNEMOUTH.	
SOUTHAMPTON	-	20·0	14·3	-	-	0·35	-	0·25	0·38	0·16	0·16	4·6	93	4·2	32·1	-	SOUTHAMPTON.	
READING	-	17·2	13·7	-	-	0·18	-	0·18	0·09	0·66	0·18	7·9	72	3·2	18·0	1·3	READING.	
OXFORD	-	16·5	11·7	-	-	-	-	-	0·14	0·56	0·35	12·0	66	3·6	21·4	-	OXFORD.	
NORTHAMPTON	-	20·2	14·0	-	-	-	-	0·18	0·18	0·36	0·32	4·6	70	3·5	20·9	1·6	NORTHAMPTON.	
CAMBRIDGE	-	16·8	11·5	-	-	0·07	-	-	0·14	0·21	0·35	2·8	34	3·0	22·3	-	CAMBRIDGE.	

* The birth-rates are based upon total populations estimated for this purpose.

† These towns are included within the Metropolitan Outer Ring.

‡ Revised rates.

TABLE VI. (continued).—96 Great Towns, &c.—Birth-rate, Civilian Death-rate, and Analysis of Mortality in the
13 Weeks ended 3rd April, 1920.

TOWNS.		ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION, 1919.										DEATH-RATE PER 1,000 BIRTHS.		PERCENTAGE of Total Deaths.			TOWNS.
		Deaths from										Diar- rhea and Ente- ritis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
All Causes.		13 Weeks ended :—		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.						
		29th Mar., 1919.†	3rd Apl., 1920.														
SOUTHEND ON SEA	22.5	16.3	13.0	-	-	-	-	0.33	0.14	1.05	0.29	-	61	3.7	15.4	4.4	SOUTHEND ON SEA. IPSWICH.
IPSWICH	30.4	20.0	14.6	-	-	0.31	0.05	0.15	0.41	0.15	0.57	-	71	8.1	27.8	-	GREAT YARMOUTH. NORWICH.
GREAT YARMOUTH	32.4	23.0	13.7	-	-	-	-	0.15	0.08	0.08	0.76	2.2	74	7.2	13.8	-	
NORWICH	29.7	19.7	15.7	0.03	-	0.23	-	0.40	0.17	0.37	0.47	2.2	91	8.9	25.7	-	
SWINDON	25.7	16.3	13.9	-	-	-	-	0.23	0.08	-	0.16	-	105	3.4	12.3	-	SWINDON. EXETER.
EXETER	26.7	20.5	13.6	-	-	0.20	-	0.07	0.07	0.14	0.34	4.9	61	6.5	15.0	0.5	PLYMOUTH. BATH.
PLYMOUTH	32.8	21.7	18.4	0.04	-	0.51	-	0.13	0.42	0.88	0.44	2.6	95	6.3	18.2	-	
BATH	24.2	20.5	15.2	-	-	-	-	-	0.06	0.30	0.43	-	58	6.4	26.0	-	
BRISTOL	29.6	20.8	14.6	0.02	-	0.40	0.02	0.07	0.14	0.24	0.50	4.7	72	9.3	28.8	-	BRISTOL. GLOUCESTER.
GLOUCESTER	30.0	22.3	17.7	-	-	1.68	-	1.84	0.48	0.80	0.24	2.6	79	4.1	17.6	0.5	STOKE ON TRENT. WOLVERHAMPTON.
STOKE ON TRENT	35.4	26.3	15.3	0.03	-	0.87	0.27	0.02	0.13	0.20	0.52	4.1	94	7.5	17.7	1.5	WALSALL.
WOLVERHAMPTON	32.1	27.7	15.0	-	-	0.33	0.20	0.41	0.04	0.77	0.33	4.9	84	5.1	22.5	0.3	WEST BROMWICH. DUDLEY.
WALSALL	34.3	22.4	14.6	-	-	0.17	-	0.39	0.22	0.35	0.35	9.7	85	6.5	16.9	0.3	BIRMINGHAM. SMETHWICK.
WEST BROMWICH	35.7	22.0	13.6	-	-	-	-	0.17	0.06	0.92	0.34	3.1	93	5.9	16.9	1.3	COVENTRY.
DUDLEY	35.9	19.9	22.6	-	-	0.45	0.07	-	0.07	2.45	0.15	8.0	161	1.3	7.9	2.3	
BIRMINGHAM	31.3	21.3	16.2	-	-	0.07	0.20	0.45	0.34	1.22	0.47	5.9	82	3.7	27.5	3.6	
SMETHWICK	29.1	20.8	13.3	-	-	-	0.06	0.44	0.33	0.33	0.33	3.7	75	3.8	17.6	0.4	
COVENTRY	27.4	11.6	11.2	-	-	0.33	-	0.12	0.09	0.46	0.33	5.3	80	4.6	22.2	0.8	
LEICESTER	26.2	21.3	13.3	0.05	-	0.12	-	0.02	0.22	0.10	0.31	10.6	99	5.7	27.1	1.3	LEICESTER. LINCOLN.
LINCOLN	25.3	17.5	14.2	-	-	1.26	0.07	0.93	-	0.53	0.26	7.5	106	1.9	14.4	0.9	GRIMSBY. NOTTINGHAM.
GRIMSBY	31.0	16.9	17.3	-	-	1.32	0.05	0.41	0.31	0.25	0.87	3.2	101	6.8	19.5	0.6	DERBY.
NOTTINGHAM	30.0	21.6	17.4	-	-	1.42	0.05	0.19	0.51	0.08	0.33	4.5	110	3.9	32.5	0.6	
DERBY	29.1	21.0	13.1	-	-	0.19	0.06	-	0.03	0.13	0.52	4.3	98	10.9	28.5	-	

13 Weeks ended 3rd April, 1920.

TOWNS.	ANNUAL BIRTH-RATE PER 1,000 TOTAL POPULATION, 1919.*	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION, 1919.										PERCENTAGE of Total Deaths.			TOWNS.		
		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
		All Causes.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.						
		13 Weeks ended:—															
		29th Mar. 1919.†	3rd Apr., 1920.														
STOCKPORT	26.1	19.9	16.3	-	-	0.54	0.03	0.67	0.16	0.22	0.35	7.1	118	5.7	20.6	-	STOCKPORT.
BIRKENHEAD	31.5	23.1	16.5	-	-	0.62	0.05	0.89	0.14	0.60	0.62	2.5	118	6.6	27.2	1.1	BIRKENHEAD.
WALLASEY	21.7	19.5	11.8	0.04	-	0.04	-	0.17	0.08	0.92	0.17	1.9	73	4.6	21.1	0.4	WALLASEY.
LIVERPOOL	37.0	28.9	22.6	-	0.01	1.46	0.11	0.65	0.42	0.64	0.69	10.5	124	7.1	34.8	1.1	LIVERPOOL.
BOOTLE	32.4	24.9	18.4	-	-	1.41	0.36	0.31	0.47	0.94	0.57	7.7	130	3.7	19.8	2.5	BOOTLE.
ST. HELENS	36.6	25.8	17.1	-	-	1.71	-	0.08	0.24	0.76	0.64	4.2	109	3.7	27.0	4.7	ST. HELENS.
SOUTHPORT	18.4	23.1	14.4	-	-	-	-	0.06	-	0.51	0.46	3.0	48	4.0	12.4	2.4	SOUTHPORT.
WIGAN	32.9	26.5	19.7	0.14	-	1.79	0.05	0.09	0.32	0.55	0.78	2.7	104	9.3	11.2	-	WIGAN.
WARRINGTON	32.5	22.9	12.7	-	-	-	0.05	0.05	0.21	0.37	0.37	4.7	95	3.8	25.2	4.6	WARRINGTON.
BOLTON	24.6	24.4	15.8	0.02	-	0.43	-	0.18	0.32	0.20	0.47	7.9	117	7.3	19.3	0.4	BOLTON.
BURY	21.6	28.4	17.7	-	-	0.07	-	0.37	0.15	0.30	0.52	6.6	125	5.4	18.4	0.8	BURY.
MANCHESTER	29.5	22.1	16.7	0.02	-	0.65	0.06	0.23	0.05	0.41	0.47	8.3	113	5.6	31.3	0.8	MANCHESTER.
SALFORD	30.8	25.6	16.0	0.02	-	0.28	0.12	0.23	0.25	0.21	0.55	8.9	118	8.4	28.3	0.2	SALFORD.
OLDHAM	27.5	23.4	19.7	0.03	-	-	0.12	0.26	0.17	0.67	0.93	10.2	111	7.0	21.9	-	OLDHAM.
ROCHDALE	23.4	22.8	17.0	0.13	-	0.22	0.09	0.36	0.04	0.27	0.58	-	130	8.4	18.1	0.8	ROCHDALE.
BURNLEY	27.1	22.9	15.7	-	-	0.12	-	0.04	0.12	0.04	0.48	5.6	143	7.8	20.7	0.3	BURNLEY.
BLACKBURN	23.6	28.9	15.2	-	-	-	0.03	0.03	0.10	0.57	0.45	5.2	111	7.5	18.6	0.4	BLACKBURN.
PRESTON	28.9	23.3	17.4	-	-	0.38	0.10	0.07	0.21	0.31	0.41	3.4	91	3.3	17.7	1.0	PRESTON.
BLACKPOOL	17.8	23.0	16.3	-	-	0.06	-	-	0.30	0.30	0.12	-	105	1.8	10.5	2.9	BLACKPOOL.
BARROW IN FURNESS	26.7	21.0	13.4	0.05	-	0.60	-	0.33	0.05	0.11	0.54	2.0	94	4.1	17.9	2.8	BARROW IN FURNESS.
HUDDERSFIELD	18.9	24.7	14.9	0.07	-	0.21	-	0.11	0.21	0.07	0.79	1.8	98	10.3	20.9	0.5	HUDDERSFIELD.
HALIFAX	21.6	23.3	16.5	-	-	0.08	0.04	0.16	0.08	0.55	0.59	1.7	114	8.8	19.3	-	HALIFAX.
BRADFORD	22.2	27.9	15.5	0.01	-	0.06	0.01	0.09	0.09	0.26	0.44	3.7	115	8.9	28.0	0.1	BRADFORD.
LEEDS	29.6	25.6	20.5	-	-	1.17	0.08	0.64	0.22	0.98	0.64	6.3	136	7.3	21.7	-	LEEDS.
DEWSBURY	24.4	25.7	17.5	-	-	0.83	0.15	0.23	0.15	0.38	0.30	3.0	131	4.3	12.6	-	DEWSBURY.
WAKEFIELD	29.3	29.2	17.2	0.08	-	0.65	-	-	0.33	0.24	0.73	18.7	88	10.0	20.4	-	WAKEFIELD.
BARNLEY	37.3	28.6	18.9	-	-	2.56	-	0.39	-	0.70	0.47	2.0	142	5.7	6.1	-	BARNLEY.

* See note * on first page of table.

† Revised rates.

TABLE VI. (continued). --96 Great Towns, &c.—Birth-rate, Civilian Death-rate, and Analysis of Mortality in the 13 Weeks ended 3rd April, 1920.

TOWNS.	ANNUAL BIRTH-RATE PER 1,000 TOTAL POPULATION, 1919.*	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION, 1919.										DEATH-RATE PER 1,000 BIRTHS.		PERCENTAGE of Total Deaths.			TOWNS.
		Deaths from										Diar- rhoea and Enter- itis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		All Causes.															
		13 Weeks ended :—															
		29th Mar., 3rd Apr., 1919.† 1920.															
SHEFFIELD	29·9	21·1	13·9	-	-	0·04	0·02	0·04	0·07	0·33	0·56	7·9	106	8·0	27·3	0·1	SHEFFIELD.
ROTHERHAM	33·8	23·5	12·2	-	-	-	-	0·23	0·12	0·06	0·17	3·3	87	3·3	18·6	3·3	ROTHERHAM.
YORK	33·2	20·4	16·5	-	-	0·05	0·05	0·05	0·32	0·32	0·32	1·6	59	6·2	30·3	-	YORK.
HULL	33·6	23·2	17·7	0·01	-	1·06	0·06	0·04	0·13	0·56	0·49	5·7	104	5·7	22·9	0·7	HULL.
MIDDLESBROUGH	38·0	28·9	18·6	-	-	-	0·13	0·16	0·13	0·13	0·47	15·9	148	6·1	14·8	1·5	MIDDLESBROUGH.
DARLINGTON	30·2	24·9	14·5	-	-	0·31	0·44	0·50	0·06	0·25	0·25	2·0	88	3·0	16·9	3·5	DARLINGTON.
STOCKTON ON TEES	36·6	23·9	16·6	-	-	-	0·07	0·79	0·40	0·07	0·33	12·1	94	2·8	12·0	2·0	STOCKTON ON TEES.
WEST HARTLEPOOL	35·6	29·4	15·2	0·06	-	0·86	0·06	0·73	0·12	0·24	0·31	3·3	98	4·0	18·1	1·6	WEST HARTLEPOOL.
SUNDERLAND	40·7	26·8	18·2	-	-	0·35	0·03	0·16	0·16	0·30	0·67	3·8	87	7·2	20·8	3·5	SUNDERLAND.
SOUTH SHIELDS	40·0	24·8	21·9	0·07	-	-	0·04	-	0·14	1·76	0·61	11·2	123	3·4	13·5	4·4	SOUTH SHIELDS.
GATESHEAD	38·6	25·3	17·2	-	0·03	0·10	0·10	0·13	0·13	0·13	0·39	-	106	2·8	18·4	3·6	GATESHEAD.
NEWCASTLE ON TYNE	33·8	28·2	17·2	0·03	-	0·20	0·04	0·29	0·16	0·47	0·55	5·0	108	8·1	21·0	0·2	NEWCASTLE ON TYNE.
TYNEMOUTH	35·4	28·6	18·0	0·21	-	0·14	-	0·07	0·07	0·69	0·48	1·9	90	4·6	18·5	4·2	TYNEMOUTH.
CARLISLE	25·9	16·9	13·7	-	-	0·22	-	0·36	0·07	0·36	0·15	-	78	4·3	13·3	2·7	CARLISLE.
NEWPORT (MON.)	32·7	22·2	14·3	-	-	0·87	0·05	0·05	0·09	0·41	0·64	5·4	81	6·1	17·6	-	NEWPORT (MON.).
CARDIFF	28·5	17·2	14·2	0·06	-	0·84	0·16	0·24	0·22	0·16	0·65	4·0	96	10·5	15·6	-	CARDIFF.
RHONDDA	30·7	16·1	12·9	0·02	-	0·38	0·16	0·20	0·11	0·29	0·52	7·8	104	6·8	7·9	0·5	RHONDDA.
MERTHYR TYDFIL	32·5	21·3	17·6	-	-	0·11	0·22	0·11	0·62	0·22	0·95	1·7	99	6·7	17·5	-	MERTHYR TYDFIL.
ABERDARE	30·3	20·5	15·1	-	-	-	-	0·55	0·16	0·31	1·09	9·9	136	6·7	5·2	-	ABERDARE.
SWANSEA	25·9	18·9	12·8	0·02	-	0·10	-	0·07	0·27	0·27	0·65	-	91	11·7	15·0	-	SWANSEA.
GREATER LONDON	29·6	18·1	15·0	0·01	0·00	0·36	0·05	0·32	0·30	0·57	0·45	4·8	88	7·5	37·9	0·2	GREATER LONDON.
OUTER RING	26·8	16·0	12·8	0·01	0·01	0·18	0·03	0·22	0·25	0·53	0·37	2·8	79	6·7	27·5	0·2	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	28·5	16·0	13·7	0·01	0·01	0·19	0·03	0·25	0·29	0·63	0·38	2·4	82	6·8	29·6	0·1	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	24·6	15·9	11·7	0·01	-	0·17	0·04	0·18	0·21	0·39	0·36	3·4	74	6·6	24·1	0·3	REMAINDER OF OUTER RING.
EDINBURGH†	-	28·6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	EDINBURGH.†
GLASGOW†	-	27·1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	GLASGOW.†
DUBLIN (Registration Area)	31·7	35·0	19·6	0·02	-	0·25	0·08	0·58	0·14	0·21	0·36	8·2	127	1·7	38·8	3·2	{ DUBLIN (Registra- tion Area).
BELFAST	33·1	24·1	24·3	0·15	-	1·13	0·47	0·40	0·10	1·39	0·27	7·9	163	2·1	25·6	1·4	BELFAST.

NOTE.—The 148 Smaller Towns are those with populations of 20,000 but not exceeding 50,000 at the Census of 1911. The Births here shown are those actually registered in the several towns. The deaths relate to the civilian population only, and have been corrected as far as possible, (1) by the exclusion of all deaths of non-residents, and (2) by the inclusion of deaths of residents in certain outlying institutions. With regard to towns in the Outer Ring, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1919.		BIRTHS. DEATHS.		The DEATHS registered in the Quarter include										Deaths under 1 Year to 1000 Births.		TOWNS.		
						Deaths of		Deaths from												
						Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
148 Towns	4,718,275	34,705	16,294	3,077	5,255	18	1	296	40	201	226	131	517	509	832	2,491	252	89	148 Towns.	
SURREY.																			SURREY.	
Barnes.*	35,704	224	117	30	33	-	-	-	1	6	-	1	4	5	14	21	-	134	Barnes.*	
Guildford	23,506	150	64	8	24	-	-	-	-	1	2	-	1	1	6	7	-	53	Guildford	
Kingston on Thames*	37,151	284	120	21	44	-	-	-	-	4	3	1	4	6	14	37	-	74	Kingston on Thames.*	
Mitcham*	34,561	267	130	24	39	-	-	1	-	1	3	1	7	3	6	50	-	90	Mitcham.*	
Reigate	26,798	190	65	6	31	-	-	-	-	1	-	-	3	2	2	14	-	32	Reigate.	
Richmond*	34,209	185	114	14	49	-	-	-	-	3	-	1	3	7	9	25	1	76	Richmond.*	
Sutton*	21,246	134	44	4	19	-	-	-	-	-	-	-	2	2	3	11	-	30	Sutton.*	
Woking	24,625	201	59	6	22	-	-	-	-	-	1	-	3	2	5	13	-	30	Woking.	
KENT.																			KENT.	
Beckenham*	32,516	182	110	12	52	-	-	3	-	4	-	1	10	4	5	27	1	66	Beckenham.*	
Bromley*	34,795	202	98	17	54	-	-	-	-	-	1	-	-	2	4	35	3	84	Bromley.*	
Canterbury	22,258	172	77	12	37	-	-	2	-	2	-	1	-	2	7	14	-	70	Canterbury.	
Chatham	38,435	340	178	31	49	-	-	7	-	1	1	1	4	7	10	29	6	91	Chatham.	
Dartford	22,517	160	49	8	10	-	-	-	-	1	5	-	2	2	2	11	1	50	Dartford.	
Dover	39,282	341	152	40	43	-	-	5	-	-	2	1	2	4	4	27	9	117	Dover.	
Erith*	30,525	200	83	21	23	-	-	-	1	1	1	1	-	4	5	20	-	105	Erith.*	
Folkestone†	31,737	211	80	15	31	-	-	-	-	1	-	-	3	1	6	16	1	71	Folkestone.†	
Gravesend	29,288	255	92	20	29	-	-	-	1	1	-	-	9	-	3	12	-	78	Gravesend.	
Maidstone	33,148	255	131	21	47	-	-	-	-	4	-	-	2	1	5	22	6	82	Maidstone.	
Margate	22,352	151	72	10	27	-	-	1	-	1	-	-	1	1	3	14	2	66	Margate.	
Penge (Surrey Reg. Co.)*	24,338	211	123	27	54	-	-	-	-	2	-	3	1	2	4	29	-	128	Penge (Surrey Reg. Co.)*.	
Ramsgate	28,214	248	126	18	47	-	-	3	-	8	-	-	1	4	4	32	2	73	Ramsgate.	
Rochester	32,110	223	107	27	44	-	-	-	-	1	1	-	-	3	4	14	2	121	Rochester.	
Royal Tunbridge Wells	34,423	194	129	12	58	-	-	-	1	1	3	-	9	5	5	34	1	62	Royal Tunbridge Wells.	
SUSSEX EAST.																			SUSSEX EAST.	
Hove	44,149	197	150	6	81	-	-	8	-	-	1	-	2	4	7	21	1	30	Hove.	
SUSSEX WEST.																			SUSSEX WEST.	
Worthing	30,345	167	119	7	77	-	-	-	-	-	1	-	-	4	6	35	-	42	Worthing.	
SOUTHAMPTON.																			SOUTHAMPTON.	
Aldershot (Surrey Reg. Co.).	21,920	281	85	23	17	-	-	5	-	9	4	-	9	3	4	20	2	82	Aldershot (Surrey Reg. Co.).	
Gosport and Alverstoke	29,192	275	97	15	35	-	-	1	-	1	4	-	1	4	7	11	-	55	Gosport and Alverstoke.	
Winchester	24,314	187	74	4	33	-	-	1	-	-	-	-	-	2	5	18	-	21	Winchester.	
MIDDLESEX.																			MIDDLESEX.	
Chiswick*	42,476	260	134	22	41	-	-	5	-	3	1	1	6	4	11	29	-	85	Chiswick.*	
Finchley*	45,043	290	116	20	47	-	-	2	-	-	2	-	9	5	7	19	-	69	Finchley.*	
Hendon*	56,522	296	141	19	47	-	-	8	1	3	6	2	3	6	11	23	-	64	Hendon.*	
Heston and Isleworth*	40,338	342	137	20	54	-	-	4	1	1	-	3	4	5	7	36	-	58	Heston and Isleworth.*	
Southall Norwood*	27,684	222	61	15	20	-	-	-	1	1	1	1	-	-	1	16	1	68	Southall Norwood.*	

* These towns are included within the Metropolitan Outer Ring.

† Excluding the civil parish of Folkestone next Sandgate.

TABLE VII. (continued).—One hundred and forty-eight Smaller Towns.—Population, Births, and Deaths in the QUARTER ended 31st March, 1920.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.	BIRTHS. DEATHS.		The DEATHS registered in the Quarter include												Deaths under 1 Year to 1000 Births.	TOWNS.		
				Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.			Uncertified Causes of Death.	
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.						Violence.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.														
MIDDLESEX—continued.																			
Southgate*	38,999	183	92	6	39	-	-	1	1	-	1	1	5	3	5	22	-	33	MIDDLESEX—continued.
Twickenham*	34,695	235	108	18	32	-	-	-	-	1	2	1	1	4	10	36	-	77	Southgate.*
Wood Green*	50,312	314	158	18	57	-	-	4	2	1	3	1	1	6	11	53	-	57	Twickenham.*
HERTFORDSHIRE.																			Wood Green.*
St. Albans	24,833	157	63	6	29	-	-	-	-	-	-	-	-	2	5	27	-	38	HERTFORDSHIRE.
Watford	46,187	274	103	17	35	-	-	-	1	-	-	-	2	3	5	16	-	62	St. Albans.
BUCKINGHAMSHIRE.																			Watford.
Chepping Wycombe	20,771	157	52	6	21	-	-	-	-	-	-	-	2	2	3	3	-	38	BUCKINGHAMSHIRE.
NORTHAMPTONSHIRE.																			Chepping Wycombe.
Kettering	29,966	169	79	7	25	-	-	1	-	-	1	-	2	3	2	12	2	41	NORTHAMPTONSHIRE.
SOKE OF PETERBOROUGH.																			Kettering.
Peterborough	33,420	230	117	17	52	-	-	1	-	-	3	-	-	5	6	14	2	74	SOKE OF PETERBOROUGH.
BEDFORDSHIRE.																			Peterborough.
Bedford	40,017	213	123	14	58	-	-	-	-	2	-	3	3	1	3	20	2	66	BEDFORDSHIRE.
Luton	56,406	394	158	30	53	-	-	1	-	-	2	6	6	3	6	27	5	76	Bedford.
ESSEX.																			Luton.
Barking Town*	33,804	318	131	33	28	-	-	6	-	-	6	10	4	4	11	33	-	104	ESSEX.
Colchester	41,359	327	133	15	62	-	-	3	1	-	5	6	6	6	6	33	-	46	Barking Town.*
SUFFOLK EAST.																			Colchester.
Lowestoft†	41,509	346	116	35	38	-	-	-	-	1	2	1	6	3	5	14	3	101	SUFFOLK EAST.
NORFOLK.																			Lowestoft.†
King's Lynn	19,839	153	61	8	24	1	-	-	1	-	-	-	-	4	6	11	-	52	NORFOLK.
WILTSHIRE.																			King's Lynn.
Salisbury	22,383	152	56	6	25	-	-	-	-	-	-	1	1	-	1	13	-	39	WILTSHIRE.
DORSETSHIRE.																			Salisbury.
Poole	41,189	272	125	32	43	-	-	-	-	-	1	2	2	5	7	26	-	118	DORSETSHIRE.
Weymouth and Melcombe Regis.	21,645	146	73	4	41	-	-	-	-	-	2	2	2	4	4	12	-	27	Poole.
DEVONSHIRE.																			Weymouth and Melcombe Regis.
Torquay	33,374	196	178	17	92	-	-	-	-	-	-	-	5	5	6	27	1	87	DEVONSHIRE.
SOMERSETSHIRE.																			Torquay.
Taunton	20,628	139	72	9	28	-	-	-	-	-	-	-	7	3	5	15	2	65	SOMERSETSHIRE.
Weston super Mare	24,741	107	91	8	43	-	-	-	-	-	1	1	1	3	5	7	-	75	Taunton.

The DEATHS registered in the Quarter include

The DEATHS registered in the Quarter include																			
TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.	BIRTHS. DEATHS.		Deaths from								Deaths of		Deaths under 1 Year to 1000 Births.	TOWNS.				
				Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.	Inquest Cases.			Deaths in Public Institutions.	Uncertified Causes of Death.		
																		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.
GLoucestershire. Cheltenham	44,985	308	169	18	86	-	-	6	-	1	1	-	3	3	9	39	2	58	GLoucestershire. Cheltenham.
HEREfordshire. Hereford	23,989	170	86	9	43	-	-	1	1	-	-	1	1	2	4	13	1	53	HEREfordshire. Hereford.
SHROpshire. Shrewsbury	29,778	239	100	13	42	-	-	4	-	4	1	1	7	1	1	14	7	54	SHROpshire. Shrewsbury.
STAFFordshire. Bilston	26,276	261	114	34	31	-	-	-	-	5	-	4	4	3	9	18	-	130	STAFFordshire. Bilston.
Burton upon Trent . .	47,682	394	166	23	67	-	-	-	-	2	2	2	3	8	10	30	5	53	Burton upon Trent.
Cannock	33,411	281	89	20	32	-	-	-	-	1	-	4	10	3	4	7	1	71	Cannock.
Coseley	22,696	206	115	24	29	-	-	-	-	3	1	2	10	3	6	7	2	117	Coseley.
Newcastle under Lyme .	19,742	152	65	15	16	-	-	6	-	1	1	1	31	2	6	3	-	39	Newcastle under Lyme.
Rowley Regis	36,749	316	169	35	48	-	-	3	-	4	3	1	3	5	10	10	2	111	Rowley Regis.
Stafford	26,698	170	73	14	23	-	-	-	-	1	3	-	3	4	1	7	1	82	Stafford.
Tipton	32,555	342	160	36	34	1	-	1	-	3	1	3	28	4	9	8	1	105	Tipton.
Wednesbury	30,329	276	99	26	28	-	-	-	-	1	1	3	2	1	2	11	-	94	Wednesbury.
Wolstanton United . .	29,280	226	94	26	18	-	-	3	1	2	4	5	-	3	4	5	-	115	Wolstanton United.
WORcestershire. Kidderminster	26,564	199	101	18	38	-	-	-	-	-	-	2	-	4	5	30	4	90	WORcestershire. Kidderminster.
Oldbury (Staffs. Reg. Co.)	36,242	275	104	18	28	-	-	7	1	1	-	-	4	4	4	7	4	65	Oldbury (Staffs. Reg. Co.).
Worcester	47,361	327	174	23	68	-	-	2	-	5	-	1	3	5	10	33	-	70	Worcester.
WARWICKshire. Nuneaton	39,499	356	116	28	30	-	-	1	-	-	1	-	4	8	11	17	3	79	WARWICKshire. Nuneaton.
Royal Leamington Spa .	28,317	201	98	11	50	-	-	-	1	-	-	-	5	1	3	23	-	55	Royal Leamington Spa.
Rugby	27,128	161	67	10	23	-	-	-	-	1	1	-	5	3	4	11	-	62	Rugby.
Sutton Coldfield (Staffs. Reg. Co.).	20,853	104	57	3	33	-	-	-	-	-	-	-	2	3	4	3	-	29	Sutton Coldfield (Staffs. Reg. Co.).
LEICEstershire. Loughborough	24,675	179	105	21	40	-	-	15	-	-	1	-	-	-	1	15	1	117	LEICEstershire. Loughborough.
LINCOLNshire (Kesteven). Grantham	22,065	115	47	7	17	-	-	-	-	-	2	-	-	1	1	7	3	61	LINCOLNshire (Kesteven). Grantham.
LINCOLNshire (Lindsey). Cleethorpe with Thruscoe	25,673	209	81	17	24	1	-	-	-	2	3	-	1	2	2	4	1	81	LINCOLNshire (Lindsey). Cleethorpe with Thruscoe.
Gainsborough	19,206	135	65	14	20	-	-	-	-	-	2	2	1	3	3	19	1	104	Gainsborough.
NOTTINGHAMshire. Mansfield	44,447	337	104	23	35	-	-	1	-	-	3	-	-	5	5	18	3	68	NOTTINGHAMshire. Mansfield.
Sutton in Ashfield . .	23,041	195	73	24	10	-	-	1	-	3	1	1	2	2	2	2	3	123	Sutton in Ashfield.
Worksop	21,843	209	90	16	22	-	-	9	-	-	1	-	1	1	2	13	-	77	Worksop.

TABLE VII. (continued).—One hundred and forty-eight Smaller Towns.—Population, Births, and Deaths in the QUARTER ended 31st March, 1920.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.	BIRTHS.	DEATHS.	The DEATHS registered in the Quarter include														Deaths under 1 Year to 1000 Births.	TOWNS.
				Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.				Violence.		
DERBYSHIRE. Chesterfield. Glossop. Ilkeston (Notts. Reg. Co.)	38,249 20,039 31,318	348 123 294	169 83 136	40 5 28	36 37 25	- 1 -	- - -	- - -	6 - 23	- - -	3 - -	2 - 1	1 - -	2 2 2	6 1 1	6 33 9	5 - 5	115 41 95	DERBYSHIRE. Chesterfield. Glossop. Ilkeston (Notts. Reg. Co.).
CHESHIRE. Chester. Crewe. Hyde. Macclesfield. Stalybridge (Lanes. Reg. Co.).	40,764 45,640 32,550 32,432 26,062	315 262 187 206 168	126 162 112 129 118	20 27 13 18 21	53 55 42 59 36	2 - 1 - -	- - - - -	- - - - -	- 4 - - -	- - - - -	- - 2 - -	1 1 1 - -	1 - - 2 -	1 3 5 - 1	4 7 1 3 -	11 22 23 11 35 12	1 - - - -	63 103 70 87 125	CHESHIRE. Chester. Crewe. Hyde. Macclesfield. Stalybridge (Lanes. Reg. Co.).
LANCASHIRE. Accrington. Ashton in Makerfield. Ashton under Lyne. Bacup. Chadderton. Chorley. Colne. Darwen. Eccles. Farnworth. Heywood. Hindley. Ince in Makerfield. Lancaster. Leigh. Middleton. Nelson. Radcliffe. Rawtenstall. Stretford. Swinton and Pendlebury. Waterloo with Seaforth. Widnes.	43,658 21,263 43,697 20,246 28,551 31,584 25,846 37,681 42,409 27,817 26,183 23,598 21,810 36,791 44,468 27,716 41,444 23,450 27,379 45,603 28,144 28,698 32,689	241 196 338 118 186 214 136 232 245 212 166 161 220 281 356 175 203 123 153 223 197 207 335	170 80 170 81 85 100 74 143 135 106 107 109 72 110 183 96 109 89 103 133 113 109 143	17 16 46 15 17 21 12 24 24 26 21 18 15 12 40 40 15 21 19 9 25 23 29	76 20 47 25 17 29 27 42 46 25 28 28 12 40 48 28 44 24 38 51 25 35 31	- - - - 1 - - - - - - - 1 - - - - - - - - - - -	- 1 1 1 - - - - - - 1 7 3 3 3 3 3 3 3 3 3 3 3 3 3	- -	- - 1 1 - 1 - - - - - - - - - - - - - - - - - -	- - 1 1 - 1 - - - - - - - - - - - - - - - - - -	- 1 3 - 2 - 1 - - - - - - - - - - - - - - - - -	12 2 1 1 1 5 1 1 2 3 4 4 1 1 4 1 6 1 - - 2 1 7 2 7 2 2	2 1 3 2 3 3 2 9 6 4 3 2 1 3 13 2 2 2 3 3 2 2 3 3 7	18 10 30 5 10 13 13 24 32 14 10 6 7 19 29 8 11 10 7 6 12 17 17	- 2 3 2 2 5 3 3 4 1 - 4 5 1 3 2 1 - 4 8 4 4 7 9	71 82 136 127 91 98 88 103 98 123 127 112 68 43 112 109 74 171 124 40 127 111 87	LANCASHIRE. Accrington. Ashton in Makerfield. Ashton under Lyne. Bacup. Chadderton. Chorley. Colne. Darwen. Eccles. Farnworth. Heywood. Hindley. Ince in Makerfield. Lancaster. Leigh. Middleton. Nelson. Radcliffe. Rawtenstall. Stretford. Swinton and Pendlebury. Waterloo with Seaforth. Widnes.		
YORKSHIRE (WEST RIDING). Batley. Brighouse. Castleford. Doncaster.	35,128 20,071 24,611 51,592	263 104 219 383	140 67 91 197	25 8 26 45	44 29 15 62	- - - -	- - - -	- - - -	8 7 - -	- 1 - 1	1 - - 1	- - 2 1	2 - 3 1	2 - - 2	3 - 2 5	12 6 11 31	- - - 3	95 77 119 117	YORKSHIRE (WEST RIDING). Batley. Brighouse. Castleford. Doncaster.

The DEATHS registered in the Quarter include

The DEATHS registered in the Quarter include																						
TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.	BIRTHS.		DEATHS.		Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 Year to 1000 Births.	TOWNS.
		Males.	Females.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.												
											Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).					
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.																	
YORKSHIRE (WEST RIDING)— <i>cont.</i>																						
Keighley	39,086	203	172	22	55	-	-	1	-	2	1	-	2	9	12	40	5	108	Keighley.			
Morley	23,402	139	75	10	20	-	-	6	-	3	3	-	9	2	4	2	-	72	Morley.			
Shipley	28,912	170	126	29	47	-	-	-	-	-	-	-	1	3	3	18	-	171	Shipley.			
Spennorth	30,045	202	101	21	23	-	-	-	-	2	1	-	3	1	6	9	-	104	Spennorth.			
Todmorden	23,140	123	81	12	31	1	-	-	-	-	2	-	2	1	3	7	-	98	Todmorden.			
YORKSHIRE (NORTH RIDING).																			YORKSHIRE (NORTH RIDING).			
Eston	28,094	291	99	21	22	1	-	-	1	-	1	-	4	2	2	13	-	72	Eston.			
Scarborough	34,108	205	155	24	66	-	-	1	-	1	12	3	-	1	9	39	1	117	Scarborough.			
DURHAM.																			DURHAM.			
Blaydon	34,351	326	108	40	18	-	-	5	-	1	3	1	1	3	3	5	5	123	Blaydon.			
Felling	27,198	258	94	19	24	-	-	3	-	1	-	1	4	1	2	10	8	74	Felling.			
Hartlepool	19,548	206	73	20	12	-	-	-	-	-	-	-	1	-	5	10	-	97	Hartlepool.			
Hebburn	22,551	257	105	30	19	-	-	3	1	1	-	-	-	4	4	9	6	117	Hebburn.			
Jarrow	35,779	364	166	33	35	-	-	1	1	1	1	1	3	8	8	13	9	107	Jarrow.			
Stanley	23,455	227	92	32	16	-	-	10	-	1	1	-	-	3	3	5	3	141	Stanley.			
NORTHUMBERLAND.																			NORTHUMBERLAND.			
Ashington	28,432	286	98	31	16	-	-	3	1	-	5	3	1	1	1	11	2	108	Ashington.			
Bedlingtonshire	25,845	223	103	20	35	-	-	1	-	1	4	-	3	2	3	7	5	90	Bedlingtonshire.			
Blyth	31,480	278	118	33	29	-	-	4	-	1	2	1	3	3	3	9	4	119	Blyth.			
Wallsend	43,689	385	157	36	33	-	-	-	-	3	1	3	3	3	3	16	5	94	Wallsend.			
CUMBERLAND.																			CUMBERLAND.			
Workington	26,137	196	128	25	26	-	-	12	-	1	13	-	4	5	5	19	3	128	Workington.			
MONMOUTHSHIRE.																			MONMOUTHSHIRE.			
Abersychan	26,824	177	70	18	13	-	-	-	-	-	1	1	-	5	5	9	-	102	Abersychan.			
Aberthillery	42,771	365	100	36	12	-	-	-	-	1	3	2	10	2	2	4	-	99	Aberthillery.			
Bedwellty	33,657	266	83	29	14	-	-	-	-	5	2	-	3	7	7	1	-	109	Bedwellty.			
Ebbw Vale	39,426	320	147	42	28	-	-	-	2	-	-	-	6	8	8	21	1	131	Ebbw Vale.			
Tredeggar	24,524	210	90	25	22	-	-	-	1	-	1	-	1	2	2	12	3	119	Tredeggar.			
GLAMORGANSHIRE.																			GLAMORGANSHIRE.			
Barry	37,937	275	117	16	19	2	-	8	-	3	4	2	5	10	14	18	-	58	Barry.			
Caerphilly	36,580	350	117	32	21	-	-	-	-	2	6	-	8	7	7	15	-	91	Caerphilly.			
Gelligaer	39,803	385	131	42	16	-	-	-	-	-	2	4	7	5	7	6	1	109	Gelligaer.			
Maesteg	28,760	238	123	34	13	-	-	3	2	-	4	3	2	10	14	15	-	143	Maesteg.			
Mountain Ash	43,530	372	168	52	33	-	-	1	2	5	2	4	2	7	12	12	1	140	Mountain Ash.			
Ogmore and Garw	30,207	263	100	32	10	-	-	1	-	2	3	-	-	3	8	2	-	122	Ogmore and Garw.			
Pontypridd	45,574	438	200	47	50	-	-	4	-	2	3	-	15	12	21	16	-	107	Pontypridd.			
CARMARTHENSHIRE.																			CARMARTHENSHIRE.			
Llanelli	37,291	255	161	39	34	-	-	-	-	7	1	10	24	2	4	12	5	153	Llanelli.			

TABLE VIII.—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1920.*

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
Great Towns.											
LONDON -	4,358,309	8,322	135	-	3	14	3,718	3,594	-	719	139
CROYDON	184,239	378	1	-	-	-	207	140	-	25	5
WIMBLEDON	59,791	112	1	-	-	-	43	51	-	15	2
EALING	73,212	92	5	-	-	-	56	19	-	10	2
ACTON	61,732	90	-	-	-	-	50	29	-	9	2
WILLESDEN	160,917	352	7	-	-	-	162	151	-	27	5
HORNSEY	94,348	128	2	-	-	-	59	57	-	9	1
TOTTENHAM	141,338	275	-	-	-	-	123	134	-	14	4
EDMONTON	70,711	183	1	-	-	-	88	77	-	16	1
ENFIELD	58,442	102	2	-	-	-	66	25	-	7	2
WEST HAM	287,966	600	8	-	-	17	210	299	-	61	5
EAST HAM	144,451	336	3	-	-	6	120	183	-	23	1
LEYTON	123,896	200	3	-	-	1	57	119	-	17	3
WALTHAMSTOW	127,684	233	1	-	-	-	73	134	-	23	2
ILFORD	79,524	163	-	-	-	1	79	65	-	13	2
GILLINGHAM	43,501	65	1	-	-	-	46	13	-	3	2
HASTINGS	57,674	71	-	-	-	-	13	46	-	10	2
EASTBOURNE	48,424	97	1	-	-	-	49	34	-	10	3
BRIGHTON	132,409	165	3	-	-	-	70	66	-	21	5
PORTSMOUTH†	224,846	276	2	-	-	-	64	187	-	22	1
BOURNEMOUTH	82,627	38	1	-	-	-	16	12	-	8	1
SOUTHAMPTON	126,033	174	2	-	-	-	28	113	-	22	9
READING	91,365	106	1	-	-	-	55	37	-	13	-
OXFORD	57,666	32	1	-	-	-	11	19	-	-	1
NORTHAMPTON	88,944	99	-	-	-	-	16	62	-	20	1
CAMBRIDGE	57,849	47	-	-	-	-	17	25	-	5	-
SOUTHEND ON SEA	84,034	175	-	-	-	-	116	42	-	11	6
IPSWICH	78,011	148	1	-	-	-	37	104	-	3	3
GREAT YARMOUTH	53,078	45	-	-	-	-	20	22	-	3	-
NORWICH	119,993	172	6	-	-	-	50	97	-	16	3
SWINDON	51,527	35	-	-	-	-	7	22	-	6	-
EXETER	59,014	38	2	-	-	-	15	17	-	3	1
PLYMOUTH	181,967	272	3	-	-	-	81	172	-	14	2
BATH	65,919	77	-	-	-	-	50	21	-	5	1
BRISTOL	361,247	553	21	-	1	-	246	205	-	70	10
GLOUCESTER	50,100	44	-	-	-	-	12	26	-	5	1
STOKE ON TRENT	239,316	558	7	-	-	-	376	120	-	48	7
WOLVERHAMPTON	98,403	99	1	-	-	-	79	7	-	11	11
WALSALL	92,724	88	1	-	-	-	57	18	-	9	3
WEST BROMWICH	69,899	34	-	-	-	-	22	4	-	8	-
DUDLEY	54,017	12	-	-	-	-	11	-	-	1	-
BIRMINGHAM	861,585	1,949	7	-	-	-	1,284	490	-	107	61
SMETHWICK	72,152	122	-	-	1	-	74	39	-	5	3
COVENTRY	132,048	88	-	-	-	-	37	33	-	15	3
LEICESTER	236,059	412	6	-	-	-	205	149	-	43	9
LINCOLN	60,581	57	1	-	-	-	22	29	-	4	1
GRIMSBY	78,813	69	-	-	-	-	25	37	-	5	2
NOTTINGHAM	257,573	419	2	-	-	-	179	181	-	52	5
DERBY	123,930	203	2	-	-	-	58	109	-	28	6
STOCKPORT	125,629	259	-	-	-	-	152	80	-	22	5
BIRKENHEAD	148,052	182	-	-	-	-	88	61	-	22	11
WALLASEY	95,424	94	4	-	-	-	44	36	-	7	3
LIVERPOOL	772,665	1,604	10	-	-	7	818	589	-	166	14
BOOTLE	76,962	200	-	-	-	1	129	56	-	13	1
ST. HELENS	100,805	157	-	-	2	-	87	50	-	14	4
SOUTHPORT	70,144	94	2	-	-	-	62	11	-	18	1
WIGAN	87,384	144	3	-	-	-	94	27	-	19	1
WARRINGTON	74,952	76	-	-	-	-	24	36	-	13	3
BOLTON	177,462	263	5	-	-	-	167	62	-	26	3
BURY	54,248	57	1	-	-	-	12	34	-	8	2
MANCHESTER	741,068	1,094	10	-	-	-	745	166	-	120	53
SALFORD	226,225	385	8	-	-	1	234	92	-	41	9

* The figures for London are supplied by the Medical Officer of Health of the Administrative County (See Table IX.)
† The figures for Southsea District of Portsmouth are—total population (1911), 25,880; enteric fever, —; typhus, —; continued fever, —; small-pox, —; scarlet fever, 8; diphtheria (including membranous croup), 18; erysipelas, —; and puerperal fever, —.

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1920.

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM	137,668	178	1	-	-	-	114	48	-	13	2
ROCHDALE	90,051	77	2	-	-	-	40	26	-	5	4
BURNLEY	101,005	96	2	-	-	-	45	23	-	26	-
BLACKBURN	125,992	103	1	-	-	-	48	32	-	16	6
PRESTON	117,277	129	2	-	-	-	47	60	-	12	8
BLACKPOOL	67,842	137	1	-	-	1	44	76	-	9	6
BARROW IN FURNESS	73,627	92	3	-	-	-	58	19	-	12	-
HUDDERSFIELD	112,301	223	3	-	-	-	81	123	-	13	3
HALIFAX	101,791	108	3	-	-	-	56	43	-	5	1
BRADFORD	282,714	475	11	-	-	-	217	191	-	41	15
LEEDS	430,834	807	6	-	-	-	369	323	-	90	19
DEWSBURY	52,969	45	-	-	-	-	26	15	-	2	2
WAKEFIELD	49,208	64	1	-	-	-	26	29	-	7	1
BARNLEY	51,680	46	1	-	-	-	26	7	-	11	1
SHEFFIELD	473,695	535	8	-	-	-	288	123	-	96	20
ROTHERHAM	69,034	60	-	-	-	-	29	20	-	11	-
YORK	74,531	123	1	-	-	-	35	76	-	8	3
HULL	279,664	619	7	-	-	-	397	160	-	51	4
MIDDLESBROUGH	127,142	244	1	-	-	6	165	58	-	10	4
DARLINGTON	64,058	161	2	-	-	-	127	25	-	6	1
STOCKTON ON TEES	60,696	124	1	-	-	-	98	22	-	3	-
WEST HARTLEPOOL	65,515	105	1	-	-	-	69	27	-	5	3
SUNDERLAND	149,263	196	1	-	-	-	145	20	-	25	5
SOUTH SHIELDS	111,502	61	2	-	-	-	40	11	-	8	-
GATESHEAD	123,392	262	-	-	-	2	231	15	-	14	-
NEWCASTLE ON TYNE	275,099	616	4	-	-	-	428	92	-	90	2
TYNEMOUTH	58,007	67	5	-	-	-	32	19	-	10	1
CARLISLE	55,198	37	-	-	-	-	9	13	-	12	3
NEWPORT (MON.)	87,251	204	2	-	-	-	161	18	-	20	3
CARDIFF	204,436	601	-	-	-	-	473	109	-	17	2
RHONDDA	177,911	477	3	-	-	-	358	91	-	23	2
MERTHYR TYDFIL	71,638	210	-	-	-	-	139	58	-	14	4
ABERDARE	51,384	106	1	-	-	-	44	44	-	16	1
SWANSEA	160,810	258	2	-	-	-	74	171	-	9	2
Smaller Towns.											
SURREY—											
BARNES	35,704	28	1	-	-	-	15	9	-	2	1
GUILDFORD	23,506	21	-	-	-	-	15	5	-	1	-
KINGSTON ON THAMES	37,151	84	-	-	-	-	38	32	-	13	1
MITCHAM	34,561	82	-	-	-	-	37	37	-	8	-
REIGATE	26,798	51	-	-	-	-	30	18	-	3	-
RICHMOND	34,209	16	-	-	-	-	9	7	-	-	-
SUTTON	21,246	27	1	-	-	-	11	14	-	1	-
WOKING	24,625	18	-	-	-	-	8	6	-	3	1
KENT—											
BECKENHAM	32,516	45	1	-	-	-	22	15	-	6	1
BROMLEY	34,795	81	-	-	-	-	26	48	-	6	1
CANTERBURY	22,258	13	2	-	-	-	-	6	-	5	-
CHATHAM	38,435	38	-	-	-	-	15	20	-	1	2
DARTFORD	22,517	121	4	-	-	-	63	47	-	7	-
DOVER	39,282	28	1	-	-	-	9	17	-	1	-
ERITH	30,525	86	-	-	-	5	47	27	-	6	1
FOLKESTONE*	32,050	35	3	-	-	-	10	18	-	2	2
GRAVESEND	29,288	31	1	-	-	1	11	14	-	4	-
MAIDSTONE	33,148	25	-	-	-	-	11	8	-	6	-
MARGATE	22,352	60	1	-	-	-	25	26	-	7	1
PENGE (Surrey Reg. Co.)	24,338	47	1	-	-	-	22	21	-	3	-
RAMSGATE	28,214	31	1	-	-	-	21	6	-	1	2
ROCHESTER	32,110	20	-	-	-	-	6	10	-	3	1
ROYAL TUNBRIDGE WELLS	34,423	69	2	-	-	-	36	25	-	5	1

* Including the civil parish of Folkestone next Sandgate.

TABLE VIII. (continued).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1920.

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—											
Hove	44,149	44	-	-	-	-	12	29	-	3	-
SUSSEX WEST—											
WORTHING	30,345	46	2	-	-	-	13	28	-	3	-
SOUTHAMPTON—											
ALDERSHOT (Surrey Reg. Co.).	21,920	12	-	-	-	-	1	11	-	-	-
GOSPORT AND ALVERSTOKE	29,192	67	5	-	-	-	9	50	-	2	1
WINCHESTER	24,314	14	-	-	-	-	8	4	-	-	2
MIDDLESEX—											
CHISWICK	42,476	33	1	-	-	-	16	15	-	-	1
FINCHLEY	45,043	90	1	-	-	-	56	26	-	7	-
HENDON	56,522	80	1	-	-	-	56	19	-	3	1
HESTON AND ISLEWORTH .	40,338	63	-	-	-	-	26	27	-	7	3
SOUTHALL NORWOOD . .	27,684	63	-	-	-	-	55	4	-	4	-
SOUTHGATE	38,999	64	1	-	-	-	42	14	-	7	-
TWICKENHAM	34,695	57	-	-	-	-	8	43	-	4	2
WOOD GREEN	50,312	80	-	-	-	-	42	31	-	7	-
HERTFORDSHIRE—											
ST. ALBANS	24,833	40	1	-	-	-	19	17	-	3	-
WATFORD	46,187	85	-	-	-	-	67	18	-	-	-
BUCKINGHAMSHIRE—											
CHEPPING WYCOMBE . .	20,771	37	-	-	-	-	16	12	-	7	2
NORTHAMPTONSHIRE—											
KETTERING	29,966	20	-	-	-	-	6	11	-	1	2
SOKE OF PETERBOROUGH—											
PETERBOROUGH	33,420	58	-	-	-	-	31	15	-	11	1
BEDFORDSHIRE—											
BEDFORD	40,017	73	-	-	-	-	57	14	-	1	1
LUTON	56,406	41	-	-	-	-	4	28	-	9	-
ESSEX—											
BARKING TOWN	33,804	95	-	-	-	-	11	70	-	13	1
COLCHESTER	41,359	53	6	-	-	-	14	26	-	5	2
SUFFOLK EAST—											
LOWESTOFT*	41,509	54	2	-	-	-	6	40	-	6	-
NORFOLK—											
KING'S LYNN	19,839	31	1	-	-	-	29	1	-	-	-
WILTSHIRE—											
SALISBURY	22,383	22	-	-	-	-	16	6	-	-	-
DORSETSHIRE—											
POOLE	41,189	82	1	-	-	-	18	56	-	6	1
WEYMOUTH AND MELCOMBE REGIS.	21,645	5	-	-	-	-	2	-	-	2	1
DEVONSHIRE—											
TORQUAY	33,374	40	-	-	-	-	21	16	-	3	-
SOMERSETSHIRE—											
TAUNTON	20,628	19	10	-	-	-	2	2	-	5	-
WESTON SUPER MARE . .	24,741	39	-	-	-	-	10	27	-	2	-
GLOUCESTERSHIRE—											
CHELTENHAM	44,985	27	-	-	-	-	6	20	-	1	-
HEREFORDSHIRE—											
HEREFORD	23,989	20	-	-	-	-	7	10	-	2	1

* As extended on 9th November, 1919.

TABLE VIII. (continued.)—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1920.

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—											
SHREWSBURY . . .	29,778	18	-	-	-	-	5	8	-	4	1
STAFFORDSHIRE—											
BILSTON	26,276	20	-	-	-	-	11	3	-	5	1
BURTON UPON TRENT . .	47,682	63	-	-	-	-	32	22	-	4	5
CANNOCK	33,411	26	-	-	-	-	6	15	-	4	1
COSELEY	22,696	18	-	-	-	-	14	-	-	4	-
NEWCASTLE UNDER LYME	19,742	14	-	-	-	-	4	8	-	2	-
ROWLEY REGIS	36,749	27	-	-	-	-	9	10	-	7	1
STAFFORD	26,698	44	-	-	-	-	9	31	-	4	-
TIPTON	32,555	18	2	-	-	-	12	1	-	3	-
WEDNESBURY	30,329	29	-	-	-	-	17	6	-	6	-
WOLSTANTON UNITED .	29,280	33	-	-	-	-	13	15	-	2	3
WORCESTERSHIRE—											
KIDDERMINSTER . . .	26,564	15	-	-	-	-	5	9	-	1	-
OLDBURY (Staffordshire Reg. Co.).	36,242	19	-	-	-	-	11	5	-	1	2
WORCESTER	47,361	44	-	-	-	-	18	20	-	6	-
WARWICKSHIRE—											
NUNEATON	39,499	52	-	-	-	-	39	10	-	1	2
ROYAL LEAMINGTON SPA .	28,317	26	-	-	-	-	20	2	-	4	-
RUGBY	27,128	38	-	-	1	-	6	24	-	5	2
SUTTON COLDFIELD (Staffs. Reg. Co.).	20,853	14	-	-	-	-	8	6	-	-	-
LEICESTERSHIRE—											
LOUGHBOROUGH . . .	24,675	20	-	-	-	-	5	11	-	3	1
LINCOLNSHIRE (KESTEVEN)—											
GRANTHAM	22,065	13	2	-	-	-	2	8	-	1	-
LINCOLNSHIRE (LINDSEY)—											
CLEETHORPE WITH THRUNSCOE.	25,673	43	2	-	-	-	20	15	-	6	-
GAINSBOROUGH . . .	19,206	40	-	-	-	-	10	27	-	2	1
NOTTINGHAMSHIRE—											
MANSFIELD	44,447	49	1	-	-	-	19	19	-	9	1
SUTTON IN ASHFIELD . .	23,041	16	-	-	-	-	12	4	-	-	-
WORKSOP	21,843	11	-	-	-	-	3	5	-	3	-
DERBYSHIRE—											
CHESTERFIELD	38,249	51	-	-	-	-	6	41	-	2	2
GLOSSOP	20,039	24	-	-	-	-	18	3	-	3	-
ILKESTON (Nottinghamshire Reg. Co.).	31,318	23	-	-	-	-	6	12	-	5	-
CHESHIRE—											
CHESTER	40,764	59	4	-	-	-	36	15	-	2	2
CREWE	45,640	34	-	-	-	-	5	26	-	2	1
HYDE	32,550	29	-	-	-	-	17	3	-	7	2
MACCLESFIELD	32,432	20	-	-	-	-	10	8	-	2	-
STALYBRIDGE (Lancashire Reg. Co.).	26,062	21	-	-	-	-	12	3	-	5	1
LANCASHIRE—											
ACCRINGTON	43,658	15	-	-	-	-	4	4	-	7	-
ASHTON IN MAKERFIELD .	21,263	56	-	-	-	-	38	16	-	2	-
ASHTON UNDER LYNE . .	43,697	90	3	-	-	-	71	9	-	7	-
BACUP	20,246	21	-	-	-	-	6	10	-	5	-
CHADDERTON	28,551	60	1	-	-	-	50	7	-	2	-
CHORLEY	31,594	22	1	-	-	-	7	13	-	-	1
COLNE	25,846	36	3	-	-	-	17	14	-	1	1
DARWEN	37,681	16	-	-	-	-	3	6	-	5	2
ECCLES	42,409	72	-	-	-	-	48	12	-	11	1
FARNWORTH	27,817	49	-	-	-	-	35	8	-	4	2

TABLE VIII. (continued).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1920.

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—cont.											
HEYWOOD	26,183	9	-	-	-	-	4	-	-	2	3
HINDLEY	23,598	55	-	-	-	-	33	9	-	10	3
INCE IN MAKERFIELD	21,810	34	3	-	-	-	27	2	-	2	-
LANCASTER	36,791	18	3	-	-	-	8	5	-	2	-
LEIGH	44,468	110	1	-	-	-	46	54	-	8	1
MIDDLETON	27,716	18	-	-	-	-	9	9	-	-	-
NELSON	41,444	78	1	-	-	-	40	26	-	10	1
RADCLIFFE	23,450	29	-	-	-	-	14	14	-	-	1
RAWTENSTALL	27,379	9	-	-	-	-	3	3	-	3	-
STRETFORD	45,603	46	2	-	-	-	29	8	-	4	3
SWINTON AND PENDLEBURY.	28,144	73	-	-	-	-	57	10	-	6	-
WATERLOO WITH SEAFORTH.	28,698	71	1	-	1	-	46	19	-	4	-
WIDNES	32,689	18	-	-	-	-	10	4	-	4	-
YORKSHIRE (WEST RIDING)—											
BATLEY	35,128	28	-	-	-	-	9	14	-	4	1
BRIGHOUSE	20,071	13	-	-	-	-	6	-	-	6	1
CASTLEFORD	24,611	30	-	-	-	-	18	11	-	1	-
DONCASTER	51,592	52	2	-	-	-	26	10	-	14	-
GOOLE	17,835	41	-	-	-	-	12	22	-	5	2
HARROGATE	36,231	40	-	-	-	-	17	18	-	5	-
KEIGHLEY	39,086	14	-	-	-	-	3	5	-	6	-
MORLEY	23,402	30	-	-	-	-	11	15	-	3	1
SHIPLEY	28,912	16	-	-	-	-	13	2	-	1	-
SPENBOROUGH	30,045	30	1	-	-	-	10	16	-	2	1
TODMORDEN	23,140	54	1	-	-	-	35	10	-	7	1
YORKSHIRE (NORTH RIDING)—											
ESTON	28,094	44	1	-	-	-	32	6	-	4	1
SCARBOROUGH	34,108	117	-	-	-	-	26	87	-	4	-
DURHAM—											
BLAYDON	34,351	33	2	-	-	-	17	5	-	8	1
FELLING	27,198	27	-	-	-	-	20	2	-	3	2
HARTLEPOOL	19,548	29	-	-	-	-	27	1	-	1	-
HEBBURN	22,551	30	-	-	-	-	25	4	-	1	-
JARROW	35,779	84	-	-	-	-	68	9	-	7	-
STANLEY	23,455	97	-	-	-	-	37	53	-	6	1
NORTHUMBERLAND—											
ASHINGTON	28,432	125	7	-	-	-	89	24	-	5	-
BEDLINGTONSHIRE	25,845	43	-	-	-	-	7	29	-	7	-
BLYTH	31,480	33	1	-	-	-	10	17	-	4	1
WALLSEND	43,689	70	2	-	-	-	37	19	-	11	1
CUMBERLAND—											
WORKINGTON	26,137	100	-	-	-	-	2	95	-	3	-
MONMOUTHSHIRE—											
ABERSYCHAN	26,824	23	-	-	-	-	18	3	-	2	-
ABERTILLERY	42,771	43	1	-	-	-	26	9	-	11	1
BEDWELLY	33,657	37	-	-	-	-	22	9	-	5	1
EBBW VALE	39,426	255	1	-	-	-	231	9	-	13	1
TREDEGAR	24,524	61	1	-	-	-	29	25	-	5	1
GLAMORGANSHIRE—											
BARRY	37,937	106	3	-	-	-	22	76	-	4	1
CAERPHILLY	36,580	129	1	-	-	-	86	36	-	5	1
GELLIGAER	39,803	42	-	-	-	-	14	27	-	1	-
MAESTEG	28,760	89	-	-	-	-	76	13	-	-	-
MOUNTAIN ASH	43,530	59	-	-	-	-	40	17	-	2	-
OGMORE AND GARW	30,207	41	-	-	-	-	16	22	-	2	1
PONTYPRIDD	45,574	95	-	-	-	-	67	18	-	10	-
CARMARTHENSHIRE—											
LLANELLY	37,291	38	-	-	-	-	9	27	-	1	1

TABLE IX.—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 3rd April, 1920.*

BOROUGHs.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Polio-Encephalitis.	Encephalitis Lethargica.	Anthrax.	
WEST.																		
Paddington - -	143,938	284	8	-	-	-	89	152	-	23	-	4	8	-	-	-	-	
Kensington - -	157,886	261	6	-	-	-	99	117	-	24	2	4	9	-	-	-	-	
Hammersmith -	130,981	177	4	-	-	-	34	98	-	18	2	6	14	1	-	-	-	
Fulham - - -	152,543	395	11	-	-	-	139	195	-	32	-	9	9	-	-	-	-	
Chelsea - - -	60,573	113	5	-	1	-	55	31	-	10	1	4	4	-	-	2	-	
City of Westminster	127,533	195	7	-	-	-	107	56	-	16	-	3	4	-	-	2	-	
NORTH.																		
St. Marylebone -	97,953	160	14	-	-	-	75	40	-	14	1	-	14	-	-	2	-	
Hampstead - -	88,012	112	14	-	-	-	42	40	-	9	-	1	2	1	-	3	-	
St. Pancras - -	219,434	414	5	-	1	-	184	168	-	33	2	9	12	-	-	-	-	
Islington - - -	323,034	581	4	-	-	-	243	230	-	57	5	13	27	1	-	1	-	
Stoke Newington -	50,954	86	-	-	-	-	43	32	-	11	-	-	-	-	-	-	-	
Hackney - - -	216,736	405	3	-	-	-	132	217	-	34	4	7	8	-	-	-	-	
CENTRAL.																		
Holborn - - -	38,156	87	2	-	-	-	31	42	-	7	-	1	1	-	-	3	-	
Finsbury - - -	75,291	159	3	-	-	-	74	42	-	35	1	1	3	-	-	-	-	
City of London -	13,893	24	1	-	-	-	7	13	-	2	1	-	-	-	-	-	-	
EAST.																		
Shoreditch - -	98,134	212	2	-	-	-	83	89	-	16	-	5	14	-	-	2	1	
Bethnal Green -	110,085	329	3	-	-	-	120	165	-	28	-	4	8	-	1	-	-	
Stepney - - -	232,506	443	3	-	-	2	211	180	-	29	2	4	6	1	1	4	-	
Poplar - - -	153,644	311	4	-	-	11	140	109	-	17	5	6	15	-	-	2	2	
SOUTH.																		
Southwark - - -	179,971	379	2	-	-	-	139	156	-	48	2	6	26	-	-	-	-	
Bermondsey - -	124,239	165	-	-	-	-	95	42	-	11	4	6	6	-	-	1	-	
Lambeth - - -	282,322	577	4	-	-	-	312	184	-	43	1	7	20	1	-	5	-	
Battersea - - -	159,316	336	6	-	-	-	139	129	-	30	3	8	18	1	-	2	-	
Wandsworth - -	333,693	754	7	-	-	-	307	349	-	58	5	12	15	-	-	-	1	
Camberwell - -	273,802	548	3	-	1	-	217	263	-	39	2	10	13	-	-	-	-	
Deptford - - -	111,205	280	7	-	-	-	159	79	-	23	-	5	6	-	-	-	1	
Greenwich - - -	98,484	239	5	-	-	-	132	85	-	10	1	1	3	-	-	2	-	
Lewisham - - -	167,754	398	1	-	-	-	204	164	-	23	2	2	2	-	-	-	-	
Woolwich - - -	136,237	263	1	-	-	1	106	127	-	19	2	1	3	-	-	3	-	
ADMINISTRATIVE COUNTY OF LONDON- }		4,358,309	8,687	135	-	3	14	3,718	3,594	-	719	48	139	270	6	2	34	5
AGES.																		
Ages 0-1 - - -	-	397	-	-	-	-	36	64	-	16	11	-	270	-	-	-	-	
" 1-5 - - -	-	1,605	3	-	-	1	730	848	-	12	9	-	-	1	-	1	-	
" 5- - - -	-	3,140	10	-	-	-	1,606	1,487	-	24	9	-	-	1	2	1	-	
" 10- - - -	-	1,457	12	-	-	-	809	588	-	34	7	-	-	2	-	4	1	
" 15- - - -	-	526	23	-	1	-	240	214	-	35	4	1	-	1	-	2	-	
" 20- - - -	-	354	28	-	-	2	105	151	-	29	3	30	-	-	-	4	2	
" 25- - - -	-	474	22	-	1	3	135	147	-	75	2	80	-	1	-	7	1	
" 35- - - -	-	306	18	-	-	1	46	67	-	137	2	27	-	-	-	7	1	
" 45- - - -	-	199	8	-	-	6	8	18	-	152	-	1	-	-	-	6	-	
" 55- - - -	-	109	5	-	1	1	1	6	-	93	1	-	-	-	-	1	-	
" 65- - - -	-	83	1	-	-	-	1	3	-	77	-	-	-	-	-	1	-	
" 75 and upwards -	-	37	-	-	-	-	1	1	-	35	-	-	-	-	-	-	-	
Age not stated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

TABLE X.—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1920.

(Civilian Population only.)

TOWNS.	Annual Rate per 1,000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LONDON	7·65	0·12	-	0·00	0·01	3·42	3·31	-	0·66	0·13
243 Provincial Towns	6·42	0·07	-	0·00	0·01	3·41	2·22	-	0·59	0·12
95 Great Towns	6·66	0·07	-	0·00	0·01	3·59	2·24	-	0·62	0·13
148 Smaller Towns	5·78	0·09	-	0·00	0·01	2·90	2·17	-	0·52	0·09
Great Towns.										
CROYDON	8·23	0·02	-	-	-	4·51	3·05	-	0·54	0·11
WIMBLEDON	7·51	0·07	-	-	-	2·88	3·42	-	1·01	0·13
EALING	5·04	0·27	-	-	-	3·07	1·04	-	0·55	0·11
ACTON	5·84	-	-	-	-	3·25	1·88	-	0·58	0·13
WILLESDEN	8·76	0·17	-	-	-	4·04	3·76	-	0·67	0·12
HORNSEY	5·44	0·09	-	-	-	2·51	2·42	-	0·38	0·04
TOTTENHAM	7·80	-	-	-	-	3·49	3·80	-	0·40	0·11
EDMONTON	10·39	0·06	-	-	-	4·99	4·37	-	0·91	0·06
ENFIELD	7·01	0·14	-	-	-	4·53	1·72	-	0·48	0·14
WEST HAM	8·36	0·11	-	-	0·24	2·93	4·16	-	0·85	0·07
EAST HAM	9·33	0·08	-	-	0·17	3·33	5·08	-	0·64	0·03
LEYTON	6·48	0·10	-	-	0·03	1·85	3·85	-	0·55	0·10
WALTHAMSTOW	7·31	0·03	-	-	-	2·29	4·21	-	0·72	0·06
ILFORD	8·22	-	-	-	0·05	3·98	3·28	-	0·81	0·10
GILLINGHAM	5·99	0·09	-	-	-	4·24	1·20	-	0·28	0·18
HASTINGS	4·94	-	-	-	-	0·90	3·20	-	0·70	0·14
EASTBOURNE	8·04	0·08	-	-	-	4·06	2·82	-	0·83	0·25
BRIGHTON	5·00	0·09	-	-	-	2·12	2·00	-	0·64	0·15
PORTSMOUTH	4·93	0·04	-	-	-	1·14	3·34	-	0·39	0·02
BOURNEMOUTH	1·85	0·05	-	-	-	0·78	0·58	-	0·39	0·05
SOUTHAMPTON	5·54	0·06	-	-	-	0·89	3·60	-	0·70	0·29
READING	4·64	0·04	-	-	-	2·41	1·62	-	0·57	-
OXFORD	2·23	0·07	-	-	-	0·77	1·32	-	-	0·07
NORTHAMPTON	4·47	-	-	-	-	0·72	2·80	-	0·90	0·05
CAMBRIDGE	3·25	-	-	-	-	1·18	1·72	-	0·35	-
SOUTHEND ON SEA	8·36	-	-	-	-	5·54	2·00	-	0·53	0·29
IPSWICH	7·60	0·05	-	-	-	1·90	5·35	-	0·15	0·15
GREAT YARMOUTH	3·40	-	-	-	-	1·51	1·66	-	0·23	-
NORWICH	5·74	0·20	-	-	-	1·67	3·24	-	0·53	0·10
SWINDON	2·72	-	-	-	-	0·54	1·71	-	0·47	-
EXETER	2·59	0·14	-	-	-	1·02	1·16	-	0·20	0·07
PLYMOUTH	6·00	0·07	-	-	-	1·79	3·79	-	0·31	0·04
BATH	4·68	-	-	-	-	3·04	1·28	-	0·30	0·06
BRISTOL	6·14	0·23	-	0·01	-	2·73	2·28	-	0·78	0·11
GLOUCESTER	3·52	-	-	-	-	0·96	2·08	-	0·40	0·08
STOKE ON TRENT	9·35	0·12	-	-	-	6·30	2·01	-	0·80	0·12
WOLVERHAMPTON	4·04	0·04	-	-	-	3·22	0·29	-	0·45	0·04
WALSALL	3·81	0·04	-	-	-	2·47	0·78	-	0·39	0·13
WEST BROMWICH	1·95	-	-	-	-	1·26	0·23	-	0·46	-
DUDLEY	0·89	-	-	-	-	0·82	-	-	0·07	-
BIRMINGHAM	9·07	0·03	-	-	-	5·98	2·28	-	0·50	0·28
SMETHWICK	6·79	-	-	0·06	-	4·11	2·17	-	0·28	0·17
COVENTRY	2·67	-	-	-	-	1·12	1·00	-	0·46	0·09
LEICESTER	6·99	0·10	-	-	-	3·48	2·53	-	0·73	0·15
LINCOLN	3·78	0·07	-	-	-	1·46	1·92	-	0·26	0·07
GRIMSBY	3·50	-	-	-	-	1·27	1·88	-	0·25	0·10
NOTTINGHAM	6·53	0·03	-	-	-	2·79	2·82	-	0·81	0·08
DERBY	6·57	0·06	-	-	-	1·88	3·53	-	0·91	0·19
STOCKPORT	8·26	-	-	-	-	4·85	2·55	-	0·70	0·16
BIRKENHEAD	4·93	-	-	-	-	2·38	1·65	-	0·60	0·30
WALLASEY	3·95	0·17	-	-	-	1·85	1·51	-	0·29	0·13
LIVERPOOL	8·33	0·05	-	-	0·04	4·25	3·06	-	0·86	0·07
BOOTLE	10·42	-	-	-	0·05	6·72	2·92	-	0·68	0·05
ST. HELENS	6·25	-	-	0·08	-	3·46	1·99	-	0·56	0·16
SOUTHPORT	5·38	0·11	-	-	-	3·55	0·63	-	1·03	0·06
WIGAN	6·61	0·14	-	-	-	4·31	1·24	-	0·87	0·05
WARRINGTON	4·07	-	-	-	-	1·28	1·93	-	0·70	0·16
BOLTON	5·94	0·11	-	-	-	3·77	1·40	-	0·59	0·07
BURY	4·21	0·07	-	-	-	0·89	2·51	-	0·59	0·15
MANCHESTER	5·92	0·05	-	-	-	4·03	0·90	-	0·65	0·29
SALFORD	6·83	0·14	-	-	0·02	4·15	1·63	-	0·73	0·16

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April 1920.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM - - - -	5·19	0·03	-	-	-	3·32	1·40	-	0·38	0·06
ROCHDALE - - - -	3·43	0·09	-	-	-	1·78	1·16	-	0·22	0·18
BURNLEY - - - -	3·81	0·08	-	-	-	1·79	0·91	-	1·03	-
BLACKBURN - - - -	3·28	0·03	-	-	-	1·53	1·02	-	0·51	0·19
PRESTON - - - -	4·41	0·07	-	-	-	1·61	2·05	-	0·41	0·27
BLACKPOOL - - - -	8·09	0·06	-	-	0·06	2·60	4·49	-	0·53	0·35
BARROW IN FURNESS - -	5·01	0·16	-	-	-	3·16	1·04	-	0·65	-
HUDDERSFIELD - - - -	7·96	0·11	-	-	-	2·89	4·39	-	0·46	0·11
HALIFAX - - - -	4·26	0·12	-	-	-	2·21	1·69	-	0·20	0·04
BRADFORD - - - -	6·74	0·16	-	-	-	3·08	2·71	-	0·58	0·21
LEEDS - - - -	7·53	0·06	-	-	-	3·44	3·01	-	0·84	0·18
DEWSBURY - - - -	3·41	-	-	-	-	1·97	1·14	-	0·15	0·15
WAKEFIELD - - - -	5·21	0·08	-	-	-	2·12	2·36	-	0·57	0·08
BARNSELY - - - -	3·57	0·08	-	-	-	2·02	0·54	-	0·85	0·08
SHEFFIELD - - - -	4·53	0·07	-	-	-	2·44	1·04	-	0·81	0·17
ROTHERHAM - - - -	3·48	-	-	-	-	1·68	1·16	-	0·64	-
YORK - - - -	6·61	0·05	-	-	-	1·88	4·09	-	0·43	0·16
HULL - - - -	8·87	0·10	-	-	-	5·69	2·29	-	0·73	0·06
MIDDLESBROUGH - - - -	7·71	0·03	-	-	0·19	5·21	1·83	-	0·32	0·13
DARLINGTON - - - -	10·09	0·13	-	-	-	7·95	1·57	-	0·38	0·06
STOCKTON ON TEES - - -	8·20	0·07	-	-	-	6·48	1·45	-	0·20	-
WEST HARTLEPOOL - - -	6·42	0·06	-	-	-	4·22	1·65	-	0·31	0·18
SUNDERLAND - - - -	5·27	0·03	-	-	-	3·90	0·54	-	0·67	0·13
SOUTH SHIELDS - - - -	2·20	0·07	-	-	-	1·44	0·40	-	0·29	-
GATESHEAD - - - -	8·53	-	-	-	0·07	7·51	0·49	-	0·46	-
NEWCASTLE ON TYNE - -	8·98	0·06	-	-	-	6·24	1·34	-	1·31	0·03
TYNEMOUTH - - - -	4·63	0·35	-	-	-	2·21	1·31	-	0·69	0·07
CARLISLE - - - -	2·68	-	-	-	-	0·65	0·94	-	0·87	0·22
NEWPORT (MON.) - - - -	9·38	0·09	-	-	-	7·40	0·83	-	0·92	0·14
CARDIFF - - - -	11·79	-	-	-	-	9·28	2·14	-	0·33	0·04
RHONDDA - - - -	10·76	0·07	-	-	-	8·07	2·05	-	0·52	0·05
MERTHYR TYDFIL - - -	11·75	-	-	-	-	7·78	2·97	-	0·78	0·22
ABERDARE - - - -	8·27	0·08	-	-	-	3·43	3·43	-	1·25	0·08
SWANSEA - - - -	6·44	0·05	-	-	-	1·85	4·27	-	0·22	0·05
Smaller Towns.										
SURREY—										
BARNES - - - -	3·13	0·11	-	-	-	1·68	1·01	-	0·22	0·11
GUILDFORD - - - -	3·58	-	-	-	-	2·56	0·85	-	0·17	-
KINGSTON ON THAMES - -	9·06	-	-	-	-	4·10	3·45	-	1·40	0·11
MITCHAM - - - -	9·51	-	-	-	-	4·29	4·29	-	0·93	-
REIGATE - - - -	7·63	-	-	-	-	4·49	2·69	-	0·45	-
RICHMOND - - - -	1·88	-	-	-	-	1·06	0·82	-	-	-
SUTTON - - - -	5·10	0·19	-	-	-	2·08	2·64	-	0·19	-
WOKING - - - -	2·95	-	-	-	-	1·30	1·00	-	0·49	0·16
KENT—										
BECKENHAM - - - -	5·54	0·12	-	-	-	2·71	1·85	-	0·74	0·12
BROMLEY - - - -	9·34	-	-	-	-	3·00	5·53	-	0·69	0·12
CANTERBURY - - - -	2·34	0·36	-	-	-	-	1·08	-	0·90	-
CHATHAM - - - -	3·97	-	-	-	-	1·57	2·09	-	0·10	0·21
DARTFORD - - - -	21·55	0·71	-	-	-	11·22	8·37	-	1·25	-
DOVER - - - -	2·88	0·10	-	-	-	0·92	1·76	-	0·10	-
ERITH - - - -	11·31	-	-	-	0·66	6·18	3·55	-	0·79	0·13
FOLKESTONE* - - - -	4·38	0·38	-	-	-	1·25	2·25	-	0·25	0·25
GRAVESEND - - - -	4·26	0·14	-	-	0·14	1·51	1·92	-	0·55	-
MAIDSTONE - - - -	3·03	-	-	-	-	1·33	0·97	-	0·73	-
MARGATE - - - -	10·78	0·18	-	-	-	4·49	4·67	-	1·26	0·18
PENGE (Surrey Reg. Co.) -	7·74	0·16	-	-	-	3·63	3·46	-	0·49	-
RAMSGATE - - - -	4·39	0·14	-	-	-	2·98	0·85	-	0·14	0·28
ROCHESTER - - - -	2·49	-	-	-	-	0·75	1·25	-	0·37	0·12
ROYAL TUNBRIDGE WELLS	8·03	0·23	-	-	-	4·19	2·91	-	0·58	0·12

* Including the Civil Parish of Folkestone next Sandgate.

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1920.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—										
HOVE	3·99	-	-	-	-	1·09	2·63	-	0·27	-
SUSSEX WEST—										
WORTHING	6·08	0·26	-	-	-	1·72	3·70	-	0·40	-
SOUTHAMPTON—										
ALDERSHOT (Surrey Reg. Co.).	2·19	-	-	-	-	0·18	2·01	-	-	-
GOSPORT & ALVERSTOKE .	9·21	0·69	-	-	-	1·24	6·87	-	0·27	0·14
WINCHESTER	2·31	-	-	-	-	1·32	0·66	-	-	0·33
MIDDLESEX—										
CHISWICK	3·11	0·09	-	-	-	1·51	1·42	-	-	0·09
FINCHLEY	8·02	0·09	-	-	-	4·99	2·32	-	0·62	-
HENDON	5·67	0·07	-	-	-	3·97	1·35	-	0·21	0·07
HESTON & ISLEWORTH . .	6·27	-	-	-	-	2·59	2·68	-	0·70	0·30
SOUTHALL NORWOOD . . .	9·13	-	-	-	-	7·97	0·58	-	0·58	-
SOUTHGATE	6·58	0·10	-	-	-	4·32	1·44	-	0·72	-
TWICKENHAM	6·58	-	-	-	-	0·92	4·97	-	0·46	0·23
WOOD GREEN	6·38	-	-	-	-	3·35	2·47	-	0·56	-
HERTFORDSHIRE—										
ST. ALBANS	6·46	0·16	-	-	-	3·07	2·75	-	0·48	-
WATFORD	7·38	-	-	-	-	5·82	1·56	-	-	-
BUCKINGHAMSHIRE—										
CHEPPING WYCOMBE . . .	7·15	-	-	-	-	3·09	2·32	-	1·35	0·39
NORTHAMPTONSHIRE—										
KETTERING	2·67	-	-	-	-	0·80	1·47	-	0·13	0·27
SOKE OF PETERBOROUGH—										
PETERBOROUGH	6·96	-	-	-	-	3·72	1·80	-	1·32	0·12
BEDFORDSHIRE—										
BEDFORD	7·31	-	-	-	-	5·71	1·40	-	0·10	0·10
LUTON	2·91	-	-	-	-	0·28	1·99	-	0·64	-
ESSEX—										
BARKING TOWN	11·28	-	-	-	-	1·31	8·31	-	1·54	0·12
COLCHESTER	5·13	0·58	-	-	-	1·36	2·52	-	0·48	0·19
SUFFOLK EAST—										
LOWESTOFT	5·22	0·19	-	-	-	0·58	3·87	-	0·58	-
NORFOLK—										
KING'S LYNN	6·26	0·20	-	-	-	5·86	0·20	-	-	-
WILTSHIRE—										
SALISBURY	3·95	-	-	-	-	2·87	1·08	-	-	-
DORSETSHIRE—										
POOLE	7·98	0·10	-	-	-	1·75	5·45	-	0·58	0·10
WEYMOUTH AND MELCOMBE REGIS.	0·93	-	-	-	-	0·37	-	-	0·37	0·19
DEVONSHIRE—										
TORQUAY	4·80	-	-	-	-	2·52	1·92	-	0·36	-
SOMERSETSHIRE—										
TAUNTON	3·69	1·94	-	-	-	0·39	0·39	-	0·97	-
WESTON SUPER MARE . . .	6·32	-	-	-	-	1·62	4·38	-	0·32	-
GLOUCESTERSHIRE—										
CHELTENHAM	2·40	-	-	-	-	0·53	1·78	-	0·09	-
HEREFORDSHIRE—										
HEREFORD	3·34	-	-	-	-	1·17	1·67	-	0·33	0·17

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1920.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—										
SHREWSBURY . . .	2.42	-	-	-	-	0.67	1.03	-	0.54	0.13
STAFFORDSHIRE—										
BILSTON . . .	3.05	-	-	-	-	1.68	0.46	-	0.76	0.15
BURTON UPON TRENT . .	5.30	-	-	-	-	2.69	1.85	-	0.34	0.42
CANNOCK . . .	3.12	-	-	-	-	0.72	1.80	-	0.48	0.12
COSELEY . . .	3.18	-	-	-	-	2.47	-	-	0.71	-
NEWCASTLE UNDER LYME	2.85	-	-	-	-	0.81	1.63	-	0.41	-
ROWLEY REGIS . . .	2.94	-	-	-	-	0.98	1.09	-	0.76	0.11
STAFFORD . . .	6.61	-	-	-	-	1.35	4.66	-	0.60	-
TIPTON . . .	2.22	0.25	-	-	-	1.48	0.12	-	0.37	-
WEDNESBURY . . .	3.83	-	-	-	-	2.25	0.79	-	0.79	-
WOLSTANTON UNITED . .	4.51	-	-	-	-	1.78	2.05	-	0.27	0.41
WORCESTERSHIRE—										
KIDDERMINSTER . . .	2.26	-	-	-	-	0.75	1.36	-	0.15	-
OLDBURY (Staffs. Reg. Co.)	2.10	-	-	-	-	1.22	0.55	-	0.11	0.22
WORCESTER . . .	3.72	-	-	-	-	1.52	1.69	-	0.51	-
WARWICKSHIRE—										
NUNEATON . . .	5.28	-	-	-	-	3.96	1.02	-	0.10	0.20
ROYAL LEAMINGTON SPA	3.68	-	-	-	-	2.83	0.28	-	0.57	-
RUGBY . . .	5.63	-	-	0.15	-	0.89	3.55	-	0.74	0.30
SUTTON COLDFIELD (Staffs. Reg. Co.).	2.69	-	-	-	-	1.54	1.15	-	-	-
LEICESTERSHIRE—										
LOUGHBOROUGH . . .	3.25	-	-	-	-	0.81	1.79	-	0.49	0.16
LINCOLNSHIRE (KESTEVEN)—										
GRANTHAM . . .	2.35	0.36	-	-	-	0.36	1.45	-	0.18	-
LINCOLNSHIRE (LINDSEY)—										
CLEETHORPE WITH THRUNSCOE.	6.71	0.31	-	-	-	3.12	2.34	-	0.94	-
GAINSBOROUGH . . .	8.36	-	-	-	-	2.09	5.64	-	0.42	0.21
NOTTINGHAMSHIRE—										
MANSFIELD . . .	4.41	0.09	-	-	-	1.71	1.71	-	0.81	0.09
SUTTON IN ASHFIELD . .	2.79	-	-	-	-	2.09	0.70	-	-	-
WORKSOP . . .	2.02	-	-	-	-	0.55	0.92	-	0.55	-
DERBYSHIRE—										
CHESTERFIELD . . .	5.35	-	-	-	-	0.63	4.30	-	0.21	0.21
GLOSSOP . . .	4.80	-	-	-	-	3.60	0.60	-	0.60	-
ILKESTON (Notts. Reg. Co.)	2.95	-	-	-	-	0.77	1.54	-	0.64	-
CHESHIRE—										
CHESTER . . .	5.81	0.39	-	-	-	3.54	1.48	-	0.20	0.20
CREWE . . .	2.99	-	-	-	-	0.44	2.28	-	0.18	0.09
HYDE . . .	3.57	-	-	-	-	2.09	0.37	-	0.86	0.25
MACCLESFIELD . . .	2.48	-	-	-	-	1.24	0.99	-	0.25	-
STALYBRIDGE (Lancs. Reg. Co.).	3.22	-	-	-	-	1.85	0.46	-	0.77	0.14
LANCASHIRE—										
ACCRINGTON . . .	1.38	-	-	-	-	0.37	0.37	-	0.64	-
ASHTON IN MAKERFIELD	10.57	-	-	-	-	7.17	3.02	-	0.38	-
ASHTON UNDER LYNE . .	8.27	0.28	-	-	-	6.52	0.83	-	0.64	-
BACUP . . .	4.16	-	-	-	-	1.19	1.98	-	0.99	-
CHADDERTON . . .	8.42	0.14	-	-	-	7.02	0.98	-	0.28	-
CHORLEY . . .	2.80	0.13	-	-	-	0.89	1.65	-	-	0.13
COLNE . . .	5.60	0.47	-	-	-	2.64	2.17	-	0.16	0.16
DARWEN . . .	1.70	-	-	-	-	0.52	0.64	-	0.53	0.21
ECCLES . . .	6.81	-	-	-	-	4.54	1.14	-	1.04	0.09
FARNWORTH . . .	7.07	-	-	-	-	5.05	1.15	-	0.58	0.29

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1920.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—<i>cont.</i>										
HEYWOOD	1·38	-	-	-	-	0·61	-	-	0·31	0·46
HINDLEY	9·35	-	-	-	-	5·61	1·53	-	1·70	0·51
INCE IN MAKERFIELD	6·26	0·55	-	-	-	4·97	0·37	-	0·37	-
LANCASTER	1·97	0·33	-	-	-	0·87	0·55	-	0·22	-
LEIGH	9·92	0·09	-	-	-	4·15	4·87	-	0·72	0·09
MIDDLETON	2·60	-	-	-	-	1·30	1·30	-	-	-
NELSON	7·56	0·10	-	-	-	3·87	2·52	-	0·97	0·10
RADCLIFFE	4·95	-	-	-	-	2·39	2·39	-	-	0·17
RAWTENSTALL	1·32	-	-	-	-	0·44	0·44	-	0·44	-
STRETFORD	4·04	0·18	-	-	-	2·55	0·70	-	0·35	0·26
SWINTON AND PENDLEBURY.	10·41	-	-	-	-	8·12	1·43	-	0·86	-
WATERLOO WITH SEAFORTH.	9·92	0·14	-	0·14	-	6·43	2·65	-	0·56	-
WIDNES	2·21	-	-	-	-	1·23	0·49	-	0·49	-
YORKSHIRE (WEST RIDING)—										
BATLEY	3·20	-	-	-	-	1·03	1·60	-	0·46	0·11
BRIGHOUSE	2·60	-	-	-	-	1·20	-	-	1·20	0·20
CASTLEFORD	4·88	-	-	-	-	2·93	1·79	-	0·16	-
DONCASTER	4·05	0·16	-	-	-	2·02	0·78	-	1·09	-
GOOLE	9·22	-	-	-	-	2·70	4·95	-	1·12	0·45
HARROGATE	4·42	-	-	-	-	1·88	1·99	-	0·55	-
KEIGHLEY	1·44	-	-	-	-	0·31	0·51	-	0·62	-
MORLEY	5·14	-	-	-	-	1·89	2·57	-	0·51	0·17
SHIPLEY	2·22	-	-	-	-	1·80	0·28	-	0·14	-
SPENBOROUGH	4·00	0·13	-	-	-	1·33	2·14	-	0·27	0·13
TODMORDEN	9·35	0·17	-	-	-	6·07	1·73	-	1·21	0·17
YORKSHIRE (NORTH RIDING)—										
ESTON	6·28	0·14	-	-	-	4·57	0·86	-	0·57	0·14
SCARBOROUGH	13·76	-	-	-	-	3·06	10·23	-	0·47	-
DURHAM—										
BLAYDON	3·84	0·23	-	-	-	1·98	0·58	-	0·93	0·12
FELLING	3·97	-	-	-	-	2·95	0·29	-	0·44	0·29
HARTLEPOOL	5·96	-	-	-	-	5·54	0·21	-	0·21	-
HEBBURN	5·34	-	-	-	-	4·45	0·71	-	0·18	-
JARROW	9·41	-	-	-	-	7·62	1·01	-	0·78	-
STANLEY	16·59	-	-	-	-	6·33	9·06	-	1·03	0·17
NORTHUMBERLAND—										
ASHINGTON	17·64	0·99	-	-	-	12·55	3·39	-	0·71	-
BEDLINGTONSHIRE	6·68	-	-	-	-	1·09	4·50	-	1·09	-
BLYTH	4·22	0·13	-	-	-	1·28	2·17	-	0·51	0·13
WALLSEND	6·42	0·18	-	-	-	3·40	1·74	-	1·01	0·09
CUMBERLAND—										
WORKINGTON	15·35	-	-	-	-	0·31	14·58	-	0·46	-
MONMOUTHSHIRE—										
ABERSYCHAN	3·44	-	-	-	-	2·69	0·45	-	0·30	-
ABERTILLERY	4·49	0·09	-	-	-	2·44	0·84	-	1·03	0·09
BEDWELLYT	4·41	-	-	-	-	2·62	1·07	-	0·60	0·12
EBBW VALE	25·94	0·10	-	-	-	23·50	0·92	-	1·32	0·10
TREDEGAR	9·98	0·16	-	-	-	4·75	4·09	-	0·82	0·16
GLAMORGANSHIRE—										
BARRY	11·22	0·32	-	-	-	2·33	8·04	-	0·42	0·11
CAERPHILLY	14·15	0·11	-	-	-	9·43	3·95	-	0·55	0·11
GELLIGAER	4·23	-	-	-	-	1·41	2·72	-	0·10	-
MAESTEG	12·41	-	-	-	-	10·60	1·81	-	-	-
MOUNTAIN ASH	5·44	-	-	-	-	3·69	1·57	-	0·18	-
OGMORE AND GARW	5·44	-	-	-	-	2·12	2·92	-	0·27	0·13
PONTYPRIDD	8·36	-	-	-	-	5·90	1·58	-	0·88	-
CARMARTHENSHIRE—										
LLANELLY	4·09	-	-	-	-	0·97	2·90	-	0·11	0·11

TABLE XI.--PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 3rd April, 1920.

(Civilian Population only.)

BOROUGHs.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
ADMINISTRATIVE COUNTY OF LONDON }	7.65	0.12	-	0.00	0.01	3.42	3.31	-	0.66	0.13
WEST.										
Paddington - - -	7.69	0.22	-	-	-	2.48	4.24	-	0.64	0.11
Kensington - - -	6.37	0.15	-	-	-	2.52	2.99	-	0.61	0.10
Hammersmith - - -	4.89	0.12	-	-	-	1.04	3.00	-	0.55	0.18
Fulham - - -	10.15	0.29	-	-	-	3.65	5.13	-	0.84	0.24
Chelsea - - -	7.01	0.33	-	0.07	-	3.64	2.05	-	0.66	0.26
City of Westminster -	5.94	0.22	-	-	-	3.37	1.76	-	0.50	0.09
NORTH.										
St. Marylebone - - -	5.85	0.57	-	-	-	3.07	1.64	-	0.57	-
Hampstead - - -	4.83	0.64	-	-	-	1.91	1.82	-	0.41	0.05
St. Pancras - - -	7.30	0.09	-	0.02	-	3.36	3.07	-	0.60	0.16
Islington - - -	6.80	0.05	-	-	-	3.02	2.86	-	0.71	0.16
Stoke Newington - - -	6.78	-	-	-	-	3.39	2.52	-	0.87	-
Hackney - - -	7.28	0.06	-	-	-	2.44	4.02	-	0.63	0.13
CENTRAL.										
Holborn - - -	8.74	0.21	-	-	-	3.26	4.42	-	0.74	0.11
Finsbury - - -	8.25	0.16	-	-	-	3.94	2.24	-	1.86	0.05
City of London - - -	6.64	0.29	-	-	-	2.02	3.75	-	0.58	-
EAST.										
Shoreditch - - -	7.96	0.08	-	-	-	3.39	3.64	-	0.65	0.20
Bethnal Green - - -	11.66	0.11	-	-	-	4.37	6.01	-	1.02	0.15
Stepney - - -	7.39	0.05	-	-	0.03	3.64	3.10	-	0.50	0.07
Poplar - - -	7.49	0.10	-	-	0.29	3.65	2.85	-	0.44	0.16
SOUTH.										
Southwark - - -	7.82	0.04	-	-	-	3.10	3.48	-	1.07	0.13
Bermondsey - - -	4.98	-	-	-	-	3.07	1.36	-	0.36	0.19
Lambeth - - -	7.81	0.06	-	-	-	4.43	2.61	-	0.61	0.10
Battersea - - -	7.86	0.15	-	-	-	3.50	3.25	-	0.76	0.20
Wandsworth - - -	8.81	0.08	-	-	-	3.69	4.20	-	0.70	0.14
Camberwell - - -	7.80	0.04	-	0.01	-	3.18	3.85	-	0.57	0.15
Deptford - - -	9.84	0.25	-	-	-	5.73	2.85	-	0.83	0.18
Greenwich - - -	9.49	0.20	-	-	-	5.38	3.46	-	0.41	0.04
Lewisham - - -	9.42	0.02	-	-	-	4.88	3.92	-	0.55	0.05
Woolwich - - -	7.51	0.03	-	-	0.03	3.12	3.74	-	0.56	0.03

TABLE XII.—COUNTY OF LONDON.—Births, Deaths, and Death-Rates in London, and in the Metropolitan Boroughs during the 13 WEEKS ended 3rd April, 1920. (The births in this table are those actually registered in the several Metropolitan Boroughs. The deaths relate to the civilian population only and are, so far as concerns London as a whole, corrected to the extent indicated at the head of Table V. As between individual boroughs, however, correction is complete.)

BOROUGH.	Estimated Civilian Population, Mid. 1919.	Births.	Deaths from										Deaths of Infants under 1 Year of Age.	ANNUAL DEATH-RATES PER 1000 CIVILIAN POPULATION, MID. 1919.							RATE PER 1000 BIRTHS.		
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Pulmonary Tuberculosis.	All Causes.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Pulmonary Tuberculosis.	Diarrhoea and Enteritis (under 2 Years).	Total deaths under 1 Year.	
County of London -	4,358,309	35,567	17,808	11	3	529	58	416	353	211	1,234	3,311	16.4	0.01	0.00	0.49	0.05	0.38	0.32	1.14	5.9	93	
WEST.																							
PADDINGTON -	143,938	879	471	-	-	3	3	5	7	11	22	81	13.1	-	-	-	0.08	0.08	0.14	0.20	0.61	12.5	92
KENSINGTON -	157,886	1,124	644	1	-	6	1	15	8	9	35	105	16.4	0.03	-	-	0.15	0.03	0.38	0.20	0.89	8.0	93
HAMMERSMITH -	130,981	880	465	-	-	3	1	8	10	5	34	85	14.2	-	-	-	0.09	0.03	0.24	0.31	1.04	5.7	97
FULHAM -	152,543	1,276	540	1	-	14	3	8	15	6	32	111	14.2	0.03	-	-	0.37	0.08	0.21	0.39	0.84	4.7	87
CHELSEA -	60,573	397	230	-	-	3	1	-	2	1	12	24	15.2	-	-	-	0.20	0.07	-	0.13	0.79	2.5	60
CITY OF WESTMINSTER -	127,533	476	451	1	-	4	2	4	3	3	39	50	14.2	0.03	-	-	0.13	0.06	0.13	0.09	1.23	6.3	105
NORTH.																							
ST. MARYLEBONE -	97,953	1,222	391	-	-	3	3	7	1	7	28	49	16.0	-	-	-	0.12	0.12	0.29	0.04	1.15	5.7	40
HAMPSTEAD -	88,012	417	245	-	-	5	1	1	3	1	11	23	11.2	-	-	-	0.23	0.05	0.05	0.14	0.50	2.4	55
ST. PANCRAS -	219,434	1,733	890	-	-	33	3	38	5	10	65	157	16.3	-	-	-	0.60	0.05	0.69	0.09	1.19	5.8	91
ISLINGTON -	323,034	2,580	1,464	-	-	60	3	47	25	15	102	277	18.2	-	-	-	0.75	0.04	0.58	0.31	1.27	5.8	107
STOKE NEWINGTON -	50,954	339	208	-	-	4	1	6	6	3	8	38	16.4	-	-	-	0.31	0.08	0.47	0.47	0.63	8.8	112
HACKNEY -	216,736	1,848	1,006	1	-	60	2	42	39	6	52	178	18.6	0.02	-	-	1.11	0.04	0.78	0.72	0.96	3.2	96
CENTRAL.																							
HOLBORN -	38,156	169	160	-	-	6	1	-	2	1	9	14	16.8	-	-	-	0.63	0.11	-	0.21	0.95	5.9	83
FINSBURY -	75,291	1,145	384	-	-	5	-	3	9	1	33	76	20.5	-	-	-	0.27	-	0.16	0.48	1.76	8.7	66
CITY OF LONDON -	13,893	130	54	-	-	-	-	1	1	-	6	2	15.6	-	-	-	-	-	0.29	1.73	-	-	15
EAST.																							
SHOREDITCH -	98,134	1,037	549	-	-	41	3	4	10	10	51	133	22.4	-	-	-	1.68	0.12	0.16	0.41	2.08	9.6	128
BETHNAL GREEN -	110,085	1,042	583	1	-	35	3	33	15	15	37	150	21.2	0.04	-	-	1.28	0.11	0.20	0.55	1.35	14.4	144
STEPNEY -	232,506	2,318	1,158	-	-	17	3	42	14	9	88	255	20.0	-	-	-	0.29	0.05	0.72	0.24	1.52	3.9	110
POPULAR -	153,644	1,552	792	1	3	16	2	26	16	10	49	180	20.7	0.03	0.08	-	0.42	0.05	0.68	0.42	1.28	6.4	116
SOUTH.																							
SOUTHWARK -	179,971	1,684	887	2	-	30	1	16	16	9	70	200	19.8	0.04	-	-	0.67	0.02	0.36	0.36	1.56	5.3	119
BERMONDSEY -	124,239	1,228	539	1	-	33	2	19	7	6	34	126	17.4	0.03	-	-	1.07	0.06	0.61	0.23	1.10	4.9	103
LAMBETH -	282,322	2,954	1,221	-	-	45	3	22	30	19	96	199	17.3	-	-	-	0.64	0.04	0.31	0.43	1.36	6.4	67
BATTERSEA -	159,316	1,237	610	1	-	7	2	14	16	10	40	122	13.4	0.03	-	-	0.18	0.05	0.35	0.40	1.01	8.1	99
WANDSWORTH -	333,693	2,050	1,005	-	-	22	1	8	23	9	70	149	12.1	-	-	-	0.26	0.01	0.10	0.28	0.84	4.4	73
CAMBERWELL -	273,802	2,110	1,023	-	-	29	6	16	26	22	81	186	15.0	-	-	-	0.42	0.09	0.23	0.38	1.19	10.4	88
DEPTFORD -	111,205	905	436	-	-	12	1	8	9	6	22	95	15.7	-	-	-	0.43	0.04	0.29	0.32	0.79	6.6	105
GREENWICH -	98,484	759	394	1	-	18	2	10	6	2	30	77	16.0	0.04	-	-	0.73	0.08	0.41	0.24	1.22	2.6	101
LEWISHAM -	167,754	1,114	552	-	-	6	3	11	19	3	40	84	13.2	-	-	-	0.14	0.07	0.26	0.45	0.96	2.7	75
WOOLWICH -	136,237	962	456	-	-	9	1	2	10	2	38	85	13.4	-	-	-	0.26	0.03	0.06	0.29	1.12	2.1	88

TABLE XIII.—**Births and Deaths** in the **First Quarter** (13 Weeks) of **1920** in certain **Colonial and Foreign Cities.**

CITIES.	POPULATION (enumerated or estimated).	BIRTHS. (Excl. Still- born.)	DEATHS. (Including Still-born.)	ANNUAL RATE per 1000 Persons living.									RATE per 1000 Births.	
				Births.	Deaths from								Diarrhoea and Enteri- tis (under 2 Years).*	Total Deaths under 1 Yr.
					All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Influenza.		
LONDON†	4,358,309	35,567	17,808	31·4	16·4	0·01	0·00	0·49	0·05	0·38	0·32	0·60	5·9	93
BOMBAY	896,067	-	-	-	-	-	-	-	-	-	-	-	-	-
BOMBAY	979,445	-	-	-	-	-	-	-	-	-	-	-	-	-
BOMBAY	518,660	-	-	-	-	-	-	-	-	-	-	-	-	-
BOMBAY	2,847,229	-	-	-	-	-	-	-	-	-	-	-	-	-
BOMBAY	792,919	-	-	-	-	-	-	-	-	-	-	-	-	-
BOMBAY	325,160	-	-	-	-	-	-	-	-	-	-	-	-	-
AMSTERDAM	649,341	4,113	2,407	25·4	14·9	0·05	-	0·09	0·02	0·20	0·05	1·69	2·2	52
COPENHAGEN	552,000	3,366	3,029	24·5	22·0	0·01	-	0·46	0·08	0·18	0·23	7·04	7·1	125
STOCKHOLM	408,456	1,843	1,370	18·1	13·5	0·01	-	0·09	0·11	0·08	0·21	0·85	1·6	68
HAMBURG	200,578	-	647	-	12·9	0·14	-	0·62	-	0·02	0·14	0·10	?	?
CHRISTIANIA	258,615	1,520	947	23·6	14·7	0·03	-	0·17	0·03	0·08	0·11	0·33	3·3	61
OSLO (11 weeks)	1,924,185	8,002	9,418	19·7	23·2	0·01	-	0·00	0·04	0·31	0·14	1·63	24·6	185
OSLO (12 weeks)	493,393	3,491	3,121	30·7	27·5	0·04	-	0·01	0·04	0·30	0·19	?	18·0	140
OSLO (12 weeks)	631,005	4,251	2,525	29·3	17·4	0·01	-	0·02	0·02	0·43	0·25	?	12·9	116
OSLO	534,880	2,972	2,455	22·3	18·4	0·01	-	-	0·04	0·11	0·10	?	9·1	88
OSLO (11 weeks)	470,124	1,807	1,373	18·2	13·8	-	-	0·17	0·02	0·27	0·15	?	10·5	117
OSLO	1,050,300	5,428	5,087	20·7	19·4	0·02	-	0·08	0·06	0·13	0·20	?	14·6	116
OSLO	676,289	3,546	2,923	21·0	17·3	0·01	-	0·08	0·04	0·21	0·09	?	16·6	121
OSLO	670,000	-	-	-	-	-	-	-	-	-	-	-	-	-
OSLO	1,838,708	6,190	11,613	13·5	25·3	0·05	0·00	0·58	0·07	0·22	0·12	2·05	32·0	217
OSLO	524,496	2,264	3,066	17·3	23·4	0·05	0·07	0·33	0·01	0·06	0·05	2·22	30·9	178
OSLO	1,071,492	-	-	-	-	-	-	-	-	-	-	-	-	-
OSLO	229,810	1,803	1,441	31·5	25·2	0·16	-	0·12	0·09	0·12	0·10	2·48	4·4	133
OSLO	6,141,445	31,870	25,164	22·5	17·8	0·01	-	0·27	0·03	0·14	0·27	2·15	13·3	109
OSLO	2,596,681	-	13,158	-	20·3	0·01	0·00	0·05	0·13	0·11	0·26	3·00	?	?
OSLO	400,000	-	-	-	-	-	-	-	-	-	-	-	-	-
OSLO	761,300	-	-	-	-	-	-	-	-	-	-	-	-	-
OSLO	445,700	-	-	-	-	-	-	-	-	-	-	-	-	-

The death-rates in this column relate to all ages for Christiania and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, and the German Cities.

The figures for London refer to the civilian population only.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
18	Erysipelas - - - {	M 86	3	4	—	2	9	—	—	2	—	11	3
		F 69	1	5	1	2	9	1	—	—	—	10	3
19	Other epidemic diseases. {	M 19	—	—	1	3	4	3	2	1	—	10	2
		F 6	—	—	—	1	1	—	—	1	—	2	3
	A. Mumps - - - {	M 5	—	—	—	—	—	—	—	—	—	—	2
		F 4	—	—	—	—	—	—	—	1	—	1	2
	B. German measles. {	M 4	—	—	—	1	1	1	2	—	—	4	—
		F 1	—	—	—	—	—	—	—	—	—	—	1
	C. Varicella - - {	M 7	—	—	1	2	3	2	—	1	—	6	—
		F 1	—	—	—	1	1	—	—	—	—	1	—
	D. Other diseases included under 19. {	M 3	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
20	Pyæmia, Septicæmia. {	M 64	1	—	—	—	1	1	—	—	1	3	3
		F 50	2	1	1	1	5	—	—	1	1	7	2
	A. Pyæmia - - - {	M 10	—	—	—	—	—	—	—	—	—	—	1
		F 9	—	—	—	—	—	—	—	—	—	—	—
	B. Septicæmia - - {	M 54	1	—	—	—	1	1	—	—	1	3	2
		F 41	2	1	1	1	5	—	—	1	1	7	2
	C. Vaccinia - - - {	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
21	Glanders - - - {	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
22	Anthrax (Splenic Fever). {	M 3	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
23	Rabies - - - - {	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
24	Tetanus - - - - {	M 27	1	—	—	1	2	—	—	—	1	3	6
		F 10	1	—	—	—	1	—	—	—	—	1	—
25	Mycoses - - - - {	M 4	—	—	—	—	—	—	—	—	—	—	—
		F 2	—	—	—	—	—	—	—	—	—	—	—
	A. Actinomycosis {	M 4	—	—	—	—	—	—	—	—	—	—	—
		F 2	—	—	—	—	—	—	—	—	—	—	—
	B. Other mycoses {	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
26	Pellagra - - - - {	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
27	Beri-beri - - - - {	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute). {	M 4,592	—	—	2	10	12	19	10	16	17	74	56
		F 3,886	1	1	6	10	18	15	11	11	18	73	62
	A. Pulmonary tuberculosis. {	M 3,638	—	—	2	9	11	18	10	13	14	66	46
		F 3,015	1	1	5	10	17	14	10	10	16	67	48
	B. Phthisis (not defined as tuberculous). {	M 954	—	—	—	1	1	1	—	3	3	8	10
		F 871	—	—	1	—	1	1	1	1	2	6	14

E-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1919—continued.

AGES AT DEATH.																International List Nos.	
	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
1 3	2 2	2 2	3 4	3 1	4 —	3 3	7 4	6 3	6 4	6 5	9 7	8 2	7 8	2 6	3 2	}	18
4 1	— —	1 —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
—	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
—	— —	1 —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
2 3	3 2	7 3	4 5	2 2	4 2	5 3	6 2	7 2	2 3	4 4	8 4	3 4	1 1	— —	— 1	}	
—	1 —	1 —	1 2	— —	2 —	— —	— 2	1 1	1 —	1 3	1 —	— —	— —	— —	— —		}
2 2	2 2	6 3	3 3	2 2	2 2	5 3	6 —	6 1	1 3	3 1	7 4	3 4	1 1	— —	— 1	}	
—	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
—	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
1 —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —		}
—	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
1 2	1 1	3 —	2 2	1 1	— —	4 1	2 1	2 —	1 1	1 —	— —	— —	— —	— —	— —		}
—	— —	— —	— —	— —	2 —	— 1	— —	1 —	— 1	1 —	— —	— —	— —	— —	— —	}	
—	— —	— —	— —	— —	2 —	— 1	— —	1 —	— 1	1 —	— —	— —	— —	— —	— —		}
—	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
—	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
—	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
2 5	352 502	449 508	459 477	456 472	515 438	487 339	492 274	381 185	339 148	216 93	130 72	54 33	16 18	4 6	— 1		}
5 9	276 391	362 383	377 374	371 368	413 331	374 253	379 220	294 147	262 112	157 71	108 55	39 27	15 13	4 5	— 1	}	
7 6	76 111	87 125	82 103	85 104	102 107	113 86	113 54	87 38	77 36	59 22	22 17	15 6	1 5	— 1	— —		}

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
29	Acute phthisis, Acute miliary tuberculosis.	M 436	—	1	6	11	18	13	8	6	1	46	15
		F 454	—	—	2	9	11	7	9	4	6	37	22
	A. Acute phthisis	M 333	—	—	1	2	3	4	4	2	—	13	5
		F 363	—	—	—	1	1	5	4	2	1	13	14
	B. Acute miliary tuberculosis.	M 103	—	1	5	9	15	9	4	4	1	33	10
		F 91	—	—	2	8	10	2	5	2	5	24	8
28 & 29	<i>Pulmonary tuber- culosis (acute and chronic).</i>	M 5,028	—	1	8	21	30	32	18	22	18	120	71
		F 4,340	1	1	8	19	29	22	20	15	24	110	84
30	Tuberculous meningitis.	M 583	1	4	18	61	84	89	55	67	44	339	98
		F 544	2	5	16	41	64	62	42	56	40	264	110
31	Tuberculosis of peritoneum and intestines.	M 321	1	10	15	22	48	38	14	16	11	127	46
		F 355	—	3	11	12	26	35	24	14	13	112	44
	A. Tabes mesenterica.	M 38	1	4	6	1	12	7	1	2	1	23	6
		F 20	—	1	2	1	4	2	4	1	1	12	3
	B. Other peri- toneal and intestinal tubercle.	M 283	—	6	9	21	36	31	13	14	10	104	40
		F 335	—	2	9	11	22	33	20	13	12	100	41
32	Tuberculosis of spinal column	M 94	—	—	—	—	—	1	—	4	1	6	7
		F 74	—	—	—	1	1	—	1	—	—	2	6
33	Tuberculosis of joints.	M 56	—	—	—	1	1	—	1	—	—	2	3
		F 41	—	—	—	—	—	—	—	1	1	2	3
34	Tuberculosis of other organs.	M 89	1	1	1	3	6	4	2	1	1	14	2
		F 101	—	—	—	2	2	2	3	—	2	9	5
	A. Lupus - -	M 3	—	—	—	—	—	—	—	—	—	—	—
		F 15	—	—	—	—	—	—	—	—	—	—	1
	B. Scrofula - -	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	C. Other tuber- culosis in- cluded under 34.	M 86	1	1	1	3	6	4	2	1	1	14	2
		F 86	—	—	—	2	2	2	3	—	2	9	4
35	Disseminated tuberculosis.	M 273	1	3	3	7	14	17	8	11	16	66	26
		F 219	1	—	3	7	11	14	11	9	6	51	17
28- 35	<i>Tuberculosis (all forms).</i>	M 6,444	4	19	45	115	183	181	98	121	91	674	253
		F 5,674	4	9	38	82	133	135	101	95	86	550	269
36	Rickets, Softening of bones.	M 72	1	2	4	18	25	28	11	1	2	67	1
		F 59	—	1	3	13	17	15	7	5	—	44	4
	A. Rickets - -	M 70	1	2	4	18	25	28	11	1	2	67	1
		F 49	—	1	3	13	17	15	6	5	—	43	4
	B. Other forms of bone soften- ing.	M 2	—	—	—	—	—	—	—	—	—	—	—
		F 10	—	—	—	—	—	—	1	—	—	1	—
37	Syphilis - - -	M 229	59	53	20	14	146	8	1	2	—	157	—
		F 167	31	25	22	17	95	7	2	2	—	106	3

E-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1919—*continued.*

	AGES AT DEATH.															International List Nos.
	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards	
8 5	59 83	41 62	28 47	45 43	40 28	37 27	39 21	21 12	20 11	18 9	7 5	2 1	— —	— 1	— —	{ 29
8 4	48 64	35 54	21 37	41 39	36 24	31 26	38 21	18 11	16 11	16 9	5 5	2 1	— —	— —	— —	
0 1	11 19	6 8	7 10	4 4	4 4	6 1	1 —	3 1	4 —	2 —	2 —	— —	— —	— 1	— —	{ B
0 0	411 585	490 570	487 524	501 515	555 466	524 366	531 295	402 197	359 159	234 102	137 77	56 34	16 18	4 7	— 1	
0 6	37 40	17 21	5 11	5 5	4 7	4 4	3 —	4 2	2 2	4 1	1 —	— —	— —	— 1	— —	{ 30
6 0	30 32	18 27	20 16	12 18	8 22	6 14	8 12	4 13	6 4	3 5	6 3	1 3	— —	— —	— —	
2 —	1 —	2 3	1 1	1 —	1 1	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	{ A
4 0	29 32	16 24	19 15	11 18	7 21	6 14	8 12	4 13	6 4	3 5	5 3	1 3	— —	— —	— —	
4 6	9 10	7 6	4 5	11 1	6 7	6 4	11 3	1 4	5 8	1 5	4 3	— 3	— 1	2 —	— —	{ 32
8 6	7 1	6 2	4 2	2 —	3 7	3 2	4 2	4 3	1 4	2 3	3 2	2 —	1 —	1 2	— —	
4 9	7 7	3 6	6 4	9 5	7 2	7 9	3 8	6 8	8 7	4 4	4 8	3 4	2 2	— 2	— 2	{ 34
— 1	— —	— 1	— —	1 —	— —	— 3	— —	— 1	2 1	— —	— 4	— 1	— 1	— —	— 1	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ B
4 8	7 7	3 5	6 4	8 5	7 2	7 6	3 8	6 7	6 6	4 4	4 4	3 3	2 1	— 2	— 1	
24 24	28 25	25 18	14 16	12 16	13 5	10 12	14 11	11 3	8 3	16 8	4 5	2 4	— 1	— —	— —	{ 35
36 31	529 700	566 650	540 578	552 560	596 516	560 411	574 331	432 230	389 187	264 128	159 98	64 48	19 22	7 12	— 3	
— 1	— —	— —	1 —	1 1	1 2	— 2	— —	— —	1 —	— 1	— 1	— 3	— —	— —	— —	{ 36
— 1	— —	— —	1 —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	1 1	— 1	— 2	— —	— —	1 —	— 1	— 1	— 3	— —	— —	— —	{ B
— 1	2 3	4 5	5 5	6 3	5 8	8 10	13 3	4 6	8 3	8 5	2 4	6 2	1 —	— —	— —	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1919—continued.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
— —	— 1	— —	1 2	— —	1 —	1 —	1 —	— 1	1 1	— —	— 1	— —	— —	— —	1 —	{	38
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— 1	— —	1 2	— —	1 —	1 —	1 —	— 1	1 1	— —	— 1	— —	— —	— —	1 —	{	B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— 1	1 3	— 1	1 2	2 2	4 2	20 7	33 8	75 10	103 15	110 15	109 11	56 9	41 8	33 3	9 5	{	39
— —	— 1	— —	3 3	14 12	33 26	69 59	123 92	223 141	264 196	303 245	311 248	214 221	145 182	57 74	16 32		
— —	2 1	5 5	5 9	5 11	13 13	30 42	50 68	94 94	142 143	178 165	180 190	132 190	93 126	29 59	5 32	{	41
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	3 —	8 —	31 —	66 1	122 —	151 —	176 —	189 —	154 1	129 1	86 —	61 —	28 1	6 —	{	42
— —	— —	— 1	— 4	— 15	— 39	— 100	— 128	— 146	— 119	— 118	— 112	— 85	— 78	— 39	— 22		
— —	— —	— —	2 1	2 3	— 2	6 2	5 5	14 4	16 6	18 9	23 12	25 16	25 20	10 12	9 11	{	44
6 5	7 6	14 6	14 9	14 9	32 20	42 29	80 42	103 55	127 72	166 92	167 83	123 51	84 46	18 17	7 3		
6 6	10 11	19 16	25 36	37 83	83 168	167 361	291 494	509 626	652 740	776 798	791 785	550 658	388 521	148 232	46 111	{	39-45
— 1	— 1	— —	1 —	— 1	2 —	1 4	1 4	— 3	3 1	3 3	1 3	— 1	1 2	— 1	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{	A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— 1	— 1	— —	1 —	— 1	2 —	1 4	1 4	— 3	3 1	3 3	1 3	— 1	1 2	— 1	— —	{	C
31 27	27 24	8 20	10 7	8 10	5 9	5 8	5 5	5 8	9 7	5 6	4 1	1 8	1 —	— —	— —		
— —	1 1	1 1	2 1	1 8	3 2	6 6	9 8	13 18	19 30	21 44	37 65	48 68	27 64	9 22	5 7	{	48
— —	1 —	— —	— —	— 1	1 —	— 3	2 1	— 3	1 4	6 5	14 7	14 11	6 5	1 6	3 2		
— —	— 1	1 1	2 1	1 7	2 2	5 3	5 7	10 15	12 25	10 39	16 57	26 54	12 55	6 14	2 5	{	B
— —	— —	— —	— —	— —	— —	1 —	2 —	3 —	6 1	5 —	7 1	8 3	9 4	2 2	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{	C

ENGLAND AND WALES—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
49	Scurvy - - - { M F	4 3	— —	— —	— 1	1 2	1 3	— —	— —	— —	— —	1 3	— —
50	Diabetes - - - { M F	396 428	— —	— —	— —	— —	— —	2 1	1 1	1 —	1 1	5 3	4 1
51	Exophthalmic goitre. { M F	13 102	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
52	Addison's disease - { M F	21 21	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
53	Leucocythæmia, Lymphadenoma. { M F	98 67	— —	— —	— —	— —	— —	1 —	3 1	1 1	— —	5 2	9 7
	A. Leucocythæ- mia (Leuchæ- mia). { M F	43 37	— —	— —	— —	— —	— —	1 —	3 —	1 1	— —	5 1	3 4
	B. Lymphade- noma. { M F	55 30	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— 1	6 3
54	Anæmia, Chlorosis { M F	221 332	1 —	— —	— —	2 1	3 1	1 1	— —	— 1	— —	4 3	1 3
55	Other general diseases. { M F	52 52	2 7	4 1	1 3	4 2	11 13	2 —	3 4	— —	3 1	19 18	5 4
	A. Diabetes insipidus. { M F	7 1	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —
	B. Purpura - { M F	24 38	1 2	2 1	— 3	4 2	7 8	2 —	2 3	— —	— —	11 11	1 4
	C. Hæmophilia - { M F	13 7	1 5	1 —	1 —	— —	3 5	— —	1 —	— —	2 1	6 6	3 —
	D. Other diseases included under 55. { M F	8 6	— —	— —	— —	— —	— —	— —	— 1	— —	1 —	1 1	1 —
56	Alcoholism (acute or chronic). { M F	23 7	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning. { M F	11 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Occupational lead poison- ing. { M F	11 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Non-occupa- tional lead poisoning. { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occu- pational poison- ings. { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings. { M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
60- 76	II. Diseases of the Nervous System and of the Organs of Special Sense. { M F	5,698 5,705	244 129	105 80	137 93	224 173	710 475	159 142	76 49	55 43	49 33	1,049 742	149 106
60	Encephalitis - - { M F	78 84	— —	— —	1 1	— 1	1 2	1 1	3 2	— 5	1 2	6 12	7 8

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1919—*continued.*

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	{	49
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 6	15 9	7 4	11 11	15 10	14 13	20 31	20 18	28 37	37 42	66 61	61 73	53 47	25 36	5 22	4 4	{	50
—	—	1	1	—	1	1	1	2	4	2	—	—	—	—	—		
—	2	5	4	5	9	12	16	23	11	8	—	6	1	—	—	{	51
—	1	—	—	—	2	1	4	6	3	3	1	—	—	—	—		
—	—	1	1	1	5	1	3	—	1	5	—	2	1	—	—	{	52
6 2	4 3	6 3	6 3	7 3	3 4	7 8	11 4	9 9	12 6	4 7	5 2	3 2	1 2	—	—		
3 2	2 —	1 1	4 2	3 1	3 3	5 3	2 2	4 4	5 5	— 5	1 1	2 2	— 1	—	—	{	A
3 —	2 3	5 2	2 1	4 2	— 1	2 5	9 2	5 5	7 1	4 2	4 1	1 —	1 1	—	—		
3 2	3 10	3 9	3 8	11 17	8 21	8 23	19 36	28 36	38 52	26 43	34 32	15 22	14 11	1 4	2 —	{	54
5 3	4 3	1 2	2 2	2 2	1 1	1 —	2 1	2 —	2 5	3 2	1 3	1 5	1 1	—	—		
1 —	— —	— —	— —	2 —	1 —	— —	— —	— —	— —	— —	— —	1 1	1 —	—	—	{	A
3 3	3 3	— 1	2 —	— 2	— —	1 —	1 1	1 —	— 4	1 2	— 3	— 3	— 1	—	—		
1 —	1 —	— 1	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	—	—	{	C
— —	— —	1 —	— 2	— —	— 1	— —	1 —	— —	1 1	2 —	1 —	— 1	— —	—	—		
— —	— —	— —	— 1	1 —	4 3	3 —	6 2	4 —	1 —	3 —	1 —	— 1	— —	—	—	{	56
— —	— —	1 —	— —	— —	— —	3 —	3 —	3 1	— —	— —	1 —	— —	— —	—	—		
— —	— —	1 —	— —	— —	— —	3 —	3 —	3 —	— —	— —	1 —	— —	— —	—	—	{	57
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—	—		
— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	—	—	{	A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—	—		
— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	—	—	{	B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—	—		
— —	1 —	— —	— —	— —	— —	— 1	1 —	— —	— —	— —	— —	— —	— —	—	—	{	58
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—	—		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—	—	{	59
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—	—		
110 92	133 88	89 84	88 88	114 87	203 137	199 145	260 249	315 345	437 397	493 492	621 656	574 745	517 654	235 370	112 228	{	60-76
6 5	7 7	7 5	3 4	4 2	8 2	8 7	6 5	4 7	3 5	2 8	3 3	4 1	— 2	— 1	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	60
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1919—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
49	45	25	17	8	4	10	12	9	8	2	5	4	3	2	1	}	61
40	26	19	10	7	12	6	5	7	5	2	2	1	2	4	—		
16	27	12	10	6	2	2	2	2	1	—	—	—	—	—	—	}	A
15	10	5	1	1	5	2	—	—	1	1	1	—	—	—	—		
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
32	18	13	7	2	2	8	10	7	7	2	5	4	3	2	1	}	C
24	16	14	9	6	7	4	5	7	4	1	1	1	2	4	—		
—	—	—	—	3	6	8	14	25	22	17	18	5	7	1	—	}	62
—	—	—	—	1	3	—	3	4	3	1	2	1	—	—	—		
4	8	4	8	17	14	21	19	27	30	38	46	46	23	9	2	}	63
4	3	6	10	12	13	17	22	27	13	29	43	33	29	16	6		
1	4	—	2	2	4	4	5	10	10	14	21	30	15	6	1	}	A
1	—	—	1	1	—	2	4	5	3	7	21	21	22	9	5		
2	1	1	—	—	—	1	1	—	1	—	—	—	—	—	—	}	B
2	—	3	—	1	—	—	—	—	—	1	—	—	—	—	—		
1	3	3	6	15	10	16	13	17	19	24	25	16	8	3	1	}	C
1	3	3	9	10	13	15	18	22	10	21	22	12	7	7	1		
3	2	1	9	12	30	43	81	141	241	326	406	415	383	180	88	}	64
2	6	2	11	12	24	53	128	200	291	346	474	563	489	282	185		
1	—	—	1	2	7	6	15	28	39	57	78	100	72	25	15	}	A
—	1	—	1	1	4	10	22	31	45	62	88	105	97	47	21		
—	—	—	—	1	1	—	—	—	1	1	4	—	2	2	—	}	B
1	—	—	1	1	—	—	2	1	1	—	2	1	1	3	2		
—	—	—	—	—	—	1	—	—	1	—	—	—	—	2	—	}	C
1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—		
—	—	—	—	—	—	—	2	2	2	9	3	6	10	5	1	}	D
—	—	—	—	—	—	—	—	2	2	1	6	9	12	3	4		
2	2	1	8	9	22	36	64	111	198	259	321	309	299	146	72	}	E
—	5	2	9	10	20	43	104	166	243	283	378	448	378	228	158		
—	—	—	—	2	2	2	3	4	11	8	17	19	19	9	9	}	65
—	—	—	—	—	5	—	4	6	4	17	23	23	21	20	10		
—	2	—	—	2	1	3	8	11	18	40	62	39	51	27	7	}	66
—	—	—	2	1	4	2	6	18	17	28	46	70	74	30	20		
—	—	—	—	1	—	3	7	9	15	32	56	32	44	22	4	}	A
—	—	—	2	—	4	2	6	15	17	26	39	67	65	25	17		
—	—	—	—	1	—	—	—	1	1	2	3	3	4	3	—	}	B
—	—	—	—	1	—	—	—	2	—	1	5	1	2	—	—		
—	2	—	—	—	1	—	1	1	2	6	3	4	3	2	3	}	C
—	—	—	—	—	—	—	—	1	—	1	2	2	7	5	3		
1	2	3	7	30	62	55	51	29	23	5	9	1	2	—	—	}	67
—	1	1	4	3	7	8	14	13	5	1	3	1	2	—	1		
—	1	1	4	3	6	7	12	13	19	16	17	6	4	1	1	}	68
—	2	1	4	5	7	13	17	14	14	16	12	8	8	5	2		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
69	Epilepsy - - - { M 337 F 313		2 —	3 1	1 —	2 1	8 2	3 1	1 3	4 1	2 —	18 7	13 8
70	Convulsions (non- puerperal; 5 years and over). { M 15 F 13		—	—	—	—	—	—	—	—	—	—	9 10
	A. Epileptiform convulsions. { M 3 F 3		—	—	—	—	—	—	—	—	—	—	1 1
	B. Others in- cluded under 70. { M 12 F 10		—	—	—	—	—	—	—	—	—	—	8 9
71	Infantile convul- sions (under 5 years). { M 660 F 458		236 127	89 70	93 62	133 103	551 362	84 74	22 16	3 4	— 2	660 458	— —
	A. Convulsions with teeth- ing. { M 123 F 93		—	1 —	13 4	65 49	79 53	35 38	8 2	1 —	— —	123 93	— —
	B. Other infan- tile convul- sions. { M 537 F 365		236 127	88 70	80 58	68 54	472 309	49 36	14 14	2 4	— 2	537 365	— —
72	Chorea - - - { M 8 F 12		—	—	—	—	—	—	—	—	—	—	1 1
73	Hysteria, Neuralgia, Neuritis. { M 21 F 31		—	—	—	—	—	—	—	—	—	—	—
	A. Hysteria, Neu- ralgia, Scia- tica. { M 6 F 6		—	—	—	—	—	—	—	—	—	—	—
	B. Neuritis { M 15 F 25		—	—	—	—	—	—	—	—	—	—	—
74	Other diseases of the nervous sys- tem. { M 253 F 262		— 1	1 1	2 3	3 4	6 9	1 3	5 4	5 4	5 3	22 23	23 11
	A. Idiocy, Imbe- cility. { M 43 F 33		—	—	— 1	1 1	1 2	1 2	1 2	3 1	1 —	7 7	7 4
	B. Cretinism - { M 5 F 5		—	—	—	1 —	1 —	—	—	—	1 1	2 3	2 1
	C. Cerebral tu- mour. { M 113 F 132		—	—	— 1	1 —	1 1	—	1 1	2 1	2 2	6 5	12 4
	D. Other diseases included un- der 74. { M 92 F 92		— 1	1 1	2 1	— 3	3 6	— 1	3 1	—	1 —	7 8	2 2
75	Diseases of the eyes and annexa. { M 12 F 7		—	1 —	—	—	1 —	— 1	—	—	—	1 1	— 1
76	Diseases of the ears { M 156 F 92		—	1 —	2 2	9 5	12 7	8 3	5 6	6 3	9 3	40 22	14 13
	A. Mastoid disease. { M 36 F 24		—	1 —	1 1	— 1	2 2	3 —	2 1	1 1	4 1	12 5	3 3
	B. Other diseases of the ears. { M 120 F 68		—	—	1 1	9 4	10 5	5 3	3 5	5 2	5 2	28 17	11 10
77-85	III. Diseases of the Circulatory System. { M 7,966 F 8,259		5 —	10 1	8 3	3 7	26 11	6 3	2 3	5 4	9 6	48 27	37 52
77	Pericardiitis - - { M 25 F 27		—	—	—	— 2	— 2	—	1 —	1 —	— 1	2 3	2 4

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1919—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
5 10	18 10	18 16	31 14	32 9	12 15	18 13	20 17	19 18	29 25	4 5	3 5	3 4	1 1	1 —	— 1	}	78
— 1	1 1	1 1	1 1	1 —	1 3	4 2	6 5	12 8	16 12	— —	1 3	1 2	1 —	— —	— —		
1 4	8 2	10 13	22 3	26 3	7 7	7 4	8 3	3 2	8 1	2 5	2 1	2 1	— 1	— —	— 1	}	B
4 5	9 6	7 2	8 10	5 6	4 5	7 7	6 9	4 8	5 12	2 —	— 1	— 1	— —	1 —	— —		
47 53	57 67	81 71	99 85	119 116	140 158	186 193	251 301	357 374	521 497	723 676	886 935	875 964	726 961	339 531	130 323	}	79
34 41	49 46	55 51	74 60	85 73	100 118	119 117	145 175	201 199	294 266	362 332	418 422	356 437	273 421	103 196	42 96		
— —	— 1	— —	1 2	— 3	5 1	7 6	10 14	14 22	28 33	40 32	49 61	36 39	30 36	11 14	3 15	}	B
13 12	8 20	26 20	24 23	34 40	35 39	60 70	96 112	142 153	199 198	321 312	419 452	483 488	423 504	225 321	85 212		
— —	— —	— —	— —	— 2	3 1	4 —	11 6	13 3	26 15	36 13	41 17	29 19	19 15	9 8	3 1	}	80
— 1	— —	1 —	4 1	5 1	10 5	39 11	55 16	69 25	114 56	159 80	252 122	267 180	301 247	178 185	96 143		
— 1	— —	1 —	2 1	4 —	8 2	24 4	27 5	29 4	29 12	11 7	16 8	9 3	7 3	1 1	— 2	}	A
— —	— —	— —	2 —	— —	2 3	15 6	26 11	39 21	82 44	145 71	234 112	252 173	291 237	175 182	96 138		
— —	— —	— —	— —	1 1	— —	— 1	2 —	1 —	3 —	3 2	2 2	6 4	3 7	2 2	— 3	}	C
2 3	2 —	6 4	3 5	4 1	8 7	9 12	10 16	17 24	23 23	29 33	30 70	52 78	50 62	28 56	22 40		
1 2	1 —	3 2	1 4	3 1	6 6	6 7	9 13	9 24	22 17	26 29	26 68	51 76	49 60	26 56	22 39	}	A
1 1	1 —	3 2	2 1	1 —	2 1	3 5	1 3	8 —	1 6	3 4	4 2	1 2	1 2	2 —	— 1		
— —	— —	— —	— —	— —	1 2	1 2	2 3	5 4	3 5	2 4	1 6	2 2	3 3	— 2	— 1	}	83
— —	— —	— —	— —	— —	— —	1 1	— 2	2 1	2 2	1 1	— 3	2 1	1 2	— 1	— —		
— —	— —	— —	— —	— —	1 2	— 1	2 1	2 3	1 2	1 3	1 3	— 1	2 1	— 1	— 1	}	B
— —	— —	— —	— —	— —	— —	— —	— —	1 —	— 1	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	D
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
84	Dis. of the lymphatic system (Lymphangitis, &c.)	M 32	2	8	8	1	19	2	1	1	1	24	1
		F 15	—	—	3	2	5	—	—	—	—	5	2
	A. Status lymphaticus.	M 23	2	7	6	1	16	2	1	—	1	20	1
		F 7	—	—	1	1	2	—	—	—	—	2	1
	B. Other diseases of the lymphatic system.	M 9	—	1	2	—	3	—	—	1	—	4	—
		F 8	—	—	2	1	3	—	—	—	—	3	1
85	Hæmorrhage, other dis. of the circulatory system.	M 45	2	—	—	—	2	—	—	—	—	2	—
		F 43	—	—	—	—	—	—	—	—	—	—	—
	A. Functional disease of the heart.	M 35	—	—	—	—	—	—	—	—	—	—	—
		F 37	—	—	—	—	—	—	—	—	—	—	—
	B. Epistaxis	M 3	2	—	—	—	2	—	—	—	—	2	—
		F 2	—	—	—	—	—	—	—	—	—	—	—
86—98	IV.—Diseases of the Respiratory System.	M 9,472	80	153	314	754	1,301	543	230	123	82	2,279	186
		F 8,208	57	145	187	516	905	460	218	141	100	1,824	204
86	Diseases of the nasal fossæ.	M 9	—	—	—	2	2	—	1	—	—	3	1
		F 9	1	—	1	1	3	2	—	—	—	5	—
87	Diseases of the larynx.	M 84	3	3	1	8	15	12	6	11	17	61	13
		F 86	3	2	—	5	10	6	13	11	11	51	18
	A. Laryngismus stridulus.	M 17	1	2	—	4	7	1	1	4	1	14	3
		F 10	2	—	—	—	2	—	2	—	5	9	1
	B. Laryngitis	M 65	2	1	1	4	8	11	5	7	16	47	10
		F 73	1	2	—	5	8	6	11	11	6	42	15
88	Diseases of the thyroid body	M 10	—	—	—	—	—	—	—	—	—	—	—
		F 48	—	—	—	—	—	—	—	—	—	—	—
89 & 90	Bronchitis	M 4,436	44	83	151	268	546	149	46	19	9	769	26
		F 4,494	34	82	88	185	389	137	54	28	16	624	25
	A. Bronchiectasis, Bronchial catarrh, &c.	M 87	2	1	4	3	10	1	1	1	1	14	2
		F 64	—	3	2	—	5	—	1	—	—	6	2
	B. Other bronchitis.	M 4,349	42	82	147	265	536	148	45	18	8	755	24
		F 4,430	34	79	86	185	384	137	53	28	16	618	23
91	Broncho-pneumonia.	M 1,788	18	46	126	381	571	296	118	64	31	1,080	69
		F 1,446	5	38	70	257	370	236	117	63	42	828	78
92	Pneumonia, lobar and undefined	M 2,408	13	17	30	84	144	78	48	22	21	313	65
		F 1,612	10	21	26	62	119	76	31	35	29	290	71
	A. Lobar pneumonia	M 1,053	2	1	11	18	32	26	17	8	4	87	31
		F 655	1	3	6	15	25	13	6	11	7	62	31
	B. Pneumonia (type not stated).	M 1,355	11	16	19	66	112	52	31	14	17	226	34
		F 957	9	18	20	47	94	63	25	24	22	228	40

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1919—continued.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
1 —	— 1	— 2	1 1	— 1	— —	2 —	1 —	1 —	— —	— —	— —	— 1	— 1	1 1	— —	{	84
1 —	— 1	— 2	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— 1	— —	2 —	1 —	1 —	— —	— —	— —	— 1	— 1	1 1	— —	{	B
— —	— 1	— 1	2 —	— 1	1 2	4 3	3 1	2 2	5 3	4 6	5 3	6 5	7 8	3 2	1 5		
— —	— 1	— 1	1 —	— —	1 2	3 2	2 —	— 2	4 3	4 4	4 3	5 5	7 7	3 2	1 5	{	A
— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	1 —	— 1	— —	— —		
— —	— —	— —	1 —	— —	— —	1 1	1 1	2 —	1 —	— 2	1 —	— —	— —	— —	— —	{	C
70 83	95 91	173 102	180 123	206 154	252 171	331 196	418 238	511 258	633 370	762 544	917 755	934 929	782 954	466 720	277 492		
— 1	2 —	— —	1 1	1 —	— —	— —	— —	— —	1 1	— —	— —	— —	— 1	— —	— —		
1 3	1 1	1 1	— 1	— 1	— 1	1 —	— 3	1 —	1 —	— —	2 1	— 2	1 1	— 1	1 1	{	87
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
1 3	1 1	1 1	— 1	— 1	— —	— —	— 3	1 —	1 —	— —	1 —	— 1	— 2	1 1	— 1	{	B
— —	— —	— —	— —	— —	— 1	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —		
— 1	1 6	— —	— 1	— 3	1 1	1 —	2 5	— 5	2 3	1 8	— 4	1 6	1 5	— —	— —	{	88
8 7	5 14	17 13	11 22	27 31	47 34	75 62	121 81	193 115	280 181	378 343	597 493	683 683	602 762	370 582	227 422		
— —	1 1	1 1	1 3	3 1	8 2	6 1	8 3	4 2	9 2	8 3	2 4	4 7	6 9	7 8	3 9	{	A
8 7	4 13	16 12	10 19	24 30	39 32	69 61	113 78	189 113	271 179	370 340	595 489	679 676	596 753	363 574	224 413		
12 20	19 12	20 14	30 19	24 17	32 25	38 28	41 31	46 26	73 39	74 47	77 67	60 78	51 57	27 35	15 25	{	91
42 46	57 52	117 66	121 72	141 88	146 92	180 87	205 86	219 88	195 105	219 103	157 133	114 96	73 74	31 47	13 16		
21 21	23 27	57 32	53 33	77 40	65 45	90 41	105 41	109 48	79 55	92 48	72 56	46 38	33 22	10 12	3 3	{	A
21 25	34 25	60 34	68 39	64 48	81 47	90 46	100 45	110 40	116 50	127 55	85 77	68 58	40 52	21 35	10 13		
																{	B

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.													
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—		
93	Pleurisy	M	209	—	—	1	3	4	4	6	6	4	24	8	
		F	135	2	1	1	4	8	1	3	2	2	16	7	
	A. Empyema	M	78	—	—	1	1	2	4	3	4	4	17	8	
		F	27	1	—	1	3	5	—	3	2	2	12	3	
	B. Other pleurisy	M	131	—	—	—	2	2	—	3	2	—	7	—	
		F	108	1	1	—	1	3	1	—	—	—	4	4	
94	Pulmonary congestion, Pulmonary apoplexy.	M	140	2	4	4	6	16	3	2	—	—	21	—	
		F	134	2	1	1	1	5	2	—	2	—	9	1	
	A. Pulmonary apoplexy and infarction.	M	4	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	—	—	—	—	—	—	
	B. Pulmonary oedema and congestion.	M	117	2	4	4	6	16	3	2	—	—	21	—	
		F	111	2	1	1	1	5	2	—	2	—	9	1	
	C. Hypostatic pneumonia.	M	19	—	—	—	—	—	—	—	—	—	—	—	
		F	21	—	—	—	—	—	—	—	—	—	—	—	
	D. Collapse of lung (three months and over).	M	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	
	95	Gangrene of the lung.	M	9	—	—	—	—	—	—	—	—	—	—	—
			F	8	—	—	—	—	—	—	—	—	—	—	—
	96	Asthma	M	243	—	—	—	1	1	—	3	1	—	5	3
			F	175	—	—	—	1	1	—	—	—	—	1	2
97	Pulmonary emphysema.	M	46	—	—	—	1	1	—	—	—	—	1	—	
		F	18	—	—	—	—	—	—	—	—	—	—	1	
98	Other diseases of the respiratory system.	M	90	—	—	1	—	1	1	—	—	—	2	1	
		F	43	—	—	—	—	—	—	—	—	—	—	1	
	A. Fibroid disease of lung.	M	48	—	—	—	—	—	—	—	—	—	—	—	
		F	21	—	—	—	—	—	—	—	—	—	—	1	
	B. Other diseases included under 98.	M	42	—	—	1	—	1	1	—	—	—	2	1	
		F	22	—	—	—	—	—	—	—	—	—	—	—	
99-118	V. Diseases of the Digestive System.	M	2,851	109	177	191	175	652	119	40	26	23	860	125	
		F	2,670	58	99	126	164	447	85	43	36	27	638	132	
99	Diseases of the mouth and annexa.	M	43	6	4	2	2	14	2	—	—	—	16	2	
		F	33	5	2	1	2	10	2	—	—	—	12	—	
	A. Diseases of the teeth and gums.	M	27	2	1	—	—	3	2	—	—	—	5	2	
		F	26	1	2	—	2	5	2	—	—	—	7	—	
	B. Thrush, Aphthous stomatitis.	M	10	4	3	2	1	10	—	—	—	—	10	—	
		F	5	4	—	1	—	5	—	—	—	—	5	—	
	C. Parotitis	M	5	—	—	—	1	1	—	—	—	—	1	—	
		F	2	—	—	—	—	—	—	—	—	—	—	—	
	D. Other diseases of mouth and annexa.	M	1	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
100	Diseases of the pharynx, Tonsil- litis.	M 81	—	2	—	2	4	2	3	1	7	17	23
		F 74	1	—	—	—	1	1	2	7	1	12	21
	A. Tonsillitis -	M 60	—	—	—	—	—	1	3	1	6	11	21
		F 47	—	—	—	—	—	1	1	6	—	8	12
	B. Ludwig's angina.	M 11	—	1	—	—	1	1	—	—	1	3	1
		F 8	—	—	—	—	—	—	—	—	—	—	2
	C. Other diseases of the pha- ryn timer.	M 10	—	1	—	2	3	—	—	—	—	3	1
		F 19	1	—	—	—	1	—	1	1	1	4	7
	Diseases of the œsophagus.	M 7	—	—	—	—	—	—	—	—	—	—	—
		F 5	—	—	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach.	M 232	—	—	—	—	—	—	—	—	—	—	—
		F 153	—	—	2	—	2	1	—	—	—	3	—
103	Other diseases of the stomach.	M 321	20	26	25	30	101	19	8	6	4	138	19
		F 345	15	28	19	27	89	11	11	1	5	117	14
	A. Inflammation of stomach	M 273	19	24	24	28	95	18	8	6	4	131	15
		F 290	15	24	19	25	83	11	10	1	5	110	10
	B. Other diseases included under 103.	M 48	1	2	1	2	6	1	—	—	—	7	4
		F 55	—	4	—	2	6	—	1	—	—	7	4
104 & 105	Diarrhoea and enteritis	M 893	73	135	132	105	445	71	20	11	8	555	25
		F 736	33	64	88	108	293	64	21	21	11	410	36
	A. Infective enteritis.	M 136	8	25	29	29	91	18	2	3	1	115	6
		F 136	8	12	18	23	61	18	6	6	3	94	10
	B. Diarrhoea—not returned as infective.	M 169	16	32	35	16	99	11	5	2	5	122	2
		F 124	3	8	16	20	47	6	3	4	3	63	3
	C. Enteritis—not returned as infective.	M 197	19	24	25	25	93	17	6	4	—	120	4
		F 183	9	12	20	24	65	14	2	4	1	86	8
	D. Gastro-enteri- tis—not re- turned as in- fective.	M 229	27	45	34	29	135	22	7	2	2	168	9
		F 210	8	27	26	39	100	23	10	7	4	144	13
	E. Dyspepsia— under 2 years.	M 23	1	9	7	4	21	2	—	—	—	23	—
		F 18	3	3	7	2	15	3	—	—	—	18	—
	F. Colic - -	M 6	2	—	1	—	3	—	—	—	—	3	1
		F 7	2	2	1	—	5	—	—	—	—	5	—
	G. Ulceration of intestines.	M 30	—	—	1	1	2	1	—	—	—	3	2
		F 29	—	—	—	—	—	—	—	—	—	—	2
	H. Duodenal ulcer.	M 103	—	—	—	1	1	—	—	—	—	1	1
		F 29	—	—	—	—	—	—	—	—	—	—	—
106	Ankylostomiasis -	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites.	M 2	—	—	—	—	—	—	—	—	—	—	1
		F 1	—	—	—	—	—	—	—	—	—	—	1
108	Appendicitis - -	M 303	—	—	—	—	—	1	2	3	—	6	38
		F 286	—	—	—	—	—	—	2	2	7	11	37

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1919—*continued.*

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
5 10	3 4	3 4	3 3	5 1	2 2	6 2	1 2	2 1	4 2	2 4	1 1	1 1	3 2	— 2	—	}	100
4 9	2 4	1 3	2 2	3 1	2 1	5 2	— 1	1 —	4 1	2 1	— —	— 1	2 1	— —	—		A
— —	1 —	1 —	1 —	— —	— —	1 —	1 1	— —	— —	— 2	1 1	1 —	— 1	— 1	—	}	B
1 1	— —	1 1	— 1	2 —	— 1	— —	— —	1 1	— 1	— 1	— —	— —	1 —	— 1	—		C
— —	— —	— —	— 1	— —	— —	— —	— 2	1 1	— —	2 —	1 1	1 —	2 —	— —	—	}	101
1 1	1 6	8 10	6 8	15 9	26 17	31 20	39 17	18 16	27 12	19 9	24 12	8 6	5 5	4 2	—		102
5 3	3 —	3 6	1 5	5 6	4 7	6 9	8 6	7 11	10 12	15 24	15 20	32 35	20 26	21 30	9 14	}	103
4 3	1 —	2 6	1 3	5 6	2 6	4 8	6 5	6 8	9 9	10 20	11 15	24 24	16 24	17 23	9 10		A
1 —	2 —	1 —	— 2	— —	2 1	2 1	2 1	1 3	1 3	5 4	4 5	8 11	4 2	4 7	— 4	}	B
11 8	8 3	7 3	10 9	12 12	17 16	22 18	16 20	36 24	32 24	27 11	40 33	26 22	24 45	11 27	14 15		104 & 105
1 1	— —	1 1	— 1	— —	1 1	1 5	— 1	2 1	3 4	1 3	2 4	1 3	1 4	1 3	—	}	A
— 3	1 —	— —	— —	— 1	2 1	1 1	— 1	3 3	1 1	— 1	8 4	4 8	11 15	7 9	7 10		B
4 1	2 1	2 —	3 2	5 6	4 2	4 5	2 9	7 8	4 16	10 2	9 12	9 7	6 9	— 7	2 2	}	C
5 3	2 1	— 1	— 1	— 2	2 4	1 1	2 5	3 4	8 —	7 1	10 7	4 2	2 11	2 7	4 3		D
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	E
— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	1 —	— —	— —	— 1	— —		F
1 —	1 1	2 —	— 3	1 2	1 3	3 4	— 2	5 3	1 1	2 2	5 3	1 2	— 1	1 —	1 —	}	G
— —	1 —	2 1	7 2	6 1	7 5	12 2	12 2	16 5	15 2	7 1	5 3	7 —	4 5	— —	— —		H
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	106
— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		107
51 39	46 36	24 21	19 21	10 19	19 20	21 14	13 8	19 14	15 11	13 12	10 10	4 6	— 4	— 2	— 1	}	108

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
109	Hernia, Intestinal obstruction. { M F	471 524	9 4	8 4	27 11	34 22	78 41	21 3	3 3	2 2	3 —	107 49	12 10
	A. Hernia - - - { M F	180 200	3 —	3 1	7 1	2 —	15 2	5 —	— —	1 —	1 —	22 2	— —
	B. Intestinal obstruction. { M F	291 324	6 4	5 3	20 10	32 22	63 39	16 3	3 3	1 2	2 —	85 47	12 10
110	Other diseases of the intestines. { M F	50 43	— —	1 1	2 1	1 2	4 4	2 —	1 —	— —	— —	7 4	1 —
111	Acute yellow atrophy of the liver. { M F	8 18	— —	— —	— —	— —	— —	— —	— 1	— 1	— —	— 2	— —
112	Hydatid of liver - { M F	6 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver { M F	230 128	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —
	A. Cirrhosis of the liver not ret'd alcoholic. { M F	207 113	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —
	B. Cirrhosis of the liver ret'd as alcoholic. { M F	14 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Dis. formerly classed to "Other dis. of liver and gall bladder." { M F	9 9	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
114	Biliary calculi - { M F	55 135	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver. { M F	86 95	— —	— —	2 3	— 1	2 4	— —	— 1	1 1	— —	3 6	— 1
116	Diseases of the spleen. { M F	7 7	— —	— —	— —	— 1	— 1	— —	— —	— —	— —	— 1	— —
	A. Infarction of spleen. { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other diseases of the spleen. { M F	7 6	— —	— —	— —	— 1	— 1	— —	— —	— —	— —	— 1	— —
117	Peritonitis (cause unstated). { M F	36 66	1 —	1 —	1 1	1 1	4 2	1 3	3 2	2 1	— 3	10 11	4 11
118	Other diseases of the digestive system. { M F	15 20	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1
	A. Abdominal abscess, Subphrenic abscs. { M F	3 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other diseases included under 118. { M F	12 16	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1
119-133	VI. Non - Venereal Diseases of the Genito-Urinary System and Anexa. { M F	2,471 1,710	4 3	4 2	2 1	2 1	12 7	7 9	7 5	7 5	8 7	41 33	29 16
119	Acute Nephritis - { M F	211 175	— 1	3 —	— 1	1 1	4 3	7 9	5 4	6 4	5 7	27 27	20 11

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1919—continued.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
5 2	11 7	7 6	9 12	7 13	11 13	24 18	22 20	21 38	28 46	42 62	50 72	43 62	42 55	25 23	5 16	{	109
—	1	2	3	3	2	13	9	8	14	16	31	21	25	8	2		{
—	1	—	1	1	4	3	10	14	24	30	41	29	23	11	6	{	
5 2	10 6	5 6	6 11	4 12	9 9	11 15	13 10	13 24	14 22	26 32	19 31	22 33	17 32	17 12	3 10		{
—	1	2	2	1	5	3	4	—	5	4	3	2	3	4	3	{	
—	—	—	1	4	1	1	4	1	4	3	6	3	6	3	2		{
—	1	1	1	2	1	—	—	1	1	—	—	—	—	—	—	{	
1	—	3	3	1	2	1	2	1	1	—	—	1	—	—	—		{
—	—	1	1	—	—	1	1	—	—	2	—	—	—	—	—	{	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—		{
4 1	—	2	2	5	7	15	20	24	42	35	33	23	12	5	—	{	
—	—	—	2	2	—	10	12	14	16	18	21	20	7	5	—		{
4 1	—	2	—	5	6	15	17	20	37	30	32	22	12	4	—	{	
—	—	—	2	2	—	8	10	13	13	17	20	17	7	3	—		{
—	—	—	—	—	1	—	3	3	4	2	—	1	—	—	—	{	
—	—	—	—	—	—	1	2	1	—	1	—	—	—	1	—		{
—	—	—	2	—	—	—	—	1	1	3	1	—	—	1	—	{	
—	—	—	—	—	—	1	—	—	—	—	1	3	—	1	—		{
—	—	1	—	1	3	6	1	8	5	8	6	7	6	3	—	{	
—	—	—	1	5	4	5	11	11	16	25	18	17	14	4	4		{
2	2	3	4	4	4	3	5	8	11	9	8	9	6	5	—	{	
—	1	1	3	1	2	3	6	7	9	13	10	10	12	7	3		{
—	—	—	—	1	1	1	1	1	—	—	1	1	—	—	—	{	
—	2	—	—	—	—	—	2	—	1	1	—	—	—	—	—		{
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{
—	—	—	—	1	1	1	1	1	—	—	1	1	—	—	—	{	
3 6	—	1	—	—	2	1	4	2	3	1	1	2	2	—	—		{
—	3	6	4	4	4	3	1	1	3	1	2	4	1	1	—	{	
1	1	—	—	2	2	—	2	1	3	—	2	1	—	—	—		{
—	—	1	1	3	1	2	3	2	3	1	—	—	1	1	—	{	
—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—		{
—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	{	
1	1	—	—	1	1	—	2	1	3	—	1	1	—	—	—		{
—	—	1	1	3	1	1	1	1	3	1	—	—	1	1	—	{	
23 23	39 25	41 37	61 59	50 62	68 96	94 109	139 118	164 151	245 170	298 179	345 215	333 160	286 145	149 76	66 36		{
9 9	18 8	8 10	13 15	10 4	13 11	13 14	12 10	15 10	19 11	22 11	7 13	7 5	2 2	2 3	3 1	{	

ENGLAND AND WALES—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1919—continued.

AGES AT DEATH.																International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
10 13	18 12	22 13	38 21	32 34	41 48	67 57	98 68	112 107	175 131	192 142	214 171	154 130	121 116	45 59	18 25	120
6 7	11 9	16 9	19 18	24 21	28 40	55 48	74 43	95 87	149 117	168 123	185 151	139 117	102 102	39 51	13 23	
4 6	7 3	6 4	19 3	8 13	13 8	12 9	24 25	17 20	26 14	24 19	29 20	15 13	19 14	6 8	5 2	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	121
1 —	2 2	4 2	5 1	5 5	2 9	3 2	4 8	4 2	7 3	4 4	7 7	5 4	5 2	1 1	—	
—	—	—	2 —	— 2	— 1	— 1	1 2	— 1	— —	— 1	1 —	— —	— —	— —	— —	A
—	—	1 —	1 1	— —	— 2	— —	— 1	1 —	1 2	1 —	1 2	— —	— —	— —	— —	
—	—	—	—	—	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	C
1 —	2 2	3 —	2 —	5 3	2 5	3 1	3 5	3 1	6 1	3 3	5 5	5 4	5 1	1 1	—	
—	1 —	6 —	3 1	2 2	1 —	1 2	3 1	3 3	10 3	4 —	2 2	6 1	5 —	— 1	— —	123
3 1	— 1	1 1	1 1	— —	4 4	5 1	8 —	8 3	9 3	25 5	32 8	49 9	50 15	29 9	21 6	
—	—	—	1 —	— —	7 —	5 —	12 —	13 —	10 —	10 —	13 —	8 —	3 —	2 —	1 —	125
—	—	—	—	—	—	—	—	—	—	2 —	1 —	— —	— —	1 —	— —	
—	—	—	1 —	— —	7 —	5 —	12 —	13 —	10 —	8 —	12 —	8 —	3 —	1 —	1 —	B
—	—	—	—	1 —	— —	— —	2 —	9 —	23 —	39 —	69 —	104 —	99 —	69 —	23 —	
—	—	—	—	—	—	—	—	—	1 —	2 —	1 —	— —	1 —	1 —	— —	127
—	1 —	—	—	—	1 —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	
—	1 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	1 —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	
—	—	—	—	2 —	9 —	19 —	11 —	10 —	9 —	4 —	2 —	5 —	3 —	3 —	1 —	129

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1919—*continued.*

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	130
—	—	2	6	2	2	4	9	8	3	2	4	2	2	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	1	—	—	1	2	1	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	B
—	—	2	5	2	2	3	7	7	3	2	4	2	2	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	131
—	—	—	3	5	2	5	4	5	7	10	8	4	3	—	3		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	132
—	1	6	11	8	10	3	7	1	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	B
—	1	6	9	6	10	3	7	1	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	133
—	—	3	—	—	—	1	—	1	—	1	—	—	2	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	134— 141
—	18	99	129	135	143	69	6	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	134
—	—	3	13	19	21	10	1	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	2	7	9	8	5	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	B
—	—	—	—	4	4	3	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	C
—	—	1	1	2	1	1	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	D
—	—	—	5	3	8	1	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	E
—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	135
—	1	4	12	18	25	10	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	136
—	2	10	5	13	20	7	1	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	137
—	9	44	52	51	42	17	2	—	—	—	—	—	—	—	—		

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
138	Puerperal albumin- uria and convul- sions.	M F	— 136	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Puerperal ne- phritis and uræmia.	M F	— 29	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Puerperal albuminuria and Bright's disease.	M F	— 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Puerperal convulsions.	M F	— 99	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegma- sia alba dolens, embolism and sudden death.	M F	— 38	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Puerperal phlegmasia alba dolens, and phlebitis.	M F	— 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Puerperal em- bolism and sudden death.	M F	— 30	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity	M F	— 11	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the breast.	M F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
142— 145	VIII. Diseases of the Skin and of the Cellular Tissue.	M F	446 405	24 13	16 9	14 3	10 7	64 32	8 8	2 3	— 1	75 44	2 4
142	Gangrene	M F	201 196	— —	— 1	1 —	— 1	1 2	1 —	1 1	— 1	3 4	— 3
	A. Senile gangrene.	M F	186 170	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Noma, Gan- grene of mouth.	M F	5 11	— —	— —	— —	— 1	1 1	1 1	— —	— —	2 2	— 3
	C. Noma pudendi	M F	2 2	— —	— —	— —	— —	— —	— —	— 1	— —	1 —	— —
	D. Other gan- grene.	M F	8 13	— —	— 1	1 —	1 1	— —	— —	— —	— —	1 1	— —
	Carbuncle, Boil	M F	47 29	— —	1 —	— —	1 —	— —	— —	— —	— —	1 —	— —
144	Phlegmon, Acute abscess.	M F	97 70	4 2	4 3	4 1	— 4	12 10	3 6	— —	— —	15 16	1 —
	A. Phlegmon	M F	62 39	2 1	2 1	— —	— 1	4 3	1 —	— —	— —	5 3	1 —
	B. Acute Abscess	M F	35 31	2 1	2 2	4 1	— 3	8 7	2 6	— —	— —	10 13	— —

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1919—continued.

AGES AT DEATH																International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
— 4	— 32	— 33	— 23	— 24	— 18	— 2	—	—	—	—	—	—	—	—	{	138
—	— 2	— 4	— 10	— 12	— 1	—	—	—	—	—	—	—	—	—		
—	— 2	— 1	— 2	— 1	— 2	—	—	—	—	—	—	—	—	—	{	B
— 4	— 28	— 28	— 11	— 11	— 15	— 2	—	—	—	—	—	—	—	—		
— 2	— 5	— 9	— 10	— 9	— 3	—	—	—	—	—	—	—	—	—	{	139
—	— 1	— 1	— 2	— 2	— 2	—	—	—	—	—	—	—	—	—		
— 2	— 4	— 8	— 8	— 7	— 1	—	—	—	—	—	—	—	—	—	{	B
—	— 1	— 4	— 1	— 2	— 3	—	—	—	—	—	—	—	—	—		
—	—	— 1	—	—	— 1	—	—	—	—	—	—	—	—	—	{	140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 7	5 3	15 7	2 6	13 4	10 9	12 6	16 11	18 19	20 22	51 32	53 55	70 81	52 59	20 36	{	142- 145
1 1	— 1	1 1	— 2	1 —	— 1	1 1	5 —	2 4	9 8	28 17	38 39	56 48	41 44	15 22		
—	—	—	—	—	—	—	1	1	8	26	38	56	41	15	{	A
—	—	—	—	—	—	—	—	1	7	15	37	46	43	21		
1 —	—	1 1	— 1	—	— 1	—	1 —	— 1	— 1	—	—	— 1	—	—	{	B
—	—	—	—	—	—	—	1	—	—	1	—	—	— 1	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	C
—	—	—	—	1	—	1	2	1	1	1	—	—	—	—		
1 1	1 1	—	— 1	—	—	— 1	—	2 —	—	2	2	2	1	—	{	D
1 2	1 1	2 4	— 1	3 —	6 2	4 1	5 4	3 6	3 2	7 2	6 —	2 3	2 1	—		
5 3	4 1	9 —	2 2	6 4	3 3	6 2	4 4	11 4	4 5	12 7	5 4	5 7	3 6	— 2	{	144
2 3	4 —	5 —	2 1	3 4	2 3	6 —	4 3	7 3	2 2	10 3	3 4	3 6	1 3	— 1		
3 —	— 1	4 —	— 1	3 —	1 —	— 2	— 1	4 1	2 3	2 4	2 —	2 1	2 3	— 1	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
145	Diseases of the integumentary system.	M 101	20	11	9	10	50	4	1	—	1	56	1
	F 110		11	5	2	2	20	2	2	—	—	24	1
	A. Ulcer, Bedsore	M 25	—	1	—	—	1	—	1	—	—	2	—
	F 63		—	—	—	—	—	—	—	—	—	—	—
	B. Eczema -	M 34	4	6	8	7	25	2	—	—	—	27	—
	F 20		1	4	2	1	8	2	2	—	—	12	—
	C. Pemphigus -	M 16	9	2	—	—	11	1	—	—	—	12	—
	F 11		8	—	—	—	8	—	—	—	—	8	—
	D. Other Dis. of the integumentary system.	M 26	7	2	1	3	13	1	—	—	1	15	1
	F 16		2	1	—	1	4	—	—	—	—	4	1
146— 149	IX. Diseases of the Bones and of the Organs of Locomotion.	M 103	2	1	2	1	6	2	1	5	3	17	13
	F 71		—	2	1	2	5	—	—	—	1	6	8
146	Diseases of the bones	M 72	2	1	1	1	5	2	1	5	3	16	11
	F 47		—	2	1	2	5	—	—	—	1	6	8
147	Diseases of the joints.	M 26	—	—	1	—	1	—	—	—	—	1	2
	F 24		—	—	—	—	—	—	—	—	—	—	—
148	Amputations -	M —	—	—	—	—	—	—	—	—	—	—	—
	F —		—	—	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system.	M 5	—	—	—	—	—	—	—	—	—	—	—
	F —		—	—	—	—	—	—	—	—	—	—	—
	X. Malformations.												
150	Congenital malformations.	M 362	209	58	22	20	309	15	5	5	2	336	12
	F 277		166	31	23	11	231	11	6	3	—	251	8
	A. Congenital hydrocephalus.	M 40	5	3	5	9	22	6	4	3	1	36	1
	F 23		6	—	4	4	14	4	—	1	—	19	1
	B. Phimosis	M 8	3	2	—	1	6	1	—	—	—	7	—
	F —		—	—	—	—	—	—	—	—	—	—	—
	C. Congenital malformation of heart.	M 149	99	21	5	3	128	3	1	1	1	134	8
	F 104		65	9	5	4	83	5	2	1	—	91	6
	D. Other congenital malformations.	M 165	102	32	12	7	153	5	—	1	—	159	3
	F 150		95	22	14	3	134	2	4	1	—	141	1
151— 153 151	XI. Diseases of Early Infancy.	M 2,947	2,510	288	98	51	2,947	—	—	—	—	2,947	—
	F 2,169		1,856	208	67	38	2,169	—	—	—	—	2,169	—
	Premature birth, Infantile debility, Icterus and Sclerema.	M 2,652	2,223	280	98	51	2,652	—	—	—	—	2,652	—
	F 1,947		1,638	204	67	38	1,947	—	—	—	—	1,947	—
	A. Premature birth.	M 1,821	1,705	107	8	1	1,821	—	—	—	—	1,821	—
	F 1,328		1,236	78	12	2	1,328	—	—	—	—	1,328	—
	B. Infantile atrophy, debility and marasmus.	M 752	448	167	87	50	752	—	—	—	—	752	—
	F 561		356	118	51	36	561	—	—	—	—	561	—
	C. Icterus neonatorum.	M 72	68	4	—	—	72	—	—	—	—	72	—
	F 48		41	7	—	—	48	—	—	—	—	48	—
	D. Sclerema and œdema neonatorum.	M 2	2	—	—	—	2	—	—	—	—	2	—
	F 3		3	—	—	—	3	—	—	—	—	3	—
	E. Want of breast milk.	M 5	—	2	3	—	5	—	—	—	—	5	—
	F 7		2	1	4	—	7	—	—	—	—	7	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
152	Other diseases pe- culiar to early infancy.	M 263 F 184	255 181	8 3	— —	— —	263 184	— —	— —	— —	— —	263 184	— —
	A. Diseases of umbilicus, &c.	M 26 F 25	24 24	2 1	— —	— —	26 25	— —	— —	— —	— —	26 25	— —
	B. Atelectasis -	M 129 F 90	124 88	5 2	— —	— —	129 90	— —	— —	— —	— —	129 90	— —
	C. Injuries at birth.	M 105 F 60	105 60	— —	— —	— —	105 60	— —	— —	— —	— —	105 60	— —
	D. Cyanosis neonatorum.	M 3 F 9	2 9	1 —	— —	— —	3 9	— —	— —	— —	— —	3 9	— —
153	Lack of care -	M 32 F 38	32 37	— 1	— —	— —	32 38	— —	— —	— —	— —	32 38	— —
	XII.—Old Age.												
154	Old age -	M 2,914 F 4,236	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Senile dementia.	M 131 F 136	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Senile decay -	M 2,783 F 4,100	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
155- 186	XIII.—Affections produced by Ex- ternal Causes.	M 3,244 F 1,213	40 39	19 16	11 10	25 10	95 75	65 28	63 44	65 24	56 38	344 209	205 82
155	Suicide by poison -	M 26 F 34	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia	M 37 F 29	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation.	M 190 F 47	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning	M 143 F 103	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms	M 66 F 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments.	M 156 F 35	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place.	M 17 F 12	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing	M 41 F 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides -	M 4 F 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
155- 163	Suicide -	M 680 F 273	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food -	M 10 F 8	— —	— —	— —	— —	— —	1 —	— —	— 1	1 —	2 1	— —
165	Other acute poison- ings.	M 17 F 9	— —	1 1	— —	— —	1 1	— 1	— —	— —	— —	1 2	— —
166	Conflagration -	M 8 F 2	— —	— —	— 1	— —	— 1	— —	1 1	1 —	1 —	3 2	2 —
167	Burns (conflagra- tion excepted).	M 183 F 208	— 1	2 —	— 1	11 5	13 7	33 12	27 19	27 9	17 17	117 64	18 32

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1919—continued.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	152
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	153
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	1	7	37	118	510	838	794	609	}	154
—	—	—	—	—	—	—	1	1	6	34	137	552	1077	1237	1191		
—	—	—	—	—	—	—	—	—	3	9	20	32	39	22	6	}	A
—	—	—	—	—	—	—	—	1	1	5	18	30	42	24	15		
—	—	—	—	—	—	—	—	1	4	28	98	478	799	772	603	}	B
—	—	—	—	—	—	—	1	—	5	29	119	522	1035	1213	1176		
149	235	248	216	219	193	218	215	178	205	197	183	104	71	42	22	}	155—
42	44	52	57	56	56	56	69	65	55	47	74	68	73	55	53		186
—	—	1	2	1	5	1	2	5	3	3	1	1	1	—	—	}	155
—	2	4	4	4	2	6	6	1	—	2	3	—	—	—	—		
—	1	1	3	3	5	2	1	5	6	5	4	—	—	1	—	}	156
—	—	2	2	4	4	2	3	4	3	2	1	2	—	—	—		
1	4	6	7	6	11	16	20	19	30	24	23	13	7	2	1	}	157
2	—	2	2	5	3	3	3	8	8	1	4	3	3	—	—		
1	4	5	9	8	7	18	15	15	12	18	16	8	6	1	—	}	158
—	7	7	12	8	9	13	14	13	8	6	5	1	—	—	—		
—	2	2	2	8	4	8	5	6	8	8	9	1	2	1	—	}	159
—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
—	—	4	8	16	12	20	20	14	20	20	10	6	5	1	—	}	160
—	—	—	3	5	6	5	5	3	3	2	—	2	—	1	—		
—	—	—	3	2	1	1	3	1	3	—	1	1	1	—	—	}	161
—	—	—	—	1	3	2	1	2	—	1	1	—	1	—	—		
—	—	4	3	4	7	5	4	4	4	4	2	—	—	—	—	}	162
—	—	—	1	1	1	1	2	2	—	—	—	—	—	—	—		
—	—	1	—	1	—	1	—	—	1	—	—	—	—	—	—	}	163
—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—		
2	11	24	37	49	52	72	70	69	87	82	66	30	22	6	1	}	155—
2	9	15	25	29	30	32	34	33	23	14	14	8	4	1	—		163
3	1	1	—	—	—	—	3	—	—	—	—	—	—	—	—	}	164
1	1	—	—	—	1	1	—	—	—	1	1	1	—	—	—		
—	2	—	—	—	2	2	2	—	3	2	1	1	1	—	—	}	165
—	1	1	—	1	1	—	1	1	—	1	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	166
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5	4	2	1	1	3	5	3	2	2	1	5	3	4	6	1	}	167
17	12	9	8	5	7	2	6	2	3	5	10	5	11	3	7		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
188	Syncope, Sudden death.	M	34	—	—	—	—	—	—	—	—	—	—	
		F	16	—	—	—	—	—	—	—	—	—	—	
	A. Syncope (aged 1 year and under 70 years).	M	34	—	—	—	—	—	—	—	—	—	—	
		F	16	—	—	—	—	—	—	—	—	—	—	
	B. Sudden death (not otherwise defined).	M	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	
189	Ill-defined causes -	M	249	10	1	2	2	15	30	7	1	1	54	1
		F	192	11	3	2	2	18	23	4	3	1	49	3
	A. Heart failure (aged 1 year and under 70).	M	153	—	—	—	—	—	—	1	—	—	1	—
		F	115	—	—	—	—	—	—	—	—	—	—	3
	B. Atrophy, debility, marasmus (aged 1 year and under 70).	M	38	—	—	—	—	—	26	6	1	1	34	1
		F	36	—	—	—	—	—	23	4	3	1	31	—
	C. Teething -	M	6	—	—	—	2	2	4	—	—	—	6	—
		F	2	—	—	1	1	2	—	—	—	—	2	—
	D. Pyrexia -	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
	E. Other ill-defined deaths.	M	27	4	1	1	—	6	—	—	—	—	6	—
		F	24	5	1	—	1	7	—	—	—	—	7	—
	F. Cause not specified.	M	25	6	—	1	—	7	—	—	—	—	7	—
		F	15	6	2	1	—	9	—	—	—	—	9	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
1-59	All Causes - { M	46,214	3,545	1,162	999	1,258	6,964	1,126	582	421	387	9,480	1,217
	- { F	42,873	2,680	819	797	1,045	5,341	963	484	404	357	7,549	1,146
	I. General Diseases. { M	12,750	82	125	88	227	522	375	228	200	174	1,499	522
	- { F	13,804	57	82	92	195	426	304	217	202	184	1,333	587
1	Enteric Fever - { M	90	—	—	—	—	—	—	—	—	1	1	2
	- { F	76	—	—	—	—	—	—	1	1	—	2	6
2	Typhus - - { M	1	—	—	—	—	—	—	—	—	—	—	—
	- - { F	—	—	—	—	—	—	—	—	—	—	—	—
3	Relapsing fever - { M	—	—	—	—	—	—	—	—	—	—	—	—
	- { F	—	—	—	—	—	—	—	—	—	—	—	—
	A. Relapsing fever. { M	—	—	—	—	—	—	—	—	—	—	—	—
	- { F	—	—	—	—	—	—	—	—	—	—	—	—
	B. Mediterranean fever. { M	—	—	—	—	—	—	—	—	—	—	—	—
	- { F	—	—	—	—	—	—	—	—	—	—	—	—
4	Malaria - - { M	58	—	—	—	—	—	—	—	—	—	—	—
	- - { F	2	—	—	—	—	—	—	—	—	—	—	—
5	Small-pox - - { M	5	—	—	—	1	1	—	—	—	—	1	—
	- - { F	2	—	—	—	—	—	—	—	—	—	—	—
6	Measles - - { M	302	2	2	3	53	60	121	49	19	20	269	29
	- - { F	259	1	2	3	39	45	97	44	19	24	229	28
7	Scarlet fever - - { M	93	—	1	1	2	4	9	10	13	7	43	24
	- - { F	126	—	1	1	3	5	10	16	15	10	56	41
8	Whooping cough - { M	173	2	24	27	39	92	39	14	16	3	164	9
	- { F	250	5	22	35	43	105	65	28	25	12	235	14
9	Diphtheria, Croup - { M	482	—	3	1	15	19	37	39	59	64	218	203
	- { F	491	—	—	3	11	14	22	36	64	64	200	220
	A. Diphtheria - { M	478	—	3	1	15	19	35	37	59	64	214	203
	- { F	490	—	—	3	11	14	22	36	64	64	200	220
	B. Membranous laryngitis. { M	—	—	—	—	—	—	—	—	—	—	—	—
	- { F	—	—	—	—	—	—	—	—	—	—	—	—
	C. Croup - - { M	4	—	—	—	—	—	2	2	—	—	4	—
	- - { F	1	—	—	—	—	—	—	—	—	—	—	—
10	Influenza - - { M	336	—	—	1	4	5	3	6	4	6	24	6
	- - { F	237	—	—	1	2	3	2	5	2	2	14	7
11	Miliary fever - { M	—	—	—	—	—	—	—	—	—	—	—	—
	- { F	—	—	—	—	—	—	—	—	—	—	—	—
12	Asiatic cholera - { M	—	—	—	—	—	—	—	—	—	—	—	—
	- { F	—	—	—	—	—	—	—	—	—	—	—	—
13	Cholera nostras - { M	1	—	—	—	—	—	—	—	—	—	—	—
	- { F	—	—	—	—	—	—	—	—	—	—	—	—
14	Dysentery - - { M	65	—	1	1	2	4	—	—	—	2	6	4
	- - { F	23	—	—	—	1	1	1	—	1	—	3	—
15	Plague - - - { M	1	—	—	—	—	—	—	—	—	—	—	—
	- - - { F	—	—	—	—	—	—	—	—	—	—	—	—
16	Yellow fever - - { M	—	—	—	—	—	—	—	—	—	—	—	—
	- - { F	—	—	—	—	—	—	—	—	—	—	—	—
17	Leprosy - - - { M	2	—	—	—	—	—	—	—	—	—	—	—
	- - - { F	—	—	—	—	—	—	—	—	—	—	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
18	Erysipelas - - { M F	60 53	— —	1 4	1 1	1 1	3 6	— 1	— —	— —	— —	3 7	1 —
19	Other epidemic diseases. { M F	13 8	— —	— —	— —	1 —	1 —	1 1	1 —	1 2	1 —	5 3	4 4
	A. Mumps - - { M F	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1
	B. German measles. { M F	3 4	— —	— —	— —	— —	— —	— 1	1 —	— —	— —	1 1	2 3
	C. Varicella - { M F	4 2	— —	— —	— —	1 —	1 —	1 —	— —	— 2	1 —	3 2	1 —
	D. Other diseases included under 19. { M F	4 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —
20	Pyæmia, Septicæmia. { M F	62 35	3 1	2 2	— 1	1 2	6 6	— —	— —	— —	2 1	8 7	3 2
	A. Pyæmia - { M F	10 4	— —	2 —	— —	— —	2 —	— —	— —	— —	— —	2 —	— 1
	B. Septicæmia - { M F	52 30	3 1	— 2	— —	1 2	4 5	— —	— —	— —	2 1	6 6	3 1
	C. Vaccinia - { M F	— 1	— —	— —	— 1	— —	— 1	— —	— —	— —	— —	— 1	— —
21	Glanders - - { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
22	Anthrax (Splenic Fever). { M F	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
23	Rabies - - - { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
24	Tetanus - - - { M F	33 9	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	— 1	2 1
25	Mycoses - - - { M F	6 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Actinomycosis { M F	6 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other mycoses { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
26	Pellagra - - - { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
27	Beri-beri - - - { M F	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
28	Pulmonary tuberculosis (not acute). { M F	3,371 3,224	— —	2 2	1 1	2 7	5 10	14 9	12 10	8 5	5 8	44 42	30 52
	A. Pulmonary tuberculosis. { M F	2,665 2,467	— —	2 2	1 —	2 7	5 9	14 9	12 9	8 5	5 7	44 39	26 41
	B. Phthisis (not defined as tuberculous). { M F	706 757	— —	— —	— 1	— —	— 1	— —	— 1	— —	— 1	— 3	4 11

E-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1919—continued.

AGES AT DEATH.																International List Nos.	
	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
1	1	3	1	2	5	5	2	9	3	5	3	4	5	3	4	}	18
—	1	1	4	3	3	3	6	4	4	2	3	3	5	3	1		
1	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	}	19
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	}	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4	4	1	3	1	5	8	7	2	8	1	2	1	3	1	—	}	20
2	4	1	1	1	1	2	2	3	—	4	1	4	—	—	—		
1	—	—	—	—	1	1	1	1	2	—	1	—	—	—	—	}	A
—	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—		
3	4	1	3	1	4	7	6	1	6	1	1	1	3	1	—	}	B
2	4	1	1	1	1	2	1	3	—	4	—	3	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	}	22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4	1	5	2	3	2	—	3	2	3	3	2	1	—	—	—	}	24
1	1	1	—	—	2	—	—	—	1	—	1	—	—	—	—		
—	2	1	—	—	2	1	—	—	—	—	—	—	—	—	—	}	25
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	2	1	—	—	2	1	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	26
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	}	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
50	260	319	322	343	399	378	360	298	256	158	98	38	12	5	1	}	28
48	443	460	447	343	354	277	215	138	122	70	60	31	17	4	1		
41	209	265	261	264	313	308	266	232	190	122	79	30	11	4	—	}	A
28	342	348	324	268	274	212	155	103	95	50	47	27	10	3	1		
9	51	54	61	79	86	70	94	66	66	36	19	8	1	1	1	}	B
20	101	112	123	75	80	65	60	35	27	20	13	4	7	1	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
29	Acute phthisis, { Acute miliary tuberculosis.	M 298	—	—	—	9	9	12	5	4	4	34	10
		F 379	—	—	2	2	4	7	7	9	8	35	18
	A. Acute phthisis {	M 223	—	—	—	—	—	6	4	1	2	13	4
		F 293	—	—	—	1	1	4	2	4	3	14	4
	B. Acute miliary { tuberculosis	M 75	—	—	—	9	9	6	1	3	2	21	6
		F 86	—	—	2	1	3	3	5	5	5	21	14
28 & 29	<i>Pulmonary tuber- culosis (acute and chronic).</i>	M 3,669	—	2	1	11	14	26	17	12	9	78	40
		F 3,603	—	2	3	9	14	16	17	14	16	77	70
30	Tuberculous { meningitis.	M 457	1	3	10	35	49	66	54	38	28	235	79
		F 399	—	2	16	39	57	43	39	26	31	196	91
31	Tuberculosis of { peritoneum and intestines.	M 252	2	6	11	21	40	29	21	14	13	117	28
		F 268	2	6	7	13	28	13	17	11	10	79	33
	A. Tabes { mesenterica.	M 24	—	4	1	3	8	4	3	3	2	20	2
		F 20	—	2	1	3	6	4	3	1	1	15	1
	B. Other peri- toneal and intestinal tubercle.	M 228	2	2	10	18	32	25	18	11	11	97	26
		F 248	2	4	6	10	22	9	14	10	9	64	32
32	Tuberculosis of { spinal column.	M 70	—	—	—	—	—	1	1	1	1	4	3
		F 63	—	—	—	1	1	1	—	1	—	3	5
33	Tuberculosis of { joints.	M 60	—	—	—	—	—	1	—	—	—	1	7
		F 36	—	—	—	—	—	—	1	—	—	1	2
34	Tuberculosis of { other organs.	M 81	—	—	1	3	4	2	—	—	—	6	5
		F 90	—	—	—	1	1	1	—	—	—	2	6
	A. Lupus - - {	M 5	—	—	—	—	—	—	—	—	—	—	—
		F 10	—	—	—	—	—	—	—	—	—	—	—
	B. Scrofula - {	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	C. Other tuber- culosis in- cluded under 34.	M 76	—	—	1	3	4	2	—	—	—	6	5
		F 80	—	—	—	1	1	1	—	—	—	2	6
35	Disseminated { tuberculosis.	M 195	—	3	3	10	16	10	5	4	4	39	25
		F 173	—	1	3	7	11	6	2	10	4	33	19
28— 35	<i>Tuberculosis (all forms).</i>	M 4,784	3	14	26	80	123	135	98	69	55	480	187
		F 4,632	2	11	29	70	112	80	76	62	61	391	226
36	Rickets, Softening { of bones.	M 57	—	—	4	14	18	18	3	4	4	47	4
		F 43	1	3	1	6	11	14	4	—	2	31	1
	A. Rickets - - {	M 52	—	—	4	14	18	18	3	4	4	47	4
		F 31	—	3	1	6	10	14	4	—	2	30	1
	B. Other forms of bone soften- ing.	M 5	—	—	—	—	—	—	—	—	—	—	—
		F 12	1	—	—	—	1	—	—	—	—	1	—
37	Syphilis - - - {	M 243	59	70	20	7	156	9	2	2	—	169	—
		F 147	38	35	15	10	98	6	3	1	—	108	2

E-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1919—continued.

AGES AT DEATH.																International List Nos.
	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
1 29	39 71	29 48	29 40	25 33	22 29	25 14	29 22	16 11	16 16	6 6	4 7	3 —	— —	— —	— —	{ 29
4 21	27 57	25 40	27 35	21 29	19 28	20 11	26 17	11 10	15 14	6 6	2 7	3 —	— —	— —	— —	
7 8	12 14	4 8	2 5	4 4	3 1	5 3	3 5	5 1	1 2	— —	2 —	— —	— —	— —	— —	{ B
37 77	299 514	348 508	351 487	368 376	421 383	403 291	389 237	314 149	272 138	164 76	102 67	41 31	12 17	5 4	1 1	{ 28 & 29
44 45	35 32	24 15	11 8	8 4	8 1	5 1	4 2	1 3	2 —	— 1	1 —	— —	— —	— —	— —	
18 29	17 26	14 22	11 14	5 10	13 10	7 8	9 11	2 9	2 9	3 6	3 —	2 1	1 —	— 1	— —	{ 31
1 2	— 2	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
17 27	17 24	14 22	11 14	5 10	12 10	7 8	9 11	2 9	2 9	3 6	3 —	2 1	1 —	— 1	— —	{ B
7 5	12 6	9 6	4 7	5 5	4 5	7 8	3 —	3 4	3 5	3 1	1 3	1 —	— —	— —	1 —	
5 3	8 1	7 5	4 5	3 1	3 3	1 1	5 1	4 3	2 1	2 —	3 1	4 4	1 2	— 1	— 1	{ 33
7 4	7 3	8 10	7 7	8 8	7 10	8 1	2 5	2 6	4 1	4 6	3 7	1 3	1 4	1 4	— 3	
— —	— 1	1 —	— 1	— —	— —	— —	— —	— 2	— —	2 1	— 3	1 1	— 1	1 —	— —	{ A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
7 4	7 2	7 10	7 6	8 8	7 10	8 1	2 5	2 4	4 1	2 5	3 4	— 2	1 3	— 4	— 3	{ C
25 7	25 26	15 14	17 11	9 6	4 8	4 8	9 7	10 4	4 5	4 4	2 5	2 2	1 3	— 1	— —	
7 30	403 608	425 580	405 539	406 410	460 420	435 318	421 263	336 178	289 159	180 94	115 83	51 41	16 26	6 11	2 5	{ 28-35
— —	— —	2 —	— 1	2 1	— 1	— 1	— —	— 2	— 2	— —	2 —	— 2	— —	— 1	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	{ A
— —	— —	2 —	— 1	2 1	— 1	— 1	— —	— 2	— 2	— —	1 —	— 2	— —	— 1	— —	
— —	2 3	2 3	3 4	5 6	13 6	9 4	16 1	6 2	5 4	8 1	4 1	1 1	— 1	— —	— —	{ 37

ENGLAND AND WALES—CAUSES OF DEATH AT DIFFERENT

[illegible]

E-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1919—*continued.*

AGES AT DEATH.																International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	1	—	—	1	1	—	—	1	—	—	—	—	—	{	38
—	—	2	1	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	—	—	1	1	—	—	1	—	—	—	—	—	{	B
—	—	2	1	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	2	3	3	15	41	69	94	104	89	65	49	19	10	{	39
—	3	2	2	3	7	8	8	13	7	17	9	12	3	—		
—	2	8	10	26	50	136	209	303	311	370	203	154	55	14	{	40
1	4	6	19	38	61	105	135	174	250	275	262	177	78	24		
1	3	4	10	16	36	63	111	128	200	193	161	106	43	12	{	41
1	—	6	11	26	47	66	116	147	163	177	178	112	72	35		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	42
1	3	18	24	59	131	182	194	173	150	150	107	66	25	11		
—	—	—	—	—	—	—	2	1	—	—	—	1	—	—	{	43
1	1	5	17	60	76	117	160	145	116	123	92	70	39	20		
1	—	—	—	3	8	7	11	16	28	30	29	18	13	11	{	44
1	2	—	—	3	1	4	14	3	12	9	19	15	14	12		
9	14	9	19	26	46	77	125	148	151	151	116	63	28	11	{	45
4	9	6	12	16	45	56	59	55	89	77	69	54	26	10		
11	19	23	42	74	155	324	527	690	794	833	574	391	158	58	{	39-45
9	22	43	85	205	368	538	686	710	787	828	736	506	257	112		
—	1	—	—	—	—	1	3	4	5	5	5	2	1	—	{	46
—	—	—	1	—	1	1	3	3	4	1	4	3	1	3		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	{	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	—	—	—	—	1	3	4	4	5	5	2	1	—	{	C
—	—	—	1	—	1	1	3	3	4	1	4	3	1	2		
13	8	8	8	6	6	7	8	11	7	11	1	6	—	—	{	47
30	11	12	11	13	8	10	12	8	2	10	2	2	1	—		
1	—	1	1	4	8	4	4	11	22	32	25	23	11	7	{	48
—	1	1	2	3	10	12	17	19	31	52	43	41	20	9		
—	—	—	1	—	1	—	1	5	6	7	6	4	3	2	{	A
—	—	—	—	—	1	2	1	—	8	7	5	3	3	4		
1	—	1	—	2	4	3	3	5	10	18	13	14	5	2	{	B
—	1	1	2	3	9	10	15	19	23	45	35	38	15	5		
—	—	—	—	2	3	1	—	1	6	7	6	5	3	3	{	C
—	—	—	—	—	—	—	1	—	—	—	3	—	2	—		

ENGLAND AND WALES—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Month.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
49	Scurvy - - - { M	1	—	—	—	1	1	—	—	—	—	1	—
	F	1	—	—	—	—	—	1	—	—	—	1	—
50	Diabetes - - - { M	399	—	—	—	—	—	—	1	1	—	2	4
	F	412	—	—	—	1	1	—	—	1	1	3	6
51	Exophthalmic { M	16	—	—	—	—	—	—	—	—	—	—	—
	goître. { F	107	—	—	—	—	—	—	—	—	—	—	—
52	Addison's disease - { M	18	—	—	—	—	—	—	—	—	—	—	—
	F	34	—	—	—	—	—	—	—	—	—	—	—
53	Leucocythæmia, { M	84	—	—	—	—	—	2	1	2	1	6	4
	Lymphadenoma. { F	82	—	—	1	—	1	2	1	1	1	6	1
	A. Leucocythæ- { M	35	—	—	—	—	—	2	1	1	—	4	1
	mia (Leuchæ- { F	57	—	—	1	—	1	2	1	1	1	6	1
	mia). { M	49	—	—	—	—	—	—	—	1	1	2	3
	B. Lymphade- { F	25	—	—	—	—	—	—	—	—	—	—	—
	noma. { M	231	—	1	1	1	3	1	1	1	2	8	—
54	Anæmia, Chlorosis { F	326	—	—	—	1	1	2	—	2	—	5	3
55	Other general { M	48	8	2	1	2	13	—	—	1	—	14	9
	diseases. { F	45	6	1	—	3	10	—	—	1	2	13	2
	A. Diabetes { M	4	—	—	—	—	—	—	—	—	—	—	—
	insipidus. { F	1	—	—	—	—	—	—	—	—	—	—	—
	B. Purpura - { M	24	2	2	1	1	6	—	—	1	—	7	5
	{ F	26	2	—	—	3	5	—	—	1	—	6	2
	C. Hæmophilia - { M	11	5	—	—	—	5	—	—	—	—	5	3
	{ F	8	3	—	—	—	3	—	—	—	—	3	—
	D. Other diseases { M	9	1	—	—	1	2	—	—	—	—	2	1
	included { F	10	1	1	—	—	2	—	—	—	2	4	—
	under 55. { M	14	—	—	—	—	—	—	—	—	—	—	—
56	Alcoholism (acute { F	5	—	—	—	—	—	—	—	—	—	—	—
	or chronic). { M	16	—	—	—	—	—	—	—	—	—	—	—
57	Chronic lead { F	—	—	—	—	—	—	—	—	—	—	—	—
	poisoning. { M	16	—	—	—	—	—	—	—	—	—	—	—
	A. Occupational { F	—	—	—	—	—	—	—	—	—	—	—	—
	lead poison- { M	—	—	—	—	—	—	—	—	—	—	—	—
	ing. { F	—	—	—	—	—	—	—	—	—	—	—	—
	B. Non-occupa- { M	—	—	—	—	—	—	—	—	—	—	—	—
	tional lead { F	—	—	—	—	—	—	—	—	—	—	—	—
	poisoning. { M	—	—	—	—	—	—	—	—	—	—	—	—
	{ F	—	—	—	—	—	—	—	—	—	—	—	—
58	Other chronic occu- { M	3	—	—	—	—	—	—	—	—	—	—	—
	pational poison- { F	—	—	—	—	—	—	—	—	—	—	—	—
	ings. { M	1	—	—	—	—	—	—	—	—	—	—	—
59	Other chronic { F	—	—	—	—	—	—	—	—	—	—	—	—
	poisonings. { M	—	—	—	—	—	—	—	—	—	—	—	—
	{ F	—	—	—	—	—	—	—	—	—	—	—	—
60-76	II. Diseases of { M	4,832	259	102	84	127	572	109	56	51	33	821	110
	the Nervous { F	4,889	178	82	67	93	420	103	48	30	28	629	91
	System and of { M	—	—	—	—	—	—	—	—	—	—	—	—
	the Organs of { F	—	—	—	—	—	—	—	—	—	—	—	—
	Special Sense. { M	—	—	—	—	—	—	—	—	—	—	—	—
	{ F	—	—	—	—	—	—	—	—	—	—	—	—
60	Encephalitis - - { M	50	1	—	—	1	2	1	—	—	1	4	6
	{ F	78	—	1	1	2	4	3	1	1	—	9	7

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1919--continued.

AGES AT DEATH.																	International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	49
13 9	22 11	8 14	14 15	19 19	16 18	24 20	19 23	36 31	33 48	54 58	49 51	46 50	26 25	11 10	3 1	{		50
—	2 7	— 5	— 6	1 9	2 9	1 20	1 12	4 10	2 15	2 7	1 5	— 1	— 1	— —	— —		— —	{
1	1 1	1 1	2 2	3 4	— 2	1 4	1 5	2 3	3 4	1 4	3 1	— —	— 1	— 1	— —	— —	{	
6 3	7 5	3 6	3 4	7 5	9 4	2 7	8 6	8 12	8 7	5 2	3 8	4 3	— 1	— —	1 2	{		53
2 2	2 3	1 3	1 2	4 3	2 2	— 6	4 5	4 10	3 4	4 1	1 7	1 —	— —	— —	1 2		{	A
4 1	5 2	2 3	2 2	3 2	7 2	2 1	4 1	4 2	5 3	1 1	2 1	3 3	— 1	— —	— —	{		B
7	1 6	5 9	6 15	7 13	7 21	11 17	20 36	30 29	36 32	47 51	32 45	12 23	7 12	2 2	— —		{	54
7 2	1 2	1 4	1 2	— 4	1 1	3 —	— 1	2 —	3 3	2 3	2 1	1 1	— 4	— 2	1 —	{		55
—	—	—	—	—	— 1	—	—	2 —	—	1 —	1 —	— —	— —	— —	— —		{	A
4 2	— 2	— 1	1 1	— 3	1 —	—	—	— —	2 1	1 1	1 1	1 1	— 3	— 2	1 —	{		B
2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		{	C
1	1	1	—	—	—	2	—	—	1	—	—	—	—	—	—	{		D
—	—	1	—	—	—	—	1	—	2	1	—	—	1	—	—		{	D
—	—	—	—	—	2 1	3 —	4 —	2 —	1 1	2 —	— —	— —	— —	— —	— —	{		56
—	—	—	—	1	—	2	2	5	1	2	2	1	—	—	—		{	57
—	—	—	—	1	—	2	2	5	1	2	2	1	—	—	—	{		A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{	B
—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	{		58
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		{	59
93 95	90 82	92 68	114 71	101 91	149 92	177 149	246 201	277 282	341 351	438 450	568 552	488 624	420 544	201 337	106 180	{		60-76
4 10	6 13	2 2	4 7	4 3	3 —	4 4	3 5	5 5	1 3	3 2	1 4	— —	— 2	— —	— 2		{	60

ENGLAND AND WALES.—CAUSES OF DEATHS AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
61	Meningitis - - {	M	395	3	12	19	43	77	40	27	26	15	185	55
		F	293	5	6	18	21	50	46	26	16	12	150	39
	A. Cerebro-spinal fever. {	M	68	—	—	3	5	8	4	2	1	2	17	6
		F	42	—	—	1	2	3	2	5	3	—	13	8
	B. Posterior basal meningitis. {	M	13	—	2	1	4	7	2	1	—	—	10	1
		F	6	—	—	—	—	—	1	—	1	—	2	1
	C. Meningitis— other forms. {	M	314	3	10	15	34	62	34	24	25	13	158	48
		F	245	5	6	17	19	47	43	21	12	12	135	30
62	Locomotor ataxy - {	M	86	—	—	—	—	—	—	—	—	—	—	—
		F	20	—	—	—	—	—	—	—	—	—	—	—
63	Other diseases of the spinal cord. {	M	336	—	1	1	1	3	2	5	4	1	15	3
		F	257	—	1	—	1	2	4	6	—	1	13	4
	A. Diseases form- erly classed to "Other nerv- ous affectns." {	M	134	—	—	—	—	—	—	—	—	—	—	—
		F	93	—	—	—	—	—	—	—	—	—	—	—
	B. Poliomyelitis, Polioenceph- alitis. {	M	31	—	1	1	1	3	2	5	4	1	15	3
		F	21	—	1	—	1	2	4	4	—	1	11	4
	C. Other diseases included un- der 63. {	M	171	—	—	—	—	—	—	—	—	—	—	—
		F	143	—	—	—	—	—	—	2	—	—	2	—
64	Cerebral hæmor- rhage, Apoplexy. {	M	2,068	1	—	—	1	2	—	2	—	—	4	—
		F	2,683	—	—	—	—	—	1	—	—	—	1	2
	A. Apoplexy - {	M	355	—	—	—	—	—	—	—	—	—	—	—
		F	482	—	—	—	—	—	—	—	—	—	—	1
	B. Serous apoplexy and Edema of brain. {	M	9	—	—	—	—	—	—	1	—	—	1	—
		F	14	—	—	—	—	—	—	—	—	—	—	—
	C. Cerebral congestion. {	M	5	1	—	—	1	2	—	—	—	—	1	—
		F	4	—	—	—	—	—	—	—	—	—	—	1
	D. Cerebral atheroma. {	M	41	—	—	—	—	—	—	—	—	—	—	—
		F	22	—	—	—	—	—	—	—	—	—	—	—
	E. Cerebral hæmorrhage. {	M	1,658	—	—	—	—	—	—	1	—	—	1	—
		F	2,161	—	—	—	—	—	1	—	—	—	1	—
65	Softening of Brain {	M	78	—	—	—	—	—	—	—	—	—	—	—
		F	104	—	—	—	—	—	—	—	—	—	—	—
66	Paralysis without specified cause. {	M	232	—	—	—	—	—	—	—	—	—	—	—
		F	252	—	—	1	—	1	—	—	2	—	3	—
	A. Hemiplegia - {	M	199	—	—	—	—	—	—	—	—	—	—	—
		F	214	—	—	—	—	—	—	—	2	—	2	—
	B. Paraplegia - {	M	10	—	—	—	—	—	—	—	—	—	—	—
		F	15	—	—	—	—	—	—	—	—	—	—	—
	C. Other forms of paralysis. {	M	23	—	—	—	—	—	—	—	—	—	—	—
		F	23	—	—	1	—	1	—	—	—	—	1	—
67	General paralysis of the insane. {	M	274	—	—	—	—	—	—	—	—	—	—	1
		F	49	—	—	—	—	—	—	—	—	—	—	—
68	Other forms of mental alienation. {	M	70	—	—	—	—	—	—	—	—	—	—	—
		F	123	—	—	—	—	—	—	—	—	—	—	1

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1919—continued.

AGES AT DEATH.																International List Nos.
	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
26	31	24	12	8	8	9	12	5	5	3	6	5	—	—	1	61
26	16	11	12	6	9	5	3	3	5	1	2	3	1	1	—	
11	12	7	8	2	1	3	—	—	—	—	1	—	—	—	—	A
5	4	3	3	2	—	—	2	—	2	—	—	—	—	—	—	
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
14	18	17	4	6	7	6	12	5	5	3	5	5	—	—	1	C
20	11	7	9	4	9	5	1	3	3	1	2	3	1	1	—	
—	1	—	—	—	6	8	12	12	10	13	14	5	4	1	—	62
—	—	—	1	—	1	2	4	1	3	5	1	1	1	—	—	
6	10	9	6	6	13	21	14	28	32	48	51	37	27	6	4	63
7	4	4	8	11	9	17	25	14	17	30	32	25	23	11	3	
—	1	1	1	—	2	4	1	11	10	23	30	21	20	6	3	A
—	—	—	—	—	—	2	6	3	6	13	19	13	19	10	2	
4	5	3	—	—	—	—	1	—	—	—	—	—	—	—	—	B
3	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
2	4	5	5	6	11	17	12	17	22	25	21	16	7	—	1	C
4	2	4	7	11	9	15	19	11	11	17	13	12	4	1	1	
—	3	5	17	21	23	42	78	123	187	262	381	358	319	160	85	64
1	4	6	4	12	19	45	94	186	243	327	410	478	434	271	146	
—	1	1	—	3	4	6	11	15	24	43	69	79	60	24	15	A
—	—	—	1	1	4	7	12	25	37	58	79	91	79	58	29	
—	—	—	—	—	—	—	—	—	—	—	2	2	2	1	1	B
—	—	—	—	—	—	—	—	—	1	2	1	2	4	3	1	
—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	C
—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—	
—	—	—	—	—	—	—	2	2	3	6	10	6	4	4	4	D
—	—	—	—	—	—	—	—	1	1	2	4	6	5	3	—	
1	2	4	17	18	19	36	65	106	160	212	300	271	251	131	65	E
—	4	5	3	11	15	38	82	160	203	265	326	379	346	206	116	
1	—	—	—	—	2	2	—	7	3	15	12	13	14	5	4	65
—	—	—	—	2	1	5	3	4	7	13	14	25	11	9	10	
—	1	1	—	1	3	6	11	11	24	27	49	38	34	19	8	66
—	—	3	—	2	1	—	6	9	20	29	43	44	46	31	14	
—	—	1	—	1	2	5	9	11	23	21	39	35	28	18	6	A
—	—	2	—	1	—	—	6	5	19	24	40	37	40	25	13	
—	1	—	—	—	—	1	1	—	—	—	3	2	1	1	1	B
—	—	—	—	—	1	—	—	—	—	1	1	6	2	2	1	
—	—	1	—	1	—	—	—	1	1	6	7	1	5	—	1	C
—	—	—	—	—	—	—	—	4	1	4	2	1	4	4	—	
—	—	2	9	29	38	47	66	41	24	8	6	3	—	—	—	67
—	—	—	1	3	8	12	9	7	3	3	1	1	1	—	—	
1	—	3	5	2	3	5	5	6	9	9	12	1	6	3	—	68
—	—	2	3	9	7	13	14	14	15	16	10	12	4	2	1	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
69	Epilepsy - - - { M F	277 260	2 2	1 —	3 1	3 —	9 3	2 2	1 1	3 2	2 1	17 9	11 4	
70	Convulsions (non- puerperal; 5 years and over). { M F	7 11	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	6 8	
	A. Epileptiform convulsions. { M F	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	B. Others in- cluded under 70. { M F	7 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	6 8	
71	Infantile convul- sions (under 5 years). { M F	549 408	250 169	84 71	59 46	66 60	459 346	57 41	15 8	12 5	6 8	549 408	— —	
	A. Convulsions with teeth- ing. { M F	60 55	— —	— 1	7 5	31 25	38 31	19 20	2 4	1 —	— —	60 55	— —	
	B. Other infan- tile convul- sions. { M F	489 353	250 169	84 70	52 41	35 35	421 315	38 21	13 4	11 5	6 8	489 353	— —	
72	Chorea - - - { M F	2 14	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 5	
73	Hysteria, Neuralgia, Neuritis. { M F	30 34	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	A. Hysteria, Neu- ralgia, Scia- tica. { M F	4 10	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	B. Neuritis - { M F	26 24	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
74	Other diseases of the nervous sys- tem. { M F	225 198	— 2	1 1	1 —	3 4	5 7	3 2	2 3	3 3	5 2	18 17	8 6	
	A. Idiocy, Imbe- cility. { M F	29 17	— —	— —	1 —	2 2	3 2	1 1	— 2	1 —	1 —	6 5	3 1	
	B. Cretinism - { M F	4 2	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	
	C. Cerebral tu- mour. { M F	119 102	— —	— —	— —	— —	— —	1 1	1 —	1 2	2 2	5 5	3 2	
	D. Other diseases included un- der 74. { M F	73 77	— 2	1 1	— —	1 2	2 5	1 —	1 1	— 1	2 —	6 7	2 3	
75	Diseases of the eyes and annexa. { M F	7 4	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	
76	Diseases of the ears { M F	146 101	2 —	3 2	1 —	9 5	15 7	4 4	4 3	2 1	3 4	28 19	20 15	
	A. Mastoid disease. { M F	55 31	— —	1 —	— —	2 1	3 1	1 2	3 1	1 1	2 —	10 5	7 7	
	B. Other diseases of the ears. { M F	91 70	2 —	2 2	1 —	7 4	12 6	3 2	1 2	1 —	1 4	18 14	13 8	
77-85	III. Diseases of the Circulatory System. { M F	6,951 6,829	3 2	4 3	— 2	8 7	15 14	4 6	3 4	4 5	3 3	29 32	60 50	
77	Pericarditis - - - { M F	33 32	— —	— —	— —	— 2	— 2	— 2	— 1	— —	— —	— 5	6 5	

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1919—*continued.*

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
16 14	17 18	17 24	31 18	13 29	20 20	20 22	24 20	12 11	20 16	22 9	15 12	10 17	7 10	5 5	— 2	}	69
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	}	70
—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—		
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	71
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 3	— 3	— 1	— —	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	72
—	—	1	—	—	1	1	4	2	6	4	3	2	4	—	2		
—	3	1	1	—	2	4	1	4	3	5	5	2	1	2	—	}	73
—	—	—	—	—	—	—	—	—	1	—	1	1	1	—	—		
—	3	1	—	—	2	1	—	—	—	2	—	—	—	1	—	}	A
—	—	1	—	—	1	1	4	2	5	4	2	1	3	—	2		
—	—	—	1	—	—	3	1	4	3	3	5	2	1	1	—	}	B
15 8	8 10	10 8	16 11	10 8	21 12	7 14	14 15	23 21	16 13	19 9	18 15	14 15	4 9	2 5	2 2		
3 2	4 3	3 —	6 1	— 1	1 —	— —	1 3	— 1	1 —	— —	1 —	— —	— —	— —	— —	}	74
2 1	— —	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
9 4	3 6	6 6	9 9	9 6	15 9	6 12	11 11	18 12	10 6	6 4	4 4	4 4	— —	1 2	— —	}	C
1 1	1 1	1 2	1 1	1 1	4 2	1 2	2 1	5 8	5 7	13 5	13 11	10 11	4 9	1 3	2 2		
—	—	2	—	—	1	—	—	—	1	1	—	1	—	—	—	}	75
—	—	—	—	—	1	—	—	—	—	1	1	—	1	—	—		
22 26	13 10	16 6	14 5	7 5	7 2	5 5	3 2	2 2	3 2	4 —	— 2	1 —	1 —	— —	— —	}	76
12 9	4 3	7 —	5 2	2 2	1 —	3 2	2 —	— 1	— —	1 —	— —	1 —	— —	— —	— —		
10 17	9 7	9 6	9 3	5 3	6 2	2 3	1 2	2 1	3 2	3 —	— 2	— —	1 —	— —	— —	}	B
59 84	73 88	124 96	146 112	150 122	194 157	253 231	329 341	497 389	590 526	834 672	1,062 901	1,014 1,035	898 1,018	436 601	203 374		
2 2	3 —	1 2	1 1	3 —	— 2	4 1	— 1	2 2	2 3	2 3	2 2	2 —	2 3	1 —	— —	}	77-85
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	77
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
78	Acute endocarditis -	M	255	—	—	—	2	2	2	—	1	1	6	12
		F	185	—	—	—	—	—	—	—	1	1	2	11
	A. Acute myocarditis.	M	50	—	—	—	1	1	1	—	—	—	2	—
		F	42	—	—	—	—	—	—	—	—	—	—	2
	B. Infective endocarditis.	M	123	—	—	—	—	—	—	—	1	—	1	2
		F	77	—	—	—	—	—	—	—	—	—	—	1
	C. Other acute endocarditis.	M	82	—	—	—	1	1	1	—	—	1	3	10
		F	66	—	—	—	—	—	—	—	1	1	2	8
79	Organic disease of the heart.	M	4,874	—	—	—	1	1	1	2	2	2	8	37
		F	5,232	—	—	—	2	2	2	3	3	2	12	32
	A. Valvular disease.	M	2,452	—	—	—	1	1	1	1	2	—	5	25
		F	2,651	—	—	—	1	1	—	2	3	2	8	26
	B. Fatty degeneration of the heart.	M	206	—	—	—	—	—	—	—	—	—	—	—
		F	267	—	—	—	—	—	—	—	—	—	—	—
	C. Other organic disease of the heart.	M	2,216	—	—	—	—	—	—	1	—	2	3	12
		F	2,314	—	—	—	1	1	2	1	—	—	4	6
80	Angina pectoris -	M	140	—	—	—	—	—	—	—	—	—	—	—
		F	69	—	—	—	—	—	—	—	—	—	—	—
81	Dis. of the arteries, Atheroma, Aneurysm, &c.	M	1,323	—	—	—	—	—	—	—	—	—	—	—
		F	855	—	—	—	—	—	—	—	—	—	—	—
	A. Aneurysm -	M	154	—	—	—	—	—	—	—	—	—	—	—
		F	31	—	—	—	—	—	—	—	—	—	—	—
	B. Arterial sclerosis.	M	1,155	—	—	—	—	—	—	—	—	—	—	—
		F	813	—	—	—	—	—	—	—	—	—	—	—
	C. Other diseases of arteries.	M	14	—	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	—	—	—	—	—	—	—
82	Embolism and thrombosis.	M	243	—	1	—	—	1	—	—	1	—	2	1
		F	357	—	—	—	—	—	—	—	—	—	—	2
	A. Cerebral embolism and thrombosis.	M	219	—	1	—	—	1	—	—	1	—	2	1
		F	324	—	—	—	—	—	—	—	—	—	—	2
	B. Other embolism and thrombosis.	M	24	—	—	—	—	—	—	—	—	—	—	—
		F	33	—	—	—	—	—	—	—	—	—	—	—
83	Dis. of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M	18	—	—	—	—	—	—	—	—	—	—	—
		F	39	—	—	—	—	—	—	—	—	—	—	—
	A. Phlebitis -	M	10	—	—	—	—	—	—	—	—	—	—	—
		F	26	—	—	—	—	—	—	—	—	—	—	—
	B. Varix -	M	8	—	—	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	—	—	—	—	—	—	—
	C. Pylephlebitis -	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—
D. Varicocele -	M	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
84	Dis. of the lymphatic system (Lymphangitis, &c.)	M 22	3	2	—	4	9	1	—	—	—	10	4
		F 17	1	2	2	3	8	2	—	1	—	11	—
	A. Status lymphaticus.	M 11	2	1	—	4	7	1	—	—	—	8	2
		F 10	1	2	1	2	6	1	—	1	—	8	—
	B. Other diseases of the lymphatic system.	M 11	1	1	—	—	2	—	—	—	—	2	2
		F 7	—	—	1	1	2	1	—	—	—	3	—
	Hæmorrhage, other dis. of the circulatory system.	M 43	—	1	—	1	2	—	1	—	—	3	—
		F 43	1	1	—	—	2	—	—	—	—	2	—
85	A. Functional disease of the heart.	M 32	—	—	—	1	1	—	—	—	—	1	—
		F 35	—	—	—	—	—	—	—	—	—	—	—
	B. Epistaxis	M 4	—	1	—	—	1	—	1	—	—	2	—
		F 2	—	1	—	—	1	—	—	—	—	1	—
	C. Other diseases included under 85.	M 7	—	—	—	—	—	—	—	—	—	—	—
		F 6	1	—	—	—	1	—	—	—	—	1	—
	IV.—Diseases of the Respiratory System.	M 5,087	56	105	127	229	517	251	128	48	54	998	121
		F 3,772	46	97	96	202	441	226	92	66	58	883	130
86	Diseases of the nasal fossæ.	M 3	—	—	—	—	—	1	1	—	—	2	—
		F 9	—	—	—	2	2	—	1	—	—	3	—
87	Diseases of the larynx.	M 65	1	1	2	5	9	6	10	10	9	44	7
		F 51	1	2	1	4	8	6	4	5	9	32	10
	A. Laryngismus stridulus.	M 11	1	—	2	1	4	1	1	2	2	10	1
		F 8	—	—	1	2	3	—	—	1	1	5	3
	B. Laryngitis	M 50	—	1	—	3	4	5	9	8	7	33	6
		F 40	1	2	—	2	5	6	3	4	8	26	6
	C. Other diseases of larynx.	M 4	—	—	—	1	1	—	—	—	—	1	—
		F 3	—	—	—	—	—	—	1	—	—	1	1
88	Diseases of the thyroid body	M 2	—	—	—	—	—	—	—	—	—	—	—
		F 34	—	—	—	—	—	—	—	—	—	—	—
89 & 90	Bronchitis	M 2,096	23	46	46	68	183	53	24	9	7	276	19
		F 1,741	17	59	41	64	181	55	19	5	8	268	13
	A. Bronchiectasis, Bronchial catarrh, &c.	M 42	1	1	1	—	3	—	1	—	—	4	2
		F 38	1	1	2	1	5	1	—	—	—	6	2
	B Other bronchitis.	M 2,054	22	45	45	68	180	53	23	9	7	272	17
		F 1,703	16	58	39	63	176	54	19	5	8	262	11
	Broncho-pneumonia.	M 840	14	44	60	110	228	131	59	18	24	460	41
		F 737	13	26	39	97	175	128	48	38	20	409	52
92	Pneumonia, lobar and undefined	M 1,574	14	11	13	38	76	54	29	8	12	179	47
		F 890	9	7	10	33	59	34	15	16	19	143	47
	A. Lobar pneumonia	M 728	3	6	2	10	21	15	12	—	6	54	17
		F 383	1	2	2	15	20	11	5	7	9	52	22
	B. Pneumonia (type not stated).	M 846	11	5	11	28	55	39	17	8	6	125	30
		F 507	8	5	8	18	39	23	10	9	10	91	25

E-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1919—*continued.*

AGES AT DEATH.																International List Nos.	
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.			
1 2	1 —	— —	— —	— —	— —	— 1	— 2	2 —	— —	2 —	2 —	— —	— —	— 1	— —	{	84
1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	1 —	— —	— —	— —	— —	— 1	— 2	2 —	— —	2 —	2 —	— —	— —	— 1	— —	{	B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	1 —	1 2	— —	— 1	3 1	2 1	5 3	4 4	3 8	7 7	8 3	3 7	2 3	1 1	{	85
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	1 —	1 1	— —	— 1	3 1	— —	4 2	2 4	3 7	6 7	6 3	3 5	1 3	1 1	{	A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	1 —	— —	{	B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	2 —	1 1	2 —	— 1	1 —	1 —	— 2	— —	— —	{	C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
3 6	77 46	96 53	95 71	148 80	163 87	232 114	241 123	304 153	377 190	414 255	540 318	471 377	390 372	231 269	136 185	{	86–98
— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— 2	— —	— —	— —	— —	— —		
1 2	2 1	— —	— —	— 2	3 —	1 —	1 —	1 1	— —	2 —	1 —	1 1	1 2	— —	— —	{	87
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{	A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
1 2	1 1	— —	— —	— 2	2 —	1 —	— —	1 1	— —	2 —	1 —	1 1	1 1	— —	— —	{	B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{	C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{	88
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5 0	6 6	9 6	8 13	13 15	19 17	34 28	53 38	90 57	151 85	213 140	309 172	323 261	292 267	175 201	101 144	{	89 & 90
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— 1	2 —	— 1	3 2	2 —	2 —	— 2	3 1	2 3	5 2	5 2	6 3	2 2	3 1	1 7	— 3	{	A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5 9	4 6	9 5	5 11	11 15	17 17	34 26	50 37	88 54	146 83	208 138	303 169	321 259	289 266	174 194	101 141	{	B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
1 9	6 7	8 9	8 10	16 12	18 11	26 14	22 11	29 23	41 18	31 29	53 32	35 31	14 31	11 19	10 10	{	91
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
9 1	56 22	69 33	63 39	102 45	100 49	140 56	129 54	141 51	132 58	125 60	111 66	71 47	47 39	21 28	12 12	{	92
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
4 7	25 9	37 20	37 16	59 22	54 20	74 28	74 30	51 26	67 23	59 25	48 31	28 18	16 16	10 8	4 —	{	A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
5 4	31 13	32 13	26 23	43 23	46 29	66 28	55 24	90 25	65 35	66 35	63 35	43 29	31 23	11 20	8 12	{	B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.		
93	Pleurisy - - {	M	162	—	—	—	2	2	4	3	2	2	13	
		F	98	1	—	—	1	2	1	2	1	1	7	
	A. Empyema - {	M	65	—	—	—	2	2	4	3	2	2	13	
		F	17	—	—	—	1	1	1	1	1	1	5	
	B. Other pleurisy {	M	97	—	—	—	—	—	—	—	—	—	—	
		F	81	1	—	—	—	1	—	1	—	—	2	
	94	Pulmonary conges- tion, Pulmonary apoplexy. {	M	94	3	3	5	4	15	2	2	—	—	19
			F	83	5	3	1	1	10	—	1	—	—	11
A. Pulmonary apoplexy and infarction. {		M	2	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	—	—	—	—	—	
	B. Pulmonary œdema and congestion. {	M	74	3	3	4	4	14	2	2	—	—	18	
		F	60	5	3	1	1	10	—	1	—	—	11	
	C. Hypostatic pneumonia. {	M	18	—	—	1	—	1	—	—	—	—	1	
		F	22	—	—	—	—	—	—	—	—	—	—	
	D. Collapse of lung (three months and over). {	M	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	
	95	Gangrene of the lung. {	M	5	—	—	—	—	—	—	—	—	—	—
			F	3	—	—	—	—	—	—	—	—	—	—
96	Asthma - - - {	M	142	—	—	—	—	—	—	—	1	—	1	
		F	84	—	—	—	—	—	—	1	—	—	1	
97	Pulmonary emphysema. {	M	23	—	—	—	1	1	—	—	—	—	1	
		F	12	—	—	—	—	—	—	1	—	1	2	
98	Other diseases of the respiratory system. {	M	81	1	—	1	1	3	—	—	—	—	3	
		F	30	—	—	4	—	4	2	—	1	—	7	
	A. Fibroid disease of lung. {	M	33	—	—	—	1	1	—	—	—	—	1	
		F	8	—	—	—	—	—	—	—	—	—	—	
	B. Other diseases included under 98. {	M	48	1	—	1	—	2	—	—	—	—	2	
		F	22	—	—	4	—	4	2	—	1	—	7	
99- 118	V. Diseases of the Digestive System. {	M	4,376	159	429	542	583	1,713	285	87	48	52	2,185	
		F	3,815	99	275	439	481	1,294	256	65	48	41	1,704	
99	Diseases of the mouth and annexa. {	M	42	10	3	1	—	14	—	—	—	1	15	
		F	38	4	—	6	—	10	3	—	—	—	13	
	A. Diseases of the teeth and gums. {	M	29	5	—	—	—	5	—	—	—	1	6	
		F	27	2	—	1	—	3	2	—	—	—	5	
	B. Thrush, Aphthous stomatitis. {	M	10	5	3	1	—	9	—	—	—	—	9	
		F	6	2	—	4	—	6	—	—	—	—	6	
	C. Parotitis - {	M	2	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	—	—	—	—	—	—	—	
	D. Other diseases of mouth and annexa. {	M	1	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	1	—	1	1	—	—	—	2	

PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1919—continued.

AGES AT DEATH.															International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
5 2	6 3	7 3	6 1	11 4	12 6	13 8	16 4	16 8	12 9	18 12	6 10	6 7	5 2	1 2	93
4 1	3 —	4 1	5 1	6 1	3 —	4 1	4 2	4 —	2 1	4 1	1 —	1 —	— —	— —	
1 1	3 3	3 2	1 —	5 3	9 6	9 7	12 2	12 8	10 8	14 11	5 10	5 7	5 2	1 2	B
— 1	1 —	3 1	1 1	1 1	— 1	1 2	4 1	4 2	3 3	11 7	8 11	14 14	13 11	9 15	
— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	1 —	— —	— —	1 —	— —	A
— 1	1 —	3 1	— 1	1 1	— 1	1 1	4 1	4 2	2 3	7 7	5 9	9 5	9 6	8 9	
— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	3 —	3 2	5 9	3 5	1 6	C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— 1	1 —	1 —	1 —	1 —	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	— —	95
1 —	1 —	1 2	6 2	6 2	9 4	13 7	12 11	21 10	15 7	25 17	14 9	11 6	2 4	1 2	
— —	— —	1 1	— —	1 —	— —	1 —	— 1	2 —	2 1	2 1	8 2	3 3	1 1	1 —	97
1 1	— 2	3 1	2 1	3 1	10 1	7 2	11 2	9 2	11 2	10 5	5 1	2 1	3 1	1 —	
— —	— 1	— —	1 —	1 —	5 1	3 1	4 1	3 1	5 1	7 2	2 —	1 —	— —	— —	A
1 1	— 1	3 1	1 1	2 1	5 —	4 1	7 1	6 1	6 1	3 3	3 1	1 1	3 1	1 —	
82 60	72 65	65 56	78 72	120 101	144 113	161 118	179 140	204 165	201 183	213 221	210 207	159 197	67 122	28 77	99- 118
1 3	1 2	2 —	— 3	2 —	3 1	3 8	4 1	1 1	3 —	2 —	2 3	2 1	— —	— 1	
— 3	1 2	2 —	— 3	2 —	3 1	3 8	4 1	— 1	3 —	1 —	2 1	1 1	— —	— 1	A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	
1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— 2	— —	— —	— —	C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	D
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
100	Diseases of the pharynx, Tonsil- litis.	M 81	—	—	—	2	2	4	5	6	7	24	1
		F 76	—	1	—	—	1	1	1	4	2	9	2
	A. Tonsillitis	M 61	—	—	—	1	1	3	4	5	6	19	1
		F 56	—	—	—	—	—	1	1	4	2	8	1
	B. Ludwig's angina.	M 8	—	—	—	—	—	—	—	—	—	—	—
		F 6	—	—	—	—	—	—	—	—	—	—	—
	C. Other diseases of the pha- ryn timer .	M 12	—	—	—	1	1	1	1	1	1	5	—
		F 14	—	1	—	—	1	—	—	—	—	1	—
	Diseases of the oesophagus.	M 8	—	—	—	—	—	—	—	—	1	1	—
		F 4	—	—	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach.	M 238	—	—	—	—	—	—	—	—	—	—	—
		F 152	—	—	—	—	—	—	—	—	—	—	—
103	Other diseases of the stomach.	M 347	23	42	26	28	119	14	9	3	5	150	1
		F 372	20	31	24	24	99	17	9	8	3	136	1
	A. Inflammation of stomach	M 298	22	40	25	28	115	13	7	2	5	142	1
		F 314	18	31	22	23	94	16	7	7	3	127	1
	B. Other diseases included under 103.	M 49	1	2	1	—	4	1	2	1	—	8	—
		F 58	2	—	2	1	5	1	2	1	—	9	—
104 & 105	Diarrhoea and enteritis.	M 2,344	113	377	491	521	1,502	253	69	25	20	1,869	1
		F 1,904	73	237	398	439	1,147	228	47	28	25	1,475	4
	A. Infective enteritis.	M 752	21	127	184	210	542	104	31	11	8	696	1
		F 644	21	75	151	193	440	110	20	10	6	586	1
	B. Diarrhoea—not returned as infective.	M 431	30	68	95	103	296	56	8	1	3	364	—
		F 395	19	52	97	86	254	46	6	2	4	312	—
	C. Enteritis—not returned as infective.	M 368	25	46	77	73	221	28	11	6	2	268	—
		F 282	13	35	48	44	140	21	5	4	4	174	—
	D. Gastro-enteri- tis—not re- turned as in- fective.	M 625	35	127	126	133	421	65	18	7	7	518	—
		F 511	16	73	99	113	301	51	15	12	10	389	—
	E. Dyspepsia— under 2 years.	M 19	1	9	9	—	19	—	—	—	—	19	—
		F 11	3	2	3	3	11	—	—	—	—	11	—
	F. Colic	M 5	1	—	—	—	1	—	—	—	—	1	—
		F 3	1	—	—	—	1	—	—	—	—	1	—
	G. Ulceration of intestines.	M 16	—	—	—	2	2	—	1	—	—	3	—
		F 34	—	—	—	—	—	—	1	—	1	2	—
	H. Duodenal ulcer.	M 128	—	—	—	—	—	—	—	—	—	—	—
		F 24	—	—	—	—	—	—	—	—	—	—	—
106	Ankylostomiasis	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites.	M 5	—	—	—	1	1	—	—	1	1	3	—
		F —	—	—	—	—	—	—	—	—	—	—	—
108	Appendicitis	M 330	—	—	—	—	—	—	1	5	9	15	3
		F 279	—	—	—	—	—	1	—	1	9	11	4

PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1919—continued.

AGES AT DEATH.															International List Nos.	
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
3 2	3 7	3 3	3 3	2 4	2 —	6 1	4 1	4 3	2 4	3 2	— 3	1 2	— —	— —	{	100
2 2	3 7	1 2	3 2	— 1	2 —	2 1	4 1	2 3	1 2	2 1	— —	— 2	— —	— —		{
1 —	— —	1 —	— 1	1 1	— —	3 —	— —	1 —	1 —	— 1	— 1	— —	— —	— —	{	B
— —	— —	1 1	— —	1 2	— —	1 —	— —	1 —	— 2	1 —	— 2	1 —	— —	— —		{
— —	— —	— —	— —	— 1	— —	1 —	2 —	— 2	2 —	2 —	— 1	— —	— —	— —	{	101
3 3	10 6	9 12	14 10	30 25	27 22	34 11	21 15	33 17	23 10	16 9	11 3	3 6	2 2	2 —		{
3 4	1 4	3 4	7 5	3 7	5 8	10 7	10 16	17 12	20 18	20 28	27 29	30 33	18 30	5 15	{	103
3 3	1 3	2 4	6 3	1 7	3 5	8 6	5 10	13 8	17 12	17 22	21 26	25 25	16 26	3 14		{
— 1	— 1	1 —	1 2	2 —	2 3	2 1	5 6	4 4	3 6	3 6	6 3	5 8	2 4	2 1	{	B
13 6	13 13	9 10	18 17	28 13	30 16	28 25	42 20	33 27	25 36	53 44	50 47	46 53	22 25	9 26		{
4 1	— 1	2 —	1 3	4 1	3 —	5 2	2 3	2 4	— 3	4 10	6 4	3 10	2 2	1 1	{	A
3 —	1 1	— 1	1 1	— 2	— 2	— 1	2 —	2 3	5 2	7 6	11 9	18 20	9 9	4 17		{
2 —	2 4	2 2	4 7	4 5	10 4	4 8	4 6	5 8	9 11	10 10	13 20	7 7	7 6	4 2	{	C
3 3	2 4	— 4	6 3	4 2	1 6	2 6	10 7	10 5	5 13	13 10	9 10	16 14	4 8	— 6		{
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{	E
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	1 1	1 1	— —	— —		{
— 1	— 3	1 2	— 2	2 2	— 3	2 4	1 2	1 1	1 5	3 4	2 2	— 1	— —	— —	{	G
1 1	8 —	4 1	6 1	14 1	16 1	15 4	23 2	13 6	5 2	14 4	8 1	1 —	— —	— —		{
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{	106
— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		{
44 29	24 24	17 9	15 11	25 19	19 15	19 11	18 16	17 10	11 11	9 9	9 8	5 7	— 3	1 4	{	108

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
109	Hernia, Intestinal obstruction.	M 487	11	3	21	28	63	8	2	7	6	86	
		F 438	—	3	8	12	23	5	7	3	—	38	
	A. Hernia - -	M 183	6	2	2	6	16	2	—	3	—	21	
		F 170	—	1	—	—	1	—	1	—	—	2	
	B. Intestinal obstruction.	M 304	5	1	19	22	47	6	2	4	6	65	
		F 268	—	2	8	12	22	5	6	3	—	36	
110	Other diseases of the intestines.	M 63	1	2	2	3	8	3	—	1	—	12	
		F 60	1	3	1	2	7	—	—	—	—	7	
111	Acute yellow atrophy of the liver.	M 7	—	—	—	—	—	—	—	—	—	—	
		F 6	—	—	—	—	—	—	—	—	—	—	
112	Hydatid of liver -	M 4	—	—	—	—	—	—	—	—	—	—	
		F 3	—	—	—	—	—	—	—	—	—	—	
113	Cirrhosis of liver -	M 226	—	—	—	—	—	—	1	—	1	2	
		F 143	—	—	—	—	—	—	—	1	1	2	
	A. Cirrhosis of the liver not re'td as alcoholic.	M 202	—	—	—	—	—	—	1	—	1	2	
		F 129	—	—	—	—	—	—	—	1	—	1	
	B. Cirrhosis of the liver ret'd as alcoholic.	M 20	—	—	—	—	—	—	—	—	—	—	
		F 8	—	—	—	—	—	—	—	—	—	—	
	C. Dis. formerly classed to "Other dis. of liver and gall bladder."	M 4	—	—	—	—	—	—	—	—	—	—	
		F 6	—	—	—	—	—	—	—	—	1	1	
114	Biliary calculi -	M 53	—	—	—	—	—	—	—	—	—	—	
		F 152	—	—	—	—	—	—	—	—	—	—	
115	Other diseases of the liver.	M 76	—	1	1	—	2	1	—	—	—	3	
		F 99	—	—	1	3	4	1	1	1	—	7	
116	Diseases of the spleen.	M 4	—	—	—	—	—	—	—	—	—	—	
		F 9	—	—	—	—	—	—	—	—	—	—	
	A. Infarction of spleen.	M 1	—	—	—	—	—	—	—	—	—	—	
		F —	—	—	—	—	—	—	—	—	—	—	
	B. Other diseases of the spleen.	M 3	—	—	—	—	—	—	—	—	—	—	
		F 9	—	—	—	—	—	—	—	—	—	—	
117	Peritonitis (cause unstated).	M 39	1	1	—	—	2	1	—	—	1	4	
		F 52	1	—	1	1	3	—	—	2	1	6	
118	Other diseases of the digestive system.	M 22	—	—	—	—	—	1	—	—	—	1	
		F 28	—	—	—	—	—	—	—	—	—	—	
	A. Abdominal abscess, Sub-phrenic absces.	M 4	—	—	—	—	—	—	—	—	—	—	
		F 1	—	—	—	—	—	—	—	—	—	—	
	B. Other diseases included under 118.	M 18	—	—	—	—	—	1	—	—	—	1	
		F 27	—	—	—	—	—	—	—	—	—	—	
119-133	VI. Non - Venereal Diseases of the Genito-Urinary System and An-nexa.	M 2,277	1	4	1	3	9	7	3	2	7	28	
		F 1,512	1	4	—	1	6	7	6	10	3	32	
119	Acute Nephritis -	M 178	—	2	1	2	5	6	2	1	5	19	
		F 159	—	3	—	1	4	3	5	9	3	24	

PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1919—*continued.*

AGES AT DEATH.															International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
9	15	13	8	15	22	19	20	37	42	52	61	46	20	6	{ 109
7	4	8	9	10	13	25	30	32	37	57	54	53	34	14	
1	1	2	1	10	7	9	7	13	23	19	30	26	8	5	{ A
—	—	2	3	2	3	15	18	14	23	33	19	25	7	4	
8	14	11	7	5	15	10	13	24	19	33	31	20	12	1	{ B
7	4	6	6	8	10	10	12	18	14	24	35	28	27	10	
—	—	2	1	1	1	2	3	4	13	6	6	7	3	1	{ 110
—	—	—	3	5	3	1	3	3	3	4	7	6	7	7	
2	1	—	—	—	—	—	—	—	2	—	—	—	—	—	{ 111
—	—	2	3	—	1	—	—	—	—	—	—	—	—	—	
—	—	1	1	—	—	—	1	1	—	—	—	—	—	—	{ 112
—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	
—	1	—	2	6	18	20	38	35	40	30	23	6	—	1	{ 113
1	—	—	2	5	13	10	12	21	24	22	16	8	4	1	
—	1	—	2	6	12	16	32	31	38	29	23	6	—	—	{ A
1	—	—	2	3	12	10	11	21	23	18	13	7	4	1	
—	—	—	—	—	5	3	6	3	2	1	—	—	—	—	{ B
—	—	—	—	2	1	—	1	—	1	3	—	—	—	—	
—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	{ C
—	—	—	—	—	—	—	—	—	—	1	3	1	—	—	
—	—	—	1	—	4	6	3	7	6	8	11	5	1	1	{ 114
—	—	3	—	4	7	10	12	17	23	28	22	16	8	2	
1	1	1	5	5	8	8	3	7	9	9	7	6	1	1	{ 115
2	1	2	—	2	5	4	6	10	13	11	9	12	7	6	
—	—	—	1	—	2	—	1	—	—	—	—	—	—	—	{ 116
—	—	—	—	1	1	1	1	1	—	2	1	—	—	1	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	{ A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	{ B
—	—	—	—	1	1	1	1	1	—	2	1	—	—	1	
3	1	3	—	1	1	3	5	4	3	1	1	2	—	1	{ 117
3	2	2	3	4	2	—	5	3	2	4	2	—	1	—	
—	1	1	2	1	2	2	4	4	—	2	2	—	—	—	{ 118
—	1	1	3	—	6	4	2	6	1	1	2	—	1	—	
—	—	1	1	—	—	—	—	1	—	—	1	—	—	—	{ A
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	1	1	2	2	4	3	—	2	1	—	—	—	{ B
—	1	1	2	—	6	4	2	6	1	1	2	—	1	—	
25	39	53	58	67	83	128	179	214	255	340	311	265	134	52	{ 119—
18	27	56	68	93	126	118	135	129	158	150	140	123	69	31	
9	10	9	13	9	10	13	10	14	8	10	11	3	1	—	{ 119
5	4	7	10	18	14	12	11	8	8	6	4	2	2	—	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

ENGLAND AND WALES.—CAUSE OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	Total under 5 Years.	5-
138	Puerperal albumin- uria and convul- sions. { M F	— 153	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Puerperal ne- phritis and uræmia. { M F	— 39	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Puerperal albuminuria and Bright's disease. { M F	— 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Puerperal convulsions. { M F	— 106	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegma- sia alba dolens, embolism and sudden death. { M F	— 53	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Puerperal phlegmasia alba dolens, and phlebitis. { M F	— 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Puerperal em- bolism and sudden death. { M F	— 47	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity { M F	— 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the breast. { M F	— 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
142- 145	VIII. Diseases of the Skin and of the Cellular Tissue. { M F	399 318	31 18	12 10	11 3	5 4	59 35	4 3	3 2	2 2	2 1	70 43	2 —
142	Gangrene - - { M F	176 127	1 —	— —	— —	— —	1 —	— 2	2 1	1 —	1 1	5 4	— —
	A. Senile gangrene. { M F	146 114	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Noma, Gan- grene of { M F	7 8	— —	— —	— —	— —	— —	— 2	2 1	1 —	1 1	4 4	— —
	C. Noma pudendi { M F	12 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	D. Other gan- grene. { M F	11 5	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —
143	Carbuncle, Boil - { M F	50 17	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	1 —	— —
144	Phlegmon, Acute abscess. { M F	79 63	4 4	2 4	3 2	3 1	12 11	3 1	1 1	1 2	— —	17 15	2 —
	A. Phlegmon - { M F	44 32	2 1	— 2	— —	2 —	4 3	2 1	— 1	— —	— —	6 5	1 —
	B. Acute Abscess { M F	35 31	2 3	2 2	3 2	1 1	8 8	1 —	1 —	1 2	— —	11 10	1 —

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1919—*continued.*

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	138
—	6	35	32	37	27	15	1	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	1	6	6	9	8	8	1	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	2	2	3	—	1	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	5	27	24	25	19	6	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	139
—	1	6	9	12	20	5	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	2	—	—	3	1	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	1	4	9	12	17	4	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	140
—	—	1	3	2	2	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	141
—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—		
4	4	5	3	9	5	9	13	14	20	26	43	43	67	40	22	}	142— 145
2	2	7	2	7	3	8	13	10	16	18	32	33	55	35	32		
1	1	1	—	—	—	1	1	7	3	11	23	29	51	29	13	}	142
1	—	2	—	1	1	1	—	1	4	8	15	14	23	25	27		
—	—	—	—	—	—	—	—	—	—	8	18	29	49	29	13	}	A
—	—	—	—	—	—	—	—	—	2	8	15	14	23	25	27		
1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	}	B
1	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—		
—	—	1	—	—	—	—	1	2	2	1	4	—	1	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	—	—	—	—	—	—	5	1	1	1	—	1	—	—	}	D
—	—	1	—	1	1	1	—	—	1	—	—	—	—	—	—		
1	—	—	1	2	2	5	4	2	5	5	9	2	6	2	3	}	143
1	1	2	—	—	—	1	2	—	—	1	1	4	4	—	—		
2	3	4	1	7	2	2	6	2	8	4	8	6	3	2	—	}	144
—	1	3	1	2	2	3	5	4	4	5	4	2	9	3	—		
1	1	3	1	7	—	1	3	2	4	2	6	4	2	—	—	}	A
—	—	2	1	1	2	2	2	3	1	3	2	2	4	2	—		
1	2	1	—	—	2	1	3	—	4	2	2	2	1	2	—	}	B
—	1	1	—	1	—	1	3	1	3	2	2	—	5	1	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
145	Diseases of the integumentary system.	M 94 F 111	26 14	10 6	7 1	2 3	45 24	1 —	— —	— —	1 —	47 24	— —
	A. Ulcer, Bedsore	M 24 F 53	— —	— —	— 1	— 1	— 2	— —	— —	— —	— —	— 2	— —
	B. Eczema -	M 22 F 9	6 1	2 1	5 —	2 1	15 3	1 —	— —	— —	1 —	17 3	— —
	C. Pemphigus -	M 17 F 15	13 7	3 3	— —	— —	16 10	— —	— —	— —	— —	16 10	— —
	D. Other Dis. of the integumentary system.	M 31 F 34	7 6	5 2	2 —	— 1	14 9	— —	— —	— —	— —	14 9	— —
146-149	IX. Diseases of the Bones and of the Organs of Locomotion.	M 127 F 65	— —	1 1	2 1	1 1	4 3	3 2	3 2	1 2	1 1	12 10	15 11
146	Diseases of the bones	M 90 F 43	— —	— 1	2 1	1 1	3 3	2 2	2 2	1 2	1 1	9 10	14 9
147	Diseases of the joints.	M 34 F 17	— —	1 —	— —	— —	1 —	1 —	1 —	— —	— —	3 —	1 2
148	Amputations -	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of locomotor system.	M 3 F 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	X. Malformations.												
150	Congenital malformations.	M 392 F 298	235 170	63 53	29 21	18 19	345 263	12 11	4 4	8 2	1 3	370 283	13 4
	A. Congenital hydrocephalus.	M 37 F 23	6 6	3 —	4 4	6 5	19 15	5 3	1 2	7 1	1 —	33 21	2 1
	B. Phimosi	M 5 F —	1 —	1 —	2 —	1 —	5 —	— —	— —	— —	— —	5 —	— —
	C. Congenital malformation of heart.	M 160 F 116	115 67	16 19	7 9	5 7	143 102	4 2	2 2	1 1	— 1	150 108	7 2
	D. Other congenital malformations.	M 190 F 159	113 97	43 34	16 8	6 7	178 146	3 6	1 —	— —	— 2	182 154	4 1
151-153	XI. Diseases of Early Infancy.	M 3,105 F 2,370	2,669 2,073	297 203	103 68	36 26	3,105 2,370	— —	— —	— —	— —	3,105 2,370	— —
151	Premature birth, Infantile debility, Icterus and Sclerema.	M 2,805 F 2,142	2,379 1,849	287 199	103 68	36 26	2,805 2,142	— —	— —	— —	— —	2,805 2,142	— —
	A. Premature birth.	M 1,961 F 1,597	1,824 1,499	120 82	15 12	2 4	1,961 1,597	— —	— —	— —	— —	1,961 1,597	— —
	B. Infantile atrophy, debility and marasmus.	M 742 F 503	471 317	150 111	87 55	34 20	742 503	— —	— —	— —	— —	742 503	— —
	C. Icterus neonatorum.	M 92 F 41	80 33	12 6	— —	— 2	92 41	— —	— —	— —	— —	92 41	— —
	D. Sclerema and œdema neonatorum.	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	E. Want of breast milk.	M 10 F 1	4 —	5 —	1 1	— —	10 1	— —	— —	— —	— —	10 1	— —

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1919—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
—	—	—	1	—	1	1	2	3	4	6	3	6	7	7	6	{	145
—	—	—	1	4	—	3	6	5	8	4	12	13	19	7	5		
—	—	—	—	—	—	—	—	2	1	4	3	4	2	4	4	{	A
—	—	—	—	—	—	—	4	3	4	3	8	8	9	7	5		
—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	1	{	B
—	—	—	—	—	—	—	—	1	—	—	1	—	4	—	—		
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	{	C
—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—		
—	—	—	1	—	—	1	—	1	3	2	—	2	4	2	1	{	D
—	—	—	1	3	—	1	1	1	4	1	3	5	5	—	—		
22	18	4	2	3	8	3	7	8	6	4	5	5	3	2	—	{	146— 149
4	1	5	—	1	3	—	2	6	2	5	6	2	5	—	2		
18	16	2	2	2	6	2	4	3	4	4	1	1	2	—	—	{	146
4	1	4	—	—	3	—	1	3	2	3	1	—	2	—	—		
4	1	1	—	1	2	1	3	4	2	—	4	4	1	2	—	{	147
—	—	1	—	—	—	—	1	2	—	2	4	1	3	—	1		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	148
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	{	149
—	—	—	—	1	—	—	—	1	—	—	1	1	—	—	1		
3	1	—	1	—	2	1	—	1	—	—	—	—	—	—	—	{	150
5	1	2	—	—	—	2	1	—	—	—	—	—	—	—	—		
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	C
4	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	1	—	2	—	—	1	—	—	—	—	—	—	—	{	D
1	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	151— 153
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	151
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	E
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
152	Other diseases peculiar to early infancy.	M 266 F 205	256 201	10 4	— —	— —	266 205	— —	— —	— —	— —	266 205	— —
	A. Diseases of umbilicus, &c.	M 21 F 26	16 25	5 1	— —	— —	21 26	— —	— —	— —	— —	21 26	— —
	B. Atelectasis -	M 134 F 99	131 96	3 3	— —	— —	134 99	— —	— —	— —	— —	134 99	— —
	C. Injuries at birth.	M 108 F 79	106 79	2 —	— —	— —	108 79	— —	— —	— —	— —	103 79	— —
	D. Cyanosis neonatorum.	M 3 F 1	3 1	— —	— —	— —	3 1	— —	— —	— —	— —	3 1	— —
153	Lack of care -	M 34 F 23	34 23	— —	— —	— —	34 23	— —	— —	— —	— —	34 23	— —
	XII.—Old Age.												
154	Old age -	M 2,234 F 3,098	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Senile dementia.	M 90 F 112	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Senile decay -	M 2,144 F 2,986	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
155-186	XIII.—Affections produced by External Causes.	M 3,377 F 1,162	34 24	17 8	10 8	18 14	79 54	63 29	61 42	56 37	60 34	319 196	241 102
155	Suicide by poison -	M 33 F 33	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia	M 41 F 26	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation.	M 188 F 48	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning	M 122 F 77	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms	M 60 F 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments.	M 166 F 31	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place.	M 19 F 21	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing	M 35 F 10	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides -	M 2 F 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
155-163	Suicide -	M 666 F 258	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food -	M 9 F 8	— —	— —	— —	— —	— —	— —	— 1	1 —	— —	1 1	— 3
165	Other acute poisonings.	M 15 F 15	— —	1 —	1 —	— —	2 —	2 —	1 2	— 1	1 —	6 3	— —
166	Conflagration -	M 5 F 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
167	Burns (conflagration excepted).	M 150 F 180	1 —	— —	1 2	4 4	6 6	31 14	33 20	17 22	15 16	102 78	7 25

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1919—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	152
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	153
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	4	18	107	386	655	601	462	154
—	—	—	—	—	—	—	—	3	10	27	95	460	793	874	836	
—	—	—	—	—	—	—	—	—	2	4	16	18	31	12	7	A
—	—	—	—	—	—	—	—	—	3	4	12	28	28	21	16	
—	—	—	—	—	—	—	—	1	2	14	91	368	624	589	455	B
—	—	—	—	—	—	—	—	3	7	23	83	432	765	853	820	
188	245	223	190	193	238	255	264	247	220	174	154	95	78	37	16	155— 186
33	43	47	45	56	61	56	70	58	62	67	48	60	63	48	47	
1	3	1	1	3	7	6	3	3	—	3	—	1	—	1	—	155
—	2	—	3	3	3	6	3	3	6	3	—	1	—	—	—	
—	—	1	—	4	2	3	9	7	3	5	3	2	2	—	—	156
—	1	—	2	—	2	5	6	2	2	2	2	2	—	—	—	
1	6	4	12	5	17	19	22	22	25	23	16	8	4	4	—	157
—	—	1	1	2	4	5	8	7	8	6	3	1	1	1	—	
—	2	2	4	9	9	13	14	14	15	15	12	7	4	1	1	158
1	4	9	5	8	9	5	14	5	3	5	3	3	1	1	1	
—	2	4	9	8	10	4	5	8	6	1	2	1	—	—	—	159
—	1	1	—	—	1	—	2	1	—	—	—	—	—	—	—	
—	1	2	4	18	19	17	21	19	18	18	10	8	6	3	2	160
—	—	2	2	4	3	3	6	4	2	2	1	—	1	—	1	
—	—	1	2	—	4	2	1	2	3	2	2	—	—	—	—	161
—	—	1	—	—	2	1	4	3	3	3	1	—	2	1	—	
—	—	—	5	2	8	4	5	4	—	3	2	1	—	1	—	162
—	—	1	1	—	2	1	1	1	3	—	—	—	—	—	—	
—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	163
—	—	1	2	—	2	—	—	1	—	—	—	—	—	—	—	
2	14	15	38	49	77	68	80	79	70	70	47	28	16	10	3	155— 163
1	8	16	16	17	28	26	44	27	27	21	10	7	5	3	2	
1	—	1	1	1	1	1	—	—	1	—	—	—	1	—	—	164
—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	
—	1	—	1	1	1	2	2	—	—	—	—	1	—	—	—	165
1	1	1	2	1	3	1	—	—	—	1	—	—	1	—	—	
—	1	—	—	—	1	—	1	—	—	—	—	—	2	—	—	166
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
6	4	5	4	3	3	5	2	3	1	1	2	—	2	—	—	167
6	14	2	5	5	3	5	2	5	4	5	2	6	7	4	2	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

E-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1919—*continued.*

AGES AT DEATH.																International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
1 1	— —	1 —	— —	— —	1 —	3 1	3 —	1 1	— 1	2 2	— 1	2 1	— 1	— 1	— —	168
2 7	78 7	52 6	26 8	25 10	30 7	31 6	30 6	30 2	28 4	14 2	11 4	8 3	2 1	1 1	— —	
5 —	7 2	7 —	3 —	— 1	1 —	3 —	1 —	2 —	— —	2 —	— —	1 —	— —	— —	— —	170
1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
9 3	21 1	14 2	11 1	23 4	30 4	34 4	36 5	29 8	36 13	30 19	32 14	23 31	27 42	16 35	9 40	172
6 —	32 —	32 —	26 —	15 —	25 —	24 —	21 —	25 —	12 —	11 —	5 —	5 —	— —	— —	— —	
3 —	5 —	8 —	5 —	4 1	6 —	6 —	12 1	3 —	4 —	2 —	3 —	— —	— —	— —	— —	174
66 12	61 8	54 10	39 6	44 7	44 8	57 9	63 8	62 13	55 11	35 14	41 13	23 7	24 5	9 1	3 2	
7 —	2 1	1 —	3 —	1 —	2 —	3 —	1 —	1 —	2 —	2 —	3 —	— 1	— —	1 1	1 —	176
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	178
1 1	2 —	— 5	1 1	2 —	1 1	2 2	3 1	2 1	3 —	3 1	2 1	2 2	2 1	— 1	— 1	
— —	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	180
— —	— —	2 —	2 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	2 2	— 1	4 1	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	182
1 —	— —	1 1	1 2	2 3	— 1	1 1	1 —	— —	— —	— —	— —	— —	— —	— 1	— —	
— —	1 1	1 —	— 2	3 3	2 1	3 —	1 —	3 —	3 1	— —	— 1	— —	— —	— —	— —	184
1 —	— —	1 —	1 —	2 —	2 —	3 —	1 1	— —	— —	— 1	— 2	— 1	— —	— —	— —	
6 —	15 —	26 —	28 1	13 2	11 4	7 1	6 1	7 1	5 —	1 —	5 —	1 1	2 —	— —	— —	186
2 8	4 3	4 5	2 3	8 7	10 10	16 10	18 12	33 16	32 28	59 33	63 39	9 5	1 3	— 2	— 3	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— 1	— 1	— —	— —	— —	— —	187
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
188	Syncope, Sudden death. {	M 42	—	—	—	—	—	—	—	—	—	—	—
		F 20	—	—	—	—	—	—	—	—	—	—	—
	A. Syncope (aged 1 year and under 70 years). {	M 40	—	—	—	—	—	—	—	—	—	—	—
		F 18	—	—	—	—	—	—	—	—	—	—	—
	B. Sudden death (not otherwise defined). {	M 2	—	—	—	—	—	—	—	—	—	—	—
		F 2	—	—	—	—	—	—	—	—	—	—	—
189	Ill-defined causes - {	M 265	16	3	2	3	24	13	6	1	—	44	2
		F 199	12	1	—	2	15	16	2	—	1	34	1
	A. Heart failure (aged 1 year and under 70). {	M 173	—	—	—	—	—	—	—	1	—	1	1
		F 132	—	—	—	—	—	—	—	—	—	—	1
	B. Atrophy, debility, marasmus (aged 1 year and under 70). {	M 21	—	—	—	—	—	11	4	—	—	15	1
		F 24	—	—	—	—	—	15	2	—	1	18	—
	C. Teething - {	M 4	—	—	—	2	2	2	—	—	—	4	—
		F 1	—	—	—	1	1	—	—	—	—	1	—
	D. Pyrexia - {	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	E. Other ill-defined deaths. {	M 30	5	2	1	—	8	—	2	—	—	10	—
		F 26	3	1	—	1	5	1	—	—	—	6	—
	F. Cause not specified. {	M 37	11	1	1	1	14	—	—	—	—	14	—
		F 16	9	—	—	—	9	—	—	—	—	9	—

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1919—continued.

AGES AT DEATH.																International List Nos.
—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
—	1 —	1 2	— 1	— 2	1 2	3 1	4 —	5 1	5 5	9 3	12 3	1 —	— —	— —	— —	{ 188
—	1 —	1 1	— 1	— 2	1 2	3 1	3 —	5 1	5 5	9 3	12 2	— —	— —	— —	— —	
—	—	—	—	—	—	—	1 —	—	—	—	—	1 —	—	—	—	{ B
—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	
2 8	3 3	3 3	2 2	8 5	9 8	13 9	14 12	28 15	27 22	50 29	51 35	8 5	1 3	— 2	— 3	{ 189
—	1 1	3 3	2 2	5 4	8 5	12 4	10 10	20 13	23 21	44 28	43 33	— —	— —	— —	— —	
1 1	— 1	— —	— —	— —	— 2	— 1	— —	— —	— —	— 1	4 —	— —	— —	— —	— —	{ B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1 1	— —	— —	— 1	— —	1 3	1 1	3 1	3 1	4 —	1 2	5 4	1 3	— 1	— 2	{ E
1 —	1 —	— —	— —	3 —	1 1	— 1	3 1	5 1	1 —	2 —	3 —	3 1	— —	— 1	— 1	

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE

BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

QUARTERLY RETURN
OF
MARRIAGES, BIRTHS, AND DEATHS
REGISTERED IN
ENGLAND AND WALES
AND IN THE REGISTRATION COUNTIES;
AND OF BIRTHS, DEATHS, AND NOTIFIED CASES OF INFECTIOUS DISEASE
IN CERTAIN LARGE TOWNS.

~~~~~  
**Published by Authority of the Registrar-General.**  
~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.2; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 286.]

[Price 1s. Net.

Marriages—*January, February, March, 1920.*

Births and Deaths—*April, May, June, 1920.*

*General Register Office, Somerset House,
31st July, 1920.*

The figures in this publication are tabulated mainly from statistical Returns furnished by the local Registrars, and may not be found to correspond exactly with the authoritative figures for the whole year to be published later in the Annual Report. *A table of the deaths (by sex, age and cause) in England and Wales during the fourth quarter of the year 1919 is included and similar tables for subsequent quarters will be published from time to time as available in future issues of this Return. A list of changes in the boundaries of administrative areas and Poor Law areas during the six months ended 30th June 1920 is also included.*

ENGLAND AND WALES.

The figures in this Quarterly Return are based upon the BIRTHS and DEATHS registered in the 1,929 registration sub-districts of England and Wales in the three months ended 30th June 1920; and the MARRIAGES in 16,122 churches or chapels, in 17,653 registered places of worship unconnected with the Established Church, and in 634 Superintendent Registrars' Offices, in the three months ended 31st March, 1920.

The births registered during the three months ended 30th June, 1920, numbered 248,665 and the deaths 119,283; the number of persons married during the three months ended 31st March, 1920, was 138,302.

Marriages.

The number of persons married during the *first* quarter of 1920 showed a decrease of 64,900 from the number in the preceding quarter, but was 18,026 more than that in the *first* quarter of 1919; it corresponds to an annual rate of 14·8 per 1,000 total population, including armed forces at home and abroad, in 1919.*

Births.

The births registered in the *second* quarter of 1920 were 22,417 fewer than in the preceding quarter, but 99,841 more than in the *second* quarter of 1919; it was the highest number recorded in any *second* quarter since the establishment of civil registration.

Of the 248,665 births, 12,132 (or 2,201 more than the number in the corresponding quarter of 1919) were illegitimate; the distribution of the illegitimate births among the several registration counties is shown in Table IV*a*.

The births of males numbered 127,258 and those of females 121,407. Male births were in proportion to female births as 1,048 to 1,000, the average proportion in the ten preceding second quarters being 1,040.

The 248,665 births registered during the quarter correspond to an annual rate of 26·6 per 1,000 total population, including armed forces at home and abroad, in 1919.*

Natural Increase of Population.

The natural increase of population in England and Wales last quarter by excess of births over deaths was 129,382, against 45,701, 51,650, and 40,364, in the second quarters of 1917, 1918, and 1919. This statement excludes all deaths among the armed forces except those registered in this country.

Deaths.

The deaths registered in England and Wales last quarter were 18,354 fewer than in the preceding quarter, but 10,823 more than in the second quarter of 1919.

The 119,283 registered deaths included 62,028 of males and 57,255 of females. The total deaths correspond to an annual rate of 13·0 per 1,000 total population in England and Wales in 1919.*

Influenza was stated to be either a primary or a contributory cause of death in 4,370, or 3·7 per cent. of the total deaths registered last quarter. Fifteen deaths from small-pox were registered during the quarter; of these, 10 belonged to the 96 towns; 8 of these are shown in Table V., the other two having been registered during the week ended 3rd April. Of the other 5 deaths, one belonged to the Borough of Dukinfield, one to the Urban District of Lower Bebington, two to Orsett Rural District, and one to Romford Rural District.

Infant Mortality.

Infant mortality, measured by the proportion of deaths under one year of age to registered births, was equal to 82 per 1,000, being 6 per 1,000 below the average in the ten preceding second quarters.

* The estimate of population for the year 1920, which will depend upon the movements of births, deaths, migrations, &c., up to the 30th June, not being available, the estimate for 1919 has been used for the purpose of the present return.

Urban Mortality.

Table III. shows the birth-rates, the death-rates from all causes, from the principal epidemic diseases, and from violence, and the infant mortality, together with the proportion of inquest cases, of uncertified deaths, and of deaths in public institutions among the civilian population during the last five quarters in the 96 great towns, in the 148 smaller towns, and among the total population in England and Wales. The numbers of deaths from influenza last quarter in the several 244 towns are shown in Tables V. and VII., and the death-rates in the 96 great towns in Table VI.

The highest death-rates per 1,000 from the several epidemic diseases among the 96 great towns last quarter, as shown by Table VI., were as follows:—from *enteric fever*, 0·08 in Swindon and in Barnsley, 0·11 in Salford, 0·12 in Rotherham, 0·15 in Dudley, and 0·16 in Wakefield; from *measles*, 1·00 in Leicester, 1·07 in Norwich, 1·17 in Swansea, 1·40 in Rhondda, 1·88 in Newport (Mon.), and 2·02 in Wigan; from *scarlet fever*, 0·18 in Rhondda, 0·23 in Stoke-on-Trent and in Aberdare, 0·26 in Stockton-on-Tees, and 0·28 in Edmonton; from *whooping-cough*, 0·42 in Bootle, 0·43 in Walsall, 0·61 in Ilford, 0·86 in Stockton-on-Tees, and 1·13 in Darlington; from *diphtheria*, 0·30 in Willesden, 0·31 in Nottingham, 0·34 in Wimbledon and in Edmonton, 0·39 in Merthyr Tydfil and in Aberdare, and 0·68 in Bootle; and from *influenza*, 1·60 in Carlisle, 1·62 in Halifax, 1·66 in Tynemouth, 1·84 in West Hartlepool, and 2·90 in Sheffield. The highest death-rates per 1,000 births from *diarrhoea and enteritis* among children under 2 years of age were 15·5 in Blackburn, 15·8 in Aberdare, 17·2 in Hastings, and 17·3 in Walsall.

UNITED KINGDOM.

In the United Kingdom 335,511 *births* and 175,444 *deaths* were registered in the three months ended 31st March, 1920. The natural increase of population was, therefore, 160,067. The number of *persons married* in the United Kingdom during the quarter was 176,208.

For facts, in detail, concerning Scotland and Ireland reference should be made to the Quarterly Returns of the Registrars-General of those parts of the United Kingdom.

COLONIAL AND FOREIGN CITIES.

The Registrar-General has been favoured with returns of vital statistics by the authorities of certain Colonial and Foreign Cities. From these a summary has been constructed for the 13 weeks ended 3rd July, 1920 (Table XIII.). A column showing the death-rate from influenza has been inserted in this table. Figures for the two preceding quarters, which were not available at the time of publication of the last quarterly return, are also shown in this table.

RETURNS OF NOTIFIED CASES OF INFECTIOUS DISEASE.

Tables VIII.–XI. (pages 20–31) show the numbers and the rates to population of cases of infectious sickness among the civilian population notified, under Act of Parliament, to the Sanitary Authorities of certain of the largest towns in England and Wales, during the 13 weeks ended 3rd July, 1920. The figures for London are supplied by the London County Council.

METEOROLOGY.*

April.

During the greater part of the month the weather over the British Isles was of a cyclonic type, and depressions passing eastwards from the Atlantic kept the air-pressure so low that at some stations the mean for the month was the lowest on record for April. Rain fell frequently and many stations had as many as 28 rain days, the general character of the month being dull and unsettled. Hail was rather frequent and often accompanied thunderstorms, but gales and strong winds were rare.

Temperature.†—Owing to a deficiency of sunshine the temperature during the day was low, but owing to persistent cloudiness the nights, on the other hand, were unusually warm. On the balance the mean temperature of the month in each of the English Districts exceeded the normal, the excess ranging from 0·3a in England North-West to 1·1a in England East. At Copdock (Ipswich) the mean minimum for the month was 278a, the highest April value during 19 years, and at Totland Bay (Isle of Wight) the corresponding figure was 280a, the highest during 34 years.

Precipitation.—The total rainfall for the month was above the normal in all Districts, the totals in the Midlands and in the East of England being more than 200 per cent. of the normal. These heavy aggregates were due to the persistency of the rain rather than to any exceptionally heavy falls. At Cheadle (Staffs) it was the wettest April on record for 50 years; and at Meltham (Yorks), where the rainfall was two and a half times the normal, it was the wettest April during 40 years. At Birmingham it was the wettest April in 33 years. Many stations had the greatest number of raindays on record for April.

Sunshine.—The dull character of the month was reflected in the fact that no English District received its normal amount of sunshine. In the Midlands the deficiency was as much as two hours and a half per day. Very few stations exceeded 30 per cent. of the possible, and at a large number of stations the percentage was less than 20. It was as low as 9 at Manchester (Whitworth Park) and only 10 at Bolton. At Kew Observatory and at Nottingham the mean daily amount of sunshine was only about half the normal amount for April.

* Furnished by the Director of the Meteorological Office. For further information the reader is referred to the Monthly Weather Report (Price 6d., post free 7d.) and other publications of the Meteorological Office. Maps illustrating the distribution of rainfall, pressure, temperature, and sunshine are given in the Monthly Weather Report. The normal values for each month, mostly based on 35 years' observations, are shown in "The Book of Normals of Meteorological Elements for the British Isles." (M.O. 236 (Section I), 1919, Price 2s. net.)

† Temperature is given on the Absolute Centigrade Scale. To the nearest degree 255a = 0° F., 273a = 32° F., 280a = 45° F., 300a = 81° F., and 310a = 99° F.

May.

The weather of May was somewhat variable, and for the most part it was cool and rainy, there being no really hot weather until after the 20th. Soon after this date a warm thundery type of weather became general, and conditions for about a week, especially over southern and eastern England, became very fine, sunny, and warm. Subsequently there was a marked increase in the amount of cloud, and the character of the weather deteriorated. During the last four days of the month a cyclonic type of weather was maintained over the British Isles, and thunderstorms, which in many places were accompanied by very heavy falls of rain, were experienced over a wide area. On the 29th there was very heavy rain in Lancashire and Lincolnshire, in which counties there were floods which caused loss of life and serious damage to property. At Leyland (Lancs.) on this day out of a total of 82 mm., 15 mm. fell in 20 minutes, the latter a shower of intensity rarely attained in the British Isles. The Lincolnshire rainfall was even more severe, and more than 50 mm. fell over a very large area. In Louth itself, when the concentrated floods swept away many of the houses, the fall amounted to only 36 mm., but at Elkington Hall, three miles to the west, 119 mm. were measured.

Temperature.—The mean temperature of the month was above the normal in all Districts, the excess ranging from 1·7a in England East to 0·7a in England South-West. Very commonly the hottest day was the 25th, when 302a was registered at Cambridge and Eye (Peterborough).

Precipitation.—The monthly aggregates of rainfall varied from 103 mm. in England North-West to 34 mm. in England East. In the neighbourhood affected by the thunderstorms of the 29th in the North of England the total fall was more than twice the normal. On the other hand in the neighbourhood of the Thames estuary the total was less than half the normal.

Sunshine.—The mean daily amount of sunshine varied from 7·64 hr. in England East to 5·43 hr. in England North-West, the former having an excess of an hour per day, and the latter a deficiency of a little more than three-quarters of an hour a day.

June.

Among the notable features of the weather of June were the frequent thunderstorms, and the almost entire absence of hot days. Early in the month there was a spell of cold, dry weather which set in on the 4th and lasted until the 10th. During this period the wind was mostly from the North, and ground frosts occurred on several nights, and in some instances the temperature in the screen fell below the freezing point. Then followed a cyclonic type of weather, which gave rise to thunderstorms and heavy showers of rain and hail in many parts of the Kingdom, conditions which persisted until the 20th. Subsequently fine sunny weather set in and continued until the 25th. During the closing days of the month unsettled and showery weather was general.

Temperature.—The mean temperature for the month was above the normal in all Districts, the excess ranging from 0·8a in England North-East and East to 0·4a in the Midlands. Very

commonly the warmest day of the month was the 17th, when a few stations recorded maximum temperatures of 30.0a and above, among the highest readings being 30.1a at Raunds (Northants) and at Eye (Peterborough). The lowest temperatures occurred between the 5th and 8th, a reading of 27.1a being recorded on the latter date at Garforth (Yorks).

Precipitation.—During June the monthly aggregates of rainfall ranged from 69 mm. in England South-West to 35 mm. in England North-East. In the former district there was an excess of 9 mm., and in the latter a deficiency of 16 mm. Commonly the monthly rainfall was deficient, and exceeded the normal only in small areas, particularly in the south of England and Wales. The general rainfall expressed as a percentage of the normal was 99, compared with 82 over the British Isles as a whole. Falls of more than 25 mm. in a day were not very numerous, among the largest being 52 mm. at Senny, near Brecon, on the 17th, and 42 at Hoylake (Cheshire) on the 12th.

Sunshine.—The mean daily amount of sunshine varied from 7.53 hr. in England East to 6.01 hr. in the Midlands. In England North-East, where the daily mean was 7.18 hr., there was a mean daily excess of 0.98 hr., but in England South-West, where the daily mean was only 6.19 hr. there was a mean daily deficiency of 0.60 hr.

THE QUARTER.

In all districts the mean temperature of the quarter was above the normal, and the excess ranged from 1.2a in England East to 0.5a in England North-West and South-West. The rainfall also was everywhere above the normal. In England North-West the excess was 95 mm. and 85 mm. in the Midlands, but only 17 mm. in England East. The largest aggregate for the Quarter was 266 mm. in England North-West, and the smallest 153 mm. in England East. The mean daily amount of sunshine, on the other hand, was below the normal, and the deficiency ranged from 1.2 hr. per day in England North-West to 0.2 hr. in England East.

TABLES.

TABLE I.—**Marriages, Births, and Deaths** registered in **England and Wales** in the Years **1910-1920**, and in each Quarter of those Years.

YEAR - - -	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.*	1920.*
Marriages - - -	267,721	274,943	283,834	286,583	294,401	360,885	279,846	258,855	287,163	369,007	—
Births - - -	896,962	881,138	872,737	881,890	879,096	814,614	785,520	668,346	662,661	692,680	—
Deaths - - -	483,247	527,810	486,939	504,975	516,742	562,253	508,217	498,922	611,861	504,254	—
MARRIAGES.											
Quarter ended the last day of											
March - - -	56,432	44,808	44,737	60,926	51,046	55,472	67,952	50,770	65,807	60,138	69,151
June - - -	61,036	75,656	74,619	65,904	81,312	97,220	74,550	63,854	67,201	101,071	—
September - - -	76,545	77,873	83,505	83,636	82,048	102,671	67,477	69,740	79,047	106,197	—
December - - -	73,708	76,606	80,973	76,117	79,995	105,522	69,867	74,491	75,108	101,601	—
BIRTHS.											
March - - -	221,684	223,585	222,600	216,629	217,414	221,523	194,965	178,729	162,259	144,920	271,082
June - - -	234,825	225,774	218,070	227,470	226,152	213,109	209,006	173,408	170,212	148,824	248,665
September - - -	227,146	222,506	219,232	225,501	227,238	196,501	198,307	162,526	168,427	175,367	—
December - - -	213,307	209,273	212,835	212,290	208,292	183,481	183,242	153,683	161,763	223,569	—
DEATHS.											
March - - -	136,400	143,128	144,642	146,541	146,193	177,243	142,983	163,919	137,995	191,922	137,637
June - - -	115,671	119,966	115,777	121,743	124,128	138,575	126,534	127,707	118,562	108,460	119,283
September - - -	104,149	140,949	101,680	113,446	115,535	109,406	102,435	94,560	114,162	89,112	—
December - - -	127,027	123,767	124,840	123,245	130,886	137,029	136,265	112,736	241,142	114,760	—

* Provisional.

TABLE II.—**Annual Rate** per 1,000, of **Persons Married**, of **Births**, and of **Deaths**, in the Years **1910-1920**, and in each Quarter of those Years.

Estimated Population of England and Wales in thousands, in the middle of each Year - - -	35,792	36,190	36,382	36,606	36,961	35,359*	34,500*	33,711*	33,475*	36,800†	36,800§
YEAR - - -	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.
Persons married - - -	15·0	15·2	15·6	15·7	15·9	19·4†	14·9†	13·8†	15·3†	19·7†	—
Births - - -	25·1	24·3	23·9	24·1	23·8	21·9†	20·9†	17·8†	17·7†	18·5†	—
Deaths - - -	13·5	14·6	13·3	13·8	14·0	15·7*	14·4*	14·4*	17·6*	13·7	—
PERSONS MARRIED.											
Quarter ended the last day of											
March - - -	12·8	10·0	9·9	13·5	11·2	12·1†	14·5†	11·0†	14·2†	13·0†	14·8†
June - - -	13·7	16·8	16·5	14·4	17·6	20·9†	15·9†	13·6†	14·4†	21·6†	—
September - - -	17·0	17·1	18·2	18·1	17·6	21·9†	14·3†	14·7†	16·7†	22·5†	—
December - - -	16·3	16·8	17·7	16·5	17·2	22·5†	14·8†	15·7†	15·9†	21·5†	—
BIRTHS.											
March - - -	25·1	25·1	24·5	24·0	23·9	24·1†	20·8†	19·3†	17·5†	15·7†	29·0†
June - - -	26·3	25·0	24·0	24·9	24·5	22·9†	22·3†	18·5†	18·2†	15·9†	26·6†
September - - -	25·2	24·4	23·9	24·4	24·4	20·9†	21·0†	17·2†	17·8†	18·6†	—
December - - -	23·6	22·9	23·2	23·0	22·4	19·5†	19·4†	16·2†	17·1†	23·7†	—
DEATHS.											
March - - -	15·5	16·0	15·9	16·2	16·0	20·1*	16·4*	19·3*	16·4*	21·2	15·0
June - - -	13·0	13·3	12·8	13·3	13·5	15·4*	14·4*	14·8*	13·8*	11·8	13·0
September - - -	11·5	15·5	11·1	12·3	12·4	12·1*	11·4*	10·8*	13·0*	9·6	—
December - - -	14·1	13·6	13·6	13·4	14·0	15·1*	15·3*	13·0*	27·0*	12·4	—

* Civilians only.

† Based upon total populations specially estimated for this purpose.

‡ Estimated total population in England and Wales. Death-rates for 1919 and 1920 are based upon this population and total deaths registered.

§ Estimated home population in 1919 provisionally adopted for 1920. (See page ii.)

TABLE III.—**Birth-rate, Death-rate, and Analysis of Mortality** during the last Five Quarters.

(Provisional figures. Populations estimated to the middle of 1919 have been used for rates for that year; but, for the reason stated on page ii, the populations for 1919 are continued in use for 1920.) The mortality rates refer to the whole population as regards England and Wales, but only to civilians as regards the groups of towns.

	QUARTER.	ANNUAL BIRTH-RATE PER 1,000 TOTAL POPULATION.	ANNUAL DEATH-RATE PER 1,000 POPULATION.										DEATH-RATE PER 1000 BIRTHS.			PERCENTAGE OF TOTAL DEATHS.		
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.	Diarrhoea and Enteritis (under 2 Years).	Total deaths under one Year.	Deaths in Public Institutions.	Certified Causes.	Inquest Cases.	Uncertified Causes of Death.	
ENGLAND AND WALES	1919.	15.9	11.8	0.01	0.00	0.09	0.03	0.06	0.10	0.55	0.48	5.2	80	25.0	92.2	6.5	1.3	
	Second	18.6	9.6	0.02	0.00	0.06	0.02	0.04	0.10	0.06	0.49	17.3	70	25.5	90.8	7.9	1.3	
	Third	23.7	12.4	0.02	—	0.15	0.05	0.07	0.17	0.18	0.56	8.2	71	24.6	91.5	7.1	1.4	
	Fourth	29.0	15.0	0.01	0.00	0.34	0.05	0.20	0.21	0.44	0.51	4.2	88	23.0	92.4	6.3	1.3	
	1920.	26.6	13.0	0.01	0.00	0.29	0.04	0.15	0.12	0.46	0.50	5.4	82	23.9	92.6	6.3	1.1	
	Second	16.1	11.7	0.01	0.00	0.14	0.03	0.06	0.11	0.52	0.42	6.1	82	31.2	92.1	7.1	0.8	
96 GREAT TOWNS (Census Populations exceeding 50,000).	1919.	19.0	9.5	0.01	0.00	0.08	0.03	0.04	0.11	0.06	0.43	22.3	76	32.1	90.9	8.4	0.7	
	Second	25.0	12.7	0.02	—	0.18	0.06	0.08	0.20	0.18	0.47	11.0	76	30.7	91.3	7.9	0.8	
	Third	30.3	16.1	0.01	0.00	0.46	0.06	0.29	0.24	0.53	0.48	5.5	97	29.0	92.5	6.7	0.8	
	Fourth	27.6	12.9	0.01	0.00	0.32	0.04	0.18	0.14	0.51	0.45	6.6	80	31.6	92.6	6.7	0.7	
	1920.	15.5	10.9	0.01	0.00	0.07	0.02	0.09	0.11	0.53	0.37	4.9	81	17.3	93.2	5.3	1.5	
	Second	18.4	8.8	0.02	—	0.07	0.03	0.05	0.10	0.06	0.38	16.0	71	17.6	92.5	6.1	1.4	
148 SMALLER TOWNS (Census Populations, 20,000-50,000).	Third	23.5	11.4	0.02	—	0.19	0.04	0.06	0.16	0.15	0.39	6.2	70	17.7	92.7	5.5	1.8	
	Fourth	28.3	13.9	0.02	0.00	0.25	0.03	0.17	0.19	0.44	0.43	3.8	89	15.3	93.4	5.1	1.5	
	1920.	26.2	12.3	0.02	+	0.36	0.02	0.15	0.11	0.43	0.40	4.9	83	16.0	93.8	4.9	1.3	
	Second																	

TABLE IV.—**England and Wales and Registration Counties.**—MARRIAGES registered in the Quarter ended 31st March, 1920 :
BIRTHS and DEATHS registered in the Quarter ended 30th June, 1920.

NOTE.—The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with Poor Law Unions of the same names. The differences between Registration Counties and Administrative Counties are shown in Table 7 of Vol. II. of the Census Report, 1911 (Cd. 6259). The numbers of marriages, births, and deaths are the numbers actually registered in each case.

REGISTRATION COUNTIES.		MAR- RIAGES in Quarter ended 31st March 1920.	BIRTHS in Quarter ended 30th June 1920.	DEATHS in Quarter ended 30th June 1920.	The DEATHS registered include										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	REGISTRATION; COUNTIES.				
					Deaths from								Violence.	Influenza.								
					Deaths of		Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (2 Years).	Influenza.										
					Infants under 1 Year of age.	Persons aged 65 Years and upwards.																
England and Wales.					69,151	248,665	119,283	20,277	38,362	137	15	2,675	326	1,402	1,132	1,335	4,370	4,587	7,546	28,526	1,283	England and Wales.
LONDON*.					9,103	31,686	14,191	2,142	4,236	14	1	427	33	271	190	215	535	596	1,202	7,004	23	LONDON*.
SURREY.					1,436	5,588	2,437	233	992	3	-	30	2	21	23	19	56	105	195	776	5	SURREY.
KENT.					1,710	6,461	2,856	316	1,151	4	3	39	6	24	32	10	50	106	175	706	48	KENT.
SUSSEX.					1,101	3,677	1,938	195	896	3	-	39	4	10	18	15	54	68	141	400	2	SUSSEX.
HAMPSHIRE.					1,614	5,788	2,645	310	1,096	2	-	35	1	39	23	21	59	90	174	696	26	HAMPSHIRE.
BERKSHIRE.					530	1,992	848	108	373	1	-	13	-	4	6	4	19	28	54	208	17	BERKSHIRE.
MIDDLESEX.					1,909	7,859	2,812	308	1,000	3	-	44	16	21	66	20	109	92	167	881	2	MIDDLESEX.
HERTFORDSHIRE.					427	1,785	754	78	308	-	-	9	-	5	5	1	21	24	35	192	9	HERTFORDSHIRE.
BUCKINGHAMSHIRE.					286	1,258	519	62	227	-	-	3	-	5	7	2	13	14	23	76	12	BUCKINGHAMSHIRE.
OXFORDSHIRE.					315	1,146	470	53	223	-	-	1	-	5	4	4	10	23	35	89	13	OXFORDSHIRE.
NORTHAMPTONSHIRE.					599	2,341	1,087	178	437	-	-	15	-	10	7	9	16	40	53	165	27	NORTHAMPTONSHIRE.
HUNTINGDONSHIRE.					85	264	137	10	71	-	-	2	1	-	5	-	2	3	3	21	2	HUNTINGDONSHIRE.
BEDFORDSHIRE.					356	1,246	544	60	232	-	-	3	1	-	8	-	25	14	20	110	5	BEDFORDSHIRE.
CAMBRIDGESHIRE.					352	1,312	592	86	267	-	-	8	-	11	3	3	14	17	29	108	9	CAMBRIDGESHIRE.
ESSEX.					2,200	9,011	3,577	475	1,284	4	4	54	5	46	46	27	195	122	219	988	56	ESSEX.
SUFFOLK.					607	2,571	1,059	149	488	-	-	17	-	9	11	9	29	46	57	206	27	SUFFOLK.
NORFOLK.					797	3,150	1,478	191	683	5	-	45	2	24	2	7	21	53	89	288	13	NORFOLK.
WILTSHIRE.					445	1,653	755	82	373	2	-	2	-	11	2	2	9	23	37	156	6	WILTSHIRE.
DORSETSHIRE.					374	1,236	618	65	312	1	-	3	-	3	1	2	18	19	28	116	5	DORSETSHIRE.
DEVONSHIRE.					1,373	4,059	2,245	238	997	4	-	21	2	19	21	17	75	82	148	379	15	DEVONSHIRE.
CORNWALL.					634	1,838	1,105	123	511	2	-	2	1	9	9	6	18	40	87	120	11	CORNWALL.
SOMERSETSHIRE.					779	2,694	1,446	158	688	-	-	6	1	9	11	7	28	54	89	257	13	SOMERSETSHIRE.
GLOUCESTERSHIRE.					1,139	4,448	2,142	336	735	1	-	71	4	13	27	19	34	87	170	562	8	GLOUCESTERSHIRE.
HEREFORDSHIRE.					203	658	335	47	150	-	-	6	-	3	1	-	2	15	18	45	10	HEREFORDSHIRE.
SHROPSHIRE.					428	1,736	871	148	399	-	-	4	-	6	5	6	22	24	37	127	23	SHROPSHIRE.
STAFFORDSHIRE.					2,561	10,943	4,795	1,202	1,214	5	-	118	26	93	30	81	185	172	286	696	48	STAFFORDSHIRE.
WORCESTERSHIRE.					577	2,134	1,031	172	401	-	-	19	1	8	9	8	36	43	65	190	14	WORCESTERSHIRE.
WARWICKSHIRE.					2,247	9,610	4,145	914	1,149	-	-	41	14	72	48	49	163	172	204	1,182	100	WARWICKSHIRE.

The DEATHS registered include																		
REGISTRATION COUNTIES.	MAR- RIAGES in Quarter ended 31st Mar., 1920.	BIRTHS in Quarter ended 30th June 1920.	DEATHS in Quarter ended 30th June 1920.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	REGISTRATION COUNTIES.	
				Persons aged 65 Years and upwards.		Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.					
				Infants under 1 Year of Age.	Enteric Fever.													
LEICESTERSHIRE .	801	3,206	1,428	234	457	-	-	84	3	15	16	17	28	52	77	285	20	LEICESTERSHIRE.
RUTLANDSHIRE .	20	107	46	6	23	-	-	-	-	-	-	-	1	-	-	4	1	RUTLANDSHIRE.
LINCOLNSHIRE .	1,061	3,714	1,867	307	688	1	-	51	-	16	14	13	63	92	110	235	23	LINCOLNSHIRE.
NOTTINGHAMSHIRE .	1,324	5,279	2,396	583	628	2	-	112	7	12	35	26	43	92	121	440	29	NOTTINGHAMSHIRE.
DERBYSHIRE .	999	3,732	1,706	326	525	2	-	44	-	24	14	11	56	53	93	250	40	DERBYSHIRE.
CHESHIRE .	1,770	5,805	2,943	450	968	5	5	52	4	26	15	22	79	117	213	642	4	CHESHIRE.
LANCASHIRE .	10,638	32,761	17,968	3,363	4,839	30	1	472	53	190	143	278	672	684	1,075	4,449	270	LANCASHIRE.
WEST RIDING .	5,966	20,259	11,598	2,059	3,293	20	-	247	25	108	93	151	787	438	779	2,413	41	WEST RIDING.
EAST RIDING (WITH YORK).	1,045	3,644	1,612	258	576	2	-	8	2	3	9	13	29	58	110	444	10	EAST RIDING (WITH YORK).
NORTH RIDING .	886	3,181	1,476	296	472	4	1	7	3	20	12	20	29	83	94	183	9	NORTH RIDING.
DURHAM .	3,345	12,716	5,873	1,544	1,352	5	-	92	48	95	38	72	199	189	253	748	146	DURHAM.
NORTHUMBERLAND .	1,551	5,461	2,755	547	722	3	-	8	19	34	21	32	114	124	192	526	44	NORTHUMBERLAND.
CUMBERLAND .	546	1,909	1,064	200	357	1	-	19	1	12	12	9	48	51	54	137	20	CUMBERLAND.
WESTMORLAND .	114	355	217	28	100	2	-	1	1	1	1	-	7	6	7	23	3	WESTMORLAND.
MONMOUTHSHIRE .	857	3,613	1,465	332	327	2	-	118	6	23	18	19	37	84	105	176	10	MONMOUTHSHIRE.
GLAMORGANSHIRE .	2,466	9,310	4,022	815	802	3	-	237	25	50	43	60	233	200	301	544	8	GLAMORGANSHIRE.
CARMARTHENSHIRE .	351	1,139	629	112	190	1	-	17	-	3	7	10	54	27	34	42	5	CARMARTHENSHIRE.
PEMBROKESHIRE .	154	542	310	39	129	-	-	-	1	-	1	3	6	11	12	26	6	PEMBROKESHIRE.
CARDIGANSHIRE .	111	381	348	40	183	-	-	-	1	3	2	1	5	3	7	7	8	CARDIGANSHIRE.
BRECKNOCKSHIRE .	111	318	200	33	56	-	-	7	1	8	1	1	4	2	5	20	-	BRECKNOCKSHIRE.
RADNORSHIRE .	30	107	59	8	27	-	-	2	-	3	1	-	-	-	-	3	5	RADNORSHIRE.
MONTGOMERYSHIRE .	99	336	220	22	108	-	-	5	-	-	2	1	2	8	12	8	3	MONTGOMERYSHIRE.
FLINTSHIRE .	120	502	237	38	87	-	-	3	3	1	1	2	7	6	7	20	2	FLINTSHIRE.
DENBIGHSHIRE .	254	876	536	84	185	-	-	6	3	1	11	4	17	15	20	94	8	DENBIGHSHIRE.
MERIONETHSHIRE .	98	318	220	39	94	-	-	-	-	1	-	4	9	6	8	12	3	MERIONETHSHIRE.
CARNARVONSHIRE .	201	710	537	62	231	-	-	6	-	2	2	2	19	12	14	46	12	CARNARVONSHIRE.
ANGLESEY .	46	250	119	13	50	-	-	-	-	-	-	1	4	2	3	5	4	ANGLESEY.

TABLE IVa.—**England and Wales and Registration Counties.**—
 ILLEGITIMATE BIRTHS registered in the Quarter ended 30th June of the
 Years 1919 and 1920.

REGISTRATION COUNTIES.	Illegitimate Births registered during the Quarter ended		REGISTRATION COUNTIES.	Illegitimate Births registered during the Quarter ended	
	30th June 1919.	30th June 1920.		30th June 1919.	30th June 1920.
England and Wales.	9,931	12,132	Leicestershire - - -	108	134
London - - - -	1,458	1,658	Rutlandshire - - -	6	2
Surrey - - - -	232	262	Lincolnshire - - -	179	210
Kent - - - -	310	319	Nottinghamshire - -	248	344
Sussex - - - -	203	246	Derbyshire - - -	148	196
Hampshire - - -	325	312			
Berkshire - - -	86	113	Cheshire - - - -	195	249
			Lancashire - - - -	1,135	1,599
Middlesex - - -	256	284			
Hertfordshire - -	77	71	Yorkshire (West Riding)-	825	1,073
Buckinghamshire -	50	65	Yorkshire (East Riding	163	187
Oxfordshire - - -	58	57	with York).		
Northamptonshire -	90	131	Yorkshire (North Riding)	147	197
Huntingdonshire -	16	16			
Bedfordshire - -	65	76	Durham - - - -	395	578
Cambridgeshire -	67	79	Northumberland - - -	230	237
Essex - - - -	276	305	Cumberland - - - -	99	108
Suffolk - - - -	128	149	Westmorland - - - -	19	27
Norfolk - - - -	172	209			
Wiltshire - - - -	115	84	Monmouthshire - - -	84	114
Dorsetshire - - -	68	64	Glamorganshire - - -	236	358
Devonshire - - -	212	190	Cardiganshire - - -	35	42
Cornwall - - - -	74	80	Pembrokeshire - - -	26	36
Somersetshire - -	90	111	Cardiganshire - - -	26	24
			Brecknockshire - - -	18	19
Gloucestershire -	183	198	Radnorshire - - - -	9	6
Herefordshire - -	52	42	Montgomeryshire - -	28	29
Shropshire - - -	80	133	Flintshire - - - -	15	27
Staffordshire - -	298	446	Denbighshire - - -	47	54
Worcestershire - -	78	92	Merionethshire - - -	19	34
Warwickshire - -	305	369	Carnarvonshire - - -	48	60
			Anglesey - - - -	19	27

the civilian population only; those in London have been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents occurring in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County. (See also Table XII.) The deaths in the other towns have been corrected as far as possible, (1) by the exclusion of all deaths of non-residents and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1919.	BIRTHS.	DEATHS.	The DEATHS registered include												MEAN TEMPERATURE (De- grees Fabr.). *	RAIN- FALL (Milli- metres). *	TOWNS.		
				Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.				Uncertified Causes of Death.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.							
96 Towns	17,807,258	127,838	57,371	10,173	16,359	63	8	1,424	182	819	622	849	2,285	2,018	3,856	18,132	392	53.3	221	96 Towns.
LONDON	4,358,309	32,015	13,549	1,994	4,188	20	1	404	39	258	201	207	479	558	1,156	6,577	24	55.3†	129†	LONDON.
(CROYDON	184,239	1,140	499	62	193	-	-	9	1	1	4	7	15	13	35	123	-	52.3§	169§	(CROYDON.
WIMBLEDON	59,791	277	133	16	54	-	-	5	-	2	5	1	2	3	8	45	-	-	151	WIMBLEDON.
EALING	73,212	398	158	13	70	-	-	1	1	1	1	2	14	4	5	42	-	-	-	EALING.
ACTON	61,732	399	136	17	51	-	-	9	-	2	2	3	4	3	6	45	-	-	-	ACTON.
WILLESDEN	160,917	1,142	376	39	118	-	-	5	2	4	12	2	9	12	17	185	-	-	-	WILLESDEN.
HORNSEY	94,348	439	213	17	79	-	-	2	1	2	4	1	8	6	15	72	-	-	-	HORNSEY.
TOTTENHAM	141,338	997	317	44	108	-	-	1	1	3	9	4	16	10	28	125	-	55.7	139	TOTTENHAM.
† EDMONTON	70,711	579	161	21	46	-	-	1	5	-	6	2	6	8	15	64	-	-	-	† EDMONTON.
ENFIELD	58,442	352	119	16	34	-	-	2	-	-	3	2	5	2	5	31	-	55.0	173	ENFIELD.
WEST HAM	287,966	2,456	847	147	214	1	1	22	1	13	13	13	54	43	71	321	-	-	-	WEST HAM.
EAST HAM	144,451	868	347	49	98	1	1	8	-	2	2	3	14	7	23	128	-	-	-	EAST HAM.
LEYTON	123,896	795	302	44	99	-	-	6	-	5	4	9	15	14	29	115	-	-	-	LEYTON.
WALTHAMSTOW	127,684	829	297	35	94	-	-	2	-	1	2	2	26	8	22	123	1	-	-	WALTHAMSTOW.
ILFORD	79,524	428	160	18	52	-	-	1	2	12	3	-	7	3	9	41	-	-	-	ILFORD.
GILLINGHAM	43,501	404	127	9	46	-	-	-	-	-	-	1	3	3	6	27	3	-	-	GILLINGHAM.
HASTINGS	57,674	291	204	21	99	-	-	3	-	-	1	5	7	6	14	54	-	54.1	135	HASTINGS.
EASTBOURNE	48,424	266	98	12	49	-	-	-	1	2	-	-	10	6	10	20	1	54.1	132	EASTBOURNE.
BRIGHTON	132,409	789	388	51	157	1	-	26	-	2	1	3	8	10	22	111	-	54.4	136	BRIGHTON.
PORTSMOUTH	224,846	1,635	606	77	209	-	-	9	-	9	11	4	18	11	40	172	3	55.1	149	PORTSMOUTH.
BOURNEMOUTH	82,627	382	228	25	110	-	-	-	-	-	-	3	7	7	16	34	-	53.8	178	BOURNEMOUTH.
SOUTHAMPTON	126,033	840	384	49	129	1	-	12	-	12	3	9	5	7	16	151	-	54.5	186	SOUTHAMPTON.
READING	91,365	617	214	39	74	-	-	6	-	2	1	2	2	5	11	48	1	54.0	154	READING.
OXFORD	57,666	292	117	17	53	-	-	1	-	3	3	1	1	4	9	23	-	53.7	204	OXFORD.
NORTHAMPTON	88,944	666	272	51	93	-	-	5	-	3	-	3	7	7	9	59	4	-	-	NORTHAMPTON.
CAMBRIDGE	57,849	331	131	17	49	-	-	1	-	-	1	-	2	5	9	22	-	54.1	157	CAMBRIDGE.

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† These values refer to the Royal Observatory, Greenwich.

† These towns are included within the Metropolitan Outer Ring.

§ Observations made at Addington Hills.

TABLE V. (continued).—96 Great Towns, &c.—Population, Births, and Deaths in the 13 Weeks ended
3rd July, 1920.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1919.	BIRTHS.	DEATHS.	The DEATHS registered include													MEAN TEMPERATURE (De- grees Fahr.). *	RAIN- FALL. (Milli- metres). *	TOWNS.	
				Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.							Violence.
SOUTHEND ON SEA - IPSWICH - GREAT YARMOUTH - NORWICH -	84,034 78,011 53,078 119,993	481 566 391 862	202 212 156 378	18 39 22 63	85 83 60 135	- - - 1	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	89 156 178 190	SOUTHEND ON SEA. IPSWICH. GREAT YARMOUTH. NORWICH.			
SWINDON - EXETER - PLYMOUTH - BATH -	51,527 59,014 181,967 65,919	310 385 1,358 353	136 184 659 171	15 23 88 14	47 69 260 97	1 - 2 -	- - - -	1 - 10 -	- - 1 -	1 - 12 -	2 1 9 -	1 2 8 -	1 5 34 7	3 10 23 7	4 19 46 13	- 1 1 -	- - 171 224	SWINDON. EXETER. PLYMOUTH. BATH.		
BRISTOL - GLOUCESTER - STOKE ON TRENT - WOLVERHAMPTON - WALSALL - WEST BROMWICH - DUDLEY - BIRMINGHAM - SMETHWICK - COVENTRY -	361,247 50,100 239,316 98,403 92,724 69,899 54,017 861,585 72,152 132,048	2,537 381 2,008 729 751 624 446 6,723 508 873	1,064 149 835 298 337 259 192 2,816 189 309	188 20 241 73 98 93 41 643 46 58	330 47 160 74 74 50 46 744 47 82	- - - - 1 - 2 - - -	- - - - - - - - - -	59 - 17 17 13 2 6 30 - 1	2 - 14 1 - - - 11 1 -	3 4 3 6 10 5 - 59 4 4	25 - 6 1 2 1 - 37 1 2	13 2 23 6 13 8 2 35 2 1	14 6 19 3 14 17 7 108 4 11	37 2 26 11 26 5 7 115 6 12	91 4 49 16 60 51 33 23 848 35 79	1 1 14 - - 6 1 82 - 4	259† - - - - - - 270 - 234	BRISTOL. GLOUCESTER. STOKE ON TRENT. WOLVERHAMPTON. WALSALL. WEST BROMWICH. DUDLEY. BIRMINGHAM. SMETHWICK. COVENTRY.		
LEICESTER - LINCOLN - GRIMSBY - NOTTINGHAM - DERBY -	236,059 60,581 78,813 257,573 123,930	1,494 361 651 1,820 926	695 187 252 834 308	116 32 55 179 53	188 66 59 229 103	- - - - -	- - - - -	59 10 2 12 1	2 - - 3 -	11 3 - 5 -	10 3 - 20 4	11 1 4 10 5	3 - 6 14 5	22 4 13 30 8	38 5 19 47 29	4 1 5 3 -	- 248 - 209 -	LEICESTER. LINCOLN. GRIMSBY. NOTTINGHAM. DERBY.		

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† Observations made at Clifton.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1919.	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death	MEAN TEMPER- ATURE (De- grees Fahr.). *	RAIN- FALL (Milli- metres). *	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.						
STOCKPORT	-	778	383	67	116	2	-	22	1	6	4	2	2	10	10	21	93	1	-	STOCKPORT.
BIRKENHEAD	-	1,066	446	97	119	-	-	5	-	10	2	11	6	6	17	33	124	1	52.2†	BIRKENHEAD.
WALLASEY	-	498	222	29	71	-	-	4	-	3	1	2	12	8	16	44	-	-	-	WALLASEY.
LIVERPOOL	-	6,466	2,943	655	618	1	1	90	25	62	38	75	42	95	198	1,253	36	-	-	LIVERPOOL.
BOOTLE	-	573	288	51	63	-	1	5	1	8	13	1	5	11	11	71	12	52.8†	287†	BOOTLE.
ST. HELENS	-	818	368	121	53	-	-	14	-	2	5	7	26	12	12	86	14	-	-	ST. HELENS.
SOUTHPORT	-	310	220	21	95	1	-	1	-	1	-	2	3	4	4	38	9	52.1	258	SOUTHPORT.
WIGAN	-	709	390	86	87	-	-	44	-	1	-	3	14	10	27	49	-	-	-	WIGAN.
WARRINGTON	-	587	227	41	59	-	-	3	-	2	-	8	12	4	5	58	14	-	-	WARRINGTON.
BOLTON	-	1,128	714	104	207	3	1	8	-	11	12	9	54	12	39	165	1	51.5	404	BOLTON
BURY	-	294	188	23	67	-	-	-	-	2	-	-	15	1	4	39	2	-	-	BURY.
MANCHESTER	-	741,068	2,528	449	621	2	-	85	8	20	16	45	96	69	140	817	20	53.4	352	MANCHESTER.
SALFORD	-	1,650	726	155	167	6	-	12	2	12	4	18	19	29	49	237	-	-	-	SALFORD.
OLDHAM	-	873	501	95	127	-	-	2	2	4	4	7	17	30	44	119	-	-	-	OLDHAM.
ROCHDALE	-	490	289	39	96	1	-	1	-	2	-	1	20	8	17	69	5	-	-	ROCHDALE.
BURNLEY	-	647	371	71	104	1	-	2	2	-	-	4	4	14	28	79	-	50.3	312	BURNLEY.
BLACKBURN	-	708	545	111	186	-	-	21	1	-	2	11	39	16	36	108	2	-	-	BLACKBURN.
PRESTON	-	797	401	89	102	1	-	1	-	2	1	5	15	13	19	73	8	51.6§	305§	PRESTON.
BLACKPOOL	-	316	223	20	87	-	-	1	-	-	1	3	4	10	10	41	5	52.1	281	BLACKPOOL.
BARROW IN FURNESS	-	524	245	46	67	1	-	1	-	4	-	1	6	10	11	47	4	-	-	BARROW IN FURNESS.
HUDDERSFIELD	-	514	396	39	127	-	-	1	4	3	2	-	22	16	23	86	1	51.1	292	HUDDERSFIELD.
HALIFAX	-	495	427	58	143	-	-	6	-	2	1	2	41	14	31	94	-	-	-	HALIFAX.
BRADFORD	-	1,624	994	128	322	-	-	3	3	13	9	5	48	37	89	307	1	50.6	255	BRADFORD.
LEEDS	-	2,947	1,515	266	465	2	-	11	4	25	20	31	32	65	125	410	-	-	-	LEEDS.
DEWSBURY	-	320	203	33	56	-	-	2	1	-	1	1	12	6	11	31	-	-	-	DEWSBURY.
WAKEFIELD	-	348	180	32	50	2	-	7	1	-	-	3	-	3	17	43	-	52.2	208	WAKEFIELD.
BARNLEY	-	465	164	41	30	1	-	5	-	3	-	2	2	3	13	23	1	-	-	BARNLEY.

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† These values refer to Blundellsands.

‡ These values refer to Bidston Observatory.
|| As extended 1st April 1920.

TABLE V. (continued).—96 Great Towns, &c.—Population, Births, and Deaths in the 13 Weeks ended 3rd July, 1920.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.	BIRTHS.	DEATHS.	The DEATHS registered include										MEAN TEMPERATURE (De- grees Fahr.) *	RAIN- FALL (Milli- metres). *	TOWNS.				
				Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.							Violence.
SHEFFIELD	473,695	3,386	2,004	371	434	-	-	35	-	25	5	25	343	69	117	575	1	51.9	290	SHEFFIELD.
ROTHERHAM	69,034	503	224	52	60	2	-	-	-	4	2	3	12	9	13	48	4	-	-	ROTHERHAM.
YORK	74,531	592	223	34	71	-	-	1	-	-	1	-	4	4	12	77	-	52.5	200	YORK.
HULL	279,664	2,190	870	156	288	2	-	5	2	1	4	14	15	39	67	248	5	52.3	207	HULL.
MIDDLESBROUGH	127,142	1,154	466	127	89	-	1	2	1	11	4	12	5	14	23	80	6	-	-	MIDDLESBROUGH.
DARLINGTON	64,058	443	241	56	68	-	-	-	1	18	-	-	6	5	5	41	9	-	-	DARLINGTON.
STOCKTON ON TEES	60,696	605	272	80	66	-	-	4	4	13	3	6	5	7	8	32	3	-	-	STOCKTON ON TEES.
WEST HARTLEPOOL	65,515	605	325	78	72	-	-	5	1	3	2	5	30	13	17	58	2	-	-	WEST HARTLEPOOL.
SUNDERLAND	149,263	1,473	673	170	147	-	-	10	1	6	1	2	26	25	37	121	11	-	-	SUNDERLAND.
SOUTH SHIELDS	111,502	981	449	105	105	2	1	-	-	-	1	14	18	10	11	72	13	-	-	SOUTH SHIELDS.
GATESHEAD	123,392	1,050	437	96	95	-	-	-	4	9	1	6	11	9	11	71	16	-	-	GATESHEAD.
NEWCASTLE ON TYNE	275,099	2,196	1,010	190	260	-	-	4	8	19	6	16	46	33	73	262	2	-	-	NEWCASTLE ON TYNE.
TYNEMOUTH	58,007	483	281	48	78	1	-	-	-	1	1	3	24	9	12	57	6	49.7	169	TYNEMOUTH.
CARLISLE	55,198	361	207	32	58	-	-	1	-	5	-	3	22	10	11	33	5	-	-	CARLISLE.
NEWPORT (MON.)	87,251	717	287	61	61	-	-	41	1	-	1	3	6	11	27	40	-	54.8	311	NEWPORT (MON.).
CARDIFF	204,436	1,426	535	95	121	-	-	20	3	5	6	5	6	25	57	100	-	53.0	323	CARDIFF.
RHONDDA	177,911	1,338	622	162	78	1	-	62	8	9	6	9	48	25	27	39	2	-	-	RHONDDA.
MERTHYR TYDFIL	71,638	576	217	37	44	-	-	2	-	1	7	5	3	18	24	40	1	-	-	MERTHYR TYDFIL.
ABERDARE	51,384	380	179	37	38	-	-	4	3	4	5	6	6	8	8	19	-	-	-	ABERDARE.
SWANSEA	160,810	1,079	547	101	120	-	-	47	1	6	6	9	31	12	32	87	-	54.3	377	SWANSEA.
GREATER LONDON	7,259,388	50,780	20,593	2,890	6,588	26	4	525	58	339	306	277	763	818	1,657	8,902	29	-	-	GREATER LONDON.
OUTER RING	2,901,079	18,765	7,044	896	2,400	6	3	121	19	81	105	70	984	260	501	2,325	5	-	-	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,668,251	11,099	4,065	538	1,310	2	2	74	14	48	70	51	195	136	288	1,460	1	-	-	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,232,828	7,666	2,979	358	1,090	4	1	47	5	33	35	19	89	124	213	865	4	-	-	REMAINDER OF OUTER RING.
EDINBURGH†	342,300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48.9	123	EDINBURGH.†
GLASGOW†	1,115,500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50.7	224	GLASGOW.†
DUBLIN (Registra- tion Area).‡	415,000	3,856	2,211	517	504	3	-	77	4	136	10	44	36	34	34	802	54	50.8 ^a 52.7 ^b	176 ^a 188 ^b	DUBLIN (Registra- tion Area).‡
BELFAST†	413,000	3,385	1,909	441	346	4	-	12	14	27	10	40	87	36	46	563	23	-	-	BELFAST.†

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

NOTE.—The rates in this table are based upon the figures shown in Table V.

TOWNS.		ANNUAL BIRTH-RATE PER 1,000 TOTAL POPULATION, 1919.*	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION, 1919.										DEATH-RATE PER 1,000 BIRTHS.		PERCENTAGE of Total Deaths.			TOWNS.	
			Deaths from										Diar-rhoea and Enter-itis (under 2 years).	Total Deaths under one year.	Deaths in Public Institutions.	Uncertified Causes of Death.	Inquest Cases.		
			All Causes.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.							
			13 Weeks ended :— 28th June, 1919.†	3rd July, 1920.															
96 Towns			11.7	12.9	0.01	0.00	0.32	0.04	0.18	0.14	0.51	0.45	6.6	80	31.6	0.7	6.7	0.7	96 Towns.
LONDON			11.2	12.5	0.02	0.00	0.37	0.04	0.24	0.18	0.44	0.51	6.5	62	48.5	0.2	8.5	0.2	LONDON.
{ CROYDON.			9.9	10.9	-	-	0.20	0.02	0.02	0.09	0.33	0.28	6.1	54	24.6	-	7.0	-	{ CROYDON.
WIMBLEDON.			8.8	8.9	-	-	0.34	-	0.13	0.34	0.13	0.20	3.6	58	33.8	-	6.0	-	WIMBLEDON.
EALING			9.9	8.7	-	-	0.05	0.05	0.05	0.05	0.77	0.22	5.0	33	26.6	-	3.2	-	EALING.
ACTON			9.4	8.8	-	-	0.58	-	0.13	0.13	0.26	0.19	7.5	43	33.1	-	4.4	-	ACTON.
WILLESDEN.			8.8	9.4	-	-	0.12	0.05	0.10	0.30	0.22	0.30	1.8	34	49.2	-	4.5	-	WILLESDEN.
HORNSEY			9.4	9.1	-	-	0.09	0.04	0.09	0.17	0.34	0.26	2.3	39	33.8	-	7.0	-	HORNSEY.
{ TOTTENHAM.			8.6	9.0	-	-	0.03	0.03	0.09	0.26	0.45	0.28	4.0	44	39.4	-	8.8	-	{ TOTTENHAM.
EDMONTON.			7.9	9.1	-	-	0.06	0.28	-	0.34	0.34	0.45	3.5	36	39.8	-	9.3	-	EDMONTON.
ENFIELD.			8.9	8.2	-	-	0.14	-	-	0.21	0.34	0.14	5.7	45	26.1	-	4.2	-	ENFIELD.
WEST HAM.			10.9	11.8	0.01	0.01	0.31	0.01	0.18	0.18	0.75	0.60	5.3	60	37.9	-	8.4	-	WEST HAM.
EAST HAM.			7.6	9.6	0.03	0.03	0.22	-	0.06	0.06	0.39	0.19	3.5	56	36.9	-	6.6	-	EAST HAM.
LEYTON			8.0	9.8	-	-	0.19	-	0.16	0.13	0.49	0.45	11.3	55	38.1	-	9.6	-	LEYTON.
WALTHAMSTOW			8.6	9.3	-	-	0.06	-	0.03	0.06	0.82	0.25	2.4	42	41.4	0.3	7.4	0.3	WALTHAMSTOW.
{ ILFORD.			9.5	8.1	-	-	0.05	0.10	0.61	0.15	0.35	0.15	-	42	25.6	-	5.6	-	{ ILFORD.
GILLINGHAM.			10.6	11.7	-	-	-	-	-	-	0.28	0.28	2.5	22	21.3	2.4	4.7	2.4	GILLINGHAM.
HASTINGS.			14.0	14.2	-	-	0.21	-	-	0.07	0.49	0.42	17.2	72	26.5	-	6.9	-	HASTINGS.
EASTBOURNE.			9.0	8.1	-	-	-	0.08	0.17	-	0.83	0.50	-	45	20.4	1.0	10.2	1.0	EASTBOURNE.
BRIGHTON.			10.7	11.8	0.03	-	0.79	-	0.06	0.03	0.24	0.30	3.8	65	28.6	-	5.7	-	BRIGHTON.
PORTSMOUTH.			10.3	10.8	-	-	0.16	-	0.16	0.20	0.32	0.20	2.4	47	28.4	0.5	6.6	0.5	PORTSMOUTH.
BOURNEMOUTH.			11.6	11.1	-	-	-	-	-	-	0.34	0.34	7.9	65	14.9	-	7.0	-	BOURNEMOUTH.
SOUTHAMPTON.			9.9	12.2	0.03	-	0.38	-	0.38	0.10	0.16	0.22	10.7	58	39.3	-	4.2	-	SOUTHAMPTON.
READING.			9.8	9.4	-	-	0.26	-	0.09	0.04	0.09	0.22	3.2	63	22.4	0.5	5.1	0.5	READING.
OXFORD.			8.6	8.1	-	-	0.07	-	0.21	0.21	0.07	0.28	3.4	58	19.7	-	7.7	-	OXFORD.
NORTHAMPTON.			11.7	12.3	-	-	0.23	-	0.14	-	0.32	0.32	4.5	77	21.7	1.5	3.3	1.5	NORTHAMPTON.
CAMBRIDGE.			9.6	9.1	-	-	0.07	-	-	0.07	0.14	0.35	-	51	16.8	-	6.9	-	CAMBRIDGE.

* The birth-rates are based upon total populations estimated for this purpose.

† These towns are included within the Metropolitan Outer Ring.

‡ Revised rates.

TABLE VI. (continued).—96 Great Towns, &c.—Birth-rate, Civilian Death-rate, and Analysis of Mortality in the 13 Weeks ended 3rd July, 1920.

TOWNS.	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION, 1919.										DEATH-RATE PER 1,000 BIRTHS.		PERCENTAGE of Total Deaths.			TOWNS.		
	ANNUAL BIRTH-RATE PER 1,000 TOTAL POPULATION, 1919.*	Deaths from									Diarrhoea and Enteritis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
		All Causes.			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.							Influenza.	Violence.
		13 Weeks ended :—		28th June, 1919.†														
		28th June, 1919.†	3rd July, 1920.															
SOUTHEND ON SEA.	22·0	10·6	9·6	-	-	-	-	-	0·14	0·38	0·10	-	37	1·5	19·3	3·5	SOUTHEND ON SEA.	
IPSWICH.	27·9	9·5	10·9	-	-	0·36	-	-	0·15	0·26	0·31	3·5	69	4·7	29·2	-	IPSWICH.	
GREAT YARMOUTH.	28·4	12·8	11·8	-	-	0·30	-	-	0·08	0·30	0·53	-	56	6·4	26·9	0·6	GREAT YARMOUTH.	
NORWICH.	27·7	11·7	12·6	0·03	-	1·07	-	-	0·03	0·10	0·37	7·0	73	6·6	25·9	-	NORWICH.	
SWINDON.	23·2	9·8	10·6	0·08	-	0·08	-	-	0·16	0·08	0·23	3·2	48	2·9	15·4	-	SWINDON.	
EXETER.	25·1	12·0	12·5	-	-	-	-	-	0·07	0·34	0·68	5·2	60	10·3	22·3	0·5	EXETER.	
PLYMOUTH.	28·7	13·8	14·5	0·04	-	0·22	0·02	0·26	0·20	0·75	0·51	5·9	65	7·0	18·7	0·2	PLYMOUTH.	
BATH.	20·6	12·0	10·4	-	-	-	-	-	-	0·43	0·43	-	40	7·6	19·9	-	BATH.	
BRISTOL.	27·0	11·2	11·8	-	-	0·66	0·02	0·03	0·28	0·16	0·41	5·1	74	8·6	29·2	0·1	BRISTOL.	
GLOUCESTER.	29·3	10·2	11·9	-	-	-	-	0·32	-	0·48	0·16	5·2	52	2·7	22·1	0·7	GLOUCESTER.	
STOKE ON TRENT.	32·3	14·5	14·0	-	-	0·28	0·23	0·05	0·10	0·32	0·44	11·5	120	5·9	16·8	1·7	STOKE ON TRENT.	
WOLVERHAMPTON.	28·5	11·5	12·1	-	-	0·69	0·04	0·24	0·04	0·12	0·45	8·2	100	5·4	20·1	-	WOLVERHAMPTON.	
WALSALL.	31·2	13·2	14·6	0·04	-	0·56	-	0·43	0·09	0·61	0·39	17·3	130	7·7	15·1	-	WALSALL.	
WEST BROMWICH.	34·4	14·1	14·9	-	-	0·11	-	0·29	0·06	0·98	0·17	12·8	149	1·9	12·7	2·3	WEST BROMWICH.	
DUDLEY.	31·8	13·7	14·3	0·15	-	0·45	-	-	-	0·52	0·30	4·5	92	3·6	12·0	0·5	DUDLEY.	
BIRMINGHAM.	30·0	11·8	13·1	-	-	0·14	0·05	0·27	0·17	0·50	0·54	5·2	96	4·5	30·1	2·9	BIRMINGHAM.	
SMETHWICK.	27·1	10·7	10·5	-	-	-	-	0·22	0·06	0·22	0·33	3·9	91	4·8	18·5	-	SMETHWICK.	
COVENTRY.	25·5	8·9	9·4	-	-	0·03	0·03	0·12	0·06	0·33	0·36	1·1	66	7·1	25·6	1·3	COVENTRY.	
LEICESTER.	24·4	10·4	11·8	-	-	1·00	0·03	0·19	0·17	0·05	0·37	7·4	78	5·5	26·6	0·6	LEICESTER.	
LINCOLN.	22·9	11·1	12·4	-	-	0·66	-	0·20	0·20	-	0·26	2·8	89	2·7	18·2	0·5	LINCOLN.	
GRIMSBY.	31·8	11·7	12·8	-	-	0·10	-	-	-	0·31	0·66	6·1	84	7·5	15·9	2·0	GRIMSBY.	
NOTTINGHAM.	27·2	12·1	13·0	-	-	0·19	0·05	0·08	0·31	0·22	0·47	5·5	98	5·6	29·9	0·4	NOTTINGHAM.	
DERBY.	28·8	11·0	10·0	-	-	0·03	-	-	0·13	0·16	0·26	5·4	57	9·4	28·9	-	DERBY.	

* See note * on first page of table. † Revised rates.

ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION, 1919.										PERCENTAGE of Total Deaths.			TOWNS.		
ANNUAL BIRTH-RATE PER 1,000 TOTAL POPULATION, 1919.*	Deaths from										Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.	
	All Causes.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.					
	13 Weeks ended:— 28th June, 3rd July, 1919.*	1920.													
STOCKPORT	23·8	11·9	12·2	0·06	-	0·70	0·03	0·19	0·13	0·32	0·32	5·5	24·3	0·3	STOCKPORT.
BIRKENHEAD	27·7	10·8	12·1	-	-	0·14	-	0·27	0·05	0·16	0·46	7·4	27·8	0·2	BIRKENHEAD.
WALLASEY	20·1	7·8	9·3	-	-	0·17	-	0·13	0·04	0·50	0·34	7·2	19·8	-	WALLASEY.
LIVERPOOL	32·2	12·7	15·3	0·01	0·01	0·47	0·13	0·32	0·20	0·22	0·49	6·7	42·6	1·2	LIVERPOOL.
BOOTLE	28·7	9·7	15·0	-	0·05	0·26	0·05	0·42	0·08	0·26	0·57	3·8	24·7	4·2	BOOTLE.
ST. HELENS	31·2	10·5	14·6	-	-	0·56	-	0·08	0·20	1·03	0·48	3·3	23·4	3·8	ST. HELENS.
SOUTHPORT	17·0	13·8	12·6	0·06	-	0·06	-	0·06	-	0·17	0·23	1·8	17·3	4·1	SOUTHPORT.
WIGAN	31·2	12·9	17·9	-	-	2·02	-	0·05	-	0·64	0·46	6·9	12·6	-	WIGAN.
WARRINGTON	30·2	11·2	12·1	-	-	0·16	-	0·11	-	0·64	0·21	2·2	25·6	6·2	WARRINGTON.
BOLTON	24·5	11·9	16·1	0·07	0·02	0·18	-	0·25	0·27	1·22	0·27	5·5	23·1	0·1	BOLTON.
BURY	20·9	13·3	13·9	-	-	-	-	0·15	-	1·11	0·07	2·1	20·7	1·1	BURY.
MANCHESTER	27·0	11·9	13·7	0·01	-	0·46	0·04	0·11	0·09	0·52	0·37	5·5	32·3	0·8	MANCHESTER.
SALFORD	28·1	12·0	12·9	0·11	-	0·21	0·04	0·21	0·07	0·34	0·51	6·7	32·6	-	SALFORD.
OLDHAM	24·4	14·7	14·6	-	-	0·06	0·06	0·12	0·12	0·50	0·87	8·8	23·8	-	OLDHAM.
ROCHDALE	21·0	13·2	12·9	0·04	-	0·04	-	0·09	-	0·89	0·36	5·9	23·9	1·7	ROCHDALE.
BURNLEY	24·7	12·6	14·7	0·04	-	0·08	0·08	-	-	0·16	0·56	7·5	21·3	-	BURNLEY.
BLACKBURN	21·6	11·9	17·4	-	-	0·67	0·03	-	0·06	1·24	0·51	6·6	19·8	0·4	BLACKBURN.
PRESTON	26·2	12·5	13·7	0·03	-	0·03	-	0·07	0·03	0·51	0·44	4·7	18·2	2·0	PRESTON.
BLACKPOOL	17·9	12·5	13·2	-	-	0·06	-	-	0·06	0·24	0·59	4·5	18·4	2·2	BLACKPOOL.
BARROW IN FURNESS	27·4	10·9	13·3	0·05	-	0·05	-	0·22	-	0·33	0·54	4·5	19·2	1·6	BARROW IN FURNESS.
HUDDERSFIELD	17·6	11·4	14·1	-	-	0·04	0·14	0·11	0·07	0·79	0·57	5·8	21·7	0·3	HUDDERSFIELD.
HALEFAX	18·7	14·3	16·8	-	-	0·24	-	0·08	0·04	1·62	0·55	7·3	22·0	-	HALEFAX.
BRADFORD	22·1	13·0	14·1	-	-	0·04	0·04	0·18	0·13	0·68	0·52	9·0	30·9	0·1	BRADFORD.
LEEDS	26·3	12·9	14·1	0·02	-	0·10	0·04	0·23	0·19	0·30	0·60	8·3	27·1	-	LEEDS.
DEWSBURY	23·3	16·0	15·4	-	-	0·15	0·08	-	0·08	0·91	0·45	5·4	15·3	-	DEWSBURY.
WAKEFIELD	27·2	13·1	14·7	0·16	-	0·57	0·08	-	-	-	0·24	9·4	23·9	-	WAKEFIELD.
BARNLEY	34·6	13·4	12·7	0·08	-	0·39	-	0·23	-	0·16	0·23	7·9	14·0	0·6	BARNLEY.

* See note * on first page of table.

† Revised rates.

TABLE VI. (continued).--96 Great Towns, &c.--Birth-rate, Civilian Death-rate, and Analysis of Mortality in the 13 Weeks ended 3rd July, 1920.

TOWNS.	ANNUAL BIRTH-RATE PER 1,000 TOTAL POPULATION, 1919.*	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION, 1919.										DEATH-RATE PER 1,000 BIRTHS.		PERCENTAGE of Total Deaths.		
		Deaths from										Diarrhoea and Enteritis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.						
		13 Weeks ended :— 28th June, 1919.†	3rd July, 1920.													
SHEFFIELD	27.5	13.1	17.0	—	0.30	—	0.21	0.04	2.90	0.58	7.4	110	5.8	28.7	0.0	SHEFFIELD.
ROTHERHAM	28.1	13.7	13.0	0.12	—	—	0.23	0.12	0.70	0.52	6.0	103	5.8	21.4	1.8	ROTHERHAM.
YORK	30.6	11.2	12.0	—	0.05	—	—	0.05	0.22	0.22	—	57	5.4	34.5	—	YORK.
HULL	30.2	13.7	12.5	0.03	0.07	0.03	0.01	0.06	0.22	0.55	6.4	71	7.7	23.5	0.6	HULL.
MIDDLESBROUGH	34.9	17.6	14.7	—	0.03	0.03	0.35	0.13	0.16	0.44	10.4	110	4.9	17.2	1.3	MIDDLESBROUGH.
DARLINGTON	26.6	12.7	15.1	—	—	0.06	1.13	—	0.38	0.31	—	126	2.1	17.0	3.7	DARLINGTON.
STOCKTON ON TEES	38.4	15.3	18.0	—	0.26	0.26	0.86	0.20	0.33	0.46	9.9	132	2.9	11.8	1.1	STOCKTON ON TEES.
WEST HARTLEPOOL	35.6	11.3	19.9	—	0.31	0.06	0.18	0.12	1.84	0.80	8.3	129	5.2	17.8	0.6	WEST HARTLEPOOL.
SUNDERLAND	38.0	13.7	18.1	—	0.27	0.03	0.16	0.03	0.70	0.67	1.4	115	5.5	18.0	1.6	SUNDERLAND.
SOUTH SHIELDS	33.9	13.6	16.2	0.07	—	—	—	0.04	0.65	0.36	14.3	107	2.5	16.0	2.9	SOUTH SHIELDS.
GATESHEAD	32.8	13.9	14.2	—	—	0.13	0.29	0.03	0.36	0.29	5.7	91	2.5	16.2	3.7	GATESHEAD.
NEWCASTLE ON TYNE	30.7	13.4	14.7	—	0.06	0.12	0.28	0.09	0.67	0.48	7.3	87	7.2	25.9	0.2	NEWCASTLE ON TYNE.
TYNEMOUTH	32.1	14.1	19.4	0.07	—	—	0.07	0.07	1.66	0.62	6.2	99	4.3	20.3	2.1	TYNEMOUTH.
CARLISLE	25.2	12.1	15.0	—	0.07	—	0.36	—	1.60	0.73	8.3	89	5.3	15.9	2.4	CARLISLE.
NEWPORT (MON.)	31.6	9.3	13.2	—	1.88	0.05	—	0.05	0.28	0.51	4.2	85	9.4	13.9	—	NEWPORT (MON.).
CARDIFF	26.9	10.5	10.5	—	0.39	0.06	0.10	0.12	0.12	0.49	3.5	67	10.7	18.7	—	CARDIFF.
RHONDDA	29.0	9.8	14.0	0.02	1.40	0.18	0.20	0.14	1.08	0.56	6.7	121	4.3	6.3	0.3	RHONDDA.
MERTHYR TYDFIL	31.0	15.1	12.2	—	0.11	—	0.06	0.39	0.17	1.01	8.7	64	11.1	18.4	0.5	MERTHYR TYDFIL.
ABERDARE	28.5	13.9	14.0	—	0.31	0.23	0.31	0.39	0.47	0.62	15.8	97	4.5	10.6	—	ABERDARE.
SWANSEA	25.8	12.5	13.6	—	1.17	0.02	0.15	0.15	0.77	0.30	8.3	94	5.9	15.9	—	SWANSEA.
GREATER LONDON	26.9	10.4	11.4	0.01	0.29	0.03	0.19	0.17	0.42	0.45	5.5	57	8.0	43.2	0.1	GREATER LONDON.
OUTER RING	24.9	9.2	9.7	0.01	0.17	0.03	0.11	0.15	0.39	0.36	3.7	48	7.1	33.0	0.1	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	25.6	9.2	9.8	0.00	0.18	0.03	0.12	0.17	0.47	0.33	4.6	48	7.1	35.9	0.2	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	23.9	9.2	9.7	0.01	0.15	0.02	0.11	0.11	0.29	0.40	2.5	47	7.2	29.0	0.1	REMAINDER OF OUTER RING.
EDINBURGH†	—	13.5	—	—	—	—	—	—	—	—	—	—	—	—	—	EDINBURGH.†
GLASGOW†	—	14.3	—	—	—	—	—	—	—	—	—	—	—	—	—	GLASGOW.†
DUBLIN (Registration Area)	3.23	18.6	21.3	0.03	0.74	0.04	1.31	0.10	0.35	0.33	13.1	154	1.5	36.3	2.4	DUBLIN (Registration Area).
BELFAST	32.8	15.6	18.5	0.04	0.12	0.14	0.26	0.10	0.84	0.35	11.8	130	2.4	29.5	1.2	BELFAST.

NOTE.—The 148 Smaller Towns are those with populations of 20,000 but not exceeding 50,000 at the Census of 1911. The births here shown are those actually registered in the several towns. The deaths relate to the civilian population only, and have been corrected as far as possible, (1) by the exclusion of all deaths of non-residents, and (2) by the inclusion of deaths of residents in certain outlying institutions. With regard to towns in the Outer Ring, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1919.		BIRTHS. DEATHS.		The DEATHS registered in the Quarter include										Deaths under 1 Year to 1000 Births.		TOWNS.		
						Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
						Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).						Influenza.
148 Towns	-	4,718,275	32,083	14,501	2,665	4,527	23	-	425	27	182	132	158	503	469	716	2,316	191	83	148 Towns.
SURREY.																				SURREY.
Barnes*	-	35,704	202	85	9	29	-	-	3	-	1	1	1	3	8	15	19	-	45	Barnes.*
Guildford	-	23,506	142	61	1	34	-	-	2	-	5	1	-	2	3	5	8	-	7	Guildford.
Kingston on Thames*	-	37,151	244	96	13	35	-	-	-	-	1	-	1	1	4	12	36	-	53	Kingston on Thames.*
Mitcham*	-	34,561	222	70	5	23	-	-	2	-	1	-	-	-	2	3	24	-	23	Mitcham.*
Reigate	-	26,798	138	62	5	31	-	-	-	-	1	-	1	-	3	5	17	-	36	Reigate.
Richmond*	-	34,209	170	86	9	40	-	-	-	-	1	-	-	4	6	10	23	-	53	Richmond.*
Sutton*	-	21,246	121	43	5	21	-	-	1	-	-	1	-	1	2	3	8	-	41	Sutton.*
Woking	-	24,625	143	42	5	14	-	-	1	-	-	1	-	-	3	3	5	1	35	Woking.
KENT.																				KENT.
Beckenham*	-	32,516	172	87	11	36	-	-	-	-	-	1	2	2	1	2	22	1	64	Beckenham.*
Bromley*	-	34,795	206	101	14	35	-	-	2	-	2	2	-	3	2	4	25	-	68	Bromley.*
Canterbury	-	22,258	161	55	9	22	-	-	1	-	2	-	-	-	-	2	18	-	56	Canterbury.
Chatham	-	38,435	300	123	22	24	-	-	4	1	1	4	-	4	3	5	39	5	73	Chatham.
Dartford	-	22,517	129	35	4	14	-	-	1	-	1	1	-	1	3	6	6	2	31	Dartford.
Dover	-	39,282	257	101	8	34	-	-	-	-	1	2	2	-	4	2	22	6	48	Dover.
Erith*	-	30,525	209	88	10	23	-	-	3	1	2	1	-	-	4	7	25	-	31	Erith.*
Folkestone†	-	31,737	168	87	8	26	-	-	7	-	1	1	-	1	2	4	13	2	48	Folkestone.†
Gravesend	-	29,288	193	66	10	20	-	-	-	-	1	-	-	-	5	7	14	1	52	Gravesend.
Maidstone	-	33,148	219	99	11	51	-	-	1	-	-	-	-	-	1	1	23	-	50	Maidstone.
Margate	-	22,352	143	81	8	33	-	-	-	-	-	-	-	2	2	3	17	1	56	Margate.
Penge (Surrey Reg. Co.)*	-	24,338	176	82	11	37	-	-	1	-	-	-	1	1	2	8	29	-	63	Penge (Surrey Reg. Co.)*.
Ramsgate	-	28,214	213	82	13	36	-	-	1	-	2	1	1	-	3	3	20	1	61	Ramsgate.
Rochester	-	32,110	221	79	11	29	-	-	4	-	-	1	-	3	3	3	16	2	50	Rochester.
Royal Tunbridge Wells	-	34,423	162	113	10	66	-	-	-	1	-	-	-	6	4	7	17	-	62	Royal Tunbridge Wells.
SUSSEX EAST.																				SUSSEX EAST.
Hove	-	44,149	198	112	10	62	-	-	-	-	1	2	2	4	1	5	19	-	51	Hove.
SUSSEX WEST.																				SUSSEX WEST.
Worthing	-	30,345	164	92	4	51	1	-	-	-	-	-	1	-	1	4	18	-	24	Worthing.
SOUTHAMPTON.																				SOUTHAMPTON.
Aldershot (Surrey Reg. Co.).	-	21,920	263	47	8	14	-	-	-	-	1	2	1	-	-	-	15	3	30	Aldershot (Surrey Reg. Co.).
Gosport and Alverstoke	-	29,192	209	71	11	30	-	-	4	-	2	3	1	-	1	3	13	-	53	Gosport and Alverstoke.
Winchester	-	24,314	175	54	7	25	-	-	-	-	2	-	1	-	1	1	15	-	40	Winchester.
MIDDLESEX.																				MIDDLESEX.
Chiswick*	-	42,476	275	133	17	48	-	-	3	-	1	1	1	1	3	7	40	-	62	Chiswick.*
Finchley*	-	45,043	282	108	16	42	-	-	1	-	-	-	1	4	5	9	24	-	57	Finchley.*
Hendon*	-	56,522	301	114	15	40	-	-	1	-	-	1	1	3	4	7	27	1	50	Hendon.*
Heston and Isleworth*	-	40,338	321	101	18	35	-	-	3	-	2	2	1	1	2	2	30	-	56	Heston and Isleworth.*
Southall Norwood*	-	27,684	170	50	7	17	-	-	1	-	-	1	-	1	5	5	9	1	41	Southall Norwood.*

* These towns are included within the Metropolitan Outer Ring.

† Excluding the civil parish of Folkestone next Sandgate.

TABLE VII. (*continued*).—**One hundred and forty-eight Smaller Towns.**—**Population, Births, and Deaths in the QUARTER ended 30th June, 1920.**

The DEATHS registered in the Quarter include																			
TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1819.	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 Year to 1000 Births.	TOWNS.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.						Violence.
MIDDLESEX—continued. Southgate.* Twickenham.* Wood Green.*	38,939 34,695 50,312	201 212 298	83 80 115	7 10 13	28 29 43	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	35 47 44	MIDDLESEX—continued. Southgate.* Twickenham.* Wood Green.*		
HERTFORDSHIRE. St. Albans. Watford.	24,833 46,187	150 275	56 101	2 16	28 42	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	13 58	HERTFORDSHIRE. St. Albans. Watford.		
BUCKINGHAMSHIRE. Chepping Wycombe.	20,771	128	45	6	17	-	-	-	-	-	-	-	-	-	-	47	BUCKINGHAMSHIRE. Chepping Wycombe.		
NORTHAMPTONSHIRE. Kettering.	29,966	167	74	6	32	-	-	-	-	-	-	-	-	-	-	36	NORTHAMPTONSHIRE. Kettering.		
SOKE OF PETERBOROUGH. Peterborough.	33,420	253	119	15	47	-	-	-	-	-	-	-	-	-	-	59	SOKE OF PETERBOROUGH. Peterborough.		
BEDFORDSHIRE. Bedford. Luton.	40,017 56,406	204 380	99 139	11 12	41 57	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	54 32	BEDFORDSHIRE. Bedford. Luton.		
ESSEX. Barking Town.* Colchester.	33,804 41,359	246 257	112 126	13 19	26 49	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	53 74	ESSEX. Barking Town.* Colchester.		
SUFFOLK EAST. Lowestoft.	41,509	335	111	17	46	-	-	-	-	-	-	-	-	-	-	51	SUFFOLK EAST. Lowestoft.		
NORFOLK. King's Lynn.	19,839	124	53	1	29	-	-	-	-	-	-	-	-	-	-	8	NORFOLK. King's Lynn.		
WILTSHIRE. Salisbury.	22,383	131	60	9	20	-	-	-	-	-	-	-	-	-	-	69	WILTSHIRE. Salisbury.		
DORSETSHIRE. Poole. Weymouth and Melcombe Regis.	41,189 21,645	258 159	97 65	10 8	42 30	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	39 50	DORSETSHIRE. Poole. Weymouth and Melcombe Regis.		
DEVONSHIRE. Torquay.	33,374	171	104	6	52	-	-	-	-	-	-	-	-	-	-	35	DEVONSHIRE. Torquay.		
SOMERSETSHIRE. Taunton. Weston super Mare.	20,628 24,741	142 113	59 62	3 2	27 27	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	21 18	SOMERSETSHIRE. Taunton. Weston super Mare.		

The DEATHS registered in the Quarter include																				
TOWNS.	ESTIMATED (CIVILIAN) POPULATION, MID. 1919.	BIRTHS.	DEATHS.	Deaths of		Deaths from								Deaths under 1 Year to 1000 Births.	TOWNS.					
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.			Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
GLoucestershire. Cheltenham.	44,985	295	147	14	74	1	-	2	-	-	-	-	1	2	5	7	31	3	47	GLoucestershire. Cheltenham.
HEREfordshire. Hereford.	23,989	154	73	10	32	-	-	1	1	-	-	-	-	1	2	2	13	-	65	HEREfordshire. Hereford.
SHROpshire. Shrewsbury.	29,778	196	97	24	36	-	-	-	-	-	-	-	3	5	3	3	7	3	122	SHROpshire. Shrewsbury.
STAFFORDshire. Bilston.	26,276	214	128	32	21	-	-	5	1	12	-	-	-	7	2	5	10	-	150	STAFFORDshire. Bilston.
Burton upon Trent.	47,682	349	151	33	52	-	-	1	-	1	1	1	1	3	4	4	33	3	95	Burton upon Trent.
Cannock.	33,411	237	107	30	20	1	-	7	-	4	-	-	-	5	3	3	14	2	127	Cannock.
Coseley.	22,696	211	95	29	21	-	-	1	-	2	-	-	1	4	4	8	6	-	137	Coseley.
Newcastle under Lyme.	19,742	162	71	19	18	-	-	-	-	-	-	-	3	1	1	3	7	-	117	Newcastle under Lyme.
Rowley Regis.	36,743	327	114	25	40	-	-	2	-	4	-	-	1	15	2	4	10	-	78	Rowley Regis.
Stafford.	26,698	165	67	10	21	-	-	-	-	-	-	-	2	-	4	5	7	-	61	Stafford.
Tipton.	32,555	278	126	34	35	1	-	1	-	2	-	-	2	9	5	7	8	1	122	Tipton.
Wednesbury.	30,329	269	131	35	22	-	-	17	1	-	1	1	1	9	1	7	13	1	130	Wednesbury.
Wolstanton United.	29,280	226	86	18	27	-	-	3	-	2	2	2	-	2	5	8	3	2	80	Wolstanton United.
WORcestershire. Kidderminster.	26,564	172	86	12	36	-	-	-	-	-	-	-	-	-	3	3	27	3	70	WORcestershire. Kidderminster.
Oldbury (Staffs. Reg. Co.).	36,242	276	92	25	17	-	-	5	1	4	-	-	1	2	4	5	6	3	91	Oldbury (Staffs. Reg. Co.).
Worcester.	47,361	313	178	19	66	-	-	12	-	3	4	-	3	2	6	11	46	-	61	Worcester.
WARWICKshire. Nuneaton.	39,499	38	105	33	29	-	-	-	-	-	-	-	1	8	5	6	11	3	101	WARWICKshire. Nuneaton.
Royal Leamington Spa.	28,317	180	91	14	32	-	-	1	-	-	-	-	1	1	1	2	20	1	78	Royal Leamington Spa.
Rugby.	27,128	135	52	7	20	-	-	-	-	-	-	-	-	3	1	3	8	-	52	Rugby.
Sutton Coldfield (Staffs. Reg. Co.).	20,853	130	45	6	18	-	-	-	-	-	-	-	1	4	2	2	1	2	46	Sutton Coldfield (Staffs. Reg. Co.).
LEICEstershire. Loughborough.	24,675	151	74	18	17	-	-	9	-	-	-	-	2	1	1	2	11	-	119	LEICEstershire. Loughborough.
LINCOLNshire (Kesteven). Grantham.	22,065	127	64	12	19	-	-	-	-	1	-	-	-	1	5	5	12	1	94	LINCOLNshire (Kesteven). Grantham.
LINCOLNshire (Lindsey). Cleethorpe with Thruscoe.	25,673	185	81	9	26	-	-	1	-	1	-	-	-	1	3	4	14	-	49	LINCOLNshire (Lindsey). Cleethorpe with Thruscoe.
Gainsborough.	19,206	131	65	9	20	-	-	5	-	-	-	-	2	-	1	1	11	2	63	Gainsborough.
NOTTINGHAMshire. Mansfield.	44,417	342	133	52	21	-	-	13	-	-	-	-	-	2	4	5	13	-	152	NOTTINGHAMshire. Mansfield.
Sutton in Ashfield.	23,011	180	80	26	10	1	-	13	-	1	2	2	3	1	-	-	3	4	144	Sutton in Ashfield.
Worksop.	21,843	166	70	21	9	-	-	4	-	1	-	-	-	-	2	3	9	-	127	Worksop.

The DEATHS registered in the Quarter include

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1919.	BIRTHS. DEATHS.		Deaths of		Deaths from								Deaths in Public Institutions.			Uncertified Causes of Death.	Deaths under 1 Year to 1000 Births.	TOWNS.
					Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.					
YORKSHIRE (WEST RIDING)—cont.																		YORKSHIRE (WEST RIDING)—cont.		
Keighley	-	39,086	229	185	21	59	-	-	4	-	4	-	1	24	2	45	2	92	Keighley.	
Morley	-	23,402	135	85	16	25	-	-	2	-	1	1	2	5	-	9	-	119	Morley.	
Shipley	-	28,912	153	86	10	26	-	-	-	-	-	-	-	6	4	14	-	65	Shipley.	
Spennorth	-	30,045	144	102	5	26	-	-	3	1	-	-	-	15	2	9	-	35	Spennorth.	
Todmorden	-	23,140	126	88	10	39	-	-	-	-	-	2	-	-	4	6	2	79	Todmorden.	
YORKSHIRE (NORTH RIDING).																		YORKSHIRE (NORTH RIDING).		
Eston	-	28,094	237	136	30	27	1	-	1	-	1	1	-	6	6	19	-	127	Eston.	
Scarborough	-	34,108	215	100	9	55	1	-	1	2	-	4	-	1	4	27	-	42	Scarborough.	
DURHAM.																		DURHAM.		
Blaydon	-	34,351	290	108	30	20	-	-	-	1	-	-	3	1	3	6	1	103	Blaydon.	
Felling	-	27,198	271	127	35	30	-	-	4	2	4	2	2	1	6	11	6	129	Felling.	
Hartlepool	-	19,548	197	98	26	19	-	-	3	-	7	1	1	11	1	11	1	132	Hartlepool.	
Hebburn	-	22,551	234	96	26	19	-	-	-	-	6	1	1	2	3	14	3	111	Hebburn.	
Jarrow	-	35,779	313	139	22	29	-	-	-	-	-	4	-	1	4	25	5	70	Jarrow.	
Stanley	-	23,455	325	122	42	30	-	-	-	2	-	4	-	-	2	13	-	129	Stanley.	
NORTHUMBERLAND.																		NORTHUMBERLAND.		
Ashington	-	28,432	277	102	41	22	1	-	-	2	4	-	5	2	5	7	3	149	Ashington.	
Bedlingtonshire	-	25,845	237	83	30	21	-	-	2	-	-	3	-	2	1	1	2	127	Bedlingtonshire.	
Blyth	-	31,480	240	104	25	20	1	-	-	-	-	1	-	7	5	5	2	104	Blyth.	
Wallsend	-	43,689	353	155	48	28	-	-	-	1	6	-	3	5	4	10	7	136	Wallsend.	
CUMBERLAND.																		CUMBERLAND.		
Workington	-	26,137	201	105	31	31	1	-	-	-	-	4	2	4	3	6	4	154	Workington.	
MONMOUTHSHIRE.																		MONMOUTHSHIRE.		
Abersychan	-	26,824	189	68	21	15	-	-	1	-	-	-	2	2	2	9	2	111	Abersychan.	
Abertillery	-	42,771	318	130	38	20	-	-	20	-	1	4	1	5	7	5	1	119	Abertillery.	
Bedwellty	-	33,657	296	105	30	15	-	-	12	-	4	2	-	9	6	4	2	101	Bedwellty.	
Ebbw Vale	-	39,426	271	137	27	26	-	-	3	1	9	2	1	2	10	15	-	100	Ebbw Vale.	
Tredeggar	-	24,524	191	79	17	25	-	-	1	-	3	3	-	1	8	6	1	89	Tredeggar.	
GLAMORGANSHIRE.																		GLAMORGANSHIRE.		
Barry	-	37,937	239	86	14	18	-	-	3	-	-	3	2	11	3	14	-	59	Barry.	
Caerphilly	-	36,580	317	94	28	15	-	-	2	-	4	1	5	9	10	5	-	88	Caerphilly.	
Gelligaer	-	39,803	334	114	30	14	-	-	10	-	2	2	2	2	2	11	-	90	Gelligaer.	
Maesteg	-	28,760	229	75	23	12	-	-	1	2	1	-	1	1	1	12	-	100	Maesteg.	
Mountain Ash	-	43,530	342	116	17	29	-	-	8	-	-	-	1	4	6	2	1	50	Mountain Ash.	
Ogmore and Garw	-	30,207	239	64	19	10	-	-	1	1	2	2	3	4	1	5	-	79	Ogmore and Garw.	
Pontypridd	-	45,574	382	177	49	26	-	-	32	-	1	-	1	6	10	21	-	128	Pontypridd.	
CARMARTHENSHIRE.																		CARMARTHENSHIRE.		
Llanelli	-	37,291	254	130	17	39	-	-	2	-	1	1	2	21	5	5	1	67	Llanelli.	

TABLE VIII.—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1920.*

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
Great Towns.											
LONDON -	4,358,309	6,774	81	-	1	3†	3,195	2,819	-	568	107
CROYDON -	184,239	270	4	-	-	-	137	112	-	16	1
WIMBLEDON -	59,791	60	1	-	-	-	21	35	-	3	-
EALING -	73,212	49	-	-	-	-	32	11	-	6	-
ACTON -	61,732	77	-	-	-	-	46	28	-	2	1
WILLESDEN -	160,917	253	2	-	2	-	76	144	-	24	5
HORNSEY -	94,348	91	-	-	-	-	56	28	-	6	1
TOTTENHAM -	141,338	249	-	-	-	-	140	95	-	12	2
EDMONTON -	70,711	128	-	-	-	-	75	45	-	7	1
ENFIELD -	58,442	93	-	-	-	-	49	36	-	8	-
WEST HAM -	287,966	479	8	-	-	13	170	229	-	51	8
EAST HAM -	144,451	212	1	-	1	4	93	94	-	18	1
LEYTON -	123,896	130	2	-	-	-	60	55	-	11	2
WALTHAMSTOW -	127,684	182	2	-	-	-	85	86	-	7	2
ILFORD -	79,524	150	2	-	-	-	60	78	-	9	1
GILLINGHAM -	43,501	32	-	-	-	-	24	6	-	2	-
HASTINGS -	57,674	38	7	-	-	-	10	14	-	6	1
EASTBOURNE -	48,424	40	1	-	-	-	24	10	-	4	1
BRIGHTON -	132,409	100	1	-	-	-	37	50	-	10	2
PORTSMOUTH† -	224,846	264	4	-	-	-	62	182	-	14	2
BOURNEMOUTH -	82,627	35	-	-	-	-	17	13	-	3	2
SOUTHAMPTON -	126,033	91	1	-	-	-	11	65	-	12	2
READING -	91,365	87	-	-	-	-	43	26	-	14	4
OXFORD -	57,666	34	-	-	-	-	1	28	-	4	1
NORTHAMPTON -	88,944	66	1	-	-	-	8	42	-	9	6
CAMBRIDGE -	57,849	44	-	-	-	-	18	18	-	6	2
SOUTHEND ON SEA -	84,034	115	1	-	-	-	59	45	-	7	3
IPSWICH -	78,011	85	-	-	-	-	12	65	-	3	5
GREAT YARMOUTH -	53,078	33	-	-	-	-	15	15	-	1	2
NORWICH -	119,593	110	16	-	-	-	25	58	-	7	4
SWINDON -	51,527	28	-	-	-	-	5	19	-	2	2
EXETER -	59,014	25	1	-	-	-	10	7	-	7	-
PLYMOUTH -	181,967	208	15	-	-	-	76	100	-	17	-
BATH -	65,919	51	1	-	-	-	27	15	-	6	2
BRISTOL -	361,247	545	5	-	-	-	259	224	-	47	10
GLOUCESTER -	50,100	45	-	-	-	-	27	11	-	3	4
STOKE ON TRENT -	239,316	318	5	-	-	-	212	61	-	34	6
WOLVERHAMPTON -	98,403	92	-	-	-	-	72	12	-	8	-
WALSALL -	92,724	53	1	-	-	-	27	16	-	8	1
WEST BROMWICH -	69,899	43	-	-	-	-	22	11	-	9	1
DUDLEY -	54,017	9	2	-	-	-	4	1	-	2	-
BIRMINGHAM -	861,585	1,575	9	-	-	-	1,100	362	-	83	21
SMETHWICK -	72,152	162	-	-	-	-	108	45	-	5	4
COVENTRY -	132,048	66	-	-	-	-	32	24	-	7	3
LEICESTER -	236,059	339	3	-	-	-	186	116	-	29	5
LINCOLN -	60,581	45	-	-	-	-	13	28	-	4	1
GRIMSBY -	78,813	66	1	-	-	-	27	34	-	3	1
NOTTINGHAM -	257,573	311	3	-	-	-	159	119	-	25	5
DERBY -	123,930	142	-	-	-	-	39	79	-	18	6
STOCKPORT -	125,629	189	5	-	-	-	100	69	-	12	3
BIRKENHEAD -	148,052	121	1	-	-	3	62	37	-	14	4
WALLASEY -	95,424	63	-	-	-	-	29	20	-	13	1
LIVERPOOL -	772,645	1,293	6	-	-	3	810	370	-	86	18
BOOTLE -	76,962	146	3	-	-	7	71	58	-	6	1
ST. HELENS -	100,805	165	-	-	-	-	117	39	-	9	-
SOUTHPORT -	70,144	70	2	-	-	-	44	6	-	16	2
WIGAN -	87,384	64	3	-	-	-	35	12	-	14	-
WARRINGTON -	71,952	56	1	-	-	-	21	24	-	10	-
BOLTON -	177,462	235	4	-	-	2	157	51	-	18	3
BURY -	54,248	38	-	-	-	-	20	13	-	4	1
MANCHESTER -	741,068	1,068	21	-	-	-	692	222	-	91	42
SALFORD -	226,225	279	15	-	-	-	165	61	-	26	12

* The figures for London are supplied by the Medical Officer of Health of the Administrative County (*See* Table IX.)

† The figures for Southsea District of Portsmouth are—total population (1911), 25,380; enteric fever, —; typhus, —; continued fever, —; small-pox, —; scarlet fever, 5; diphtheria (including membranous croup), 22; erysipelas, 1; and puerperal fever, —.

‡ Two of these were subsequently found not to be cases of small-pox.

TABLE VIII. (continued).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1920.

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM	137,668	143	1	-	-	-	76	35	-	26	5
ROCHDALE	90,051	58	1	-	-	-	32	18	-	5	2
BURNLEY	101,005	72	3	-	-	-	36	15	-	17	1
BLACKBURN	125,992	56	1	-	-	-	31	11	-	12	1
PRESTON	117,277	93	5	-	-	-	33	45	-	7	3
BLACKPOOL	67,842	57	-	-	-	-	25	23	-	7	2
BARROW IN FURNESS	73,627	55	5	-	-	-	35	12	-	2	1
HUDDERSFIELD	112,301	109	4	-	-	-	55	37	-	13	-
HALIFAX	101,791	70	3	-	-	-	38	20	-	8	1
BRADFORD	282,714	393	9	-	-	-	215	110	-	47	15
LEEDS†	431,999	569	10	-	-	-	286	200	-	60	13
DEWSBURY	52,969	39	1	-	-	-	17	17	-	4	-
WAKEFIELD	49,208	36	4	-	-	-	17	14	-	-	1
BARNSELY	51,680	33	2	-	-	-	11	11	-	8	1
SHEFFIELD	473,695	383	1	-	1	-	171	145	-	52	13
ROTHERHAM	69,034	58	4	-	-	-	26	10	-	15	3
YORK	74,531	74	4	-	-	-	34	30	-	3	3
HULL	279,664	364	2	-	-	-	201	126	-	30	5
MIDDLESBROUGH	127,142	157	1	-	-	7	93	42	-	9	5
DARLINGTON	64,058	103	-	-	-	-	87	13	-	5	1
STOCKTON ON TEES	60,696	79	-	-	-	-	51	25	-	3	-
WEST HARTLEPOOL	65,515	79	1	-	-	-	57	12	-	6	3
SUNDERLAND	149,263	148	-	-	-	-	108	19	-	19	2
SOUTH SHIELDS	111,502	37	2	-	-	-	24	4	-	6	1
GATESHEAD	123,392	151	1	-	-	-	114	26	-	8	2
NEWCASTLE ON TYNE	275,099	394	1	-	-	-	253	90	-	41	6
TYNEMOUTH	58,007	52	1	-	-	-	35	10	-	5	1
CARLISLE	55,198	42	-	-	-	-	21	14	-	5	2
NEWPORT (MON.)	87,251	96	-	-	-	-	76	11	-	6	3
CARDIFF	204,436	356	1	-	-	-	255	86	-	12	2
RHONDDA	177,911	249	4	-	-	-	169	57	-	14	5
MERTHYR TYDFIL	71,638	223	-	-	-	-	170	40	-	12	1
ABERDARE	51,384	105	1	-	-	-	72	30	-	2	-
SWANSEA	160,810	189	1	-	-	-	37	135	-	13	3
Smaller Towns.											
SURREY—											
BARNES	35,701	41	1	-	-	-	15	22	-	3	-
GUILDFORD	23,506	7	-	-	-	-	2	3	-	1	1
KINGSTON ON THAMES	37,151	46	-	-	-	-	19	21	-	3	3
MITCHAM	34,561	66	1	-	-	-	34	27	-	4	-
REIGATE	26,798	36	-	-	-	-	23	13	-	-	-
RICHMOND	34,209	12	-	-	-	-	3	8	-	1	-
SUTTON	21,246	11	-	-	-	-	1	10	-	-	-
WOKING	24,625	19	-	-	-	-	6	7	-	3	3
KENT—											
BECKENHAM	32,516	41	-	-	-	-	22	15	-	4	-
BROMLEY	34,795	60	-	-	-	-	23	33	-	3	1
CANTERBURY	22,258	6	-	-	-	-	2	3	-	1	-
CHATHAM	38,435	87	1	-	-	-	40	44	-	2	-
DARTFORD	22,517	69	5	-	-	-	28	34	-	2	-
DOVER	39,282	32	-	-	-	-	8	21	-	3	-
ERITH	30,525	39	1	-	-	-	16	17	-	5	-
FOLKESTONE*	32,050	35	1	-	-	-	20	11	-	3	-
GRAVESEND	29,288	31	2	-	-	1	14	12	-	2	-
MAIDSTONE	33,148	39	1	-	-	-	25	9	-	3	1
MARGATE	22,332	36	-	-	-	-	14	20	-	2	-
PENGE (Surrey Reg. Co.)	24,338	12	-	-	-	-	5	7	-	-	-
RAMSGATE	28,214	35	-	-	-	-	20	13	-	2	-
ROCHESTER	32,110	22	1	-	-	-	7	14	-	-	-
ROYAL TUNBRIDGE WELLS	34,423	43	1	-	-	-	23	14	-	5	-

* Including the civil parish of Folkestone next Sandgate.

† As extended 1st April 1920.

TABLE VIII. (continued).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1920.

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—											
HOVE	44,149	21	2	-	-	-	3	13	-	3	-
SUSSEX WEST—											
WORTHING	30,345	15	2	-	-	-	9	4	-	-	-
SOUTHAMPTON—											
ALDERSHOT (Surrey Reg. Co.).	21,920	5	-	-	-	-	2	3	-	-	-
GOSPORT AND ALVERSTOKE	29,192	43	2	-	-	-	5	34	-	2	-
WINCHESTER	24,314	25	2	-	-	-	17	4	-	-	2
MIDDLESEX—											
CHISWICK	42,476	19	2	-	-	-	12	3	-	2	-
FINCHLEY	45,043	44	-	-	-	-	19	19	-	6	-
HENDON	56,522	83	1	-	-	-	61	17	-	4	-
HESTON AND ISLEWORTH .	40,338	72	-	-	-	-	41	30	-	1	-
SOUTHALL NORWOOD . . .	27,684	26	-	-	-	-	23	3	-	-	-
SOUTHGATE	38,999	21	-	-	-	-	16	3	-	2	-
TWICKENHAM	34,695	27	-	-	-	1	7	15	-	3	1
WOOD GREEN	50,312	49	1	-	-	-	36	12	-	-	-
HERTFORDSHIRE—											
ST. ALBANS	24,833	14	-	-	-	-	6	6	-	2	-
WATFORD	46,187	72	-	-	-	-	54	11	-	5	2
BUCKINGHAMSHIRE—											
CHEPPING WYCOMBE . . .	20,771	20	-	-	-	-	14	3	-	3	-
NORTHAMPTONSHIRE—											
KETTERING	29,966	35	-	-	-	-	22	11	-	2	-
SOKE OF PETERBOROUGH—											
PETERBOROUGH	33,420	25	-	-	-	-	17	5	-	3	-
BEDFORDSHIRE—											
BEDFORD	40,017	42	-	-	-	-	22	19	-	1	-
LUTON	56,406	38	-	-	-	-	8	25	-	5	-
ESSEX—											
BARKING TOWN	33,804	70	4	-	-	-	8	47	-	11	-
COLCHESTER	41,359	31	1	-	-	-	12	14	-	3	1
SUFFOLK EAST—											
LOWESTOFT	41,509	35	1	-	-	-	6	23	-	3	2
NORFOLK—											
KING'S LYNN	19,839	9	-	-	-	-	5	2	-	2	-
WILTSHIRE—											
SALISBURY	22,383	9	-	-	-	-	1	8	-	-	-
DORSETSHIRE—											
POOLE	41,189	31	5	-	-	-	9	11	-	6	-
WEYMOUTH AND MELCOMBE REGIS.	21,645	8	1	-	-	-	3	-	-	4	-
DEVONSHIRE—											
TORQUAY	33,374	17	-	-	-	-	8	8	-	1	-
SOMERSETSHIRE—											
TAUNTON	20,628	4	-	-	-	-	1	2	-	-	1
WESTON SUPER MARE . . .	24,741	23	-	-	-	-	3	12	-	1	2
GLOUCESTERSHIRE—											
CHELTENHAM	44,985	30	1	-	-	-	7	18	-	4	-
HEREFORDSHIRE—											
HEREFORD	23,989	36	-	-	-	-	22	12	-	2	-

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1920.

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—											
SHREWSBURY	29,778	21	1	-	-	-	3	14	-	1	2
STAFFORDSHIRE—											
BILSTON	26,276	9	-	-	-	-	6	2	-	1	-
BURTON UPON TRENT . .	47,682	54	-	-	-	-	27	22	-	4	1
CANNOCK	33,411	15	1	-	-	-	6	3	-	4	1
COSELRY	22,696	5	1	-	-	-	2	-	-	2	-
NEWCASTLE UNDER LYME	19,742	6	1	-	-	-	2	2	-	-	1
ROWLEY REGIS	36,749	14	-	-	-	-	5	3	-	4	2
STAFFORD	26,698	26	-	-	-	-	7	18	-	1	-
TIPTON	32,555	11	1	-	-	-	5	-	-	5	-
WEDNESBURY	30,329	20	1	-	-	-	9	4	-	6	-
WOLSTANTON UNITED . .	29,280	9	-	-	-	-	2	5	-	1	1
WORCESTERSHIRE—											
KIDDERMINSTER	26,564	12	-	-	-	-	5	6	-	-	1
OLDBURY (Staffordshire Reg. Co.).	36,242	38	-	-	-	-	34	3	-	1	-
WORCESTER	47,361	45	-	-	-	-	8	30	-	6	1
WARWICKSHIRE—											
NUNEATON	39,499	58	-	-	-	-	44	11	-	1	2
ROYAL LEAMINGTON SPA .	28,317	10	-	-	-	-	6	4	-	-	-
RUGBY	27,128	15	-	-	-	-	7	7	-	1	-
SUTTON COLDFIELD (Staffs. Reg. Co.).	20,853	13	-	-	-	-	7	3	-	3	-
LEICESTERSHIRE—											
LOUGHBOROUGH	24,675	15	-	-	-	-	3	10	-	1	1
LINCOLNSHIRE (KESTEVEN)—											
GRANTHAM	22,065	3	-	-	-	-	1	1	-	-	1
LINCOLNSHIRE (LINDSEY)—											
CLEETHORPE WITH THRUNSCOE.	25,673	19	-	-	-	-	9	6	-	4	-
GAINSBOROUGH	19,206	9	-	-	-	-	3	4	-	2	-
NOTTINGHAMSHIRE—											
MANSFIELD	44,447	36	1	-	-	-	14	15	-	2	4
SUTTON IN ASHFIELD . .	23,041	12	1	-	-	-	1	10	-	-	-
WORKSOP	21,843	8	-	-	-	-	3	3	-	1	1
DERBYSHIRE—											
CHESTERFIELD	38,249	35	1	-	-	-	7	25	-	2	-
GLOSSOP	20,039	12	-	-	-	-	6	3	-	3	-
ILKESTON (Nottinghamshire Reg. Co.).	31,318	19	-	-	-	-	12	2	-	4	1
CHESHIRE—											
CHESTER	40,764	46	1	-	-	-	24	17	-	1	3
CREWE	45,640	33	-	-	-	-	16	16	-	1	-
HYDE	32,550	18	-	-	-	-	14	2	-	1	1
MACCLESFIELD	32,432	17	1	-	-	-	5	6	-	3	2
STALYBRIDGE (Lancashire Reg. Co.).	26,062	17	1	-	-	-	13	-	-	3	-
LANCASHIRE—											
ACCRINGTON	43,658	35	-	-	-	-	10	18	-	6	1
ASHTON IN MAKERFIELD .	21,263	40	3	-	-	-	30	6	-	-	1
ASHTON UNDER LYNE . .	43,697	44	-	-	-	-	36	4	-	3	1
BACUP	20,246	6	-	-	-	-	-	1	-	4	1
CHADDERTON	28,551	21	-	-	-	-	13	4	-	3	1
CHORLEY	31,594	21	1	-	-	-	8	7	-	4	1
COLNE	25,846	28	-	-	-	-	20	8	-	-	-
DARWEN	37,681	15	-	-	-	-	9	3	-	2	1
ECCLES	42,409	43	1	-	-	-	35	4	-	3	-
FARNWORTH	27,817	53	-	-	-	-	36	6	-	11	-

TABLE VIII. (continued).--NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1920.

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE--cont.											
HEYWOOD	26,183	21	2	-	-	-	4	1	-	13	1
HINDLEY	23,598	20	1	-	-	-	13	2	-	4	-
INCE IN MAKERFIELD	21,810	18	-	-	-	-	12	1	-	5	-
LANCASTER	36,791	17	1	-	-	-	6	6	-	4	-
LEIGH	44,468	52	2	-	-	-	18	25	-	5	-
MIDDLETON	27,716	16	1	-	-	-	6	8	-	1	-
NELSON	41,444	38	-	-	-	-	22	13	-	3	-
RADCLIFFE	23,450	35	-	-	-	-	21	11	-	2	1
RAWTENSTALL	27,379	7	1	-	-	-	-	4	-	2	-
STRET福德	45,603	36	1	-	-	-	26	5	-	4	-
SWINTON AND PENDLEBURY.	28,144	81	-	-	-	-	59	14	-	8	-
WATERLOO WITH SEAFORTH.	28,698	49	1	-	-	-	31	15	-	2	-
WIDNES	32,689	30	-	-	-	-	16	13	-	1	-
YORKSHIRE (WEST RIDING)--											
BATLEY	35,128	15	-	-	-	-	6	9	-	-	-
BRIGHOUSE	20,071	10	-	-	-	-	5	2	-	2	1
CASTLEFORD	24,611	27	-	-	-	-	16	10	-	-	1
DONCASTER	51,592	32	-	-	-	-	24	2	-	4	2
GOOLE	17,835	21	-	-	-	-	12	6	-	3	-
HARROGATE	36,231	28	-	-	-	-	10	16	-	2	-
KEIGHLEY	39,086	14	-	-	-	-	4	3	-	6	1
MORLEY	23,402	16	1	-	-	-	6	7	-	1	1
SHIPLEY	28,912	29	-	-	-	-	24	4	-	1	-
SPENBOROUGH	30,045	32	-	-	-	-	15	13	-	4	-
TODMORDEN	23,140	45	-	-	-	-	35	7	-	2	1
YORKSHIRE (NORTH RIDING)--											
ESTON	28,094	64	1	-	-	-	45	12	-	5	1
SCARBOROUGH	34,108	57	1	-	-	-	25	31	-	-	-
DURHAM--											
BLAYDON	34,351	24	-	-	-	-	18	3	-	3	-
PELLING	27,198	53	-	-	-	-	49	-	-	3	1
HARTLEPOOL	19,548	10	-	-	-	-	9	-	-	1	-
HEBBURN	22,551	51	-	-	-	-	43	5	-	3	-
JARROW	35,779	98	2	-	-	-	79	4	-	9	4
STANLEY	23,455	65	-	-	-	-	32	29	-	3	1
NORTHUMBERLAND--											
ASHINGTON	28,432	142	2	-	-	-	119	10	-	11	-
BEDLINGTONSHIRE	25,845	20	-	-	-	-	9	7	-	4	-
BLYTH	31,480	28	2	-	-	-	13	6	-	7	-
WALLSEND	43,689	45	1	-	-	-	34	6	-	3	1
CUMBERLAND--											
WORKINGTON	26,137	31	5	-	-	-	2	22	-	2	-
MONMOUTHSHIRE--											
ABERSYCHAN	26,824	21	-	-	-	-	14	6	-	1	-
ABERTILLERY	42,771	55	1	-	-	-	24	17	-	11	2
BEDWELTY	33,657	36	-	-	-	-	27	6	-	3	-
EBBW VALE	39,426	157	6	-	-	-	128	10	-	11	2
TREDEGAR	24,524	24	-	-	-	-	14	7	-	3	-
GLAMORGANSHIRE--											
BARRY	37,937	44	1	-	-	-	10	31	-	2	-
CABERPHILLY	36,580	156	2	-	-	-	108	24	-	1	1
GELLIGAER	39,803	41	-	-	-	-	29	11	-	1	-
MAESTEG	28,760	137	-	-	-	-	115	21	-	1	-
MOUNTAIN ASH	43,530	98	1	-	-	-	79	16	-	1	1
OGMORE AND GARW	30,207	81	-	-	-	-	69	11	-	1	-
PONTYPRIDD	45,574	38	1	-	-	-	22	9	-	5	1
CARMARTHENSHIRE--											
LLANELLY	37,291	38	1	-	-	-	5	30	-	2	-

TABLE IX.—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 3rd July, 1920.*

BOROUGHs.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Malaria. §	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia. §	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomylitis.	Dysentery. §	Encephalitis Lethargica.	Anthrax.	Polio-Encephalitis.	
WEST.																			
Addington . . .	143,938	206	2	3	-	-	61	93	18	19	-	2	6	-	-	2	-	-	
Bensington . . .	157,886	273	7	3	-	-	105	93	22	13	1	1	21	-	-	2	-	-	
Hammersmith . . .	130,981	181	3	8	-	-	57	61	22	13	1	2	13	-	1	-	-	-	
Ilham . . .	152,543	341	5	5	-	-	141	101	39	23	1	8	17	-	-	1	-	-	
elsea . . .	60,573	100	1	1	-	†1	52	25	5	8	-	4	3	-	-	-	-	-	
ty of Westminster	127,533	187	5	7	-	-	94	49	14	15	-	-	3	-	-	-	-	-	
NORTH.																			
Marylebone . . .	97,953	147	4	3	-	-	62	31	12	19	-	2	14	-	-	-	-	-	
ampstead . . .	88,012	112	2	3	-	-	49	32	12	9	1	-	2	-	-	1	-	1	
Pancras . . .	219,434	407	2	16	-	-	124	177	39	23	2	2	17	-	-	5	-	-	
ington . . .	323,034	519	6	6	-	-	161	226	37	34	5	7	32	1	3	1	-	-	
oke Newington . . .	50,954	58	-	1	-	-	19	31	2	3	-	-	2	-	-	-	-	-	
ackney . . .	216,736	369	5	7	-	-	160	140	11	24	1	7	10	-	-	3	1	-	
CENTRAL.																			
olborn . . .	38,156	63	-	2	-	-	24	24	4	4	1	-	3	1	-	-	-	-	
nsbury . . .	75,291	150	1	4	-	-	43	45	9	35	1	-	11	1	-	-	-	-	
ty of London . . .	13,893	10	-	-	-	-	2	6	1	1	-	-	-	-	-	-	-	-	
EAST.																			
oreditch . . .	98,134	240	1	4	-	-	113	90	13	6	1	1	3	-	-	3	-	-	
thnal Green . . .	110,085	335	1	-	-	†1	165	111	19	22	4	4	6	-	-	2	-	-	
epney . . .	232,506	506	7	7	-	-	241	139	57	30	5	5	10	-	-	5	-	-	
plar . . .	153,644	407	4	2	-	-	159	127	68	24	1	9	12	-	-	1	-	-	
SOUTH.																			
uthwark . . .	179,971	350	-	9	-	-	137	100	26	39	5	4	26	-	-	3	1	-	
rmondsey . . .	124,239	179	1	5	-	-	88	57	6	9	-	4	7	-	-	2	-	-	
mbeth . . .	282,322	560	3	7	-	-	227	192	43	30	3	12	38	2	-	3	-	-	
attersea . . .	159,316	336	5	1	-	-	85	128	58	16	3	10	26	-	-	4	-	-	
andsworth . . .	333,693	683	10	16	1	-	265	250	68	42	3	11	16	-	-	1	-	-	
amberwell . . .	273,802	418	1	8	-	-	166	171	30	23	1	7	10	-	-	1	-	-	
ptford . . .	111,205	218	1	4	-	-	102	70	14	16	-	2	9	-	-	-	-	-	
reenwich . . .	98,484	182	1	1	-	1	84	58	14	16	1	-	5	-	-	1	-	-	
wisham . . .	167,754	291	1	5	-	-	130	115	10	22	2	1	2	-	2	1	-	-	
oolwich . . .	136,237	228	2	4	-	-	79	77	25	25	1	3	12	-	-	1	-	-	
ADMINISTRATIVE COUNTY OF LONDON.		4,358,309	8,056	81	142	1	3	3,195	2,819	698	568	44	107	341	5	6	43	2	1
AGES.																			
Ages 0-1 . . .	-	491	-	-	-	-	21	64	37	17	10	-	341	-	-	1	-	-	
" 1-5 . . .	-	1,486	3	-	-	1	611	747	96	14	10	-	-	2	1	1	-	-	
" 5- . . .	-	2,672	4	1	-	-	1,397	1,137	92	21	8	-	-	2	1	9	-	-	
" 10- . . .	-	1,236	10	-	-	-	724	431	34	27	5	-	-	-	-	5	-	-	
" 15- . . .	-	436	11	4	-	1	193	148	46	15	5	4	-	-	-	9	-	-	
" 20- . . .	-	343	6	35	-	-	85	115	46	26	2	22	-	-	2	3	-	1	
" 25- . . .	-	530	20	78	1	-	104	102	103	62	1	54	-	1	1	2	1	-	
" 35- . . .	-	350	15	21	-	1	47	47	91	94	1	26	-	-	1	5	1	-	
" 45- . . .	-	248	8	3	-	-	11	22	80	118	1	1	-	-	-	4	-	-	
" 55- . . .	-	129	4	-	-	-	1	6	36	79	1	-	-	-	-	2	-	-	
" 65- . . .	-	90	-	-	-	-	-	-	27	63	-	-	-	-	-	-	-	-	
" 75 and upwards	-	45	-	-	-	-	1	-	10	32	-	-	-	-	-	2	-	-	
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

† Subsequently found not to be cases of small-pox.

The notification of Malaria, Pneumonia, and Dysentery was made compulsory in the Administrative County of London on 1st May 1920.

TABLE X.—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1920.

(Civilian Population only.)

TOWNS.	Annual Rate per 1,000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LONDON	6·23	0·07	-	0·01	0·00	2·94	2·59	-	0·52	0·10
243 Provincial Towns	4·80	0·07	-	0·00	0·01	2·66	1·57	-	0·40	0·09
95 Great Towns	4·96	0·07	-	0·00	0·01	2·73	1·63	-	0·42	0·10
148 Smaller Towns	4·33	0·08	-	-	0·00	2·45	1·38	-	0·35	0·07
Great Towns.										
CROYDON	5·88	0·09	-	-	-	2·98	2·44	-	0·35	0·02
WIMBLEDON	4·03	0·07	-	-	-	1·41	2·35	-	0·20	-
EALING	2·68	-	-	-	-	1·75	0·60	-	0·33	-
ACTON	5·00	-	-	-	-	2·99	1·82	-	0·13	0·06
WILLESDEN	6·30	0·05	-	0·05	-	1·89	3·59	-	0·60	0·12
HORNSEY	3·87	-	-	-	-	2·38	1·19	-	0·26	0·04
TOTTENHAM	7·07	-	-	-	-	3·97	2·70	-	0·34	0·06
EDMONTON	7·26	-	-	-	-	4·25	2·55	-	0·40	0·06
ENFIELD	6·38	-	-	-	-	3·36	2·47	-	0·55	-
WEST HAM	6·67	0·11	-	-	0·18	2·37	3·19	-	0·71	0·11
EAST HAM	5·89	0·03	-	0·03	0·11	2·58	2·61	-	0·50	0·03
LEYTON	4·20	0·06	-	-	-	1·94	1·78	-	0·36	0·06
WALTHAMSTOW	5·71	0·06	-	-	-	2·67	2·70	-	0·22	0·06
ILFORD	7·56	0·10	-	-	-	3·03	3·93	-	0·45	0·05
GILLINGHAM	2·94	-	-	-	-	2·21	0·55	-	0·18	-
HASTINGS	2·65	0·49	-	-	-	0·70	0·97	-	0·42	0·07
EASTBOURNE	3·31	0·08	-	-	-	1·99	0·83	-	0·33	0·08
BRIGHTON	3·02	0·03	-	-	-	1·12	1·51	-	0·30	0·06
PORTSMOUTH	4·72	0·07	-	-	-	1·11	3·25	-	0·25	0·04
BOURNEMOUTH	1·71	-	-	-	-	0·83	0·63	-	0·15	0·10
SOUTHAMPTON	2·89	0·03	-	-	-	0·35	2·07	-	0·38	0·06
READING	3·82	-	-	-	-	1·89	1·14	-	0·61	0·18
OXFORD	2·37	-	-	-	-	0·07	1·95	-	0·28	0·07
NORTHAMPTON	2·88	0·05	-	-	-	0·36	1·89	-	0·41	0·27
CAMBRIDGE	3·06	-	-	-	-	1·25	1·25	-	0·42	0·14
SOUTHEND ON SEA	5·49	0·05	-	-	-	2·82	2·15	-	0·33	0·14
IPSWICH	4·38	-	-	-	-	0·62	3·35	-	0·15	0·26
GREAT YARMOUTH	2·49	-	-	-	-	1·13	1·13	-	0·08	0·15
NORWICH	3·67	0·53	-	-	-	0·84	1·94	-	0·23	0·13
SWINDON	2·19	-	-	-	-	0·39	1·48	-	0·16	0·16
EXETER	1·71	0·07	-	-	-	0·68	0·48	-	0·48	-
PLYMOUTH	4·58	0·33	-	-	-	1·68	2·20	-	0·37	-
BATH	3·10	0·06	-	-	-	1·64	0·91	-	0·37	0·12
BRISTOL	6·06	0·06	-	-	-	2·88	2·49	-	0·52	0·11
GLOUCESTER	3·60	-	-	-	-	2·16	0·88	-	0·24	0·32
STOKE ON TRENT	5·32	0·08	-	-	-	3·55	1·02	-	0·57	0·10
WOLVERHAMPTON	3·75	-	-	-	-	2·93	0·49	-	0·33	-
WALSALL	2·29	0·04	-	-	-	1·17	0·69	-	0·35	0·04
WEST BROMWICH	2·47	-	-	-	-	1·26	0·63	-	0·52	0·06
DUDLEY	0·67	0·15	-	-	-	0·30	0·07	-	0·15	-
BIRMINGHAM	7·34	0·04	-	-	-	5·12	1·69	-	0·39	0·10
SMETHWICK	9·00	-	-	-	-	6·00	2·50	-	0·28	0·22
COVENTRY	2·00	-	-	-	-	0·97	0·73	-	0·21	0·09
LEICESTER	5·75	0·05	-	-	-	3·16	1·97	-	0·49	0·08
LINCOLN	3·04	-	-	-	-	0·86	1·85	-	0·26	0·07
GRIMSBY	3·35	0·05	-	-	-	1·37	1·73	-	0·15	0·05
NOTTINGHAM	4·85	0·05	-	-	-	2·48	1·85	-	0·39	0·08
DERBY	4·59	-	-	-	-	1·26	2·56	-	0·58	0·19
STOCKPORT	6·03	0·16	-	-	-	3·19	2·20	-	0·38	0·10
BIRKENHEAD	3·28	0·03	-	-	0·08	1·68	1·00	-	0·38	0·11
WALLASEY	2·65	-	-	-	-	1·22	0·84	-	0·55	0·04
LIVERPOOL	6·71	0·03	-	-	0·02	4·20	1·92	-	0·45	0·09
BOOTLE	7·60	0·16	-	-	0·36	3·70	3·02	-	0·31	0·05
ST. HELENS	6·57	-	-	-	-	4·66	1·55	-	0·36	-
SOUTHPORT	3·99	0·11	-	-	-	2·52	0·34	-	0·91	0·11
WIGAN	2·94	0·14	-	-	-	1·61	0·55	-	0·64	-
WARRINGTON	3·00	0·05	-	-	-	1·12	1·29	-	0·54	-
BOLTON	5·32	0·09	-	-	0·05	3·55	1·15	-	0·41	0·07
BURY	2·81	-	-	-	-	1·48	0·96	-	0·30	0·07
MANCHESTER	5·78	0·11	-	-	-	3·75	1·20	-	0·49	0·23
SALFORD	4·95	0·27	-	-	-	2·93	1·08	-	0·46	0·21

TABLE X. (continued).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July 1920.
(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM - - - -	4·17	0·03	-	-	-	2·21	1·02	-	0·76	0·15
ROCHDALE - - - -	2·53	0·04	-	-	-	1·43	0·80	-	0·22	0·09
BURNLEY - - - -	2·87	0·12	-	-	-	1·43	0·60	-	0·68	0·04
BLACKBURN - - - -	1·78	0·03	-	-	-	0·99	0·35	-	0·38	0·03
PRESTON - - - -	3·18	0·17	-	-	-	1·13	1·54	-	0·24	0·10
BLACKPOOL - - - -	3·87	-	-	-	-	1·48	1·36	-	0·41	0·12
BARROW IN FURNESS -	2·99	0·27	-	-	-	1·91	0·65	-	0·11	0·05
HUDDERSFIELD - - -	3·88	0·14	-	-	-	1·96	1·32	-	0·46	-
HALIFAX - - - -	2·77	0·12	-	-	-	1·50	0·79	-	0·32	0·04
BRADFORD - - - -	5·62	0·13	-	-	-	3·05	1·56	-	0·67	0·21
LEEDS - - - -	5·29	0·09	-	-	-	2·66	1·86	-	0·56	0·12
DEWSBURY - - - -	2·96	0·08	-	-	-	1·29	1·29	-	0·30	-
WAKEFIELD - - - -	2·94	0·33	-	-	-	1·39	1·14	-	-	0·08
BARNSELY - - - -	2·56	0·16	-	-	-	0·85	0·85	-	0·62	0·08
SHEFFIELD - - - -	3·25	0·01	-	0·01	-	1·45	1·23	-	0·44	0·11
ROTHERHAM - - - -	3·36	0·23	-	-	-	1·51	0·58	-	0·87	0·17
YORK - - - -	3·98	0·22	-	-	-	1·83	1·61	-	0·16	0·16
HULL - - - -	5·22	0·03	-	-	-	2·88	1·81	-	0·43	0·07
MIDDLESBROUGH - - -	4·95	0·03	-	-	0·22	2·93	1·33	-	0·28	0·16
DARLINGTON - - - -	6·63	-	-	-	-	5·45	0·81	-	0·31	0·06
STOCKTON ON TEES - -	5·22	-	-	-	-	3·37	1·65	-	0·20	-
WEST HARTLEPOOL - -	4·83	0·06	-	-	-	3·49	0·73	-	0·37	0·18
SUNDERLAND - - - -	3·97	-	-	-	-	2·90	0·51	-	0·51	0·05
SOUTH SHIELDS - - -	1·33	0·07	-	-	-	0·86	0·14	-	0·22	0·04
GATESHEAD - - - -	4·92	0·03	-	-	-	3·71	0·85	-	0·26	0·07
NEWCASTLE ON TYNE -	5·74	0·01	-	-	-	3·69	1·31	-	0·64	0·09
TYNEMOUTH - - - -	3·60	0·07	-	-	-	2·42	0·69	-	0·35	0·07
CARLISLE - - - -	3·06	-	-	-	-	1·53	1·02	-	0·36	0·15
NEWPORT (MON.) - - -	4·42	-	-	-	-	3·49	0·51	-	0·28	0·14
CARDIFF - - - -	6·99	0·02	-	-	-	5·00	1·69	-	0·24	0·04
RHONDDA - - - -	5·62	0·09	-	-	-	3·81	1·29	-	0·32	0·11
MERTHYR TYDFIL - - -	12·49	-	-	-	-	9·52	2·24	-	0·67	0·06
ABERDARE - - - -	8·20	0·08	-	-	-	5·62	2·34	-	0·16	-
SWANSEA - - - -	4·70	0·02	-	-	-	0·92	3·37	-	0·32	0·07
Smaller Towns.										
SURREY—										
BARNES - - - -	4·61	0·11	-	-	-	1·69	2·47	-	0·34	-
GUILDFORD - - - -	1·19	-	-	-	-	0·34	0·51	-	0·17	0·17
KINGSTON ON THAMES -	4·96	-	-	-	-	2·05	2·27	-	0·32	0·32
MITCHAM - - - -	7·66	0·12	-	-	-	3·95	3·13	-	0·46	-
REIGATE - - - -	5·39	-	-	-	-	3·44	1·95	-	-	-
RICHMOND - - - -	1·41	-	-	-	-	0·35	0·94	-	0·12	-
SUTTON - - - -	2·08	-	-	-	-	0·19	1·89	-	-	-
WOKING - - - -	3·10	-	-	-	-	0·98	1·14	-	0·49	0·49
KENT—										
BECKENHAM - - - -	5·05	-	-	-	-	2·71	1·85	-	0·49	-
BROMLEY - - - -	6·93	-	-	-	-	2·65	3·81	-	0·35	0·12
CANTERBURY - - - -	1·08	-	-	-	-	0·36	0·54	-	0·18	-
CHATHAM - - - -	9·07	0·10	-	-	-	4·17	4·59	-	0·21	-
DARTFORD - - - -	12·30	0·89	-	-	-	4·99	6·06	-	0·36	-
DOVER - - - -	3·27	-	-	-	-	0·82	2·14	-	0·31	-
ERITH - - - -	5·12	0·13	-	-	-	2·10	2·23	-	0·66	-
FOLKESTONE* - - - -	4·39	0·13	-	-	-	2·50	1·38	-	0·38	-
GRAVESEND - - - -	4·24	0·27	-	-	0·14	1·92	1·64	-	0·27	-
MAIDSTONE - - - -	4·72	0·12	-	-	-	3·03	1·09	-	0·36	0·12
MARGATE - - - -	6·46	-	-	-	-	2·51	3·59	-	0·36	-
PENGE (Surrey Reg. Co.) -	1·97	-	-	-	-	0·82	1·15	-	-	-
RAMSGATE - - - -	4·97	-	-	-	-	2·84	1·85	-	0·28	-
ROCHESTER - - - -	2·74	0·12	-	-	-	0·87	1·75	-	-	-
ROYAL TUNBRIDGE WELLS	5·01	0·12	-	-	-	2·68	1·63	-	0·58	-

* Including the Civil Parish of Folkestone next Sandgate.

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1920.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—										
Hove	1·90	0·18	-	-	-	0·27	1·18	-	0·27	-
SUSSEX WEST—										
WORTHING	1·98	0·26	-	-	-	1·19	0·53	-	-	-
SOUTHAMPTON—										
ALDERSHOT (Surrey Reg. Co.).	0·92	-	-	-	-	0·37	0·55	-	-	-
GOSPORT & ALVERSTOKE.	5·90	0·27	-	-	-	0·69	4·67	-	0·27	-
WINCHESTER	4·12	0·33	-	-	-	2·80	0·66	-	-	0·33
MIDDLESEX—										
CHISWICK	1·79	0·19	-	-	-	1·13	0·28	-	0·19	-
FINCHLEY	3·91	-	-	-	-	1·69	1·69	-	0·53	-
HENDON	5·89	0·07	-	-	-	4·33	1·21	-	0·28	-
HESTON & ISLEWORTH .	7·16	-	-	-	-	4·08	2·98	-	0·10	-
SOUTHALL NORWOOD .	3·76	-	-	-	-	3·33	0·43	-	-	-
SOUTHGATE	2·17	-	-	-	-	1·65	0·51	-	0·21	-
TWICKENHAM	3·13	-	-	-	0·12	0·81	1·73	-	0·35	0·12
WOOD GREEN	3·91	0·08	-	-	-	2·87	0·96	-	-	-
HERTFORDSHIRE—										
ST. ALBANS	2·26	-	-	-	-	0·97	0·97	-	0·32	-
WATFORD	6·25	-	-	-	-	4·69	0·96	-	0·43	0·17
BUCKINGHAMSHIRE—										
CHEPPING WYCOMBE .	3·86	-	-	-	-	2·70	0·58	-	0·58	-
NORTHAMPTONSHIRE—										
KETTERING	4·68	-	-	-	-	2·94	1·47	-	0·27	-
SOKE OF PETERBOROUGH—										
PETERBOROUGH	3·00	-	-	-	-	2·04	0·60	-	0·36	-
BEDFORDSHIRE—										
BEDFORD	4·21	-	-	-	-	2·21	1·90	-	0·10	-
LUTON	2·71	-	-	-	-	0·57	1·78	-	0·36	-
ESSEX—										
BARKING TOWN	8·31	0·47	-	-	-	0·95	5·58	-	1·31	-
COLCHESTER	3·01	0·10	-	-	-	1·16	1·36	-	0·29	0·10
SUFFOLK EAST—										
LOWESTOFT	3·28	0·10	-	-	-	0·58	2·22	-	0·29	0·19
NORFOLK—										
KING'S LYNN	1·81	-	-	-	-	1·01	0·40	-	0·40	-
WILTSHIRE—										
SALISBURY	1·61	-	-	-	-	0·18	1·43	-	-	-
DORSETSHIRE—										
POOLE	3·02	0·49	-	-	-	0·88	1·07	-	0·58	-
WEYMOUTH AND MELCOMBE REGIS.	1·49	0·19	-	-	-	0·56	-	-	0·74	-
DEVONSHIRE—										
TORQUAY	2·04	-	-	-	-	0·96	0·96	-	0·12	-
SOMERSETSHIRE—										
TAUNTON	0·77	-	-	-	-	0·19	0·39	-	-	0·19
WESTON SUPER MARE .	3·73	-	-	-	-	1·30	1·95	-	0·16	0·32
GLOUCESTERSHIRE—										
CHELTENHAM	2·67	0·09	-	-	-	0·62	1·60	-	0·36	-
HEREFORDSHIRE—										
HEREFORD	6·02	-	-	-	-	3·68	2·01	-	0·33	-

TABLE X. (continued).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1920.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—										
SHREWSBURY - - -	2·82	0·13	-	-	-	0·40	1·89	-	0·13	0·27
STAFFORDSHIRE—										
BILSTON - - - -	1·38	-	-	-	-	0·92	0·31	-	0·15	-
BURTON UPON TRENT -	4·54	-	-	-	-	2·27	1·85	-	0·34	0·08
CANNOCK - - - -	1·80	0·12	-	-	-	0·72	0·36	-	0·48	0·12
COSELEY - - - -	0·88	0·18	-	-	-	0·35	-	-	0·35	-
NEWCASTLE UNDER LYME	1·22	0·20	-	-	-	0·41	0·41	-	-	0·20
ROWLEY REGIS - - -	1·54	-	-	-	-	0·55	0·33	-	0·44	0·22
STAFFORD - - - -	3·90	-	-	-	-	1·05	2·70	-	0·15	-
TIPTON - - - - -	1·36	0·12	-	-	-	0·62	-	-	0·62	-
WEDNESBURY - - -	2·64	0·13	-	-	-	1·19	0·53	-	0·79	-
WOLSTANTON UNITED -	1·23	-	-	-	-	0·27	0·68	-	0·14	0·14
WORCESTERSHIRE—										
KIDDERMINSTER - -	1·81	-	-	-	-	0·75	0·91	-	-	0·15
OLDBURY (Staffs. Reg. Co.)	4·20	-	-	-	-	3·76	0·33	-	0·11	-
WORCESTER - - - -	3·81	-	-	-	-	0·68	2·54	-	0·51	0·08
WARWICKSHIRE—										
NUNEATON - - - -	5·89	-	-	-	-	4·47	1·12	-	0·10	0·20
ROYAL LEAMINGTON SPA	1·42	-	-	-	-	0·85	0·57	-	-	-
RUGBY - - - - -	2·23	-	-	-	-	1·04	1·04	-	0·15	-
SUTTON COLDFIELD (Staffs. Reg. Co.).	2·51	-	-	-	-	1·35	0·58	-	0·58	-
LEICESTERSHIRE—										
LOUGHBOROUGH - -	2·44	-	-	-	-	0·49	1·63	-	0·16	0·16
LINCOLNSHIRE (KESTEVEN)—										
GRANTHAM - - - -	0·54	-	-	-	-	0·18	0·18	-	-	0·18
LINCOLNSHIRE (LINDSEY)—										
CLEETHORPE WITH THRUNSCOE.	2·97	-	-	-	-	1·41	0·94	-	0·62	-
GAINSBOROUGH - -	1·89	-	-	-	-	0·63	0·84	-	0·42	-
NOTTINGHAMSHIRE—										
MANSFIELD - - - -	3·24	0·09	-	-	-	1·26	1·35	-	0·18	0·36
SUTTON IN ASHFIELD -	2·08	0·17	-	-	-	0·17	1·74	-	-	-
WORKSOP - - - -	1·46	-	-	-	-	0·55	0·55	-	0·18	0·18
DERBYSHIRE—										
CHESTERFIELD - - -	3·66	0·10	-	-	-	0·73	2·62	-	0·21	-
GLOSSOP - - - - -	2·40	-	-	-	-	1·20	0·60	-	0·60	-
ILKESTON (Notts. Reg. Co.)	2·44	-	-	-	-	1·54	0·26	-	0·51	0·13
CHESHIRE—										
CHESTER - - - - -	4·53	0·10	-	-	-	2·36	1·67	-	0·10	0·30
CREWE - - - - -	2·91	-	-	-	-	1·41	1·41	-	0·09	-
HYDE - - - - -	2·21	-	-	-	-	1·72	0·25	-	0·12	0·12
MACCLESFIELD - - -	2·10	0·12	-	-	-	0·62	0·74	-	0·37	0·25
STALYBRIDGE (Lancs. Reg. Co.).	2·61	0·15	-	-	-	2·00	-	-	0·46	-
LANCASHIRE—										
ACCINGTON - - - -	3·21	-	-	-	-	0·92	1·65	-	0·55	0·09
ASHTON IN MAKERFIELD	7·55	0·57	-	-	-	5·66	1·13	-	-	0·19
ASHTON UNDER LYNE -	4·04	-	-	-	-	3·30	0·37	-	0·28	0·09
BACUP - - - - -	1·19	-	-	-	-	-	0·20	-	0·79	0·20
CHADDERTON - - - -	2·95	-	-	-	-	1·83	0·56	-	0·42	0·14
CHORLEY - - - - -	2·68	0·13	-	-	-	1·02	0·89	-	0·51	0·13
COLNE - - - - -	4·34	-	-	-	-	3·10	1·24	-	-	-
DARWEN - - - - -	1·60	-	-	-	-	0·96	0·32	-	0·21	0·11
ECCLES - - - - -	4·06	0·09	-	-	-	3·31	0·38	-	0·28	-
FARNWORTH - - - -	7·65	-	-	-	-	5·19	0·87	-	1·59	-

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1920.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—<i>cont.</i>										
HEYWOOD - - -	3·21	0·31	-	-	-	0·61	0·15	-	1·99	0·15
HINDLEY - - -	3·40	0·17	-	-	-	2·21	0·34	-	0·68	-
INCE IN MAKERFIELD - - -	3·31	-	-	-	-	2·21	0·18	-	0·92	-
LANCASTER - - -	1·85	0·11	-	-	-	0·65	0·65	-	0·44	-
LEIGH - - -	4·68	0·18	-	-	-	1·62	2·23	-	0·45	0·18
MIDDLETON - - -	2·31	0·14	-	-	-	0·87	1·16	-	0·14	-
NELSON - - -	3·68	-	-	-	-	2·13	1·26	-	0·29	-
RADCLIFFE - - -	5·98	-	-	-	-	3·59	1·88	-	0·34	0·17
RAWTENSTALL - - -	1·03	0·15	-	-	-	-	0·59	-	0·29	-
STRETFORD - - -	3·17	0·09	-	-	-	2·29	0·44	-	0·35	-
SWINTON AND	11·55	-	-	-	-	8·41	2·00	-	1·14	-
PENDLEBURY.										
WATERLOO WITH	6·85	0·14	-	-	-	4·33	2·10	-	0·28	-
SEAFORTH.										
WIDNES - - -	3·68	-	-	-	-	1·96	1·60	-	0·12	-
YORKSHIRE										
(WEST RIDING)—										
BATLEY - - -	1·72	-	-	-	-	0·69	1·03	-	-	-
BRIGHOUSE - - -	2·00	-	-	-	-	1·00	0·40	-	0·40	0·20
CASTLEFORD - - -	4·40	-	-	-	-	2·61	1·63	-	-	0·16
DONCASTER - - -	2·50	-	-	-	-	1·87	0·16	-	0·31	0·16
GOOLE - - -	4·72	-	-	-	-	2·70	1·35	-	0·67	-
HARROGATE - - -	3·10	-	-	-	-	1·11	1·77	-	0·22	-
KEIGHLEY - - -	1·44	-	-	-	-	0·41	0·31	-	0·62	0·10
MORLEY - - -	2·74	0·17	-	-	-	1·03	1·20	-	0·17	0·17
SHIPLEY - - -	4·02	-	-	-	-	3·33	0·55	-	0·14	-
SPENBOROUGH - - -	4·27	-	-	-	-	2·00	1·74	-	0·53	-
TODMORDEN - - -	7·80	-	-	-	-	6·07	1·21	-	0·35	0·17
YORKSHIRE										
(NORTH RIDING)—										
ESTON - - -	9·12	0·14	-	-	-	6·42	1·71	-	0·71	0·14
SCARBOROUGH - - -	6·71	0·12	-	-	-	2·94	3·65	-	-	-
DURHAM—										
BLAYDON - - -	2·80	-	-	-	-	2·10	0·35	-	0·35	-
FELLING - - -	7·82	-	-	-	-	7·23	-	-	0·44	0·15
HARTLEPOOL - - -	2·06	-	-	-	-	1·85	-	-	0·21	-
HEBBURN - - -	9·07	-	-	-	-	7·65	0·89	-	0·53	-
JARROW - - -	10·99	0·22	-	-	-	8·86	0·45	-	1·01	0·45
STANLEY - - -	11·11	-	-	-	-	5·47	4·96	-	0·51	0·17
NORTHUMBERLAND—										
ASHINGTON - - -	20·03	0·28	-	-	-	16·79	1·41	-	1·55	-
BEDLINGTONSHIRE - - -	3·11	-	-	-	-	1·40	1·09	-	0·62	-
BLYTH - - -	3·56	0·25	-	-	-	1·66	0·76	-	0·89	-
WALLSEND - - -	4·13	0·09	-	-	-	3·12	0·55	-	0·28	0·09
CUMBERLAND—										
WORKINGTON - - -	4·77	0·77	-	-	-	0·31	3·38	-	0·31	-
MONMOUTHSHIRE—										
ABERSYCHAN - - -	3·14	-	-	-	-	2·09	0·90	-	0·15	-
ABERTILLERY - - -	5·15	0·09	-	-	-	2·25	1·59	-	1·03	0·19
BEDWELLY - - -	4·30	-	-	-	-	3·22	0·72	-	0·36	-
EBBW VALE - - -	15·97	0·61	-	-	-	13·02	1·02	-	1·12	0·20
TREDEGAR - - -	3·92	-	-	-	-	2·29	1·14	-	0·49	-
GLAMORGANSHIRE—										
BARRY - - -	4·66	0·11	-	-	-	1·06	3·28	-	0·21	-
CAERPHILLY - - -	14·91	0·22	-	-	-	11·84	2·63	-	0·11	0·11
GELLIGAER - - -	4·13	-	-	-	-	2·92	1·11	-	0·10	-
MAESTEG - - -	19·11	-	-	-	-	16·04	2·93	-	0·14	-
MOUNTAIN ASH - - -	9·02	0·09	-	-	-	7·28	1·47	-	0·09	0·09
OGMORE AND GARW - - -	10·75	-	-	-	-	9·16	1·46	-	0·13	-
PONTYPRIDD - - -	3·35	0·09	-	-	-	1·94	0·79	-	0·44	0·09
CARMARTHENSHIRE—										
LLANELLY - - -	4·10	0·11	-	-	-	0·54	3·23	-	0·22	-

TABLE XI.--PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 3rd July, 1920.
(Civilian Population only.)

BOROUGHs.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
ADMINISTRATIVE COUNTY OF LONDON }	6·23	0·07	-	0·01	0·00	2·94	2·59	-	0·52	0·10
WEST.										
Paddington - - -	4·84	0·06	-	-	-	1·70	2·59	-	0·53	0·06
Kensington - - -	5·70	0·18	-	-	-	2·67	2·36	-	0·46	0·03
Hammersmith - -	4·17	0·09	-	-	-	1·75	1·87	-	0·40	0·06
Fulham - - -	7·31	0·13	-	-	-	3·71	2·66	-	0·60	0·21
Chelsea - - -	6·03	0·07	-	-	0·07*	3·44	1·66	-	0·53	0·26
City of Westminster -	5·13	0·16	-	-	-	2·96	1·54	-	0·47	-
NORTH.										
St. Marylebone - -	4·83	0·16	-	-	-	2·54	1·27	-	0·78	0·08
Hampstead - - -	4·19	0·09	-	-	-	2·23	1·46	-	0·41	-
St. Pancras - - -	6·01	0·04	-	-	-	2·27	3·24	-	0·42	0·04
Islington - - -	5·40	0·08	-	-	-	2·00	2·81	-	0·42	0·09
Stoke Newington - -	4·18	-	-	-	-	1·50	2·44	-	0·24	-
Hackney - - -	6·21	0·09	-	-	-	2·96	2·59	-	0·44	0·13
CENTRAL.										
Holborn - - -	5·46	-	-	-	-	2·52	2·52	-	0·42	-
Finsbury - - -	6·60	0·05	-	-	-	2·29	2·40	-	1·86	-
City of London - -	2·60	-	-	-	-	0·58	1·73	-	0·29	-
EAST.										
Shoreditch - - -	8·63	0·04	-	-	-	4·62	3·68	-	0·25	0·04
Bethnal Green - -	11·08	0·04	-	-	0·04*	6·01	4·04	-	0·80	0·15
Stepney - - -	7·29	0·12	-	-	-	4·16	2·40	-	0·52	0·09
Poplar - - -	8·43	0·10	-	-	-	4·15	3·32	-	0·63	0·23
SOUTH.										
Southwark - - -	6·24	-	-	-	-	3·05	2·23	-	0·87	0·09
Bermondsey - - -	5·13	0·03	-	-	-	2·84	1·84	-	0·29	0·13
Lambeth - - -	6·60	0·04	-	-	-	3·23	2·73	-	0·43	0·17
Battersea - - -	6·14	0·13	-	-	-	2·14	3·22	-	0·40	0·25
Wandsworth - - -	6·96	0·12	-	0·01	-	3·19	3·01	-	0·50	0·13
Camberwell - - -	5·39	0·01	-	-	-	2·43	2·51	-	0·34	0·10
Deptford - - -	6·89	0·04	-	-	-	3·68	2·52	-	0·58	0·07
Greenwich - - -	6·51	0·04	-	-	0·04	3·42	2·36	-	0·65	-
Lewisham - - -	6·43	0·02	-	-	-	3·11	2·75	-	0·53	0·02
Woolwich - - -	5·46	0·06	-	-	-	2·33	2·27	-	0·74	0·06

* Subsequently found not to be small-pox.

TABLE XII.—COUNTY OF LONDON.—Births, Deaths, and Death-Rates in London, and in the Metropolitan Boroughs during the 13 WEEKS ended 3rd July, 1920. (The births in this table are those actually registered in the several Metropolitan Boroughs. The deaths relate to the civilian population only and are, so far as concerns London as a whole, corrected to the extent indicated at the head of Table V. As between individual boroughs, however, correction is complete.)

BOROUGH.	Estimated Civilian Population, Mid. 1919.	Births.	Deaths from										Deaths of Infants under 1 Year of Age.	ANNUAL DEATH-RATES PER 1000 CIVILIAN POPULATION, MID. 1919.						RATE PER 1000 BIRTHS.			
			All Causes.							Diarrhoea and En- teritis (under 2 Years).				Pulmonary Tuberculosis.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Pulmonary Tuberculosis.	Diarrhoea and En- teritis (under 2 Years).	Total deaths under 1 Year.
			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and En- teritis (under 2 Years).	Pulmonary Tuberculosis.													
County of London -	4,358,309	32,015	13,549	20	1	404	39	258	201	207	1,161	1,994	12.5	0.02	0.00	0.37	0.04	0.24	0.18	1.07	6.5	62	
WEST.																							
PADDINGTON -	142,938	830	429	—	—	16	—	6	6	9	42	59	12.0	—	—	0.45	—	0.17	0.17	1.17	10.8	71	
KENSINGTON -	157,886	987	488	—	—	13	2	3	7	16	35	65	12.4	—	—	0.33	0.05	0.08	0.18	0.89	16.2	66	
HAMMERSMITH -	130,981	910	384	—	—	10	—	3	9	8	33	60	11.8	—	—	0.31	—	0.09	0.28	1.01	8.8	66	
FULHAM -	152,543	1,149	446	2	—	9	—	9	13	4	42	73	11.7	0.05	—	0.24	—	0.24	0.34	1.10	3.5	64	
CHELSEA -	60,573	401	148	1	—	4	1	—	2	2	15	14	9.8	0.07	—	0.26	0.07	—	0.13	0.99	5.0	35	
CITY OF WESTMINSTER -	127,533	467	384	2	—	6	2	—	—	4	31	38	12.1	0.06	—	0.19	0.06	—	—	0.97	8.6	81	
NORTH.																							
ST. MARYLEBONE -	97,953	1,157	308	—	—	3	3	4	3	3	22	33	12.6	—	—	0.12	0.12	0.16	0.12	0.90	2.6	29	
HAMPSTEAD -	88,012	417	204	2	—	2	—	5	—	1	8	18	9.3	0.09	—	0.09	—	0.23	—	0.36	2.4	43	
ST. PANCRAS -	219,434	1,596	671	—	—	25	3	22	8	9	59	112	12.3	—	—	0.46	0.05	0.40	0.15	1.08	5.6	70	
ISLINGTON -	323,034	2,279	1,097	—	—	28	2	22	26	16	94	142	13.6	—	—	0.35	0.02	0.27	0.32	1.17	7.0	62	
STOKE NEWINGTON -	50,954	293	163	—	—	1	—	3	1	2	11	23	12.8	—	—	0.08	—	0.24	0.08	0.87	6.8	78	
HACKNEY -	216,736	1,690	655	—	—	22	1	18	14	9	52	101	12.1	—	—	0.41	0.02	0.33	0.26	0.96	5.3	60	
CENTRAL.																							
HOLBORN -	38,156	174	145	—	—	—	—	1	—	2	5	17	15.2	—	—	—	—	0.11	—	0.53	11.5	98	
FINSBURY -	75,991	1,026	265	—	—	5	1	3	8	4	27	38	14.1	—	—	0.27	0.03	0.16	0.43	1.44	3.9	37	
CITY OF LONDON -	13,893	122	59	1	—	1	—	—	—	1	7	6	17.0	0.29	—	0.29	—	—	—	2.02	8.2	49	
EAST.																							
SHOREDITCH -	98,134	926	368	—	—	4	—	6	9	10	33	65	15.0	—	—	0.16	—	0.25	0.37	1.35	10.8	70	
BETHNAL GREEN -	110,085	855	403	1	—	21	2	18	6	4	43	74	14.7	0.04	—	0.77	0.07	0.66	0.22	1.57	4.7	87	
STEPNEY -	232,506	2,001	843	3	—	26	2	27	6	15	67	126	14.5	0.03	—	0.45	0.03	0.47	0.10	1.16	7.5	63	
POPLAR -	153,644	1,294	514	1	—	13	1	23	8	13	47	93	13.4	0.03	—	0.34	0.03	0.60	0.21	1.23	10.0	72	
SOUTH.																							
SOUTHWARK -	179,971	1,351	611	1	—	31	1	6	4	11	52	101	13.6	0.02	—	0.69	0.02	0.13	0.09	1.16	8.1	75	
BERMONDSEY -	124,239	983	438	—	—	22	1	11	5	5	33	78	14.1	—	0.63	0.71	0.03	0.36	0.16	1.07	5.1	79	
LAMBETH -	282,322	2,684	921	—	—	28	4	10	9	15	86	123	13.1	—	—	0.40	0.06	0.14	0.13	1.22	5.6	46	
BATTERSEA -	159,316	1,055	509	1	—	33	3	14	6	9	40	84	12.8	0.03	—	0.83	0.03	0.35	0.15	1.01	8.5	79	
WANDSWORTH -	333,693	1,866	844	1	—	25	4	7	19	7	57	104	10.1	0.01	—	0.30	0.05	0.08	0.23	0.69	3.8	56	
CAMBERWELL -	273,802	1,921	784	2	—	29	4	17	16	9	70	115	11.5	0.03	—	0.42	0.06	0.25	0.23	1.03	4.7	60	
DEPTFORD -	111,205	853	318	—	—	5	1	4	3	11	38	54	11.3	—	—	0.18	0.04	0.14	0.11	1.37	12.9	63	
GREENWICH -	98,484	762	316	—	—	7	—	9	2	2	35	52	12.9	—	—	0.29	—	0.37	0.08	1.43	2.6	68	
LEWISHAM -	167,754	1,035	469	1	—	3	—	1	7	1	28	72	11.2	0.02	—	0.07	—	0.02	0.17	0.67	1.0	70	
WOOLWICH -	136,237	931	365	1	—	12	1	6	4	5	49	54	10.7	0.03	—	0.35	0.03	0.18	0.12	1.44	5.4	58	

TABLE XIII.—**Births and Deaths** in the **Fourth Quarter** (14 Weeks) of **1919**, and the **First and Second Quarters** (13 Weeks) of **1920** in certain **Colonial and Foreign Cities**.

CITIES.	POPULATION (enumerated or estimated).	BIRTHS. (Excluding Stillborn.)	DEATHS.	ANNUAL RATE per 1000 Persons living.										RATE per 1000 Births.	
				Births.	Deaths from								Diarrhoea and Enteri- tis (under 2 Years).†	Total Deaths under 1 Yr.	
					All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Influenza.			
FOURTH QUARTER, 1919 (14 weeks).															
MADRAS - -	518,660	5,788	6,934‡	41·6	49·8	0·11	0·32	0·12	?	0·26	0·01§	2·02	104·2	326	
BUDAPEST - -	1,051,374	6,228	5,338	22·1	19·0	0·24	0·00	0·00	0·19	0·09	0·08	0·02	?	142	
FIRST QUARTER.*															
CALCUTTA - -	896,067	—	11,939‡	—	53·4	?	11·03	?	?	?	?	3·37	?	?	
BOMBAY - -	979,445	4,642	12,760‡	19·0	52·3	0·19	0·60	0·18	-	0·00	0·00§	3·52	103·8	543	
MADRAS - -	518,660	4,854	6,077‡	37·5	47·0	0·12	0·27	0·17	?	0·39	0·01§	0·90	118·0	306	
PARIS (3 months) -	2,847,229	14,809	13,793	20·9	19·4	0·06	0·00	0·13	0·07	0·20	0·11	0·90	17·6	103	
ANTWERP - -	325,160	1,733	972	21·4	12·0	0·01	-	-	0·02	0·09	0·09	0·49	28·3	100	
CAIRO - -	761,300	8,501	5,949	44·8	31·3	0·14	0·15	0·22	-	?	0·07	?	29·2	158	
ALEXANDRIA - -	445,700	4,679	3,615‡	42·1	32·5	0·14	1·02	0·02	0·01	?	0·08	?	37·4	165	
NEW ORLEANS (3 months).	400,000	—	2,267	—	22·7	0·03	0·61	0·03	0·02	-	0·08	1·89	?	?	
SECOND QUARTER.*															
LONDON - -	4,358,309	32,015	13,549	28·3	12·5	0·02	0·00	0·37	0·04	0·24	0·19	0·44	6·5	62	
ANTWERP - -	328,964	1,796	764	21·9	9·3	-	-	0·02	-	0·10	0·06	0·12	28·4	77	
AMSTERDAM - -	650,460	3,874	1,575	23·9	9·7	0·02	-	0·05	-	0·05	0·06	0·25	4·9	37	
COPENHAGEN - -	552,000	3,209	1,810	23·3	13·2	0·01	-	0·04	0·04	0·03	0·12	0·87	4·1	90	
STOCKHOLM - -	415,201	1,929	1,296	18·6	12·5	0·01	-	0·62	0·07	0·04	0·12	0·42	2·1	49	
GOTHENBURG - -	200,578	—	552	—	11·0	0·08	-	0·08	-	0·06	0·10	0·08	?	?	
CHRISTIANIA - -	258,615	1,433	745	22·2	11·6	0·02	-	0·06	0·02	0·03	0·08	-	4·2	47	
BERLIN (10 weeks)	1,904,590	6,518	4,808	17·8	13·2	0·01	-	0·10	0·03	0·05	0·09	?	?	129	
HAMBURG (11 weeks)	1,002,933	4,684	2,667	22·1	12·6	-	-	0·09	0·04	0·07	0·12	?	?	95	
LEIPZIG - -	610,686	3,514	1,877	23·1	12·3	0·03	-	0·12	0·03	0·07	0·07	?	?	110	
DRESDEN - -	537,127	2,969	1,646	22·2	12·3	-	-	0·01	0·03	0·07	0·10	?	?	90	
COLOGNE - -	442,899	4,307	2,237	26·9	14·0	0·01	-	0·03	0·01	0·29	0·15	?	?	131	
BRESLAU (12 weeks)	531,347	?	1,826	?	14·9	0·02	-	0·06	0·06	0·11	0·08	?	?	?	
FRANKFORT-ON-M. (11 weeks).	435,103	1,873	951	20·4	10·4	-	-	0·08	0·01	0·14	0·04	?	?	93	
VIENNA - -	1,842,005	7,120	8,644	15·5	18·8	0·04	-	0·07	0·04	0·10	0·04	0·28	25·0	151	
PRAGUE - -	524,496	2,367	2,469	18·1	18·9	0·05	0·28	0·14	0·01	0·03	0·04	0·23	30·0	176	

* For statistics of other Colonial and Foreign cities during the First Quarter of 1920, see Quarterly Return for that period (No. 285).

† The death-rates in this column relate to all ages for Madras, Bombay, and Christiania and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ Including 15 deaths from Plague in Calcutta, 64 in Bombay, 0, and 2 in Madras, and 1 in Alexandria, and from Asiatic Cholera 501 deaths in Calcutta, 2 in Bombay, and 15 and 11 in Madras.

§ Excluding deaths from Croup.

|| The figures for London refer to the civilian population only.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
1-59	All Causes -	M 58,698	4,969	1,732	1,098	1,307	9,106	1,464	684	553	543	12,350	1,586
	F 56,062	3,717	1,197	871	1,058	6,843	1,338	691	566	557	9,995	1,541	
	I. General Diseases.	M 15,644	119	191	154	270	734	584	318	297	271	2,204	853
	F 16,091	71	129	125	281	606	546	387	304	308	2,151	850	
1	Enteric fever -	M 91	—	—	—	—	—	—	—	1	—	1	4
	F 71	—	—	—	—	—	—	—	—	—	—	—	4
2	Typhus - -	M —	—	—	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—	—	—
3	Relapsing fever -	M 1	—	—	—	—	—	—	—	—	—	—	—
	F 1	—	—	—	—	—	—	—	—	—	—	—	—
	A. Relapsing fever.	M 1	—	—	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—	—	—
	B. Mediterranean fever.	M —	—	—	—	—	—	—	—	—	—	—	—
	F 1	—	—	—	—	—	—	—	—	—	—	—	—
4	Malaria - -	M 68	—	—	—	—	—	—	—	—	—	—	—
	F 1	—	—	—	—	—	—	—	—	—	—	—	—
5	Small-pox - -	M 1	—	—	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—	—	—
6	Measles - -	M 740	—	13	5	116	134	279	115	70	46	644	88
	F 707	2	3	8	105	118	240	111	62	63	594	104	
7	Scarlet fever -	M 250	—	1	1	4	6	19	18	31	33	107	95
	F 262	—	—	—	4	4	19	31	28	35	117	85	
8	Whooping cough -	M 285	7	40	46	42	135	74	30	21	9	269	16
	F 352	6	37	37	47	127	104	45	39	16	331	18	
9	Diphtheria, Croup -	M 825	2	2	1	21	26	67	67	109	109	378	346
	F 851	3	2	—	14	19	53	91	98	119	380	353	
	A. Diphtheria -	M 822	2	2	1	21	26	67	66	108	108	375	346
	F 845	3	2	—	13	18	52	90	98	118	376	351	
	B. Membranous laryngitis.	M 1	—	—	—	—	—	—	1	—	—	1	—
	F —	—	—	—	—	—	—	—	—	—	—	—	—
	C. Croup - -	M 2	—	—	—	—	—	—	—	1	1	2	—
	F 6	—	—	—	1	1	1	1	—	1	4	2	
10	Influenza - -	M 934	3	3	3	8	17	7	8	9	7	48	33
	F 718	3	5	4	7	19	4	6	5	5	39	21	
11	Miliary fever -	M —	—	—	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—	—	—
12	Asiatic cholera -	M —	—	—	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—	—	—
13	Cholera nostras -	M —	—	—	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—	—	—
14	Dysentery - -	M 61	—	—	—	—	—	—	1	—	1	2	1
	F 30	—	—	—	—	—	—	1	—	—	—	1	1
15	Plague - -	M 3	—	—	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—	—	—
16	Yellow fever -	M —	—	—	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—	—	—
17	Leprosy - -	M —	—	—	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
18	Erysipelas - - {	M	141	3	10	3	—	16	2	—	—	1	19
		F	101	2	2	2	—	6	1	—	—	1	8
19	Other epidemic diseases. {	M	27	—	1	3	5	9	5	1	2	3	20
		F	21	—	—	2	3	5	4	1	—	3	13
	A. Mumps - - {	M	6	—	1	—	1	2	—	—	1	1	4
		F	5	—	—	—	—	—	—	—	—	1	1
	B. German measles. {	M	6	—	—	—	1	1	2	1	—	—	4
		F	6	—	—	—	1	1	2	1	—	1	5
	C. Varicella - {	M	14	—	—	3	3	6	3	—	1	2	12
		F	10	—	—	2	2	4	2	—	—	1	7
	D. Other diseases included under 19. {	M	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
20	Pyæmia, Septicæmia. {	M	117	4	1	—	—	5	2	1	2	2	12
		F	65	2	3	1	1	7	2	1	—	—	10
	A. Pyæmia - {	M	8	2	—	—	—	2	—	—	—	—	2
		F	9	1	2	—	—	3	—	1	—	—	4
	B. Septicæmia - {	M	109	2	1	—	—	3	2	1	2	2	10
		F	56	1	1	1	1	4	2	—	—	—	6
	C. Vaccinia - {	M	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
21	Glanders - - {	M	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
22	Anthrax (Splenic Fever). {	M	7	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
23	Rabies - - - {	M	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
24	Tetanus - - - {	M	32	3	—	—	—	3	—	—	—	—	3
		F	7	1	1	—	—	2	—	—	—	—	2
25	Mycoses - - - {	M	7	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—	—
	A. Actinomycosis {	M	5	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—	—
	B. Other mycoses {	M	2	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—
26	Pellagra - - - {	M	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
27	Beri-beri - - - {	M	2	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute). {	M	3,891	—	—	2	3	5	7	4	3	7	26
		F	3,362	—	1	4	5	10	10	8	12	5	45
	A. Pulmonary tuberculosis. {	M	3,115	—	—	2	3	5	7	3	3	6	24
		F	2,628	—	1	3	4	8	9	8	10	4	39
	B. Phthisis (not defined as tuberculous). {	M	776	—	—	—	—	—	—	1	—	1	2
		F	734	—	—	1	1	2	1	—	2	1	6

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1919—*continued.*

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
1 3	3 3	7 4	3 2	2 —	8 5	10 10	16 6	8 13	11 11	14 3	15 11	16 6	1 7	1 5	4 4	18
1 —	— —	— 1	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	19
— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	B
1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	C
— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	D
9 1	6 2	— 6	5 5	5 1	5 2	6 7	13 5	14 4	11 7	9 5	7 6	6 —	1 —	3 —	1 2	20
2 —	1 —	— 1	1 1	— —	— —	— —	— —	— 1	1 1	1 —	— —	— —	— —	— —	— —	A
7 1	5 2	— 5	4 4	5 1	5 2	6 7	13 5	14 3	10 6	8 5	7 6	6 —	1 —	3 —	1 2	B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	21
— —	— —	— —	— —	— —	2 —	— —	2 —	2 —	1 —	— —	— —	— —	— —	— —	— —	22
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	23
5 —	3 —	1 —	2 1	3 —	1 1	3 —	3 1	2 —	2 —	3 —	1 —	— —	— —	— —	— —	24
— 1	1 —	— —	— —	— 1	1 —	— 1	— —	1 —	— 1	— 1	1 —	— —	2 —	— —	— —	25
— 1	1 —	— —	— —	— 1	1 —	— 1	— —	— —	— 1	— —	1 —	— —	1 —	— —	— —	A
— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— 1	— —	— —	1 —	— —	— —	B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	26
— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	27
53 139	222 401	352 446	398 453	402 387	438 367	505 283	393 251	388 170	282 142	186 100	141 75	46 39	23 15	4 5	— 1	28
43 116	185 319	282 348	321 346	332 297	339 287	410 230	318 193	304 131	219 110	147 73	109 56	34 33	16 13	3 4	— —	A
10 23	37 82	70 98	77 107	70 90	99 80	95 53	75 58	84 39	63 32	39 27	32 19	12 6	7 2	1 1	— 1	B

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
29	Acute phthisis, Acute miliary tuberculosis.	M 338	—	4	4	4	12	4	4	2	4	26	1
		F 302	—	1	1	—	2	6	3	2	6	19	1
	A. Acute phthisis	M 263	—	1	1	—	2	2	1	2	2	9	
		F 226	—	1	—	—	1	3	—	1	—	5	
	B. Acute miliary tuberculosis.	M 75	—	3	3	4	10	2	3	—	2	17	
		F 76	—	—	1	—	1	3	3	1	6	14	
28 & 29	<i>Pulmonary tuber- culosis (acute and chronic).</i>	M 4,229	—	4	6	7	17	11	8	5	11	52	4
		F 3,664	—	2	5	5	12	16	11	14	11	64	5
30	Tuberculous meningitis.	M 371	3	10	19	25	57	49	30	21	24	181	7
		F 390	—	5	10	29	44	32	45	30	30	181	8
31	Tuberculosis of peritoneum and intestines.	M 232	—	13	13	15	41	24	15	4	10	94	3
		F 291	—	7	12	18	37	34	19	12	10	112	2
	A. Tabes mesenterica.	M 20	—	2	2	3	7	4	3	—	—	14	
		F 28	—	3	4	7	14	5	3	1	1	24	
	B. Other peri- toneal and intestinal tubercle.	M 212	—	11	11	12	34	20	12	4	10	80	3
		F 263	—	4	8	11	23	29	16	11	9	88	2
32	Tuberculosis of spinal column	M 86	—	—	—	—	—	—	1	1	—	2	
		F 69	—	—	—	—	—	2	—	—	—	2	
33	Tuberculosis of joints.	M 53	—	—	—	—	—	—	—	—	—	—	
		F 35	—	—	—	—	—	—	—	—	—	—	
34	Tuberculosis of other organs.	M 73	—	—	2	2	4	2	—	1	—	7	
		F 69	—	1	1	1	3	2	2	—	—	7	
	A. Lupus - -	M 8	—	—	—	1	1	—	—	—	—	1	
		F 14	—	—	—	—	—	—	—	—	—	—	
	B. Scrofula -	M —	—	—	—	—	—	—	—	—	—	—	
		F 1	—	1	—	—	1	—	—	—	—	1	
	C. Other tuber- culosis in- cluded under 34.	M 65	—	—	2	1	3	2	—	1	—	6	
		F 54	—	—	1	1	2	2	2	—	—	6	
35	Disseminated tuberculosis.	M 200	2	4	3	3	12	17	8	1	2	40	1
		F 157	2	2	1	5	10	5	9	6	4	34	1
28- 35	<i>Tuberculosis (all forms).</i>	M 5,244	5	31	43	52	131	103	62	33	47	376	18
		F 4,675	2	17	29	58	106	91	86	62	55	400	18
36	Rickets, Softening of bones.	M 57	4	2	2	10	18	19	6	7	2	52	
		F 50	—	—	3	10	13	15	6	3	1	38	
	A. Rickets - -	M 54	3	2	2	10	17	19	6	7	2	51	
		F 44	—	—	3	10	13	15	6	3	1	38	
	B. Other forms of bone soften- ing.	M 3	1	—	—	—	1	—	—	—	—	1	
		F 6	—	—	—	—	—	—	—	—	—	—	
37	Syphilis - - -	M 289	75	73	41	8	197	4	2	2	—	205	
		F 200	38	52	32	27	149	3	1	—	1	154	

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1919—*continued.*

AGES AT DEATH.																International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards	
10 28	28 51	35 54	29 23	31 23	28 32	30 18	26 14	35 8	16 9	18 4	8 3	1 —	1 2	— —	— —	{ 29
6 15	23 38	26 45	20 19	28 19	25 29	26 17	23 13	29 5	14 7	17 4	8 3	1 —	1 1	— —	— —	
4 13	5 13	9 9	9 4	3 4	3 3	4 1	3 1	6 3	2 2	1 —	— —	— —	— 1	— —	— —	{ B
63 67	250 452	387 500	427 476	433 410	466 399	535 301	419 265	423 178	298 151	204 104	149 78	47 39	24 17	4 5	— 1	{ 28 & 29
44 45	30 29	8 16	6 13	10 10	8 7	2 4	3 2	4 1	1 1	1 1	— —	— —	— —	— —	— —	{ 30
25 16	15 28	12 18	9 14	7 11	10 18	4 10	5 6	7 10	3 6	5 8	1 4	1 —	— —	— 1	— —	{ 31
— 1	— —	2 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	{ A
25 15	15 28	10 18	9 14	7 11	10 18	4 10	5 6	6 10	3 6	5 8	1 4	1 —	— —	— 1	— —	{ B
9 4	8 8	16 4	10 1	8 6	2 1	— 6	6 2	5 7	4 9	3 3	6 5	2 1	— 3	— 1	— —	{ 32
5 3	12 3	3 6	3 1	1 —	2 2	4 1	2 2	4 2	2 4	3 3	5 3	4 2	— 2	— —	— 1	{ 33
2 2	4 4	7 4	6 2	4 2	6 3	7 9	7 6	2 2	6 —	3 5	4 10	2 3	3 4	— 4	— —	{ 34
— —	1 1	— —	1 —	— —	1 1	1 2	— 1	— —	1 —	1 1	1 2	— 2	— 1	— 3	— —	{ A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ B
2 2	3 3	7 4	5 2	4 2	5 2	6 7	7 5	2 2	5 —	2 4	3 8	2 1	3 3	— 1	— —	{ C
26 10	27 23	13 11	14 11	11 6	7 7	10 15	9 4	7 6	4 2	6 4	2 1	3 7	2 2	— 2	— —	{ 35
74 47	346 547	446 559	475 518	474 445	501 437	562 346	451 287	452 206	318 173	225 128	167 101	59 52	29 28	4 13	— 2	{ 28-35
1 —	— —	1 —	— —	2 —	— —	1 —	1 —	1 —	1 —	2 —	— —	1 —	— 1	— —	— —	{ 36
1 —	— —	— 1	— —	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ A
— —	— —	— —	— —	— 1	— —	— —	— 1	1 —	— 1	— 2	— —	1 —	— 1	— —	— —	{ B
— 2	2 1	6 2	1 5	12 4	4 4	13 5	13 5	9 3	9 7	7 4	4 1	2 —	— —	— —	1 —	{ 37

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

E-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1919—continued.

AGES AT DEATH.																International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	{	38
—	—	—	—	4	2	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	{	B
—	—	—	—	4	2	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	—	—	—	3	3	20	45	84	97	113	107	77	46	13	{	39
—	—	—	1	—	1	4	3	11	14	13	11	11	13	7		
1	—	1	7	9	39	68	138	204	311	331	349	242	144	50	{	40
—	1	1	2	18	34	65	100	126	206	273	268	258	160	66		
1	1	1	6	12	24	35	61	109	132	188	206	168	115	39	{	41
—	3	1	6	15	25	41	66	106	149	167	185	173	129	51		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	42
—	1	6	9	26	64	114	177	178	200	172	122	107	72	31		
—	—	—	—	—	—	—	—	1	1	—	4	—	1	1	{	43
—	—	2	7	14	52	79	143	142	139	141	109	121	88	41		
3	—	—	1	1	4	5	5	16	23	27	19	29	30	25	{	44
—	—	—	—	3	4	4	2	2	6	14	9	14	14	10		
3	11	7	13	16	26	53	76	104	149	158	191	126	97	34	{	45
7	7	9	11	16	26	42	71	65	81	101	90	80	36	30		
8	12	9	27	41	96	181	325	518	713	817	876	642	433	162	{	39-45
8	12	19	36	92	206	349	562	630	795	881	794	764	512	236		
—	—	—	—	1	2	5	3	3	3	—	2	2	1	1	{	46
—	1	—	—	1	—	—	—	1	1	4	4	3	6	2		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	1	2	5	3	3	3	—	2	2	1	1	{	C
—	1	—	—	1	—	—	—	1	1	4	4	3	6	2		
39	30	19	9	14	16	17	15	7	10	8	3	2	3	—	{	47
58	31	23	23	15	17	14	11	7	10	5	6	5	3	—		
—	1	—	2	1	2	3	8	7	13	30	34	39	28	11	{	48
2	—	1	1	5	7	6	13	19	38	56	54	60	51	24		
—	—	—	—	1	1	—	1	2	—	4	8	9	8	2	{	A
—	—	—	—	1	—	1	2	1	3	4	6	15	15	4		
—	1	—	2	—	1	1	4	5	8	17	15	17	13	6	{	B
2	—	1	1	4	7	5	11	18	35	52	46	44	36	20		
—	—	—	—	—	—	2	3	—	5	9	11	13	7	3	{	C
—	—	—	—	—	—	—	—	—	—	—	2	1	—	3		

ENGLAND AND WALES—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
49	Scurvy - - -	M 5	—	—	1	1	2	—	—	—	—	2	—
		F 3	—	—	1	1	2	—	—	—	—	2	—
50	Diabetes - - -	M 540	—	—	—	—	—	—	—	1	2	3	6
		F 586	—	1	—	—	1	—	—	2	1	4	3
51	Exophthalmic goître.	M 14	—	—	—	—	—	—	—	—	—	—	—
		F 135	—	—	—	—	—	—	—	—	—	—	—
52	Addison's disease -	M 13	—	—	—	—	—	—	—	—	—	—	—
		F 27	—	—	—	—	—	—	—	—	—	—	—
53	Leucocythæmia, Lymphadenoma.	M 104	—	—	—	—	—	—	3	2	3	8	8
		F 80	—	—	—	1	1	—	—	—	1	2	7
	A. Leucocythæ- mia (Leuchæ- mia).	M 55	—	—	—	—	—	—	3	1	3	7	4
		F 56	—	—	—	—	—	—	—	—	1	1	6
	B. Lymphade- noma.	M 49	—	—	—	—	—	—	—	1	—	1	4
		F 24	—	—	—	1	1	—	—	—	—	1	1
	Anæmia, Chlorosis	M 279	1	1	—	—	2	1	—	2	—	5	7
		F 396	—	1	—	—	1	3	2	1	—	7	2
55	Other general diseases.	M 67	6	4	3	2	15	2	—	2	1	20	11
		F 52	9	3	2	—	14	1	2	1	2	20	5
	A. Diabetes insipidus.	M 3	—	—	—	—	—	—	—	—	—	—	—
		F 3	—	—	—	—	—	—	—	—	—	—	—
	B. Purpura -	M 36	3	2	3	1	9	1	—	1	1	12	8
		F 29	3	2	1	—	6	1	2	1	1	11	2
	C. Hæmophilia -	M 20	2	2	—	—	4	1	—	—	—	5	1
		F 9	6	—	1	—	7	—	—	—	—	7	—
	D. Other diseases included under 55.	M 8	1	—	—	1	2	—	—	1	—	3	2
		F 11	—	1	—	—	1	—	—	—	1	2	3
56	Alcoholism (acute or chronic).	M 33	—	—	—	—	—	—	—	—	—	—	—
		F 8	—	—	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning.	M 9	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
	A. Occupational lead poison- ing.	M 9	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	B. Non-occupa- tional lead poisoning.	M —	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
58	Other chronic occu- pational poison- ings.	M 1	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings.	M 1	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
60- 76	II. Diseases of the Nervous System and of the Organs of Special Sense.	M 5,956	374	174	123	121	792	99	41	38	34	1,004	89
		F 5,921	234	154	98	100	586	107	25	32	28	778	109
60	Encephalitis - -	M 89	1	2	—	—	3	1	1	2	1	8	9
		F 69	—	1	1	1	3	—	—	1	—	4	3

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1919—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	}	49
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
19	10	18	20	17	35	23	39	40	48	70	65	64	47	12	4	}	50
30	22	16	19	18	25	27	27	50	63	74	88	53	45	19	3		
—	—	2	1	1	2	—	1	3	2	—	2	—	—	—	—	}	51
1	2	14	6	8	16	14	27	16	10	8	6	5	2	—	—		
—	—	3	1	2	1	—	2	—	2	1	—	1	—	—	—	}	52
—	—	3	1	3	3	4	6	1	1	3	—	—	2	—	—		
9	8	5	4	7	7	10	12	6	9	4	3	3	1	—	—	}	53
3	—	3	5	5	5	7	8	6	6	6	5	5	5	2	—		
5	6	2	2	3	2	6	7	3	4	2	2	—	—	—	—	}	A
3	—	2	3	4	4	6	6	1	5	2	4	4	3	2	—		
4	2	3	2	4	5	4	5	3	5	2	1	3	1	—	—	}	B
—	—	1	2	1	1	1	2	5	1	4	1	1	2	—	—		
2	3	4	5	9	8	21	24	37	43	48	30	24	9	—	—	}	54
3	9	13	8	15	27	36	35	52	48	49	50	25	12	4	1		
2	3	2	3	4	1	3	1	6	3	3	3	—	—	2	—	}	55
2	7	3	2	—	2	2	1	3	1	1	2	1	—	—	—		
—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	}	A
—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—		
1	1	—	2	—	1	1	1	3	2	1	2	—	—	1	—	}	B
1	6	2	1	—	1	—	1	1	—	—	2	1	—	—	—		
1	2	2	1	4	—	2	—	—	—	1	1	—	—	—	—	}	C
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	}	D
—	1	1	1	—	1	1	—	1	—	—	—	—	—	—	—		
—	—	—	—	2	3	7	4	8	3	3	2	1	—	—	—	}	56
—	—	—	—	1	—	3	1	2	1	—	—	—	—	—	—		
—	—	—	—	1	1	1	1	1	3	—	1	—	—	—	—	}	57
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	1	1	1	1	1	3	—	1	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	}	58
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	}	59
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
102	105	96	102	114	153	225	282	373	504	556	689	623	530	287	122	}	60-76
105	80	71	80	91	135	152	234	338	418	529	654	778	684	441	244		
5	7	10	9	4	5	11	5	4	6	4	1	1	—	—	—	}	60
7	8	4	8	2	10	5	6	4	2	1	3	—	—	2	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1919—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
38 31	26 21	18 13	22 5	7 8	10 6	11 9	10 2	9 4	3 6	2 4	4 1	1 1	— 2	— 1	1 2	}	61
4 4	9 4	5 2	3 —	2 —	3 1	2 1	1 —	2 —	— 2	— —	— —	— —	— —	— —	— —		
2 1	— —	— —	2 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	}	B
32 26	17 17	13 11	17 5	5 8	7 5	9 8	8 2	7 4	3 4	2 4	4 1	1 1	— 2	— 1	1 2		
— —	— —	— —	— —	1 1	4 2	9 1	20 2	22 3	39 5	29 4	17 1	7 —	3 —	— —	1 —		
5 10	10 2	6 3	6 12	10 7	21 13	17 18	27 17	34 29	59 32	44 36	65 41	37 35	26 19	11 17	3 4	}	63
1 2	2 —	1 —	2 1	1 —	3 2	2 1	8 —	4 6	16 11	16 19	28 16	22 24	16 14	4 13	2 1		
2 5	3 —	2 1	— 2	— —	— 1	1 —	1 —	— —	1 1	— —	— —	— —	— —	— —	— —	}	B
2 3	5 2	3 2	4 9	9 7	18 10	14 17	18 17	30 23	42 20	28 17	37 25	15 11	10 5	7 4	1 3		
1 1	2 3	8 7	10 12	15 27	17 29	45 56	101 128	174 218	262 276	358 391	488 495	467 596	404 578	233 349	97 200	}	64
— —	1 —	2 1	2 —	2 3	1 6	10 9	14 28	19 27	33 37	58 53	93 83	78 85	64 103	34 64	24 36		
— —	— —	1 —	— —	— —	1 —	— —	— —	— 2	— —	1 2	2 —	2 1	1 4	2 2	2 1	}	B
— —	— —	— 1	— 1	— —	— —	— 1	1 —	— —	— —	— 1	— 2	— 2	1 1	1 2	1 —		
— —	— —	— —	— —	— 1	— —	2 —	3 —	2 1	4 4	5 1	7 3	9 6	10 6	6 3	5 4	}	D
1 1	1 3	5 5	8 11	13 23	15 23	33 46	83 100	153 188	225 235	294 334	386 407	378 502	328 464	190 278	65 159		
— —	— —	1 —	1 1	1 —	— 1	— 1	2 7	1 3	6 6	17 12	25 26	24 27	24 22	17 17	4 7	}	65
— —	— —	— —	2 1	— —	2 4	5 6	4 5	15 15	21 26	29 30	39 50	45 64	49 43	19 42	12 17		
— —	— —	— —	2 1	— —	— 3	4 2	4 4	14 14	19 24	28 26	35 46	41 54	42 39	18 39	10 15	}	A
— —	— —	— —	— —	— —	1 1	— 4	— —	1 —	— 1	— 3	3 1	1 3	4 1	1 —	— —		
— —	— —	— —	— —	— —	1 —	1 —	— 1	— 1	2 1	1 1	1 3	3 7	3 3	— 3	2 2	}	C
1 —	1 2	1 —	9 2	26 3	54 18	73 10	63 11	65 11	43 5	22 3	8 —	4 1	1 1	— —	— —		
— 2	1 1	1 6	7 4	3 6	4 9	2 6	8 14	11 13	16 17	10 11	14 10	5 13	5 4	2 1	1 —	}	68

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
69	Epilepsy - - - { M F	273 286	— —	2 4	— —	— 1	2 5	— 6	— —	3 3	1 3	6 17	8 12
70	Convulsions (non- puerperal; 5 years and over). { M F	8 15	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5 9
	A. Epileptiform convulsions. { M F	3 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Others in- cluded under 70. { M F	5 12	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5 9
71	Infantile convul- sions (under 5 years). { M F	748 550	358 223	152 135	84 70	73 57	667 485	53 52	13 3	12 8	3 2	748 550	— —
	A. Convulsions with teeth- ing. { M F	68 60	— —	— 1	9 7	35 27	44 35	22 25	2 —	— —	— —	68 60	— —
	B. Other infan- tile convul- sions. { M F	680 490	358 223	152 134	75 63	38 30	623 450	31 27	11 3	12 8	3 2	680 490	— —
72	Chorea - - - { M F	2 16	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— 1	— 2
73	Hysteria, Neuralgia, Neuritis. { M F	18 24	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Hysteria, Neu- ralgia, Scia- tica. { M F	6 7	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Neuritis { M F	12 17	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
74	Other diseases of the nervous sys- tem. { M F	223 200	5 3	— 2	1 2	3 1	9 8	1 3	1 3	4 2	5 2	20 18	8 8
	A. Idiocy, Imbe- cility. { M F	25 16	1 1	— —	— —	1 —	2 1	— —	1 1	3 1	3 —	9 3	1 1
	B. Cretinism - { M F	8 11	— —	— —	— —	1 —	1 —	— 1	— —	— —	1 1	2 2	— 1
	C. Cerebral tu- mour. { M F	108 108	— —	— 1	— —	— 1	— 2	— 1	— 1	— —	1 —	1 4	5 4
	D. Other diseases included un- der 74. { M F	82 65	4 2	— 1	1 2	1 —	6 5	1 1	— 1	1 1	— 1	8 9	2 2
75	Diseases of the eyes and annexa. { M F	9 8	— —	— —	1 1	— —	1 1	— —	2 1	— —	1 —	4 2	— —
76	Diseases of the ears { M F	161 124	1 —	5 2	9 2	5 7	20 11	7 4	3 —	3 2	4 5	37 22	18 23
	A. Mastoid disease. { M F	44 30	1 —	— —	3 2	— 1	4 3	1 2	— —	1 1	1 1	7 7	9 6
	B. Other diseases of the ears. { M F	117 94	— —	5 2	6 —	5 6	16 8	6 2	3 —	2 1	3 4	30 15	9 17
77-85	III. Diseases of the Circulatory System. { M F	8,686 9,012	5 5	10 5	2 2	4 5	21 17	7 5	2 4	5 2	8 14	43 42	67 65
77	Pericardiitis - - { M F	59 41	— —	1 —	— —	— —	1 —	1 1	— 1	1 —	— 2	3 4	3 4

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1919—*continued.*

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
14 10	29 13	24 18	20 18	22 17	17 22	22 23	13 19	22 22	22 18	15 15	10 13	14 27	13 10	2 5	— 7	{ 69
— 3	— —	1 —	1 —	— —	1 —	— 2	— 1	— —	— —	— —	— —	— —	— —	— —	— —	{ 70
— —	— —	1 —	1 —	— —	1 —	— 2	— 1	— —	— —	— —	— —	— —	— —	— —	— —	{ A
— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ 71
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ B
1 7	— 2	— 2	— —	— —	— —	— 2	— —	— —	1 —	— —	— —	— —	— —	— —	— —	{ 72
— —	— —	— —	— —	1 2	— 4	3 1	1 —	1 2	4 5	3 1	4 2	1 3	— —	— 3	— 1	{ 73
— —	— —	— —	— —	— 1	— 2	1 —	— —	1 —	— 1	2 —	2 —	— 1	— —	— 1	— 1	{ A
— —	— —	— —	— —	1 1	— 2	2 1	1 —	— 2	4 4	1 1	2 2	1 2	— —	— 2	— —	{ B
10 8	8 11	14 12	3 10	14 12	9 14	22 8	24 20	11 13	20 15	21 18	13 11	16 9	4 5	3 3	3 5	{ 74
3 2	2 1	1 3	— 1	1 —	1 3	2 1	2 —	— —	1 —	1 —	1 —	— —	— —	— —	— —	{ A
1 2	— 1	2 2	— —	1 —	1 —	— —	— 1	— 1	— —	1 —	— —	— —	— —	— —	— 1	{ B
6 3	5 9	7 7	2 7	7 9	4 7	15 5	15 15	8 7	12 9	11 9	4 6	5 3	1 3	— 1	— —	{ C
— 1	1 —	4 —	1 2	5 3	3 4	5 2	7 4	3 5	7 6	8 8	8 5	11 6	3 2	3 2	3 4	{ D
— —	— 1	1 —	1 —	— —	1 —	1 —	— —	— —	— 1	— 2	— —	1 —	— —	— 1	— 1	{ 75
27 26	21 16	11 6	11 7	10 6	8 3	4 4	4 2	4 1	2 4	2 1	1 1	— 2	1 —	— —	— —	{ 76
9 7	8 5	3 2	2 1	4 1	— —	1 —	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	{ A
18 19	13 11	8 4	9 6	6 5	8 3	3 4	4 1	3 1	2 4	2 1	1 1	— 2	1 —	— —	— —	{ B
65 103	86 130	143 100	180 114	160 176	225 208	316 281	416 369	554 492	774 709	1,070 908	1,300 1,266	1,189 1,284	1,148 1,390	651 836	299 539	{ 77-85
3 5	6 3	1 1	5 2	— 4	2 1	3 —	7 —	5 3	8 7	3 3	4 2	3 2	1 —	1 —	1 —	{ 77

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1919—*continued.*

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
7 13	12 29	35 16	36 25	20 12	29 15	25 15	28 18	33 21	30 27	9 5	4 7	3 5	1 2	— 1	— —	}	78
— —	— 1	1 —	1 4	1 —	6 3	5 5	10 6	14 5	21 8	1 1	2 2	— 1	— 1	— 1	— —		A
4 7	6 12	26 12	23 13	13 5	13 6	8 3	12 2	9 7	2 5	5 1	2 3	2 2	— 1	— —	— —	}	B
3 6	6 16	8 4	12 8	6 7	10 6	12 7	6 10	10 9	7 14	3 3	— 2	1 2	1 —	— —	— —		C
50 84	60 95	101 78	129 77	129 147	171 174	241 235	307 310	401 403	531 566	761 763	911 1,012	815 1,034	767 1,007	396 588	156 297	}	79
39 65	51 72	82 61	101 56	100 111	113 120	154 145	192 180	213 224	266 318	362 376	409 447	368 450	295 416	142 208	46 87		A
— —	— —	1 1	2 1	2 1	1 6	6 16	15 21	19 25	45 40	54 70	58 61	39 57	26 40	17 21	— 20	}	B
11 19	9 23	18 16	26 20	27 35	57 48	81 74	100 109	169 154	220 208	345 317	444 504	408 527	446 551	237 359	110 190		}
— —	— —	— —	— —	1 —	1 2	7 4	2 3	12 4	30 9	41 12	40 15	29 7	16 10	8 5	4 3	}	
1 —	— —	2 1	5 —	5 1	10 5	30 6	50 14	83 26	134 60	196 80	279 156	286 162	306 263	198 180	109 180		}
1 —	— —	1 —	5 —	2 1	8 1	19 2	24 3	31 3	40 10	19 9	16 9	20 3	9 3	2 1	— 2	}	
— —	— —	— —	— —	3 —	2 4	9 4	25 11	51 21	92 48	177 69	261 144	264 158	294 256	192 177	108 177		}
— —	— —	1 —	— —	— —	— —	2 —	1 —	1 2	2 2	— 2	2 3	2 1	3 4	4 2	1 1	}	
1 1	5 2	3 4	1 7	1 11	8 9	6 12	12 13	13 25	24 26	48 36	52 62	46 59	53 94	40 55	25 55		}
1 1	4 2	2 3	1 5	1 8	4 1	6 10	11 9	8 19	19 20	38 33	47 59	42 57	48 94	38 55	25 55	}	
— —	1 —	1 1	— 2	— 3	4 8	— 2	1 4	5 6	5 6	10 3	5 3	4 2	5 —	2 —	— —		}
1 —	— —	— —	1 2	3 —	2 1	2 5	3 8	4 6	6 10	4 9	2 6	1 3	1 10	2 3	1 —	}	
1 —	— —	— —	— —	— —	— 1	1 3	1 3	2 3	3 5	3 4	1 5	— 1	— 7	1 1	— —		}
— —	— —	— —	1 2	2 —	2 —	1 2	2 4	1 3	3 5	1 5	1 1	1 2	1 3	1 2	1 —	}	
— —	— —	— —	— —	1 —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
84	Dis. of the lymphatic system (Lymphangitis, &c.)	M 38	4	8	2	1	15	4	1	1	1	22	2
		F 21	4	4	2	1	11	1	1	1	—	14	2
	A. Status lymphaticus.	M 19	4	6	2	—	12	—	1	—	1	14	2
		F 13	4	4	—	1	9	1	1	1	—	12	1
	B. Other diseases of the lymphatic system.	M 19	—	2	—	1	3	4	—	1	—	8	—
		F 8	—	—	2	—	2	—	—	—	—	2	1
85	Hæmorrhage, other dis. of the circulatory system.	M 56	—	—	—	—	—	—	—	1	—	1	—
		F 47	1	1	—	—	2	—	1	—	—	3	—
	A. Functional disease of the heart.	M 37	—	—	—	—	—	—	—	—	—	—	—
		F 37	—	—	—	—	—	—	—	—	—	—	—
	B. Epistaxis	M 4	—	—	—	—	—	—	—	1	—	1	—
		F 5	1	1	—	—	2	—	1	—	—	3	—
	C. Other diseases included under 85.	M 15	—	—	—	—	—	—	—	—	—	—	—
		F 5	—	—	—	—	—	—	—	—	—	—	—
86-98	IV.—Diseases of the Respiratory System.	M 9,867	157	275	254	455	1,141	474	187	115	113	2,030	281
		F 8,520	100	172	204	328	804	437	164	137	104	1,646	209
86	Diseases of the nasal fossæ.	M 10	—	3	—	—	3	—	1	—	—	4	2
		F 5	—	—	—	—	—	—	—	—	—	—	1
87	Diseases of the larynx.	M 153	3	4	2	11	20	25	16	13	18	92	32
		F 121	1	1	—	8	10	21	15	17	14	77	23
	A. Laryngismus stridulus.	M 23	3	2	1	1	7	7	5	1	2	22	1
		F 16	—	—	—	—	—	3	3	3	4	13	3
	B. Laryngitis	M 122	—	1	1	10	12	18	11	12	15	68	30
		F 100	1	1	—	8	10	17	11	13	10	61	20
	C. Other diseases of larynx.	M 8	—	1	—	—	1	—	—	—	1	2	1
		F 5	—	—	—	—	—	1	1	1	—	3	—
88	Diseases of the thyroid body	M 13	—	—	—	—	—	—	—	—	—	—	1
		F 64	—	—	—	—	—	1	—	—	—	1	—
89 & 90	Bronchitis	M 4,634	87	142	115	158	502	122	34	21	20	699	44
		F 4,519	55	94	105	115	369	113	34	21	19	556	36
	A. Bronchiectasis, Bronchial catarrh, &c.	M 115	4	3	3	1	11	2	—	—	1	14	2
		F 74	1	2	4	1	8	1	1	—	—	10	2
	B. Other bronchitis.	M 4,519	83	139	112	157	491	120	34	21	19	685	42
		F 4,445	54	92	101	114	361	112	33	21	19	546	34
91	Broncho-pneumonia.	M 1,628	36	92	94	211	433	242	97	46	43	861	84
		F 1,488	33	53	68	156	310	227	81	70	42	730	79
92	Pneumonia, lobar and undefined	M 2,654	22	29	34	73	158	77	33	29	25	322	102
		F 1,739	7	18	24	45	94	71	32	27	27	251	67
	A. Lobar pneumonia	M 1,260	4	13	10	20	47	29	12	10	11	109	51
		F 760	2	6	5	17	30	12	11	17	15	85	26
	B. Pneumonia (type not stated).	M 1,394	18	16	24	53	111	48	21	19	14	213	51
		F 979	5	12	19	28	64	59	21	10	12	166	41

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1919—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
1 —	1 —	— —	1 —	— —	— 1	1 1	— —	1 —	4 —	3 —	1 —	1 2	— —	— 1	— —	}	84
1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —		
— —	— —	— —	1 —	— —	— 1	1 1	— —	1 —	4 —	2 —	1 —	1 2	— —	— 1	— —	}	B
1 —	2 1	1 —	2 1	1 1	2 —	1 3	7 3	2 4	7 4	5 —	7 6	5 10	3 4	6 3	3 4		
— —	1 —	— —	1 —	1 1	1 —	1 3	3 3	— 3	6 4	4 —	6 5	3 9	2 4	5 2	3 3	}	A
1 —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	1 —	— —	— —		
— —	1 —	1 —	1 1	— —	1 —	— —	4 —	2 1	1 —	1 —	1 1	1 —	— —	1 1	— 1	}	C
93 86	132 84	133 95	164 114	192 135	329 192	393 203	466 236	558 352	692 441	834 586	968 784	945 1,011	865 1,079	512 701	280 566		
— —	1 —	— 1	— —	— 1	— —	1 —	— —	— 1	1 1	1 —	— —	— —	— —	— —	— —	}	86
3 4	2 2	1 —	2 1	— 3	1 3	2 —	5 2	3 3	3 —	4 2	3 —	— 1	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	A
3 4	2 2	— —	2 1	— 2	1 3	1 —	5 2	3 2	2 —	3 2	2 —	— 1	— —	— —	— —		
— —	— —	1 —	— —	— 1	— —	1 —	— —	— 1	1 —	1 —	1 —	— —	— —	— —	— —	}	C
2 3	2 2	— —	— 1	— 3	— 1	— 5	— 5	4 5	2 3	— 10	— 14	1 5	1 3	— 1	— 2		
8 12	16 13	13 10	13 12	25 16	52 33	87 57	151 77	213 129	309 215	485 333	610 483	651 708	622 822	406 555	230 452	}	89 & 90
— —	2 2	4 —	3 —	3 1	4 1	2 1	4 1	5 7	8 4	11 5	13 2	8 6	13 9	9 8	10 15		
8 12	14 11	9 10	10 12	22 15	48 32	85 56	147 76	208 122	301 211	474 328	597 481	643 702	609 813	397 547	220 437	}	B
23 21	9 13	14 15	21 17	23 21	46 22	33 25	44 34	53 36	71 49	75 63	81 84	79 88	71 97	31 52	9 42		
48 42	88 49	93 64	108 69	132 72	199 108	227 96	207 82	216 128	215 116	201 125	194 143	128 141	112 97	45 52	17 37	}	92
17 15	41 23	49 27	68 33	70 39	100 64	117 51	99 39	110 68	110 51	103 47	98 66	57 60	36 35	18 24	7 7		
31 27	47 26	44 37	40 36	62 33	99 44	110 45	108 43	106 60	105 65	98 78	96 77	71 81	76 62	27 28	10 30	}	B

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
93	Pleurisy - - - {	M 208	—	—	3	2	5	4	4	5	6	24	10
		F 137	—	2	2	1	5	2	2	1	1	11	2
	A. Empyema - {	M 82	—	—	3	2	5	3	4	4	4	20	7
		F 31	—	—	—	—	—	2	2	1	1	6	1
	B. Other pleurisy {	M 126	—	—	—	—	—	1	—	1	2	4	3
		F 106	—	2	2	1	5	—	—	—	—	5	1
94	Pulmonary conges- tion, Pulmonary apoplexy. {	M 149	9	5	6	—	20	3	1	1	1	26	2
		F 151	4	3	4	3	14	2	—	1	—	17	—
	A. Pulmonary apoplexy and infarction. {	M 4	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
	B. Pulmonary œdema and congestion. {	M 123	9	5	6	—	20	3	1	1	1	26	2
		F 117	4	3	3	3	13	2	—	1	—	16	—
	C. Hypostatic pneumonia. {	M 22	—	—	—	—	—	—	—	—	—	—	—
		F 32	—	—	—	—	—	—	—	—	—	—	—
	D. Collapse of lung (three months and over). {	M —	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	1	—	1	—	—	—	—	1	—
	95 Gangrene of the lung. {	M 14	—	—	—	—	—	—	—	—	—	—	1
		F 9	—	—	—	—	—	—	—	—	—	—	—
96	Asthma - - - {	M 304	—	—	—	—	—	1	—	—	—	1	1
		F 227	—	1	—	—	1	—	—	—	1	2	1
97	Pulmonary emphysema. {	M 33	—	—	—	—	—	—	—	—	—	—	—
		F 20	—	—	—	—	—	—	—	—	—	—	—
98	Other diseases of the respiratory system. {	M 67	—	—	—	—	—	—	1	—	—	1	2
		F 40	—	—	1	—	1	—	—	—	—	1	—
	A. Fibroid disease of lung. {	M 36	—	—	—	—	—	—	—	—	—	—	—
		F 14	—	—	—	—	—	—	—	—	—	—	—
	B. Other diseases included under 98. {	M 31	—	—	—	—	—	—	1	—	—	1	2
		F 26	—	—	1	—	1	—	—	—	—	1	—
	99- 118 V. Diseases of the Digestive System. {	M 3,833	194	399	342	339	1,274	189	51	29	43	1,586	118
		F 3,420	106	242	266	263	877	154	48	34	39	1,152	141
99	Diseases of the mouth and annexa. {	M 51	7	2	—	4	13	5	—	1	—	19	4
		F 41	7	4	1	1	13	3	—	—	—	16	2
	A. Diseases of the teeth and gums. {	M 36	2	1	—	1	4	3	—	1	—	8	4
		F 34	3	2	1	1	7	3	—	—	—	10	2
	B. Thrush, Aphthous stomatitis. {	M 8	4	1	—	2	7	1	—	—	—	8	—
		F 5	3	2	—	—	5	—	—	—	—	5	—
	C. Parotitis - {	M 1	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
	D. Other diseases of mouth and annexa. {	M 6	1	—	—	1	2	1	—	—	—	3	—
		F 1	1	—	—	—	1	—	—	—	—	1	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
100	Diseases of the pharynx, Tonsil- litis.	M 137	1	5	1	5	12	4	3	6	8	33	26
		F 121	2	—	—	2	4	6	5	6	12	33	25
	A. Tonsillitis	M 101	—	2	1	2	5	1	3	5	8	22	25
		F 93	—	—	—	—	—	3	4	5	12	24	24
	B. Ludwig's angina.	M 18	1	2	—	1	4	—	—	1	—	5	—
		F 9	1	—	—	—	1	—	—	—	—	1	—
	C. Other diseases of the pha- ryn timer .	M 18	—	1	—	2	3	3	—	—	—	6	1
		F 19	1	—	—	2	3	3	1	1	—	8	1
	Diseases of the œsophagus.	M 10	—	—	—	—	—	—	—	—	—	—	—
		F 6	—	—	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach.	M 304	—	—	—	—	—	—	—	—	1	1	—
		F 251	—	—	—	1	1	—	—	—	1	2	—
103	Other diseases of the stomach.	M 367	39	64	35	24	162	13	6	—	3	184	9
		F 418	19	44	23	26	112	13	8	3	1	137	17
	A. Inflammation of stomach	M 297	35	57	34	23	149	13	5	—	3	170	7
		F 347	17	42	19	25	103	13	7	2	1	126	14
	B. Other diseases included under 103.	M 70	4	7	1	1	13	—	1	—	—	14	2
		F 71	2	2	4	1	9	—	1	1	—	11	3
	Diarrhœa and enteritis	M 1,554	125	314	278	280	997	150	32	12	17	1,208	16
		F 1,184	67	187	226	213	693	121	26	12	7	859	27
	A. Infective enteritis.	M 329	12	73	72	90	247	41	10	5	3	306	5
		F 249	9	36	65	74	184	28	10	3	1	226	6
104 & 105	B. Diarrhœa—not returned as infective.	M 283	28	72	54	55	209	25	6	2	3	245	2
		F 228	11	43	43	36	133	21	5	2	1	162	4
	C. Enteritis—not returned as infective.	M 316	30	65	48	48	191	36	5	5	2	239	4
		F 267	13	41	44	34	132	25	5	1	3	166	5
	D. Gastro-enteri- tis—not re- turned as in- fective.	M 436	47	94	96	82	319	45	11	—	9	384	5
		F 344	23	56	63	61	203	44	6	6	2	261	12
	E. Dyspepsia— under 2 years.	M 30	6	10	6	5	27	3	—	—	—	30	—
		F 37	10	9	9	6	34	3	—	—	—	37	—
	F. Colic	M 5	2	—	1	—	3	—	—	—	—	3	—
		F 9	1	2	1	1	5	—	—	—	—	5	—
	G. Ulceration of intestines.	M 23	—	—	1	—	1	—	—	—	—	1	—
		F 25	—	—	1	1	2	—	—	—	—	2	—
	H. Duodenal ulcer.	M 132	—	—	—	—	—	—	—	—	—	—	—
		F 25	—	—	—	—	—	—	—	—	—	—	—
	Ankylostomiasis	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites.	M —	—	—	—	—	—	—	—	—	—	—	—
		F 4	1	—	—	—	1	—	2	—	—	3	—
108	Appendicitis	M 338	—	1	—	—	1	—	7	6	10	24	4
		F 319	—	—	—	—	—	3	2	8	8	21	4

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1919—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
13 15	7 2	6 4	7 2	7 9	3 3	6 7	4 1	5 1	7 5	3 3	6 4	3 3	— 2	— 2	1 —	}	100
12 15	6 1	3 1	6 2	4 6	3 3	4 3	1 —	3 1	4 3	2 2	3 3	3 2	— 2	— 1	— —		}
— —	1 —	2 2	— —	2 —	— —	— 2	3 1	2 —	1 2	1 —	1 1	— —	— —	— —	— —	}	
1 —	— 1	1 1	1 —	1 3	— —	2 2	— —	— —	2 —	— 1	2 —	— 1	— —	— 1	1 —		}
— —	— —	— —	— —	— —	— —	— 1	— —	1 1	2 —	3 1	1 1	1 1	1 1	1 —	— —	}	
— 2	6 4	5 10	12 8	20 23	32 23	38 38	39 30	42 24	41 27	28 20	20 18	8 10	6 7	4 5	2 —		}
5 6	2 3	1 3	3 5	3 4	7 10	13 11	4 7	15 9	19 19	19 24	15 42	27 30	30 42	10 34	1 15	}	
5 5	2 2	1 1	1 3	2 4	6 8	7 9	4 6	11 9	10 15	12 19	10 34	18 22	21 32	9 27	1 11		}
— 1	— 1	— 2	2 2	1 —	1 2	6 2	— 1	4 —	9 4	7 5	5 8	9 8	9 10	1 7	— 4	}	
10 7	6 7	9 7	8 13	12 12	31 14	17 11	31 25	32 18	27 23	38 22	29 27	34 38	27 36	14 24	5 14		}
1 1	3 —	— —	— 3	— —	2 1	1 1	1 3	— 1	— —	2 —	4 1	1 5	1 1	2 —	— —	}	
1 1	— 1	— —	— 1	— 1	1 1	— —	1 3	— 2	1 3	4 3	4 7	9 12	5 12	6 8	4 7		}
4 3	2 3	2 1	2 5	4 5	2 6	3 4	5 7	9 8	8 7	9 9	6 6	4 11	10 11	3 6	— 4	}	
4 2	1 2	2 4	— 1	1 2	3 4	3 2	1 6	4 5	3 6	4 4	2 9	9 6	7 7	2 8	1 3		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— 1	— —	— —	1 —	1 —	— —	— 1	— —	— 1	— 1	— —	— —		}
— —	— 1	2 1	1 2	— 3	3 1	1 2	2 3	4 —	3 4	— —	3 2	3 1	— 2	— 1	— —	}	
— —	— —	3 1	5 1	7 —	20 1	9 2	20 3	14 2	12 3	19 5	10 2	8 2	4 2	1 1	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —		}
40 52	51 31	37 22	17 22	11 17	17 21	19 13	23 18	19 17	8 6	8 9	8 13	7 8	5 2	1 4	— —	}	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
109	Hernia, Intestinal obstruction. { M	500	18	12	25	22	77	15	2	2	2	98	13
	F	509	9	2	14	14	39	7	2	2	7	57	5
	A. Hernia - - { M	192	6	5	6	2	19	9	2	—	—	30	1
	F	198	2	—	1	—	3	—	—	—	1	4	—
	B. Intestinal obstruction. { M	308	12	7	19	20	58	6	—	2	2	68	12
	F	311	7	2	13	14	36	7	2	2	6	53	5
110	Other diseases of the intestines. { M	61	3	1	2	1	7	—	—	1	—	8	—
	F	62	—	2	—	1	3	—	—	—	—	3	—
111	Acute yellow atrophy of the liver. { M	4	—	—	—	—	—	2	—	—	—	2	—
	F	7	—	1	—	—	1	—	—	—	—	1	—
112	Hydatid of liver - { M	1	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver { M	280	—	—	—	—	—	—	—	—	1	1	2
	F	136	—	—	—	—	—	—	—	—	—	—	1
	A. Cirrhosis of the liver not ret'd alcoholic. { M	250	—	—	—	—	—	—	—	—	1	1	2
	F	121	—	—	—	—	—	—	—	—	—	—	1
	B. Cirrhosis of the liver ret'd as alcoholic. { M	25	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	—	—	—	—	—	—	—
	C. Dis. formerly classed to "Other dis. of liver and gall bladder." { M	5	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	—	—	—	—	—	—
114	Biliary calculi - { M	60	—	—	—	—	—	—	—	—	—	—	—
	F	142	—	—	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver. { M	99	1	—	—	2	3	—	—	1	1	5	3
	F	111	—	—	2	4	6	—	1	3	1	11	3
116	Diseases of the spleen. { M	3	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	—	—	—	—	—	1
	A. Infarction of spleen. { M	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
	B. Other diseases of the spleen. { M	3	—	—	—	—	—	—	—	—	—	—	1
	F	6	—	—	—	—	—	—	—	—	—	—	—
117	Peritonitis (cause unstated). { M	41	—	—	1	1	2	—	1	—	—	3	2
	F	76	1	2	—	1	4	1	2	—	2	9	17
118	Other diseases of the digestive system. { M	23	—	—	—	—	—	—	—	—	—	—	—
	F	25	—	—	—	—	—	—	—	—	—	—	—
	A. Abdominal abscess, Sub-phrenic absces. { M	3	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	—	—
	B. Other diseases included under 118. { M	20	—	—	—	—	—	—	—	—	—	—	—
	F	23	—	—	—	—	—	—	—	—	—	—	—
119-133	VI. Non - Venereal Diseases of the Genito-Urinary System and Anexa. { M	2,676	3	10	5	3	21	7	8	11	18	65	30
	F	1,873	4	2	4	5	15	8	9	7	9	48	29
119	Acute Nephritis - { M	229	1	8	2	3	14	6	8	10	12	50	23
	F	204	3	1	4	4	12	8	8	3	6	37	22

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1919—*continued.*

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
9 5	6 2	5 6	7 4	15 8	14 17	14 21	23 24	24 37	35 42	38 62	49 56	58 62	50 53	37 30	5 18	{	109
1 —	2 —	— —	2 —	3 3	2 4	6 8	5 12	7 17	14 22	16 34	22 30	32 19	24 21	20 15	5 9		
8 5	4 2	5 6	5 4	12 5	12 13	8 13	18 12	17 20	21 20	22 28	27 26	26 43	26 32	17 15	— 9	{	B
— 1	— —	1 1	— 1	4 4	2 4	2 1	1 2	8 4	8 9	6 3	2 7	10 8	7 7	— 6	2 1		
— —	— —	2 —	— 2	— 3	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	{	111
— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	1 —	— —	— 1	— —	— —	— —		
1 1	— —	1 2	1 1	2 1	10 7	16 5	37 17	44 17	37 20	38 17	41 18	24 25	18 4	4 —	3 —	{	113
1 1	— —	1 2	1 1	1 1	8 5	13 5	31 15	40 16	33 17	35 16	38 17	22 22	17 2	3 —	3 —		
— —	— —	— —	— —	1 —	2 2	3 —	3 1	4 1	4 2	2 1	3 —	2 1	1 1	— —	— —	{	B
— —	— —	— —	— —	— —	— —	— —	3 1	— —	— 1	1 —	— 1	— 2	— 1	1 —	— —		
— —	— —	— —	— 1	2 —	1 4	1 3	2 8	3 9	5 16	13 19	11 29	4 26	13 14	4 10	1 3	{	114
3 5	3 2	2 2	7 —	5 1	4 3	8 —	7 3	5 8	8 13	11 9	6 16	10 13	5 11	4 5	3 6		
— —	— —	— —	— 1	— —	1 —	— 1	— —	— —	1 1	1 1	— —	— 1	— —	— —	— —	{	116
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— 1	— —	1 —	— 1	— —	— —	1 1	1 1	— —	— 1	— —	— —	— —	{	B
3 4	3 2	1 3	1 4	2 4	1 6	1 6	5 2	4 5	3 2	4 4	2 4	4 2	1 —	— 2	1 —		
— —	— —	— 1	1 1	2 —	1 1	3 2	4 2	3 5	2 3	3 1	3 —	1 5	— 1	— 3	— —	{	118
— —	— —	— —	— —	— —	— —	1 1	2 —	— 1	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— 1	1 1	2 —	1 1	2 1	2 2	3 4	2 3	3 1	3 —	1 5	— 1	— 3	— —	{	B
29 28	29 37	38 50	57 57	47 86	91 108	120 112	145 172	200 177	254 182	316 176	382 198	361 158	277 134	152 85	83 36		
11 16	13 12	5 6	11 9	5 15	13 7	18 10	16 13	12 9	17 19	11 6	10 12	6 4	4 4	3 1	1 2	{	119

ENGLAND AND WALES—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1919—continued.

AGES AT DEATH.																International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
15 12	14 17	27 27	38 22	36 35	63 57	80 59	104 109	145 126	160 135	191 146	227 158	185 122	125 103	51 65	21 25	{ 120
11 6	12 14	15 18	21 12	27 25	48 44	56 49	90 88	121 98	137 112	167 128	204 141	167 110	109 90	36 52	18 18	{ A
4 6	2 3	12 9	17 10	9 10	15 13	24 10	14 21	24 28	23 23	24 18	23 17	18 12	16 13	15 13	3 7	{ B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 121
1 —	1 —	2 2	3 3	1 1	8 4	5 9	6 6	7 5	9 8	3 8	3 5	7 6	5 2	2 1	1 1	{ 122
—	—	1	1	—	—	—	1	1	1	—	—	—	—	—	—	{ A
—	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	{ B
—	—	—	—	—	—	—	1	2	1	1	1	—	—	—	—	{ C
—	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	{ D
1 —	1 —	1 2	2 3	1 1	8 4	5 6	4 2	4 4	7 6	2 8	2 5	7 6	5 2	2 1	1 1	{ 123
2 —	1 —	3 2	3 —	2 —	1 2	1 2	2 3	2 —	8 3	7 1	3 1	5 1	3 4	2 —	1 —	{ 124
—	—	—	1 1	1 3	2 3	4 —	8 3	10 3	20 2	37 1	36 2	36 15	26 4	31 13	26 6	{ 125
—	—	1 1	1 —	2 1	4 —	10 —	9 1	17 1	19 —	10 —	14 1	13 —	9 —	3 —	1 —	{ A
—	—	—	—	—	—	1	—	—	3	—	—	—	1	—	—	{ B
—	—	1 1	1 —	2 1	4 —	9 —	9 1	17 1	16 —	10 —	14 1	13 —	8 —	3 —	1 —	{ 126
—	—	—	—	—	—	—	—	7	20	57	88	109	104	60	32	{ 127
—	—	—	—	—	—	2	—	—	1	—	1	—	1	—	—	{ 128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B
—	—	1	1	—	—	2	—	—	—	—	—	—	—	—	—	{ 129
—	—	—	2	6	13	15	13	16	4	6	5	2	3	1	1	{ 129

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1919—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
— —	— 3	— 3	— 4	— 1	— 4	— 3	— 8	— 7	— 2	— 2	— 3	— 1	— 2	— 1	— 1	} 130
— —	— —	— —	— —	— —	— —	— —	— 2	— 2	— —	— —	— —	— —	— —	— —	— —	
— —	— 3	— 3	— 4	— 1	— 4	— 3	— 6	— 5	— 2	— 2	— 3	— 1	— 2	— 1	— 1	} B
— —	— —	— 1	— 3	— 3	— 5	— 5	— 7	— 9	— 8	— 4	— 10	— 6	— 11	— 3	— —	
— —	— 5	— 7	— 12	— 20	— 10	— 7	— 8	— 1	— 1	— 1	— 1	— 1	— —	— —	— —	} 132
— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— 5	— 7	— 12	— 20	— 10	— 7	— 7	— 1	— 1	— 1	— 1	— 1	— —	— —	— —	} B
— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	— —	
— —	— 23	— 151	— 285	— 261	— 211	— 115	— 12	— —	— —	— —	— —	— —	— —	— —	— —	} 134— 141
— —	— —	— 9	— 13	— 20	— 21	— 15	— 2	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— 2	— 3	— 11	— 8	— 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	} A
— —	— —	— 1	— 1	— 5	— 5	— 4	— 1	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— 1	— 2	— —	— 2	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	} C
— —	— —	— 5	— 4	— 4	— 6	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— 3	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	} E
— —	— 3	— 18	— 31	— 21	— 33	— 23	— 1	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— 3	— 19	— 34	— 28	— 20	— 17	— 3	— —	— —	— —	— —	— —	— —	— —	— —	} 136
— —	— 11	— 69	— 120	— 127	— 89	— 33	— —	— —	— —	— —	— —	— —	— —	— —	— —	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
138	Puerperal albumin- uria and convul- sions.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	178	—	—	—	—	—	—	—	—	—	—	
	A. Puerperal ne- phritis and uræmia.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	33	—	—	—	—	—	—	—	—	—	—	
	B. Puerperal albuminuria and Bright's disease.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	13	—	—	—	—	—	—	—	—	—	—	
	C. Puerperal convulsions.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	132	—	—	—	—	—	—	—	—	—	—	
139	Puerperal phlegma- sia alba dolens, embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	89	—	—	—	—	—	—	—	—	—	—	
	A. Puerperal phlegmasia alba dolens. and phlebitis.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	24	—	—	—	—	—	—	—	—	—	—	
	B. Puerperal em- bolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	65	—	—	—	—	—	—	—	—	—	—	
140	Puerperal insanity	M	—	—	—	—	—	—	—	—	—	—	—	
		F	7	—	—	—	—	—	—	—	—	—	—	
141	Puerperal diseases of the breast.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	—	—	—	—	—	
142— 145	VIII. Diseases of the Skin and of the Cellular Tissue.	M	490	47	18	13	7	85	7	—	1	3	96	7
		F	372	29	22	8	5	64	5	1	5	2	77	5
142	Gangrene	M	184	1	1	—	—	2	1	—	—	1	4	2
		F	133	1	3	1	1	6	—	—	1	1	8	1
	A. Senile gangrene.	M	162	—	—	—	—	—	—	—	—	—	—	—
		F	113	—	—	—	—	—	—	—	—	—	—	—
	B. Noma, Gan- grene of mouth.	M	9	—	1	—	—	1	1	—	—	1	3	2
		F	11	1	—	1	—	2	—	—	1	1	4	1
	C. Noma pudendi	M	6	1	—	—	—	1	—	—	—	—	1	—
		F	1	—	—	—	1	1	—	—	—	—	1	—
	D. Other gan- grene.	M	7	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	3	—	—	3	—	—	—	—	3	—
143	Carbuncle, Boil	M	57	—	1	1	—	2	—	—	—	—	2	—
		F	27	—	1	1	1	3	—	—	—	—	3	—
144	Phlegmon, Acute abscess.	M	137	11	8	2	2	23	—	—	1	2	26	3
		F	84	8	7	4	—	19	3	1	3	—	26	2
	A. Phlegmon	M	106	7	6	—	—	13	—	—	1	1	15	3
		F	56	5	3	2	—	10	1	1	2	—	14	2
	B. Acute Abscess	M	31	4	2	2	2	10	—	—	—	1	11	—
		F	28	3	4	2	—	9	2	—	1	—	12	—

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1919—continued.

AGES AT DEATH																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
—	6	29	58	45	24	10	6	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	4	13	7	4	2	3	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	1	4	6	1	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	6	24	41	32	19	7	3	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	—	6	26	18	22	17	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	4	8	7	5	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	6	22	10	15	12	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	1	3	1	2	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
5	5	6	8	13	7	12	19	21	16	30	44	60	74	44	23	142
5	8	7	5	2	4	10	6	9	13	25	30	41	51	39	35	
—	—	1	—	1	1	2	2	1	3	7	20	34	54	34	18	142
2	1	1	1	—	—	—	—	1	2	9	15	17	24	25	26	
—	—	—	—	—	—	—	—	—	1	6	17	33	53	34	18	A
—	—	—	—	—	—	—	—	—	—	9	15	15	24	25	25	
—	—	1	—	—	1	—	—	—	1	—	—	1	—	—	—	B
2	1	1	1	—	—	—	—	—	1	—	—	—	—	—	—	
—	—	—	—	1	—	—	—	—	—	1	2	—	1	—	—	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	2	2	1	1	—	1	—	—	—	—	D
—	—	—	—	—	—	—	—	1	1	—	—	2	—	—	1	
—	2	1	5	2	2	2	4	6	2	6	10	7	4	1	1	143
—	2	2	2	1	1	2	2	—	2	2	3	2	2	—	1	
4	3	4	3	9	4	7	9	11	8	11	9	12	9	3	2	144
2	5	3	1	—	2	4	2	4	4	5	2	10	8	2	2	
2	3	2	2	5	4	7	5	8	8	11	7	12	7	3	2	A
1	3	—	1	—	1	3	1	3	4	4	2	7	7	1	2	
2	—	2	1	4	—	—	4	3	—	—	2	—	2	—	—	B
1	2	3	—	—	1	1	1	1	—	1	—	3	1	1	—	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
145	Diseases of the integumentary system.	M 112 F 128	35 20	8 11	10 2	5 3	58 36	6 2	— —	— 1	— 1	64 40	2 2
	A. Ulcer, Bedsore	M 24 F 60	— —	— —	1 —	— —	1 —	— 1	— —	— —	— —	1 1	1 —
	B. Eczema -	M 29 F 15	5 4	5 6	7 1	3 —	20 11	4 1	— —	— 1	— —	24 13	— —
	C. Pemphigus -	M 26 F 15	22 10	— 1	— 1	— —	22 12	— —	— —	— —	— —	22 12	1 —
	D. Other Dis. of the integumentary system.	M 33 F 38	8 6	3 4	2 —	2 3	15 13	2 —	— —	— —	— 1	17 14	— 2
146-149	IX. Diseases of the Bones and of the Organs of Locomotion.	M 131 F 103	— 1	2 3	— 1	2 1	4 6	— 3	2 2	2 4	4 —	12 15	12 12
146	Diseases of the bones	M 111 F 69	— 1	2 2	— 1	2 1	4 5	— 3	2 2	2 4	3 —	11 14	12 9
147	Diseases of the joints.	M 15 F 27	— —	— 1	— —	— —	— 1	— —	— —	— —	1 —	1 1	— 3
148	Amputations -	M — F 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of locomotor system.	M 5 F 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	X. Malformations.												
150	Congenital malformations.	M 530 F 455	313 303	102 72	38 29	25 10	478 414	14 12	7 5	3 1	3 —	505 432	10 6
	A. Congenital hydrocephalus.	M 39 F 20	10 7	3 2	6 4	8 1	27 14	4 6	1 —	1 —	1 —	34 20	4 —
	B. Phimosi s	M 7 F —	3 —	3 —	— —	— —	6 —	1 —	— —	— —	— —	7 —	— —
	C. Congenital malformation of heart.	M 222 F 182	130 121	41 23	10 11	12 6	193 161	5 2	3 2	2 1	1 —	204 166	5 6
	D. Other congenital malformations.	M 262 F 253	170 175	55 47	22 14	5 3	252 239	4 4	3 3	— —	1 —	260 246	1 —
151-153	XI. Diseases of Early Infancy.	M 4,382 F 3,326	3,680 2,812	505 358	143 114	54 42	4,382 3,326	— —	— —	— —	— —	4,382 3,326	— —
151	Premature birth, Infantile debility, Icterus and Sclerema.	M 3,903 F 2,982	3,224 2,477	483 349	142 114	54 42	3,903 2,982	— —	— —	— —	— —	3,903 2,982	— —
	A. Premature birth.	M 2,640 F 2,097	2,431 1,928	187 148	19 15	3 6	2,640 2,097	— —	— —	— —	— —	2,640 2,097	— —
	B. Infantile atrophy, debility and marasmus.	M 1,148 F 820	704 498	275 191	120 96	49 35	1,148 820	— —	— —	— —	— —	1,148 820	— —
	C. Icterus neonatorum.	M 92 F 53	79 45	12 8	1 —	— —	92 53	— —	— —	— —	— —	92 53	— —
	D. Sclerema and oedema neonatorum.	M 4 F 4	4 4	— —	— —	— —	4 4	— —	— —	— —	— —	4 4	— —
	E. Want of breast milk.	M 19 F 8	6 2	9 2	2 3	2 1	19 8	— —	— —	— —	— —	19 8	— —

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
152	Other diseases peculiar to early infancy.	M 442 F 298	419 289	22 9	1 —	— —	442 298	— —	— —	— —	— —	442 298	— —
	A. Diseases of umbilicus, &c.	M 36 F 31	28 26	8 5	— —	— —	36 31	— —	— —	— —	— —	36 31	— —
	B. Atelectasis	M 233 F 166	224 163	9 3	— —	— —	233 166	— —	— —	— —	— —	233 166	— —
	C. Injuries at birth.	M 167 F 96	161 95	5 1	1 —	— —	167 96	— —	— —	— —	— —	167 96	— —
	D. Cyanosis neonatorum.	M 6 F 5	6 5	— —	— —	— —	6 5	— —	— —	— —	— —	6 5	— —
153	Lack of care	M 37 F 46	37 46	— —	— —	— —	37 46	— —	— —	— —	— —	37 46	— —
	XII.—Old Age.												
154	Old age	M 3,012 F 4,262	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Senile dementia.	M 131 F 186	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Senile decay	M 2,881 F 4,076	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
155-186	XIII.—Affections produced by External Causes.	M 3,154 F 1,420	60 44	44 36	22 19	20 16	146 115	55 49	64 42	51 37	46 52	362 295	115 111
155	Suicide by poison	M 38 F 36	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia	M 16 F 26	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation.	M 135 F 47	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning	M 78 F 71	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms	M 38 F 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments.	M 140 F 34	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place.	M 8 F 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing	M 24 F 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides	M 1 F 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
155-163	Suicide	M 478 F 237	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food	M 5 F 7	— —	— —	— —	— —	— —	— —	1 1	— 1	1 1	2 3	1 —
165	Other acute poisonings.	M 22 F 21	— —	— —	— —	— —	— —	1 1	1 1	1 1	1 —	4 3	— 1
166	Conflagration	M 7 F 11	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— 1	— 1
167	Burns (conflagration excepted).	M 236 F 383	2 2	— 2	3 1	10 4	15 9	39 33	52 26	32 28	19 43	157 139	19 73

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1919—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	152
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	153
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	1	2	3	18	124	488	861	786	729	154
—	—	—	—	—	—	—	2	3	11	25	151	547	1089	1155	1279	
—	—	—	—	—	—	—	—	1	1	3	15	40	36	24	11	A
—	—	—	—	—	—	—	2	2	3	7	25	35	52	29	31	
—	—	—	—	—	—	—	1	1	2	15	109	448	825	762	718	B
—	—	—	—	—	—	—	—	1	8	18	126	512	1037	1126	1248	
116	225	217	197	160	210	227	230	233	215	165	164	138	91	52	37	155—
47	55	60	39	51	51	47	77	91	67	68	72	82	85	73	49	
—	1	1	3	2	4	3	4	6	5	3	2	3	—	1	—	155
—	—	5	6	4	4	1	3	6	1	2	2	2	—	—	—	
—	1	—	—	1	2	3	1	2	1	—	2	3	—	—	—	156
—	1	1	3	3	3	2	7	3	—	1	2	—	—	—	—	
1	7	6	1	12	15	11	16	12	15	12	12	7	5	2	1	157
—	1	3	1	2	—	4	5	9	10	4	4	2	1	1	—	
—	4	2	6	2	5	9	8	12	12	7	8	3	—	—	—	158
—	3	5	5	5	7	3	10	11	10	5	3	1	2	1	—	
—	—	3	4	3	5	1	4	3	5	2	6	2	—	—	—	159
—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	
—	—	3	6	5	12	19	12	16	23	13	14	7	5	3	2	160
—	1	—	2	3	4	5	2	4	6	3	1	1	—	1	1	
—	—	—	1	—	1	2	—	1	1	—	1	—	1	—	—	161
—	—	—	—	—	—	—	1	1	—	1	1	2	—	—	—	
—	1	3	1	3	2	5	3	—	2	1	3	—	—	—	—	162
—	—	—	—	2	1	1	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	163
—	—	1	1	2	2	—	—	1	1	—	—	—	—	—	—	
1	14	18	22	28	46	53	48	52	64	39	48	25	11	6	3	155—
—	7	15	19	21	21	16	30	35	29	16	13	8	3	3	1	
—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	164
2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
1	2	—	1	2	5	1	3	—	—	1	1	1	—	—	—	165
—	1	1	—	1	3	1	4	2	1	2	—	—	1	—	—	
—	3	—	—	—	—	—	—	1	—	—	—	1	—	—	1	166
—	5	—	—	—	—	—	—	2	—	—	—	—	1	1	—	
5	7	5	4	3	4	5	3	5	1	2	2	6	4	3	1	167
26	19	14	3	5	7	7	11	6	8	10	13	15	12	12	3	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
188	Syncope, Sudden death. {	M 39	—	—	—	—	—	—	—	—	—	—	—
		F 26	—	—	—	—	—	—	—	—	—	—	—
	A. Syncope (aged 1 year and under 70 years). {	M 39	—	—	—	—	—	—	—	—	—	—	—
		F 26	—	—	—	—	—	—	—	—	—	—	—
	B. Sudden death (not otherwise defined). {	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
189	Ill-defined causes - {	M 292	17	2	2	7	28	28	4	1	—	61	4
		F 202	8	2	1	2	13	12	4	3	1	33	4
	A. Heart failure (aged 1 year and under 70). {	M 178	—	—	—	—	—	1	—	—	—	1	3
		F 135	—	—	—	—	—	1	—	—	—	1	4
	B. Atrophy, debility, marasmus (aged 1 year and under 70). {	M 35	—	—	—	—	—	25	4	1	—	30	—
		F 23	—	—	—	—	—	10	3	2	1	16	—
	C. Teething - {	M 7	—	—	—	6	6	1	—	—	—	7	—
		F 1	—	—	—	1	1	—	—	—	—	1	—
	D. Pyrexia - - {	M 1	—	—	—	—	—	—	—	—	—	—	—
		F 3	—	—	1	—	1	—	1	—	—	2	—
	E. Other ill-defined deaths. {	M 48	11	1	1	1	14	1	—	—	—	15	1
		F 34	4	2	—	1	7	1	—	1	—	9	—
	F. Cause not specified. {	M 23	6	1	1	—	8	—	—	—	—	8	—
		F 6	4	—	—	—	4	—	—	—	—	4	—

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1919—*continued*.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
1 1	— —	— 2	1 1	2 2	1 2	2 1	1 4	1 —	6 5	12 5	12 3	— —	— —	— —	— —	}	188
1 1	— —	— 2	1 1	2 2	1 2	2 1	1 4	1 —	6 5	12 5	12 3	— —	— —	— —	— —		A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	B
5 3	3 3	1 —	4 4	4 5	10 8	11 7	20 11	21 18	37 21	35 33	66 42	3 4	6 4	1 1	— 1		}
2 1	2 2	1 —	1 4	1 2	9 5	11 5	15 10	19 15	31 20	27 26	55 40	— —	— —	— —	— —	}	
— —	— —	— —	— —	— 1	— 2	— —	1 —	— —	1 —	1 3	2 1	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
2 1	1 1	— —	2 —	2 1	1 1	— 2	3 1	1 3	3 1	6 4	5 1	2 4	4 3	— 1	— 1	}	
— —	— —	— —	1 —	1 1	— —	— —	1 —	1 —	2 —	1 —	4 —	1 —	2 1	1 —	— —		}

CHANGES in the BOUNDARIES of ADMINISTRATIVE AREAS and POOR LAW AREAS which took effect during the six months ending 30th June, 1920.

Authority and Date of Change.	Areas decreased or abolished by Change.	Areas increased or constituted by Change.	Civil Parishes transferred.	Area in Statute Acres (Land and Inland Water).	Population, 1911.
M. of H. Order No. 65,470. (1st April, 1920.)	Melcombe Regis C.P. (abolished).	Weymouth C.P.	Melcombe Regis	685	10,952
M. of H. Order No. 65,925. (1st April, 1920.)	Droitwich—St. Andrew C.P. (abolished). Droitwich—St. Nicholas C.P. (abolished). Droitwich—St. Peter C.P. (abolished). Lands Common to St. Andrew and St. Peter C.P.'s ("The Wrangling Division") (abolished).	Droitwich C.P. (new Civil Parish).	Droitwich—St. Andrew. Droitwich—St. Nicholas. Droitwich—St. Peter. Lands Common ("The Wrangling Division.")	522 658 482 43	1,261 1,969 882 6
		Total	of new C.P. -	1,705	4,118
L.G.B. Provisional Order Confirmation (No. 4) Act, 1919. (1st April, 1920.)	Bucklow Union and R.D.— Carrington C.P. (Ches.) Partington C.P. (Ches.) Carrington C.P. (Ches.) Partington C.P. (Ches.) Warburton C.P. (Ches.) Barton - upon - Irwell Union— Irlam U.D. and C.P. (Lancs). Irlam U.D. and C.P. (Lancs). Barton - upon - Irwell Union and R.D.— Flixton C.P. (Lancs)	Barton - upon - Irwell Union and Irlam U.D.— Irlam C.P. (Lancs). Barton - upon - Irwell Union and R.D.— Flixton C.P. (Lancs). Warrington Union and R.D.— Rixton with Glazebrook C.P. (Lancs). Bucklow Union and R.D.— Carrington C.P. (Ches.). Partington C.P. (Ches.). Carrington C.P. (Ches.).	Carrington (part of). Partington (part of). Carrington (part of). Partington (part of). Warburton (part of). Irlam (part of) Irlam (part of) Flixton (part of).	55 70 5 6 1 3 33 13	— — — — — — — —

(Note.—The parts of the Cheshire Civil Parishes added to Civil Parishes in Lancashire were also transferred from the Administrative County of Chester to the Administrative County of Lancaster, and vice versa).

CHANGES in the BOUNDARIES of ADMINISTRATIVE AREAS and POOR LAW AREAS which took effect during the six months ending 30th June, 1920—*continued*.

Authority and Date of Change.	Areas decreased or abolished by Change.	Areas increased or constituted by Change.	Civil Parishes transferred.	Area in Statute Acres (Land and Inland Water).	Population, 1911.
M. of H. Order No. 65,884. (1st April, 1920.)	Pemberton C.P. (abolished)	Wigan C.P. -	Pemberton -	2,895	23,642
Leeds Corporation Act, 1919. (1st April, 1920.)	Hunslet R.D.— Middleton C.P. (abolished).	Leeds C.B.— Hunslet C.P.	Middleton -	1,815	1,207
M. of H. Order No. 65,898. (1st April, 1920.)	Pontefract Park C.P. (abolished). Tanshelf C.P. (abolished)	{ Pontefract C.P. }	Pontefract Park Tanshelf - -	1,394 790	300 7,002
M. of H. Order No. 65,899. (1st April, 1920.)	Bilham C.P. (abolished) - Stotfold C.P. (abolished)	{ Hooton Pagnell C.P. }	Bilham - - Stotfold - -	536 256	49 8
M. of H. Order No. 65,934. (1st April, 1920.)	Bebside C.P. (abolished) - Cowpen C.P. (abolished) - Horton C.P. (abolished) - Newsham and South Blyth C.P. (abolished).	{ Blyth C.P. (new Civil Parish). }	Bebside - - Cowpen - - Horton - - Newsham and South Blyth.	536 1,752 760 1,264	58 21,295 2,253 6,985
		Total	of new C.P. -	4,312	30,591
M. of H. Order No. 66,002. (1st April, 1920.)	Whitley and Monkseaton U.D.— Whitley and Monkseaton C.P. Seaton Delaval U.D.— Seaton Delaval C.P. -	Seaton Delaval U.D.— Seaton Delaval C.P. Whitley and Monkseaton U.D.— Whitley and Monkseaton C.P.	Whitley and Monkseaton (part of). Seaton Delaval (part of).	2 2	— —
M. of H. Order No. 65,999. (1st April, 1920.)	Chepstow R.D.— St. Arvans C.P. - - St. Kingsmark C.P. (abolished).	Chepstow U.D.— { Chepstow C.P. }	St. Arvans (part of). St. Kingsmark -	252 18	89 6
		Total from	Chepstow R.D.	270	95

ENUMERATED POPULATIONS by SEX and AGE, 1911, of AREAS transferred
between URBAN and RURAL DISTRICTS during the six months
ending 30th June, 1920.

Ages.	Area transferred from Hunslett R.D. to Leeds C.B.		Area transferred from Chepstow R.D. to Chepstow U.D.	
	Males.	Females.	Males.	Females.
All Ages - - - - -	599	608	42	53
Under 1 - - - - -	16	11	1	—
1- - - - -	18	12	3	—
2- - - - -	18	10	—	1
3- - - - -	16	18	—	1
4- - - - -	20	13	1	1
Under 5 - - - - -	88	64	5	3
5- - - - -	69	65	6	7
10- - - - -	62	69	6	6
15- - - - -	49	67	3	8
20- - - - -	56	46	1	6
25- - - - -	38	48	1	5
30- - - - -	46	43	2	1
35- - - - -	38	51	4	5
40- - - - -	42	42	4	1
45- - - - -	30	31	4	5
50- - - - -	26	20	1	2
55- - - - -	18	16	—	1
60- - - - -	13	19	2	2
65- - - - -	12	15	2	—
70- - - - -	10	8	1	1
75- - - - -	1	2	—	—
80- - - - -	1	2	—	—
85 and upwards - - -	—	—	—	—

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE*

BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

QUARTERLY RETURN
OF
MARRIAGES, BIRTHS, AND DEATHS
REGISTERED IN
ENGLAND AND WALES

AND IN THE REGISTRATION COUNTIES;

AND OF BIRTHS, DEATHS, AND NOTIFIED CASES OF INFECTIOUS DISEASE
IN CERTAIN LARGE TOWNS.

Published by Authority of the Registrar-General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.2; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 287.]

[Price 1s. Net.

Marriages—*April, May, June, 1920.*

Births and Deaths—*July, August, September, 1920.*

*General Register Office, Somerset House,
30th October, 1920.*

The figures in this publication are tabulated mainly from statistical Returns furnished by the local Registrars, and may not be found to correspond exactly with the authoritative figures for the whole year to be published later in the Annual Report. *A table of the deaths (by sex, age, and cause) in England and Wales during the first quarter of the year 1920 is included and similar tables for subsequent quarters will be published from time to time as available in future issues of this Return.*

ENGLAND AND WALES.

The figures in this Quarterly Return are based upon the BIRTHS and DEATHS registered in the 1,922 registration sub-districts of England and Wales in the three months ended 30th September 1920; and the MARRIAGES in 16,132 churches or chapels, in 17,734 registered places of worship unconnected with the Established Church, and in 634 Superintendent Registrars' Offices, in the three months ended 30th June, 1920.

The births registered during the three months ended 30th September, 1920, numbered 229,867 and the deaths 93,690; the number of persons married during the three months ended 30th June, 1920, was 217,336.

Marriages.

The number of persons married during the *second* quarter of 1920 showed an increase of 79,034 over the number in the preceding quarter, and was 15,194 more than that in the *second* quarter of 1919; it corresponds to an annual rate of 23·2 per 1,000 total population, including armed forces abroad, in 1919.*

Births.

The births registered in the *third* quarter of 1920 were 18,798 fewer than in the preceding quarter, but 54,500 more than in the *third* quarter of 1919.

Of the 229,867 births, 10,647 (or 519 less than the number in the corresponding quarter of 1919) were illegitimate; the distribution of the illegitimate births among the several registration counties is shown in Table IVa.

The births of males numbered 117,764 and those of females 112,103. Male births were in proportion to female births as 1,050 to 1,000, the average proportion in the ten preceding third quarters being 1,043.

The 229,867 births registered during the quarter correspond to an annual rate of 24·3 per 1,000 total population, including armed forces abroad, in 1919.*

Natural Increase of Population.

The natural increase of population in England and Wales last quarter by excess of births over deaths was 136,177, against 67,966, 54,265, and 86,255, in the third quarters of 1917, 1918, and 1919. This statement excludes all deaths among the armed forces except those registered in this country.

Deaths.

The deaths registered in England and Wales last quarter were 25,593 fewer than in the preceding quarter, but 4,578 more than in the third quarter of 1919.

The 93,690 registered deaths included 48,761 of males and 44,929 of females. The total deaths correspond to an annual rate of 10·1 per 1,000 total population in England and Wales in 1919.*

Influenza was stated to be either a primary or a contributory cause of death in 705, or 0·8 per cent. of the total deaths registered last quarter. One death from small-pox was registered during the quarter, and belonged to Newark Rural District.

Infant Mortality.

Infant mortality, measured by the proportion of deaths under one year of age to registered births, was equal to 65 per 1,000, being 36 per 1,000 below the average in the ten preceding third quarters, and the lowest recorded rate for any quarter of the year.

Urban Mortality.

Table III. shows the birth-rates, the death-rates from all causes, from the principal epidemic diseases, and from violence, and the infant mortality, together with the proportion of inquest cases, of

* The estimate of population for the year 1920, which will depend upon the movements of births, deaths, migrations, &c., up to the 30th June, not being available, the estimate for 1919 has been used for the purpose of the present return.

uncertified deaths, and of deaths in public institutions among the civilian population during the last five quarters in the 96 great towns, in the 148 smaller towns, and among the total population in England and Wales. The numbers of deaths from influenza last quarter in the several 244 towns are shown in Tables V. and VII., and the death-rates in the 96 great towns in Table VI.

The highest death-rates per 1,000 from the several epidemic diseases among the 96 great towns last quarter, as shown by Table VI., were as follows:—from *enteric fever*, 0·06 in East Ham, in Darlington and in West Hartlepool, 0·07 in Hastings, in Bolton and in Tynemouth, and 0·08 in Gloucester; from *measles*, 0·45 in Wolverhampton, 0·47 in Middlesbrough, 0·48 in Walsall, 0·50 in Northampton and in Merthyr Tydfil, and 0·73 in Wigan; from *scarlet fever*, 0·11 in Birmingham, in Huddersfield, and in Merthyr Tydfil, 0·12 in St. Helens, and 0·16 in Aberdare; from *whooping-cough*, 0·20 in Bolton, 0·21 in Bootle, 0·23 in Edmonton and in Aberdare, 0·24 in Plymouth, and 0·33 in Gateshead; from *diphtheria*, 0·25 in Willesden, 0·32 in Acton, 0·36 in Ipswich, 0·37 in Gillingham, and 0·40 in Stockton-on-Tees; and from *influenza*, 0·30 in Dudley, 0·36 in South Shields, and 0·39 in Barnsley. The highest death-rates per 1,000 births from *diarrhoea and enteritis* among children under 2 years of age were 29·8 in Gateshead, 29·9 in South Shields, 31·1 in Middlesbrough, 31·5 in Stockton-on-Tees, 35·0 in Wigan, 43·1 in Hull, and 77·1 in Barnsley.

In accordance with precedent, special tables relating to summer mortality from diarrhoea and enteritis have been inserted in the present return (Tables XII. and XIII.).

UNITED KINGDOM.

In the United Kingdom 312,206 *births* and 156,009 *deaths* were registered in the three months ended 30th June, 1920. The natural increase of population was, therefore, 156,197. The number of *persons married* in the United Kingdom during the quarter was 254,610.

For facts, in detail, concerning Scotland and Ireland reference should be made to the Quarterly Returns of the Registrars-General of those parts of the United Kingdom.

COLONIAL AND FOREIGN CITIES.

The Registrar-General has been favoured with returns of vital statistics by the authorities of certain Colonial and Foreign Cities. From these a summary has been constructed for the 13 weeks ended 2nd October, 1920 (Table XV.). A column showing the death-rate from influenza has been inserted in this table. Figures for the preceding quarter, which were not available at the time of publication of the last quarterly return, are also shown in this table.

RETURNS OF NOTIFIED CASES OF INFECTIOUS DISEASE.

Tables VIII.–XI. (pages 20–31) show the numbers and the rates to population of cases of infectious sickness among the civilian population notified, under Act of Parliament, to the Sanitary Authorities of certain of the largest towns in England and Wales, during the 13 weeks ended 2nd October, 1920. The figures for London are supplied by the London County Council.

METEOROLOGY.**July.*

With the exception of a brief interval between the 18th and 21st, during which the weather of the British Isles was under the influence of an anticyclone which spread in from the Atlantic, the general character of July was dull, wet, and cool. For a few days around the 20th, the day temperatures were about equal to the normal, but they were decidedly low during the first fortnight and at the end of the month. Persistent cloudiness, however, by retarding terrestrial radiation, caused the nights to be relatively warmer than the days, so that whilst the mean temperature was not greatly divergent from the normal the daily range was small.

Temperature.†—The mean monthly temperature was below the normal in all Districts, the divergence ranging from 0·7a in England East to 1·3a in England South-West. The absolute maximum, which nowhere exceeded 299a, was nearly everywhere lower than that of the previous May and June, while the absolute minimum was, in nearly every case, above that of these two months. Commonly, the warmest days of the month were at the beginning and end of the month and about the 20th, but the maximum seldom rose above 296a, the highest reading being 299a at some East Anglian Stations on the 17th or 20th. Very generally the coldest night occurred at the end of the month, the lowest of the minima being 275a at Cambridge on the 25th.

Precipitation.—The rainfall was above the normal in all Districts, the excess ranging from 22 mm. in England East to 64 mm. in England North-West. More than 127 mm. fell over the whole of Wales and parts of the Thames Valley. Areas on Dartmoor and Exmoor had from 200 mm. to over 250 mm., and more than 300 mm. fell over Central Wales and the English Lakes, and no less than 630 mm. in Snowdonia. At Blundellsands (Lancs.) it was the wettest July at this station since 1876, and at Meltham (Yorks.) the wettest in 40 years. At Tavistock there were 30 rain-days and 29 at Bellingham, Darwen, and Sheepstor.

Sunshine.—The mean daily amount of sunshine was below the normal in all Districts, the deficit ranging from 2·34 hr. per day in England North-West, to 1·22 hr. in England East. Two districts had less than 4 hr. per day, namely, the Midlands

* Furnished by the Director of the Meteorological Office. For further information the reader is referred to the Monthly Weather Report (Price 6d., post free 7d.) and other publications of the Meteorological Office. Maps illustrating the distribution of rainfall, pressure, temperature, and sunshine are given in the Monthly Weather Report. The normal values for each month, mostly based on 35 years' observations, are shown in "The Book of Normals of Meteorological Elements for the British Isles." (M.O. 236 (Section I.), 1919, Price 2s. net.)

† Temperature is given on the Absolute Centigrade Scale. To the nearest degree 255a = 0° F., 273a = 32° F., 280a = 45° F., 300a = 81° F., and 310a = 99° F.

(3·88 hr.), and England North-West (3·56 hr.). At Totland Bay (Isle of Wight) the daily mean was 4·84 hr., the lowest on record for July at this station.

August.

Like June and July, August was characterised by dull, cool weather and a general absence of any really hot days. At most stations, moreover, the mean temperature was lower than that of the two preceding months, a result largely due to the unusually low temperatures which occurred during several of the nights, the minimum temperatures recorded at some of the stations on the 20th, although equalled, having never been lower in August in records extending in some instances over more than 40 years. Ground frosts also, although not very severe, were experienced at an abnormally large number of stations. The thunderstorms of August, which mainly occurred during the early part of the month, were much less widespread than those of June and July.

Temperature.—The mean temperature of the month was below the normal in all districts, the deficiency ranging from 1·9a in England South-East to 1·0a in England North-West. At the individual stations the highest reading recorded was 299a at Southend on the 8th, and the lowest 274a at Scaleby (Cumberland) on the 19th, and at Sheepstor and Wokingham on the 20th. At Greenwich the shade minimum of 278a recorded on the 20th was only 2a above the lowest figure reached in August since 1841, while at Kew Observatory (279a on the 1st) there had been no August night so cold since 1891. The reading of 280a on the same date at Falmouth, where the observations extend over more than half a century, equalled the previous "record" of August, 1890.

Precipitation.—Practically the whole of England during August had less than half the normal rainfall, and in Wales the monthly totals, in spite of heavy rain on the 4th, were generally below the normal. At Worksop the total rainfall for the month was only 16 mm., the smallest total in August in records extending over 46 years. At Nottingham the total was only 22 mm., smaller aggregates having been recorded only twice before in August at this station during 55 years. During the month at some of the stations the number of rain days was unprecedentedly small, among the least being 3 at Killerton (Devon), 4 at Sevenoaks and Tunbridge Wells—the smallest ever recorded at the latter station during 35 years—and 5 at Totland Bay (Isle of Wight), the lowest in 34 years.

Sunshine.—The mean daily amount of sunshine was below the normal in all districts, the deficiency ranging from 1·38 hr. per day in England North-East to 0·81 hr. in England North-West. The sunniest district was England South-East (5·48 hr. per day), and the least sunny England North-East (3·89 hr.).

September.

In many respects the weather was more nearly normal in September than during the three previous months. In the southern districts the temperature not infrequently rose to 294a. and on some

occasions reached 297a. There were, however, relapses from these pleasant conditions and on some days the temperature remained below 286a. Between the 19th and 23rd, owing largely to shallow depressions over France, there were frequent thunderstorms in Southern and Eastern England, accompanied in some instances by very heavy rain, 44 mm. for instance, falling at Margate on the 21st.

Temperature.—The mean temperature of the month did not differ greatly from the normal and in no District was the deviation greater than 0·2a. Commonly the maximum temperature occurred on the 12th, when 297a was recorded at a number of stations, and 298a at Bexley Heath and Reading. The coldest days occurred during a cold spell which was widely experienced from the 16th to 24th, some of the lowest temperatures recorded being 272a at Howden (Yorks) and 274a at Ross-on-Wye on the 20th, and 271a at Howden, and 272a at Nottingham on the 21st.

Precipitation.—The rainfall of the month was commonly below the normal, but a good many stations had an otherwise favourable record spoiled by a heavy fall of rain on the 30th. Sheepstor (Dartmoor), for instance, had 37 mm. on this day, equal to 32 per cent. of the month's total fall, a downpour of 43 mm. at Falmouth contributing 42 per cent. Apart from the rainfall there was much precipitation in the form of dew, wet fogs, and mists, and very commonly the month was a damp one.

Sunshine.—Generally speaking the sunshine of the month was deficient, but there were a good many sunny days, especially from the 9th to the 14th, when more than 10 hours a day were recorded in some parts of the country. There was also plentiful sunshine during the week which ended on the 25th, the percentage of the possible duration for this week being as high as at any time during the year.

THE QUARTER.

The mean temperature for the quarter was below the normal in all districts, the deficiency ranging from 1·1a in England South-East to 0·6a in England North-East. The total rainfall for the quarter was above the normal in all districts by amounts which varied from 49 mm. in England South-East to 3 mm. in England North-East. The mean daily amount of sunshine was everywhere below the normal, the deficiency ranging from 1·6 hr. per day in England South-East to 1·1 hr. in England North-West.

TABLES.

TABLE I.—**Marriages, Births, and Deaths** registered in **England and Wales** in the Years **1910-1920**, and in each Quarter of those Years.

YEAR - - -	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.*	1920.*
Marriages - - -	267,721	274,943	283,834	286,583	294,401	360,885	279,846	258,855	287,163	369,007	—
Births - - -	896,962	881,138	872,737	881,890	879,096	814,614	785,520	668,346	662,661	692,680	—
Deaths - - -	483,247	527,810	486,939	504,975	516,742	562,253	508,217	498,922	611,861	504,254	—
MARRIAGES.											
Quarter ended the last day of											
March - - -	56,432	44,808	44,737	60,926	51,046	55,472	67,952	50,770	65,807	60,138	69,151
June - - -	61,036	75,656	74,619	65,904	81,312	97,220	74,550	63,854	67,201	101,071	108,668
September - - -	76,545	77,873	83,505	83,636	82,048	102,671	67,477	69,740	79,047	106,197	—
December - - -	73,708	76,606	80,973	76,117	79,995	105,522	69,867	74,491	75,108	101,601	—
BIRTHS.											
March - - -	221,684	223,585	222,600	216,629	217,414	221,523	194,965	178,729	162,259	144,920	271,082
June - - -	234,825	225,774	218,070	227,470	226,152	213,109	209,006	173,408	170,212	148,824	248,665
September - - -	227,146	222,506	219,232	225,501	227,238	196,501	198,307	162,526	168,427	175,367	229,867
December - - -	213,307	209,273	212,835	212,290	208,292	183,481	183,242	153,683	161,763	223,569	—
DEATHS.											
March - - -	136,400	143,128	144,642	146,541	146,193	177,243	142,983	163,919	137,995	191,922	137,637
June - - -	115,671	119,966	115,777	121,743	124,128	138,575	126,534	127,707	118,562	108,460	119,283
September - - -	104,149	140,949	101,680	113,446	115,535	109,406	102,435	94,560	114,162	89,112	93,690
December - - -	127,027	123,767	124,840	123,245	130,886	137,029	136,265	112,736	241,142	114,760	—

* Provisional.

TABLE II.—**Annual Rate** per 1,000, of **Persons Married**, of **Births**, and of **Deaths**, in the Years **1910-1920**, and in each Quarter of those Years.

Estimated Population of England and Wales in thousands, in the middle of each Year - - -	35,792	36,190	36,382	36,606	36,961	35,359*	34,500*	33,711*	33,475*	36,800†	36,800
YEAR - - -	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920
Persons married - -	15·0	15·2	15·6	15·7	15·9	19·4†	14·9†	13·8†	15·3†	19·7†	—
Births - - -	25·1	24·3	23·9	24·1	23·8	21·9†	20·9†	17·8†	17·7†	18·5†	—
Deaths - - -	13·5	14·6	13·3	13·8	14·0	15·7*	14·4*	14·4*	17·6*	13·7	—
PERSONS MARRIED.											
Quarter ended the last day of											
March - - -	12·8	10·0	9·9	13·5	11·2	12·1†	14·5†	11·0†	14·2†	13·0†	14·0
June - - -	13·7	16·8	16·5	14·4	17·6	20·9†	15·9†	13·6†	14·4†	21·6†	23·0
September - - -	17·0	17·1	18·2	18·1	17·6	21·9†	14·3†	14·7†	16·7†	22·5†	—
December - - -	16·3	16·8	17·7	16·5	17·2	22·5†	14·8†	15·7†	15·9†	21·5†	—
BIRTHS.											
March - - -	25·1	25·1	24·5	24·0	23·9	24·1†	20·8†	19·3†	17·5†	15·7†	29·0
June - - -	26·3	25·0	24·0	24·9	24·5	22·9†	22·3†	18·5†	18·2†	15·9†	26·0
September - - -	25·2	24·4	23·9	24·4	24·4	20·9†	21·0†	17·2†	17·8†	18·6†	24·3
December - - -	23·6	22·9	23·2	23·0	22·4	19·5†	19·4†	16·2†	17·1†	23·7†	—
DEATHS.											
March - - -	15·5	16·0	15·9	16·2	16·0	20·1*	16·4*	19·3*	16·4*	21·2	15·0
June - - -	13·0	13·3	12·8	13·3	13·5	15·4*	14·4*	14·8*	13·8*	11·8	13·0
September - - -	11·5	15·5	11·1	12·3	12·4	12·1*	11·4*	10·8*	13·0*	9·6	10·0
December - - -	14·1	13·6	13·6	13·4	14·0	15·1*	15·3*	13·0*	27·0*	12·4	—

* Civilians only.

† Based upon total populations specially estimated for this purpose

‡ Estimated total population in England and Wales. Death-rates for 1919 and 1920 are based upon this population and total deaths registered.

§ Estimated population in 1919 provisionally adopted for 1920. (See page ii.)

TABLE III.—**Birth-rate, Death-rate, and Analysis of Mortality** during the last Five Quarters.

(Provisional figures. Populations estimated to the middle of 1919 have been used for rates for that year: but, for the reason stated on page ii, the populations for 1919 are continued in use for 1920.) The mortality rates refer to the whole population as regards England and Wales, but only to civilians as regards the groups of towns.

	QUARTER.	ANNUAL BIRTH- RATE PER 1,000 TOTAL POPULA- TION.	ANNUAL DEATH-RATE PER 1,000 POPULATION.										DEATH-RATE PER 1000 BIRTHS.		PERCENTAGE OF TOTAL DEATHS.			
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.	Diarrhoea and Enteritis (under 2 Years).	Total deaths under one Year.	Deaths in Public Institutions.	Certified Causes of Death.	Inquest Cases.	Uncertified Causes of Death.	
ENGLAND AND WALES	1919.	18.6	9.6	0.02	0.00	0.06	0.02	0.04	0.10	0.06	0.49	17.3	70	25.5	90.8	7.9	1.3	
	Third	-	12.4	0.02	-	0.15	0.05	0.07	0.17	0.18	0.56	8.2	71	24.6	91.5	7.1	1.4	
	1920.	23.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	First	29.0	15.0	0.01	0.00	0.34	0.05	0.20	0.21	0.44	0.51	4.2	88	23.0	92.4	6.3	1.3	
	Second	26.6	13.0	0.01	0.00	0.29	0.04	0.15	0.12	0.46	0.50	5.4	82	23.9	92.6	6.3	1.1	
	Third	24.3	10.1	0.01	0.06	0.08	0.03	0.06	0.11	0.08	0.48	11.5	65	25.4	91.0	7.7	1.3	
96 GREAT TOWNS (Census Populations exceeding 50,000).	1919.	19.0	9.5	0.01	0.00	0.08	0.03	0.04	0.11	0.06	0.43	22.3	76	32.1	90.9	8.4	0.7	
	Third	-	12.7	0.02	-	0.18	0.06	0.08	0.20	0.18	0.47	11.0	76	30.7	91.3	7.9	0.8	
	1920.	25.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	First	30.3	16.1	0.01	0.00	0.46	0.06	0.29	0.24	0.53	0.48	5.5	97	29.0	92.5	6.7	0.8	
	Second	27.6	12.9	0.01	0.00	0.32	0.04	0.18	0.14	0.51	0.45	6.6	80	31.6	92.6	6.7	0.7	
	Third	24.8	10.0	0.01	-	0.06	0.03	0.06	0.11	0.08	0.43	15.0	68	33.4	91.1	8.1	0.8	
148 SMALLER TOWNS (Census Populations, 20,000-50,000).	1919.	18.4	8.8	0.02	-	0.07	0.03	0.05	0.10	0.06	0.38	16.0	71	17.6	92.5	6.1	1.4	
	Third	-	11.4	0.02	-	0.19	0.04	0.06	0.16	0.15	0.39	6.2	70	17.7	92.7	5.5	1.8	
	1920.	23.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	First	28.3	13.9	0.02	0.00	0.25	0.03	0.17	0.19	0.44	0.43	3.8	89	15.3	93.4	5.1	1.5	
	Second	26.2	12.3	0.02	-	0.36	0.02	0.15	0.11	0.43	0.40	4.9	83	16.0	93.8	4.9	1.3	
	Third	24.0	9.4	0.01	-	0.11	0.03	0.06	0.11	0.08	0.37	11.0	66	17.6	92.7	5.8	1.5	

TABLE IV.—**England and Wales and Registration Counties.**—**MARRIAGES** registered in the Quarter ended 30th June, 1920 :
BIRTHS and **DEATHS** registered in the Quarter ended 30th September, 1920.

NOTE.—The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with Poor Law Unions of the same names. The differences between Registration Counties and Administrative Counties are shown in Table 7 of Vol. II. of the Census Report, 1911 (Cd. 6259). The numbers of marriages, births, and deaths are the numbers actually registered in each case.

REGISTRATION COUNTIES.	MAR- RIAGES in Quarter ended 30th June 1920.	BIRTHS in Quarter ended 30th September 1920.	DEATHS in Quarter ended 30th September 1920.	The DEATHS registered include										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	REGISTRATION COUNTIES.	
				Deaths of		Deaths from							Violence.					
				Infants under 1 Year of age.	Persons aged 65 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.						
																		Enteric Fever.
England and Wales	108,668	229,867	93,690	14,849	31,080	138	1	752	244	566	997	2,653	705	4,411	7,172	23,791	1,194	England and Wales.
LONDON*	13,370	28,806	10,994	1,780	3,344	10	-	55	33	46	166	398	59	520	1,074	5,718	14	LONDON.*
SURREY -	2,216	5,281	2,129	237	893	10	-	2	-	6	14	54	15	95	196	655	6	SURREY.
KENT -	2,534	6,150	2,441	303	935	2	-	2	4	10	30	46	10	115	190	618	51	KENT.
SUSSEX -	1,553	3,438	1,696	167	768	2	-	5	2	11	12	20	11	80	127	398	7	SUSSEX.
HAMPSHIRE -	2,340	5,550	2,196	246	846	6	-	2	1	16	19	39	8	91	155	576	11	HAMPSHIRE.
BERKSHIRE -	825	1,856	716	69	323	-	-	5	1	1	8	6	4	27	38	198	16	BERKSHIRE.
MIDDLESEX -	3,058	6,881	2,352	332	833	1	-	5	9	19	72	60	9	99	174	683	5	MIDDLESEX.
HERTFORDSHIRE -	738	1,660	640	64	270	-	-	1	1	1	11	7	1	20	37	188	11	HERTFORDSHIRE.
BUCKINGHAMSHIRE -	461	1,065	408	45	193	-	-	2	-	2	2	5	2	19	30	51	10	BUCKINGHAMSHIRE.
OXFORDSHIRE -	454	1,045	447	44	232	-	-	-	-	2	2	1	1	17	33	82	2	OXFORDSHIRE.
NORTHAMPTONSHIRE -	1,180	2,086	876	105	368	-	-	21	-	7	4	10	6	33	41	161	19	NORTHAMPTONSHIRE.
HUNTINGDONSHIRE -	117	275	134	15	63	-	-	-	-	-	5	-	-	11	11	17	4	HUNTINGDONSHIRE.
BEDFORDSHIRE -	545	1,067	445	60	186	1	-	-	-	-	3	4	2	25	30	77	13	BEDFORDSHIRE.
CAMBRIDGESHIRE -	487	1,259	529	59	249	1	-	-	-	6	-	-	2	28	39	117	14	CAMBRIDGESHIRE.
ESSEX -	3,578	8,585	2,923	431	1,039	5	-	23	5	10	47	88	22	131	216	847	51	ESSEX.
SUFFOLK -	873	2,298	953	126	397	2	-	3	1	9	8	7	5	62	73	219	11	SUFFOLK.
NORFOLK -	1,196	2,842	1,205	135	537	1	-	6	3	7	12	19	1	56	95	102	20	NORFOLK.
WILTSHIRE -	805	1,580	658	66	304	2	-	-	1	3	3	3	2	18	36	114	15	WILTSHIRE.
DORSETSHIRE -	645	1,188	554	53	255	1	-	1	1	1	4	3	3	20	31	96	7	DORSETSHIRE.
DEVONSHIRE -	1,856	3,808	1,861	188	788	2	-	1	1	22	20	17	10	82	145	324	24	DEVONSHIRE.
CORNWALL -	787	1,688	837	79	382	-	-	3	-	6	15	3	3	39	62	76	5	CORNWALL.
SOMERSETSHIRE -	1,368	2,523	1,181	125	542	3	-	5	1	4	21	4	7	55	92	221	7	SOMERSETSHIRE.
GLOUCESTERSHIRE -	2,013	4,115	1,636	204	637	2	-	4	4	4	18	25	4	82	153	487	7	GLOUCESTERSHIRE.
HEREFORDSHIRE -	379	662	301	22	141	-	-	2	1	1	3	1	2	21	23	60	7	HEREFORDSHIRE.
SHROPSHIRE -	746	1,475	643	80	294	-	-	4	3	12	2	7	3	30	38	111	18	SHROPSHIRE.
STAFFORDSHIRE -	4,565	9,950	3,676	698	1,068	4	-	49	12	34	31	111	41	187	304	664	39	STAFFORDSHIRE.
WORCESTERSHIRE -	999	1,991	804	98	330	1	-	7	-	4	9	3	4	35	47	163	24	WORCESTERSHIRE.

REGISTRATION COUNTIES.	The DEATHS registered include															REGISTRATION COUNTIES.		
	MAR- RIAGES in Quarter ended 30th June, 1920.	BIRTHS in Quarter in Quarter ended ended 30th Sept., 30th Sept., 1920. 1920.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.						
LEICESTERSHIRE -	1,655	3,035	1,190	181	419	2	-	26	-	9	17	26	9	53	81	257	20	LEICESTERSHIRE.
RUTLANDSHIRE -	51	110	46	7	22	-	-	-	-	-	-	-	-	2	5	-	1	RUTLANDSHIRE.
LINCOLNSHIRE -	1,719	3,523	1,500	231	580	4	1	21	1	5	8	36	9	64	94	228	21	LINCOLNSHIRE.
NOTTINGHAMSHIRE -	2,477	4,971	1,757	356	546	2	1	19	1	13	22	65	8	66	107	358	32	NOTTINGHAMSHIRE.
DERBYSHIRE -	1,802	3,494	1,352	236	435	4	-	14	5	14	15	18	8	63	95	262	35	DERBYSHIRE.
CHESHIRE -	2,715	5,475	2,296	318	771	2	-	10	8	12	24	48	14	98	181	541	11	CHESHIRE.
LANCASHIRE -	16,313	29,999	13,337	2,289	3,675	23	-	85	37	89	114	404	105	653	990	3,489	238	LANCASHIRE.
WEST RIDING -	10,222	18,863	8,480	1,565	2,517	9	-	91	17	38	41	363	67	379	702	1,865	38	WEST RIDING.
EAST RIDING (WITH YORK).	1,512	3,441	1,458	278	436	5	-	2	2	2	7	93	7	63	109	379	16	EAST RIDING (WITH YORK).
NORTH RIDING -	1,319	2,948	1,270	240	419	4	-	26	2	16	11	62	11	52	85	136	8	NORTH RIDING.
DURHAM -	4,837	11,661	4,273	1,032	1,026	10	-	26	15	34	30	253	68	199	256	622	136	DURHAM.
NORTHUMBERLAND -	2,246	5,033	2,158	361	615	4	-	4	5	18	6	80	23	109	158	497	33	NORTHUMBERLAND.
CUMBERLAND -	762	1,827	757	133	285	-	-	4	-	5	16	9	8	34	53	111	22	CUMBERLAND.
WESTMORLAND -	196	308	163	17	77	-	-	-	2	-	1	2	2	6	7	21	5	WESTMORLAND.
MONMOUTHSHIRE -	1,329	3,312	1,238	239	282	1	-	88	6	15	11	29	28	77	99	164	5	MONMOUTHSHIRE.
GLAMORGANSHIRE -	3,612	8,729	3,221	608	699	6	-	74	29	19	43	89	41	236	337	550	9	GLAMORGANSHIRE.
CARMARTHENSHIRE -	365	1,091	416	79	133	-	-	9	2	1	10	8	6	22	22	38	8	CARMARTHENSHIRE.
PEMBROKESHIRE -	201	497	226	29	92	1	-	5	-	-	5	4	1	15	16	20	10	PEMBROKESHIRE.
CARDIGANSHIRE -	148	338	263	23	123	1	-	2	-	2	2	1	4	5	7	17	9	CARDIGANSHIRE.
BRECKNOCKSHIRE -	168	366	155	19	50	1	-	8	-	1	1	-	2	3	6	19	-	BRECKNOCKSHIRE.
RADNORSHIRE -	47	93	47	11	19	-	-	-	-	-	-	-	-	-	1	5	2	RADNORSHIRE.
MONTGOMERYSHIRE -	191	341	178	17	93	-	-	1	-	-	2	-	-	7	7	10	2	MONTGOMERYSHIRE.
FLINTSHIRE -	196	459	172	24	65	-	-	2	1	-	2	1	1	9	11	19	6	FLINTSHIRE.
DENBIGHSHIRE -	367	860	453	57	168	1	-	4	1	4	7	6	4	19	22	84	9	DENBIGHSHIRE.
MERIONETHSHIRE -	144	293	200	16	89	-	-	-	-	1	-	-	3	11	12	16	2	MERIONETHSHIRE.
CARNARVONSHIRE -	301	672	454	47	183	-	-	1	-	1	3	2	7	14	17	41	5	CARNARVONSHIRE.
ANGLESEY -	75	216	103	10	47	-	-	-	-	-	5	1	3	-	1	4	1	ANGLESEY.

TABLE IVa.—**England and Wales and Registration Counties.**—
 ILLEGITIMATE BIRTHS registered in the Quarter ended 30th September of the
 Years 1919 and 1920.

REGISTRATION COUNTIES.	Illegitimate Births registered during the Quarter ended		REGISTRATION COUNTIES.	Illegitimate Births registered during the Quarter ended	
	30th Sept., 1919.	30th Sept., 1920.		30th Sept., 1919.	30th Sept., 1920.
England and Wales.	11,166	10,647	Leicestershire - - -	113	121
London - - - -	1,593	1,390	Rutlandshire - - -	6	13
Surrey - - - -	272	257	Lincolnshire - - -	199	204
Kent - - - -	340	271	Nottinghamshire - -	288	274
Sussex - - - -	230	183	Derbyshire - - -	163	155
Hampshire - - -	318	299	Cheshire - - - -	222	239
Berkshire - - -	108	85	Lancashire - - - -	1,463	1,399
Middlesex - - -	263	273	Yorkshire (West Riding) -	947	997
Hertfordshire - -	70	57	Yorkshire (East Riding with York).	226	202
Buckinghamshire -	46	39	Yorkshire (North Riding)	176	165
Oxfordshire - - -	51	54	Durham - - - -	543	502
Northamptonshire -	92	76	Northumberland - -	260	222
Huntingdonshire -	12	20	Cumberland - - -	117	96
Bedfordshire - -	78	57	Westmorland - - -	16	14
Cambridgeshire -	56	79	Monmouthshire - - -	110	102
Essex - - - -	301	272	Glamorganshire - - -	273	311
Suffolk - - - -	128	145	Cardiganshire - - -	32	47
Norfolk - - - -	201	143	Pembrokeshire - - -	17	27
Wiltshire - - - -	92	78	Cardiganshire - - -	22	27
Dorsetshire - - -	68	58	Brecknockshire - -	16	16
Devonshire - - -	199	152	Radnorshire - - -	6	8
Cornwall - - - -	90	87	Montgomeryshire - -	31	36
Somersetshire - -	91	105	Flintshire - - - -	15	15
Gloucestershire -	195	177	Denbighshire - - -	45	61
Herefordshire - -	51	40	Merionethshire - - -	20	16
Shropshire - - -	88	100	Carnarvonshire - -	43	52
Staffordshire - -	381	392	Anglesey - - - -	15	16
Worcestershire -	52	78			
Warwickshire - -	316	343			

in the 13 weeks ended **2nd October, 1920.**

NOTE.—The 96 Great Towns are those with populations exceeding 50,000 persons at the Census of 1911. The births here shown are those actually registered in the several towns. The deaths relate to the civilian population only; those in London have been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents occurring in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County. (See also Table XIV.) The deaths in the other towns have been corrected as far as possible, (1) by the exclusion of all deaths of non-residents and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

The DEATHS registered include																				
TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1919.	BIRTHS.	DEATHS.	Deaths of		Deaths from								Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	MEAN TEMPERATURE (Degrees Fahr.). *	RAIN- FALL (Milli- metres). *	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.								
96 Towns	17,807,258	114,717	44,613	7,771	13,088	53	-	278	141	257	508	1,717	333	1,898	3,601	14,920	353	57·3	225	96 Towns.
LONDON	4,358,309	28,448	10,451	1,669	3,306	11	-	51	38	45	182	383	59	482	1,009	5,287	13	59·1†	211‡	LONDON.
CROYDON	184,239	1,085	408	59	163	2	-	-	-	-	2	22	5	18	47	128	-	55·9§	273§	CROYDON.
WIMBLEDON	59,791	278	117	17	44	-	-	-	-	-	-	3	-	9	18	33	-	-	221	WIMBLEDON.
EALING	73,212	326	135	20	51	-	-	-	-	-	-	7	-	2	6	44	-	-	-	EALING.
ACTON	61,732	337	138	25	47	-	-	-	-	2	5	8	-	5	9	44	-	-	-	ACTON.
WILLESDEN	160,917	965	324	62	94	-	-	1	1	3	10	9	2	12	19	142	-	-	-	WILLESDEN.
HORNSEY	94,348	391	186	26	70	-	-	1	-	1	3	2	1	6	12	45	-	-	-	HORNSEY.
TOTTENHAM	141,338	812	261	41	69	-	-	-	-	1	4	13	-	12	27	102	-	59·2	214	TOTTENHAM.
EDMONTON	70,711	453	119	22	34	-	-	-	-	4	2	-	-	6	9	44	-	-	-	EDMONTON.
ENFIELD	58,442	328	118	11	40	-	-	-	-	-	2	1	1	6	12	38	-	58·7	255	ENFIELD.
WEST HAM	287,966	2,332	758	154	182	1	-	9	2	1	14	44	8	44	77	288	-	-	-	WEST HAM.
EAST HAM	144,451	770	280	33	80	2	-	1	-	-	2	8	1	13	23	124	1	-	-	EAST HAM.
LEYTON	123,896	716	238	34	86	1	-	-	1	1	4	6	2	5	16	104	-	-	-	LEYTON.
WALTHAMSTOW	127,684	769	247	36	78	1	-	-	-	-	3	10	2	7	20	106	3	-	-	WALTHAMSTOW.
ILFORD	79,524	419	141	13	47	1	-	7	-	-	1	2	3	4	6	38	-	-	-	ILFORD.
GILLINGHAM	43,501	398	89	17	28	-	-	-	-	1	4	4	1	3	4	19	3	-	-	GILLINGHAM.
HASTINGS	57,674	268	158	12	75	1	-	1	-	1	2	3	3	6	8	43	-	58·8	230	HASTINGS.
EASTBOURNE	48,424	225	139	15	72	-	-	-	1	1	1	-	2	9	18	33	-	58·8	249	EASTBOURNE.
BRIGHTON	132,409	731	321	44	130	-	-	-	-	3	-	9	3	6	18	96	-	58·9	208	BRIGHTON.
PORTSMOUTH	224,846	1,511	458	66	149	1	-	-	-	2	6	9	2	10	27	145	-	59·0	203	PORTSMOUTH.
BOURNEMOUTH	82,627	338	192	13	92	-	-	-	-	-	2	-	-	8	13	37	1	57·6	187	BOURNEMOUTH.
SOUTHAMPTON	126,033	808	313	48	96	1	-	-	-	6	1	20	2	12	20	132	-	58·0	229	SOUTHAMPTON.
READING	91,365	532	181	23	67	-	-	-	1	1	-	4	1	4	6	50	1	58·0	225	READING.
OXFORD	57,666	259	121	9	52	-	-	-	-	-	3	1	-	4	9	29	-	57·3	187	OXFORD.
NORTHAMPTON	88,944	541	224	30	78	-	-	-	-	-	1	1	2	8	12	46	-	-	-	NORTHAMPTON.
CAMBRIDGE	57,849	296	99	10	40	-	-	-	-	-	-	1	-	8	14	23	-	57·3	163	CAMBRIDGE.

* The values for Mean Temperature and Rainfall relate to the calendar quarter.
† These values refer to the Royal Observatory, Greenwich.

‡ These towns are included within the Metropolitan Outer Ring.
§ Observations made at Addington Hills.

TABLE V. (continued).—96 Great Towns, &c.—Population, Births, and Deaths in the 13 Weeks ended 2nd October, 1920.

TOWNS.	ESTIMATED CIVILIAN POPULATION Mid. 1919.	BIRTHS.	DEATHS.	The DEATHS registered include													MEAN TEMPERATURE (De- grees Fahr.).	RAIN- FALL. (Milli- metres)	TOWNS.	
				Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.				Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.						
SOUTHEND ON SEA.	84,034	443	181	15	74	-	-	1	-	-	-	3	2	5	9	34	5	226	SOUTHEND ON SEA.	
IPSWICH.	78,011	443	214	34	67	-	-	1	-	-	7	-	-	12	15	62	-	193	IPSWICH.	
GREAT YARMOUTH.	53,078	395	156	19	79	-	-	2	-	1	-	-	1	4	8	28	1	174	GREAT YARMOUTH.	
NORWICH.	119,993	689	300	40	124	1	-	-	1	2	1	14	-	18	33	84	-	189	NORWICH.	
SWINDON.	51,527	293	124	7	45	-	-	-	-	-	1	2	-	1	4	15	-	-	SWINDON.	
EXETER.	59,014	330	130	13	60	-	-	-	-	1	3	1	-	3	8	31	-	-	EXETER.	
PLYMOUTH.	181,967	1,295	506	76	165	1	-	-	-	11	4	8	3	20	50	113	-	182	PLYMOUTH.	
BATH.	65,919	292	158	15	78	-	-	-	-	-	1	1	-	5	14	29	-	195	BATH.	
BRISTOL.	361,247	2,264	845	114	289	1	-	2	3	4	13	16	2	36	86	319	-	244†	BRISTOL.	
GLOUCESTER.	50,100	349	122	16	48	1	-	-	-	1	1	2	-	8	9	27	3	-	GLOUCESTER.	
STOKE ON TRENT.	239,316	1,766	628	120	137	-	-	1	5	1	3	18	11	34	61	154	8	-	STOKE ON TRENT.	
WOLVERHAMPTON.	98,403	691	291	66	85	-	-	11	1	4	-	7	2	14	26	65	-	-	WOLVERHAMPTON.	
WALSALL.	92,724	704	260	65	63	-	-	11	-	4	1	13	1	9	25	55	-	-	WALSALL.	
WEST BROMWICH.	69,899	567	203	38	56	-	-	3	1	3	1	15	3	10	13	42	6	-	WEST BROMWICH.	
DUDLEY.	54,017	361	121	28	41	-	-	-	-	-	2	7	4	4	10	18	1	-	DUDLEY.	
BIRMINGHAM.	861,585	5,879	2,190	377	654	1	-	16	24	17	36	77	14	89	101	724	74	192	BIRMINGHAM.	
SMETHWICK.	72,152	455	153	31	40	-	-	2	1	2	3	1	1	3	11	27	-	-	SMETHWICK.	
COVENTRY.	132,048	790	255	49	61	-	-	1	-	2	3	10	5	7	14	65	8	188	COVENTRY.	
LEICESTER.	236,059	1,474	584	107	175	-	-	18	-	8	6	19	3	26	39	174	10	-	LEICESTER.	
LINCOLN.	60,581	363	122	14	47	-	-	-	-	-	1	-	1	2	3	23	4	125	LINCOLN.	
GRIMSBY.	78,813	567	222	39	71	-	-	-	-	-	2	13	1	11	20	51	1	-	GRIMSBY.	
NOTTINGHAM.	257,573	1,621	662	120	214	2	-	1	1	2	11	35	3	21	41	209	4	170	NOTTINGHAM.	
DERBY.	123,930	751	280	39	101	-	-	-	2	1	2	3	2	8	30	91	-	-	DERBY.	

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† Observations made at Clifton.

TABLE V. (continued).—96 Great Towns, &c.—Population; Births, and Deaths in the 13 Weeks ended 2nd October, 1920.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1919.	BIRTHS.	DEATHS.	The DEATHS registered include											MEAN TEMPERATURE (De- grees Fahr.). *	RAIN- FALL (Milli- metres). *	TOWNS.		
				Deaths of		Deaths from								Inquest Cases.				Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.						
STOCKPORT	125,629	657	296	59	96	-	-	1	1	-	7	6	2	7	15	-	STOCKPORT.		
BIRKENHEAD	148,052	1,081	359	65	86	1	-	-	-	1	7	26	1	11	18	1	BIRKENHEAD.		
WALLASEY	95,424	437	171	23	57	-	-	-	-	2	1	5	-	3	8	-	WALLASEY.		
LIVERPOOL	772,665	5,757	2,222	486	520	-	-	6	15	21	33	118	9	95	192	25	LIVERPOOL.		
BOOTLE	76,962	539	179	28	46	-	-	-	1	4	4	3	2	11	12	8	BOOTLE.		
ST. HELENS	100,805	790	245	62	50	-	-	-	3	-	2	11	2	18	22	7	ST. HELENS.		
SOUTHPORT	70,144	288	173	11	79	-	-	-	-	1	-	1	2	4	5	4	SOUTHPORT.		
WIGAN	87,384	657	273	86	51	-	-	16	-	-	2	23	1	6	20	-	WIGAN.		
WARRINGTON	74,952	549	200	51	39	-	-	6	-	1	2	13	1	11	12	9	WARRINGTON.		
BOLTON	177,462	1,029	471	78	134	3	-	-	2	9	5	11	3	24	56	2	BOLTON		
BURY	54,248	271	159	16	57	-	-	-	-	1	-	2	2	8	12	2	BURY.		
MANCHESTER	741,068	4,464	1,857	304	492	3	-	1	6	11	8	51	22	73	132	15	MANCHESTER.		
SALFORD	226,225	1,485	578	108	138	3	-	-	2	4	6	20	6	20	40	2	SALFORD.		
OLDHAM	137,668	800	400	68	85	-	-	4	-	1	2	15	3	26	44	-	OLDHAM.		
ROCHDALE	90,051	462	246	29	69	-	-	-	-	1	2	5	4	10	18	3	ROCHDALE.		
BURNLEY	101,005	551	283	51	72	1	-	-	-	-	1	9	4	13	29	-	BURNLEY.		
BLACKBURN	125,992	700	325	44	96	-	-	-	-	-	4	4	1	18	28	-	BLACKBURN.		
PRESTON	117,277	694	287	52	83	-	-	-	-	3	3	10	4	10	13	11	PRESTON.		
BLACKPOOL	67,842	270	204	10	74	-	-	2	-	-	3	1	2	6	6	11	BLACKPOOL.		
BARROW IN FURNESS	73,627	489	155	*26	39	-	-	2	-	1	-	4	-	11	14	7	BARROW IN FURNESS.		
HUDDERSFIELD	112,301	547	310	46	95	-	-	-	3	-	2	6	3	9	15	-	HUDDERSFIELD.		
HALIFAX	101,791	496	244	29	81	-	-	-	-	-	-	2	1	12	27	1	HALIFAX.		
BRADFORD	282,714	1,411	813	116	251	1	-	-	3	6	6	17	4	28	70	3	BRADFORD.		
LEEDS	431,999	2,759	1,228	235	357	2	-	1	2	-	8	43	7	58	120	-	LEEDS.		
DEWSBURY	52,969	319	146	37	38	-	-	-	-	1	1	9	1	6	14	-	DEWSBURY.		
WAKEFIELD	49,208	327	150	27	38	-	-	1	-	-	-	6	-	10	15	1	WAKEFIELD.		
BARNSELEY	51,680	402	178	70	30	-	-	1	-	2	1	31	5	4	12	-	BARNSELEY.		

* The values for Mean Temperature and Rainfall relate to the calendar quarter.
† These values refer to Blundellsands.

† These values refer to Bidston Observatory.
‡ These values refer to Hutton.

TABLE V. (continued).--96 Great Towns, &c.--Population, Births, and Deaths in the 13 Weeks ended 2nd October, 1920.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.	BIRTHS.	DEATHS.	Deaths of		Deaths from								The DEATHS registered include			MEAN TEMPERATURE (De- grees Fahr.) *	RAIN- FALL (Milli- metres). *	TOWNS.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.				Uncertified Causes of Death.
SHEFFIELD	473,695	3,221	1,300	263	350	-	-	21	2	10	2	77	16	50	103	404	1	163	SHEFFIELD.	
ROTHERHAM	69,034	443	154	37	49	-	-	2	-	-	-	5	-	13	16	36	4	-	ROTHERHAM.	
YORK	74,531	489	173	26	60	-	-	-	-	-	1	3	5	3	13	49	-	206	YORK.	
HULL	279,664	2,019	789	199	170	3	-	2	-	2	4	87	1	34	56	219	15	182	HULL.	
MIDDLESBROUGH	127,142	996	393	103	69	1	-	15	1	6	1	31	5	11	22	61	2	-	MIDDLESBROUGH.	
DARLINGTON	64,058	431	149	23	41	1	-	1	-	-	-	7	3	3	3	26	6	-	DARLINGTON.	
STOCKTON ON TEES	60,696	476	184	38	52	-	-	4	-	-	6	15	2	8	9	35	6	-	STOCKTON ON TEES.	
WEST HARTLEPOOL	65,515	470	205	48	45	1	-	-	-	-	2	10	1	12	13	31	6	-	WEST HARTLEPOOL.	
SUNDERLAND	149,263	1,271	515	120	124	-	-	3	-	1	1	35	4	18	31	123	11	-	SUNDERLAND.	
SOUTH SHIELDS	111,502	937	404	107	81	1	-	-	-	5	2	28	10	10	12	56	17	-	SOUTH SHIELDS.	
GATESHEAD	123,392	940	370	117	67	-	-	4	-	10	-	28	3	13	14	59	14	-	GATESHEAD.	
NEWCASTLE ON TYNE	275,099	1,959	750	130	183	-	-	4	2	4	-	23	10	26	61	207	2	-	NEWCASTLE ON TYNE.	
TYNEMOUTH	58,007	439	157	20	53	1	-	-	-	-	-	8	2	11	12	39	4	186	TYNEMOUTH.	
CARLISLE	55,198	353	119	19	40	-	-	-	-	1	-	1	1	5	6	27	3	-	CARLISLE.	
NEWPORT (MON.)	87,251	563	218	41	40	-	-	1	1	1	5	10	2	14	25	38	-	259	NEWPORT (MON.).	
CARDIFF	204,436	1,234	477	77	111	1	-	-	4	2	2	13	3	32	64	105	-	268	CARDIFF.	
RHONDDA	177,911	1,173	415	93	71	1	-	12	4	3	4	23	4	32	37	42	3	-	RHONDDA.	
MERTHYR TYDFIL	71,638	557	211	45	40	-	-	9	2	2	4	5	2	5	8	45	-	-	MERTHYR TYDFIL.	
ABERDARE	51,384	357	147	30	37	-	-	4	2	3	3	6	2	6	8	17	-	-	ABERDARE.	
SWANSEA	160,810	1,040	408	67	108	-	-	6	-	-	3	15	6	21	36	92	-	380	SWANSEA.	
GREATER LONDON	7,259,388	45,232	16,387	2,558	5,354	22	-	72	48	68	268	579	94	737	1,503	7,296	23	-	GREATER LONDON.	
OUTER RING	2,901,079	16,784	5,936	889	2,048	11	-	21	10	23	86	196	35	255	494	2,009	10	-	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	1,668,251	9,981	3,470	553	1,085	8	-	19	4	13	54	135	25	149	301	1,280	4	-	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	1,232,828	6,803	2,466	336	963	3	-	2	6	10	32	61	10	106	193	729	6	-	REMAINDER OF OUTER RING.	
EDINBURGH†	342,300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	270	EDINBURGH.†	
GLASGOW†	1,115,500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	293	GLASGOW.†	
DUBLIN (Registra- tion Area).‡	415,000	2,879	1,478	299	371	3	-	7	1	29	8	96	8	31	35	601	34	{ 55.6 ^a 57.0 ^b	DUBLIN (Registra- tion Area).‡	
BELFAST†	413,000	2,721	1,353	297	244	10	-	2	13	8	6	82	2	74	84	421	33	55.2\$	BELFAST.†	

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

a Phoenix Park.

b Fitzwilliam Square.

NOTE.—The rates in this table are based upon the figures shown in Table V.

TOWNS.	ANNUAL BIRTH-RATE PER 1,000 TOTAL POPULATION, 1919.*	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION, 1919.										DEATH-RATE PER 1,000 BIRTHS.		PERCENTAGE of Total Deaths.			TOWNS.
		Deaths from										Diar- rhoea and Enter- itis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		All Causes.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.						
		13 Weeks ended :— 27th Sept., 1919.†	2nd Oct., 1920.														
96 Towns	24·8	9·5	10·0	0·01	—	0·06	0·03	0·06	0·11	0·08	0·43	15·0	68	8·1	33·4	0·8	96 Towns.
LONDON	—	9·5	9·6	0·01	—	0·05	0·03	0·04	0·17	0·05	0·44	13·5	59	9·7	50·6	0·1	LONDON.
CROYDON	—	8·5	8·9	0·04	—	—	—	—	0·04	0·11	0·39	20·3	54	11·5	31·4	—	CROYDON.
WIMBLEDON	—	6·6	7·8	—	—	—	—	—	—	—	0·60	10·8	61	15·4	28·2	—	WIMBLEDON.
EALING	—	7·8	7·4	—	—	—	—	—	0·11	—	0·11	21·5	61	4·4	32·6	—	EALING.
ACTON	—	6·6	9·0	—	—	—	—	0·13	0·32	—	0·32	23·7	74	6·5	31·9	—	ACTON.
WILLESDEN	—	7·0	8·1	—	—	0·02	0·02	0·07	0·25	0·05	0·30	9·3	64	5·9	43·8	—	WILLESDEN.
HORNSEY	—	6·3	7·9	—	—	0·04	—	0·04	0·13	0·04	0·26	5·1	66	6·5	24·2	—	HORNSEY.
TOTTENHAM	—	7·7	7·4	—	—	—	—	0·03	0·11	—	0·34	16·0	50	10·3	39·1	—	TOTTENHAM.
EDMONTON	—	8·1	6·8	—	—	—	—	0·23	0·11	—	0·34	—	49	7·6	37·0	—	EDMONTON.
ENFIELD	—	8·4	8·1	—	—	—	—	—	0·14	0·07	0·41	3·0	34	10·2	32·2	—	ENFIELD.
WEST HAM	—	10·4	10·6	0·01	—	0·13	0·03	0·01	0·20	0·11	0·61	18·9	66	10·2	38·0	—	WEST HAM.
EAST HAM	—	7·2	7·8	0·06	—	0·03	—	—	0·06	0·03	0·36	10·4	43	8·2	44·3	0·4	EAST HAM.
LEYTON	—	8·7	7·7	0·03	—	—	0·03	0·03	0·13	0·06	0·16	8·4	47	6·7	43·7	—	LEYTON.
WALTHAMSTOW	—	8·5	7·8	0·03	—	—	—	—	0·09	0·06	0·22	13·0	47	8·1	42·9	1·2	WALTHAMSTOW.
ILFORD	—	6·2	7·1	0·05	—	0·35	—	—	0·05	0·15	0·20	4·8	31	4·3	27·0	—	ILFORD.
GILLINGHAM	—	7·9	8·2	—	—	—	—	0·09	0·37	0·09	0·28	10·1	43	4·5	21·3	3·4	GILLINGHAM.
HASTINGS	—	11·5	11·0	0·07	—	0·07	—	0·07	0·14	0·21	0·42	11·2	45	5·1	27·2	—	HASTINGS.
EASTBOURNE	—	6·4	11·5	—	—	—	0·08	0·08	0·08	0·17	0·75	—	67	12·9	23·7	—	EASTBOURNE.
BRIGHTON	—	9·8	9·7	—	—	—	—	0·09	—	0·09	0·18	12·3	60	5·6	29·9	—	BRIGHTON.
PORTSMOUTH	—	9·4	8·2	0·02	—	—	—	0·04	0·11	0·04	0·18	6·0	44	5·9	31·7	—	PORTSMOUTH.
BOURNEMOUTH	—	9·6	9·3	—	—	—	—	—	0·10	—	0·39	—	38	6·8	19·3	0·5	BOURNEMOUTH.
SOUTHAMPTON	—	9·5	10·0	0·03	—	—	—	0·19	0·03	0·06	0·38	24·8	59	6·4	42·2	—	SOUTHAMPTON.
READING	—	7·4	7·9	—	—	0·04	—	0·04	—	0·04	0·18	7·5	43	3·3	27·6	0·6	READING.
OXFORD	—	8·3	8·4	—	—	—	—	—	0·21	—	0·28	3·9	35	7·4	24·0	—	OXFORD.
NORTHAMPTON	—	8·9	10·1	—	—	0·50	—	—	0·05	0·09	0·36	1·8	55	5·4	20·5	—	NORTHAMPTON.
CAMBRIDGE	—	8·5	6·9	—	—	—	—	—	—	—	0·55	3·4	34	14·1	23·2	—	CAMBRIDGE.

* The birth-rates are based upon total populations estimated for this purpose.

† These towns are included within the Metropolitan Outer Ring.

‡ Revised rates.

TABLE VI. (continued).—96 Great Towns, &c.—Birth-rate, Civilian Death-rate, and Analysis of Mortality in the 13 Weeks ended 2nd October, 1920.

TOWNS.	ANNUAL BIRTH-RATE PER 1,000 TOTAL POPULATION, 1919.*	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION, 1919.										DEATH-RATE PER 1,000 BIRTHS.		PERCENTAGE of Total Deaths.			TOWNS.
		Deaths from										Diar- rhoea and Enter- itis (under 2 years).	Total Deaths under one year.	Deaths in Public Institutions.	Uncertified Causes of Death.		
		All Causes.															
		13 Weeks ended :—															
		27th Sept., 1919.†	2nd Oct., 1920.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.						
SOUTHEND ON SEA.	20.3	8.3	8.6	-	-	0.05	-	-	-	0.10	0.24	6.8	34	5.0	18.8	2.8	SOUTHEND ON SEA.
IPSWICH.	21.9	9.9	11.0	-	-	0.05	-	-	0.36	-	0.62	-	77	7.0	29.0	-	IPSWICH.
GREAT YARMOUTH.	28.7	9.4	11.8	-	-	0.15	-	0.08	-	0.08	0.30	-	48	5.1	17.9	0.6	GREAT YARMOUTH.
NORWICH.	22.1	8.5	10.0	0.03	-	-	0.03	0.07	0.03	-	0.60	20.3	58	11.0	28.0	-	NORWICH.
SWINDON.	21.9	7.6	9.7	-	-	-	-	-	0.08	-	0.08	6.8	24	3.2	12.1	-	SWINDON.
EXETER.	21.5	9.3	8.8	-	-	-	-	0.07	0.20	-	0.20	3.0	39	6.2	23.8	-	EXETER.
PLYMOUTH.	27.4	11.5	11.2	0.02	-	-	-	0.24	0.09	0.07	0.44	6.2	59	9.9	22.3	-	PLYMOUTH.
BATH.	17.1	8.3	9.6	-	-	-	-	-	0.06	-	0.30	3.4	51	8.9	18.4	-	BATH.
BRISTOL.	24.1	8.3	9.4	0.01	-	0.02	0.03	0.04	0.14	0.02	0.40	7.1	50	10.2	37.8	-	BRISTOL.
GLOUCESTER.	26.8	9.9	9.8	0.08	-	-	-	0.08	0.08	-	0.64	5.7	46	7.4	22.1	2.5	GLOUCESTER.
STOKE ON TRENT.	28.4	10.0	10.5	-	-	0.02	0.08	0.02	0.05	0.18	0.57	10.2	68	9.7	24.5	1.3	STOKE ON TRENT.
WOLVERHAMPTON.	27.0	9.9	11.9	-	-	0.45	0.04	0.16	-	0.08	0.57	10.1	96	8.9	22.3	-	WOLVERHAMPTON.
WALSALL.	29.2	9.2	11.2	-	-	0.48	-	0.17	0.04	0.04	0.39	18.5	92	9.6	21.2	-	WALSALL.
WEST BROMWICH.	31.2	11.6	11.6	-	-	0.17	0.06	0.17	0.06	0.17	0.57	26.5	67	6.4	20.7	3.0	WEST BROMWICH.
DUDLEY.	25.7	8.5	9.0	-	-	-	-	-	0.15	0.30	0.30	19.4	78	8.3	14.9	0.8	DUDLEY.
BIRMINGHAM.	26.3	9.1	10.2	0.00	-	0.07	0.11	0.08	0.17	0.07	0.41	13.1	64	4.6	33.1	3.4	BIRMINGHAM.
SMETHWICK.	24.3	8.8	8.5	-	-	0.11	0.06	0.11	0.17	0.06	0.17	2.2	68	7.2	17.6	-	SMETHWICK.
COVENTRY.	23.0	6.7	7.7	-	-	0.03	-	0.06	0.09	0.15	0.21	12.7	62	5.5	25.5	3.1	COVENTRY.
LEICESTER.	24.0	8.5	9.9	-	-	0.31	-	0.14	0.10	0.05	0.44	12.9	73	6.7	29.8	1.7	LEICESTER.
LINCOLN.	23.1	7.8	8.1	-	-	-	-	-	0.07	0.07	0.13	-	39	2.5	18.9	3.3	LINCOLN.
GRIMSBY.	27.7	9.0	11.3	-	-	-	-	-	0.10	0.05	0.56	22.9	69	9.0	23.0	0.5	GRIMSBY.
NOTTINGHAM.	24.2	9.9	10.3	0.03	-	0.02	0.02	0.03	0.17	0.05	0.33	21.6	74	6.2	31.6	0.6	NOTTINGHAM.
DERBY.	23.3	8.1	9.1	-	-	-	0.06	0.03	0.06	0.06	0.26	4.0	52	10.7	32.5	-	DERBY.

TABLE VI. (continued).—96 Great Towns, &c.—Birth-rate, Civilian Death-rate, and Analysis of Mortality in the 13 Weeks ended 2nd October, 1920.

TOWNS.		ANNUAL BIRTH-RATE PER 1,000 TOTAL POPULATION, 1919.*	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION, 1919.										DEATH-RATE PER 1,000 BIRTHS.		PERCENTAGE of Total Deaths.			TOWNS.
			Deaths from										Diarrhoea and Enteritis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
			All Causes.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.						
			13 Weeks ended :— 27th Sept., 1919.†	2nd Oct., 1920.														
STOCKPORT	-	20.1	8.3	9.5	-	-	0.03	0.03	-	0.22	0.06	0.22	9.1	90	5.1	24.3	-	
BIRKENHEAD	-	28.1	8.4	9.7	0.03	-	-	-	0.03	0.19	0.03	0.30	24.1	60	5.0	36.2	0.3	BIRKENHEAD.
WALLASEY	-	17.6	6.2	7.2	-	-	-	-	0.08	0.04	-	0.13	11.4	53	4.7	19.9	-	WALLASEY.
LIVERPOOL	-	28.7	10.7	11.5	-	-	0.03	0.08	0.11	0.17	0.05	0.49	20.5	84	8.6	42.7	1.1	LIVERPOOL.
BOOTLE	-	27.0	9.0	9.3	-	-	-	0.05	0.21	0.21	0.10	0.57	5.6	52	6.7	23.5	4.5	BOOTLE.
ST. HELENS	-	30.2	10.4	9.7	-	-	-	0.12	-	0.08	0.08	0.72	13.9	78	9.0	22.4	2.9	ST. HELENS.
SOUTHPORT	-	15.8	10.2	9.9	-	-	-	-	0.06	-	0.11	0.23	3.5	38	2.9	16.2	2.3	SOUTHPORT.
WIGAN	-	29.0	11.1	12.5	-	-	0.73	-	-	0.09	0.05	0.28	35.0	131	7.3	14.3	-	WIGAN.
WARRINGTON	-	28.2	9.5	10.7	-	-	0.32	-	0.05	0.11	0.05	0.59	23.7	93	6.0	27.5	4.5	WARRINGTON.
BOLTON	-	22.3	9.1	10.6	0.07	-	-	0.05	0.20	0.11	0.07	0.54	10.7	76	10.6	21.0	0.4	BOLTON.
BURY	-	19.2	9.9	11.8	-	-	-	-	0.07	-	0.15	0.59	7.4	59	7.5	22.6	1.3	BURY.
MANCHESTER	-	23.2	9.1	10.1	0.02	-	0.01	0.03	0.06	0.04	0.12	0.40	11.4	68	7.1	33.2	0.8	MANCHESTER.
SALFORD	-	25.3	9.2	10.2	0.05	-	-	0.04	0.07	0.11	0.11	0.35	13.5	73	6.9	31.7	0.3	SALFORD.
OLDHAM	-	22.4	11.0	11.7	-	-	0.12	-	0.03	0.06	0.09	0.76	18.8	85	11.0	22.5	-	OLDHAM.
ROCHDALE	-	19.8	10.6	11.0	-	-	-	-	0.04	0.09	0.18	0.45	10.8	63	7.3	27.6	1.2	ROCHDALE.
BURNLEY	-	21.0	10.9	11.2	0.04	-	-	-	-	0.04	0.16	0.52	16.3	93	10.2	25.8	-	BURNLEY.
BLACKBURN	-	21.4	10.0	10.3	-	-	-	-	-	0.13	0.03	0.57	5.7	63	8.6	20.9	-	BLACKBURN.
PRESTON	-	22.8	10.1	9.8	-	-	-	-	0.10	0.10	0.14	0.34	14.4	75	4.5	19.2	3.8	PRESTON.
BLACKPOOL	-	15.3	10.8	12.1	-	-	0.12	-	-	0.18	0.12	0.35	3.7	37	2.9	16.7	5.4	BLACKPOOL.
BARROW IN FURNESS	-	25.6	9.3	8.4	-	-	0.11	-	0.05	-	-	0.60	8.2	53	9.0	12.9	4.5	BARROW IN FURNESS.
HUDDERSFIELD	-	18.8	9.8	11.1	-	-	-	0.11	-	0.07	0.11	0.32	11.0	84	4.8	21.6	-	HUDDERSFIELD.
HALIFAX	-	18.8	10.0	9.6	-	-	-	-	-	-	0.04	0.47	4.0	58	11.1	23.4	0.4	HALIFAX.
BRADFORD	-	19.2	9.6	11.5	0.01	-	-	0.04	0.09	0.09	0.06	0.40	12.0	82	8.6	30.9	0.4	BRADFORD.
LEEDS	-	24.6	11.1	11.4	0.02	-	0.01	0.02	-	0.07	0.06	0.54	15.6	85	9.8	27.4	-	LEEDS.
DEWSBURY	-	23.2	12.1	11.1	-	-	-	-	0.08	0.08	0.08	0.43	28.2	116	9.6	18.5	-	DEWSBURY.
WAKEFIELD	-	25.6	10.6	12.2	-	-	0.08	-	-	-	-	0.82	18.3	83	10.0	25.3	0.7	WAKEFIELD.
BARNSELEY	-	30.0	10.8	13.8	-	-	0.08	-	0.16	0.08	0.39	0.31	77.1	174	6.7	15.7	-	BARNSELEY.

* See note * on first page of table.

† Revised rates.

TABLE VI. (continued).--96 Great Towns, &c. Birth-rate, Civilian Death-rate, and Analysis of Mortality in the 13 Weeks ended 2nd October, 1920.

TOWNS.	ANNUAL BIRTH-RATE PER 1,000 TOTAL POPULATION, 1919.*	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION, 1919.										PERCENTAGE of Total Deaths.			TOWNS.		
		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
		All Causes.															
		13 Weeks ended :—															
		27th Sept., 1919.†	2nd Oct., 1920.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.						
SHEFFIELD	26·2	9·3	11·0	—	—	0·18	0·02	0·08	0·02	0·14	0·42	23·9	82	7·9	31·1	0·1	SHEFFIELD.
ROTHERHAM	24·7	8·2	8·9	—	—	0·12	—	—	—	—	0·76	11·3	84	10·4	23·4	2·6	ROTHERHAM.
YORK	25·3	11·4	9·3	—	—	—	—	—	—	0·27	0·16	6·1	53	7·5	28·3	—	YORK.
HULL	27·8	10·4	11·3	0·04	—	0·03	—	0·03	—	0·01	0·49	43·1	99	7·1	27·8	1·9	HULL.
MIDDLESBROUGH	30·2	12·5	12·4	0·03	—	0·47	0·03	0·19	0·03	0·16	0·35	31·1	103	5·6	15·5	0·5	MIDDLESBROUGH.
DARLINGTON	25·9	10·1	9·3	0·06	—	0·06	—	—	—	0·19	0·19	16·2	53	2·0	17·4	4·0	DARLINGTON.
STOCKTON ON TEES	30·2	11·7	12·2	—	—	0·26	—	—	0·40	0·13	0·53	31·5	80	4·9	19·0	3·3	STOCKTON ON TEES.
WEST HARTLEPOOL	27·6	12·0	12·6	0·06	—	—	—	—	0·12	0·06	0·73	21·3	102	6·3	15·1	2·9	WEST HARTLEPOOL.
SUNDERLAND	32·8	12·2	13·8	—	—	0·08	—	0·03	0·03	0·11	0·48	27·5	94	6·0	23·9	2·1	SUNDERLAND.
SOUTH SHIELDS	32·4	12·3	14·5	0·04	—	—	—	0·18	0·07	0·36	0·36	29·9	114	3·0	13·9	4·2	SOUTH SHIELDS.
GATESHEAD	29·3	12·8	12·0	—	—	—	0·10	0·33	—	0·10	0·42	29·8	124	3·8	15·9	3·8	GATESHEAD.
NEWCASTLE ON TYNE	27·4	12·2	10·9	—	—	0·06	0·03	0·06	—	0·15	0·38	11·7	66	8·1	27·6	0·3	NEWCASTLE ON TYNE.
TYNEMOUTH	29·1	13·1	10·9	0·07	—	—	—	—	—	0·14	0·76	18·2	46	7·6	24·8	2·5	TYNEMOUTH.
CARLISLE	24·6	8·6	8·6	—	—	—	—	0·07	—	0·07	0·36	2·8	54	5·0	22·7	2·5	CARLISLE.
NEWPORT (MON.)	24·8	8·1	10·0	—	—	0·05	0·05	0·05	0·23	0·09	0·64	17·8	73	11·5	17·4	—	NEWPORT (MON.).
CARDIFF	23·2	9·2	9·4	0·02	—	—	0·08	0·04	0·04	0·06	0·63	10·5	62	13·4	22·0	—	CARDIFF.
RHONDDA	25·4	8·0	9·4	0·02	—	0·27	0·09	0·07	0·09	0·09	0·72	19·6	79	8·9	10·1	0·7	RHONDDA.
MERTHYR TYDFIL	29·9	9·5	11·8	—	—	0·50	0·11	0·11	0·22	0·11	0·28	9·0	81	3·8	21·3	—	MERTHYR TYDFIL.
ABERDARE	26·8	9·7	11·5	—	—	0·31	0·16	0·23	0·23	0·16	0·47	16·8	84	5·4	11·6	—	ABERDARE.
SWANSEA	24·9	8·8	10·2	—	—	0·15	—	—	0·07	0·15	0·52	14·4	64	8·8	22·5	—	SWANSEA.
GREATER LONDON	24·0	8·8	9·1	0·01	—	0·04	0·03	0·04	0·15	0·05	0·41	12·8	57	9·2	44·5	0·1	GREATER LONDON.
OUTER RING	22·3	7·8	8·2	0·02	—	0·03	0·01	0·03	0·12	0·05	0·35	11·7	53	8·3	33·8	0·2	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	23·0	8·1	8·3	0·02	—	0·05	0·01	0·03	0·13	0·06	0·36	13·5	55	8·7	36·9	0·1	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	21·2	7·4	8·0	0·01	—	0·01	0·02	0·03	0·10	0·03	0·34	9·0	49	7·8	29·6	0·2	REMAINDER OF OUTER RING.
EDINBURGH†	—	10·9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	EDINBURGH.†
GLASGOW†	—	10·6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	GLASGOW.†
DUBLIN (Registration Area)	27·7	14·1	14·2	0·03	—	0·07	0·01	0·28	0·08	0·08	0·30	33·34	104	2·37	40·66	2·30	DUBLIN (Registration Area).
BELFAST	26·4	12·7	13·1	0·10	—	0·02	0·13	0·08	0·06	0·02	0·72	30·14	109	6·21	31·12	2·44	BELFAST.

† Revised rates. ‡ Figures for 1920 were not available at the time of going to press.

TABLE VII.—One hundred and forty-eight Smaller Towns.—Population ; Births, and Deaths, in the QUARTER ended 30th September, 1920.

NOTE.—The 148 Smaller Towns are those with populations of 20,000 but not exceeding 50,000 at the Census of 1911. The births here shown are those actually registered in the several towns. The deaths relate to the civilian population only, and have been corrected as far as possible, (1) by the exclusion of all deaths of non-residents, and (2) by the inclusion of deaths of residents in certain outlying institutions. With regard to towns in the Outer Ring, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1919.	BIRTHS. DEATHS.		Deaths from										Deaths of			The DEATHS registered in the Quarter include				Deaths under 1 Year to 1000 Births.	TOWNS.
					Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.							
																			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.			
148 Towns		4,718,275	29,710	11,142	16	-	136	34	70	126	327	95	436	651	1,966	162	66	148 Towns.					
SURREY.																		SURREY.					
Barnes*	-	35,704	199	66	-	-	-	-	1	2	2	-	6	8	19	-	30	Barnes.*					
Guildford	-	23,506	136	37	-	-	-	-	-	-	-	-	-	1	7	-	44	Guildford.					
Kingston on Thames*	-	37,151	241	85	-	-	-	-	-	1	5	-	5	10	38	-	33	Kingston on Thames.*					
Mitcham*	-	34,561	221	73	-	-	-	-	1	1	3	1	1	2	37	-	36	Mitcham.*					
Reigate	-	26,798	130	66	-	-	1	-	-	1	1	-	6	11	15	-	62	Reigate.					
Richmond*	-	34,209	175	80	-	-	-	-	-	4	1	-	4	8	30	-	40	Richmond.*					
Sutton*	-	21,246	105	52	1	-	-	-	-	-	1	-	2	2	18	-	29	Sutton.*					
Woking	-	24,625	127	41	-	-	-	-	-	-	-	-	5	5	9	1	47	Woking.					
KENT.																		KENT.					
Beckenham*	-	32,516	144	66	-	-	-	-	-	-	1	-	-	1	18	-	63	Beckenham.*					
Bromley*	-	34,795	199	62	-	-	-	-	-	1	-	-	5	9	18	-	30	Bromley.*					
Canterbury	-	22,258	155	47	-	-	-	-	-	-	2	-	1	2	16	-	52	Canterbury.					
Chatham	-	38,435	260	83	-	-	-	1	-	3	2	-	3	7	33	3	35	Chatham.					
Dartford	-	22,517	118	36	-	-	-	-	1	4	-	-	3	4	7	1	34	Dartford.					
Dover	-	39,282	268	103	-	-	-	-	-	1	5	-	2	3	23	6	75	Dover.					
Erith*	-	30,525	188	52	-	-	-	-	-	1	-	-	7	4	11	-	48	Erith.*					
Folkestone†	-	31,737	183	65	-	-	-	-	1	-	3	-	2	10	13	-	66	Folkestone.†					
Gravesend	-	29,288	183	83	-	-	-	-	-	-	-	-	3	4	25	-	59	Gravesend.					
Maidstone	-	33,148	192	54	-	-	-	-	-	-	-	-	2	7	13	-	36	Maidstone.					
Margate	-	22,352	140	56	-	-	-	-	1	-	-	1	1	3	12	1	64	Margate.					
Penge (Surrey Reg. Co.)*	-	24,338	170	74	-	-	-	-	-	-	3	-	3	4	1	-	47	Penge (Surrey Reg. Co.)*					
Ramsgate	-	28,214	186	76	-	-	-	-	-	-	1	-	4	6	17	4	48	Ramsgate.					
Rochester	-	32,110	179	77	-	-	-	-	-	-	2	-	4	4	18	-	50	Rochester.					
Royal Tunbridge Wells	-	34,423	142	96	-	-	-	-	-	-	1	1	2	4	25	1	77	Royal Tunbridge Wells.					
SUSSEX EAST.																		SUSSEX EAST.					
Hove	-	44,149	178	91	-	-	-	-	1	1	1	-	3	7	14	1	39	Hove.					
SUSSEX WEST.																		SUSSEX WEST.					
Worthing	-	30,345	130	91	-	-	-	-	-	-	1	-	2	6	23	-	38	Worthing.					
SOUTHAMPTON.																		SOUTHAMPTON.					
Aldershot (Surrey Reg. Co.).	-	21,920	271	34	-	-	-	-	-	-	1	1	-	1	9	1	33	Aldershot (Surrey Reg. Co.).					
Gosport and Alverstone	-	29,192	234	62	-	-	-	-	1	1	1	-	3	7	12	-	26	Gosport and Alverstone.					
Winchester	-	24,314	157	49	1	-	-	-	-	1	-	-	1	2	16	2	25	Winchester.					
MIDDLESEX.																		MIDDLESEX.					
Chiswick*	-	42,476	240	98	-	-	-	-	-	5	4	-	3	7	34	1	79	Chiswick.*					
Finchley*	-	45,043	223	75	-	-	-	-	-	2	-	1	4	6	22	-	40	Finchley.*					
Hendon*	-	56,522	274	85	-	-	-	2	1	1	1	-	7	9	27	-	40	Hendon.*					
Heston and Isleworth*	-	40,338	289	93	-	-	-	-	2	1	-	-	4	5	31	-	38	Heston and Isleworth.*					
Southall Norwood*	-	27,684	158	52	-	-	-	-	-	-	4	-	-	1	12	2	70	Southall Norwood.*					

* These towns are included within the Metropolitan Outer Ring.

† Excluding the civil parish of Folkestone next Sandgate.

The DEATHS registered in the Quarter include

The DEATHS registered in the Quarter include																			
TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 Year to 1000 Births.	TOWNS.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.						Violence.
GLoucestershire. Cheltenham	44,985	265	132	15	70	-	-	-	-	1	-	4	-	3	4	38	-	57	GLoucestershire. Cheltenham.
HEREfordshire. Hereford	23,989	140	75	3	32	-	-	-	-	-	1	1	1	6	6	22	1	21	HEREfordshire. Hereford.
SHROpshire. Shrewsbury	29,778	166	56	5	27	-	-	-	-	-	-	-	1	2	3	3	2	30	SHROpshire. Shrewsbury.
STAFFORDshire. Bilston	26,276	233	101	22	26	-	-	-	-	1	-	2	2	-	5	9	3	94	STAFFORDshire. Bilston.
Burton upon Trent	47,682	302	120	15	44	-	-	-	-	1	4	1	-	2	2	22	2	50	Burton upon Trent.
Cannock	33,411	236	70	18	17	-	-	-	-	1	-	2	2	7	9	6	-	76	Cannock.
Coseley	22,696	189	48	9	16	-	-	-	-	-	-	1	1	-	3	3	-	48	Coseley.
Newcastle under Lyme	19,742	155	45	8	13	-	-	-	-	-	-	3	-	-	3	7	-	52	Newcastle under Lyme.
Rowley Regis	36,749	292	110	29	27	-	-	-	-	2	2	9	2	3	5	3	-	99	Rowley Regis.
Stafford	26,698	135	56	6	16	-	-	-	-	-	2	1	-	3	4	11	-	44	Stafford.
Tipton	32,555	277	76	18	21	-	-	-	-	-	1	9	-	3	6	5	1	65	Tipton.
Wednesbury	30,329	245	90	20	22	1	-	4	-	-	2	5	-	-	4	10	1	82	Wednesbury.
Wolstanton United	29,280	194	62	6	22	-	-	-	-	1	2	-	-	4	5	4	3	31	Wolstanton United.
WORcestershire. Kidderminster	26,564	151	58	9	18	-	-	-	-	-	-	-	1	5	4	16	2	60	WORcestershire. Kidderminster.
Oldbury (Staffs. Reg. Co.)	36,242	224	89	20	20	-	-	1	2	5	-	4	1	3	4	4	1	89	Oldbury (Staffs. Reg. Co.).
Worcester	47,361	255	118	14	52	1	-	-	-	-	1	1	-	3	4	35	4	55	Worcester.
WARWICKshire. Nuneaton	39,499	283	73	18	21	-	-	-	-	-	1	6	1	1	1	2	1	64	WARWICKshire. Nuneaton.
Royal Leamington Spa	28,317	168	84	12	42	-	-	-	-	-	1	3	-	6	10	27	-	71	Royal Leamington Spa.
Rugby	27,128	129	36	2	15	-	-	-	-	-	-	-	-	1	3	12	-	16	Rugby.
Sutton Coldfield (Staffs. Reg. Co.)	20,853	108	37	3	18	-	-	-	-	-	-	-	-	4	4	2	-	28	Sutton Coldfield (Staffs. Reg. Co.).
LEICEstershire. Loughborough	24,675	146	56	9	21	-	-	-	-	-	1	2	1	3	3	6	-	62	LEICEstershire. Loughborough.
LINCOLNshire (Kesteven). Grantham	22,065	118	45	11	13	-	-	3	-	-	-	-	-	2	1	6	-	93	LINCOLNshire (Kesteven). Grantham.
LINCOLNshire (Lindsey). Cleethorpe with Thrunsoe	25,673	180	62	11	22	-	-	-	-	-	2	-	-	2	2	10	2	61	LINCOLNshire (Lindsey). Cleethorpe with Thrunsoe.
Gainsborough	19,206	125	51	8	15	-	-	7	-	-	-	2	-	1	2	7	1	64	Gainsborough.
NOTTINGHAMshire. Mansfield	44,447	336	73	25	18	-	-	1	-	-	1	3	1	-	-	11	-	74	NOTTINGHAMshire. Mansfield.
Sutton in Ashfield	23,041	164	44	9	13	-	-	-	-	-	1	1	-	1	1	1	3	55	Sutton in Ashfield.
Worksop	21,843	159	47	9	15	-	-	-	-	-	-	2	-	2	3	6	1	57	Worksop

TABLE VII. (*continued*).—**One hundred and forty-eight Smaller Towns.—Population; Births, and Deaths** in the **QUARTER** ended 30th September, 1920.

The DEATHS registered in the Quarter include																			
TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.	BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 Year to 1000 Births.	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.					
DERBYSHIRE. Chesterfield. Glossop. Ilkeston (Notts. Reg. Co.)	38,249 20,039 31,318	268 92 220	121 53 58	26 4 16	40 22 14	- 1 -	- - -	- - -	- - -	- - -	- - -	- 1 1	- 1 1	5 1 -	5 36 4	3 2 3	97 43 73	DERBYSHIRE. Chesterfield. Glossop. Ilkeston (Notts. Reg. Co.).	
CHESHIRE. Chester. Crewe. Hyde. Macclesfield. Stalybridge (Lancs. Reg. Co.).	40,764 45,640 32,550 32,432 26,062	254 260 174 192 117	98 97 106 89 56	17 13 20 8 6	28 36 40 39 16	- - - 1 1	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- 1 1 1 -	- 1 1 1 -	4 1 1 3 -	7 20 12 16 31 8	- - - - -	67 50 115 42 51	CHESHIRE. Chester. Crewe. Hyde. Macclesfield. Stalybridge (Lancs. Reg. Co.).	
LANCASHIRE. Accrington. Ashton in Makerfield. Ashton under Lyne. Bacup. Chadderton. Chorley. Colne. Darwen. Eccles. Farnworth. Heywood. Hindley. Ince in Makerfield. Lancaster. Leigh. Middleton. Nelson. Radcliffe. Rawtenstall. Stretford. Swinton and Pendlebury. Waterloo with Seaforth. Widnes.	43,658 21,263 43,697 20,246 28,551 31,594 25,846 37,681 42,409 27,817 26,183 23,598 21,810 36,791 44,468 27,716 41,444 23,450 27,379 45,603 28,144 28,698 32,689	172 156 260 125 168 196 120 209 240 173 143 145 178 228 305 157 165 132 153 238 159 196 256	117 58 121 65 62 70 60 86 89 68 82 53 54 117 143 58 84 46 72 78 45 69 94	12 19 26 11 12 14 3 12 8 13 15 16 24 13 24 16 54 19 33 10 8 5 6 10 10 6 14	32 12 29 23 16 28 27 34 34 19 24 13 5 38 29 19 29 16 25 28 15 23 26	- - - - - - 1 - - - - - - 1 - - - - - - 1 - -	- -	- -	- -	- -	- 1 1 1 - - 2 - - 1 1 1 1 - - - - - - - - -	4 4 8 3 4 4 5 7 1 15 19 3 9 1 4 6 8 1 1 3 2 1 - 2 5	3 3 8 - - - - - - - - - - 2 8 1 1 1 - 1 2 2 2 2 6 2	70 122 100 88 71 71 25 57 33 75 105 110 135 83 108 64 48 38 39 42 63 31 55	LANCASHIRE. Accrington. Ashton in Makerfield. Ashton under Lyne. Bacup. Chadderton. Chorley. Colne. Darwen. Eccles. Farnworth. Heywood. Hindley. Ince in Makerfield. Lancaster. Leigh. Middleton. Nelson. Radcliffe. Rawtenstall. Stretford. Swinton and Pendlebury. Waterloo with Seaforth. Widnes.				
YORKSHIRE (WEST RIDING). Batley. Brighouse. Castleford. Doncaster.	35,128 20,071 24,611 51,592	194 109 151 348	102 43 53 142	19 6 22 41	32 9 13 36	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- 2 - 11 7	2 - 1 1	4 3 - 8	15 3 2 22	1 - - 4	98 55 146 118	YORKSHIRE (WEST RIDING). Batley. Brighouse. Castleford. Doncaster.	

The DEATHS registered in the Quarter include

TOWNS.		BIRTHS. DEATHS.		Deaths of		Deaths from								Deaths under 1 Year to 1000 Births.		TOWNS.			
ESTIMATED CIVILIAN POPULATION, MID. 1919.				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
YORKSHIRE (WEST RIDING)— <i>cont.</i>																			
Keighley	39,086	170	115	9	37	1	-	-	-	-	1	1	-	-	3	30	-	53	YORKSHIRE (WEST RIDING)— <i>cont.</i>
Morley	23,402	130	61	9	21	-	-	-	-	-	-	3	-	4	8	5	-	69	Keighley.
Shipley	28,912	142	69	14	21	-	-	1	-	-	-	1	2	5	6	9	1	99	Morley.
Spennorth	30,045	145	66	11	16	-	-	-	-	1	-	-	-	3	7	3	-	76	Shipley.
Todmorden	23,140	99	55	6	18	-	-	2	1	1	1	-	-	2	3	4	-	61	Spennorth.
YORKSHIRE (NORTH RIDING).																			
Eston	28,094	253	85	34	10	-	-	2	-	3	2	11	-	5	6	8	-	134	YORKSHIRE (NORTH RIDING).
Scarborough	34,108	192	102	11	43	-	-	-	-	-	-	1	2	6	8	22	-	57	Eston.
DURHAM.																			
Blaydon	34,351	264	91	32	19	-	-	1	-	-	1	7	1	2	3	3	1	121	Blaydon.
Felling	27,198	227	54	13	12	-	-	-	-	-	2	3	2	-	-	7	5	57	Felling.
Hartlepool	19,548	180	77	15	19	-	-	2	-	-	1	5	2	2	3	10	2	83	Hartlepool.
Hebburn	22,551	195	81	20	14	-	-	-	-	3	-	3	2	7	8	12	2	103	Hebburn.
Jarrow	35,779	334	105	12	27	-	-	-	-	1	-	4	-	4	4	25	1	36	Jarrow.
Stanley	23,455	203	54	15	13	-	-	-	-	-	-	1	1	2	2	2	2	74	Stanley.
NORTHUMBRIA.																			
Ashington	28,432	258	79	23	23	-	-	-	1	1	1	11	-	2	2	8	3	89	NORTHUMBRIA.
Bedlingtonshire	25,845	199	65	22	18	-	-	-	-	-	-	3	-	4	4	3	1	111	Ashington.
Blyth	31,480	237	80	17	18	-	-	-	-	-	-	9	-	2	3	5	1	72	Bedlingtonshire.
Wallsend	43,689	357	120	36	20	-	-	-	-	2	1	6	5	3	3	9	4	101	Blyth.
CUMBERLAND.																			
Workington	26,137	207	75	17	23	-	-	-	-	-	4	1	2	-	5	10	1	82	Wallsend.
MONMOUTHSHIRE.																			
Abersychan	26,824	187	57	15	10	1	-	5	1	-	1	2	-	3	3	8	-	80	CUMBERLAND.
Abertillery	42,771	300	97	27	11	-	-	6	-	-	2	5	7	1	3	4	-	90	Workington.
Bedwellty	33,657	254	85	18	13	-	-	12	-	2	-	1	4	4	5	4	-	71	MONMOUTHSHIRE.
Ebbw Vale	39,426	287	105	20	21	-	-	10	3	4	2	2	1	7	7	14	-	70	Abersychan.
Tredegear	24,524	215	68	18	12	1	-	12	-	1	1	2	1	-	1	4	2	84	Abertillery.
GLAMORGANSHIRE.																			
Barry	37,937	256	74	14	13	-	-	-	-	-	-	3	1	7	8	15	-	55	Bedwellty.
Caerphilly	36,580	288	89	19	14	-	-	5	-	-	5	2	1	7	7	14	-	66	Ebbw Vale.
Gelligaer	39,803	374	114	29	20	-	-	9	-	1	-	4	5	4	6	10	-	78	Tredegear.
Maesteg	28,760	208	91	18	23	-	-	1	5	2	1	2	-	11	14	14	-	87	GLAMORGANSHIRE.
Mountain Ash	43,530	342	107	31	17	1	-	10	-	2	1	4	2	10	12	8	2	91	Barry.
Ogmore and Garw	30,207	234	82	26	15	1	-	3	4	1	-	1	-	2	3	7	-	111	Caerphilly.
Pontypridd	45,574	343	103	24	22	-	-	3	1	-	2	4	2	6	6	9	1	70	Gelligaer.
CARMARTHENSHIRE.																			
Llanelli	37,291	217	79	22	23	-	-	-	-	-	1	3	1	2	2	8	2	101	Maesteg.

TABLE VIII.—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October, 1920.*

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
Great Towns.											
LONDON	4,358,309	9,049	98	1†	1	—	5,530	2,749	—	570	100
CROYDON	184,239	232	5	—	—	—	99	112	—	14	2
WIMBLEDON	59,791	60	—	—	—	—	45	9	—	6	—
EALING	73,212	36	1	—	—	—	21	8	—	5	1
ACTON	61,732	74	—	—	—	—	34	38	—	2	—
WILLESDEN	160,917	307	6	—	1	—	128	152	—	14	6
HORNSEY	94,348	68	2	—	—	—	33	28	—	5	—
TOTTENHAM	141,338	257	4	—	—	—	158	89	—	5	1
EDMONTON	70,711	129	1	—	—	—	70	43	—	12	3
ENFIELD	58,442	99	—	—	—	—	74	18	—	7	—
WEST HAM	287,966	839	7	—	—	—	560	232	—	34	6
EAST HAM	144,451	245	5	—	—	—	147	77	—	16	—
LEYTON	123,896	134	1	—	—	—	66	55	—	11	1
WALTHAMSTOW	127,684	272	2	—	—	—	192	58	—	17	3
ILFORD	79,524	141	2	—	—	—	81	54	—	3	1
GILLINGHAM	43,501	55	—	—	—	—	30	23	—	2	—
HASTINGS	57,674	37	1	—	—	—	22	10	—	4	—
EASTBOURNE	48,424	43	—	—	—	—	29	9	—	4	1
BRIGHTON	132,409	124	—	—	—	—	65	50	—	8	1
PORTSMOUTH†	224,846	256	15	—	—	—	92	133	—	15	1
BOURNEMOUTH	82,627	45	1	—	—	—	23	20	—	—	1
SOUTHAMPTON	126,033	107	2	—	—	—	24	63	—	12	1
READING	91,365	115	1	—	—	—	96	11	—	7	—
OXFORD	57,666	56	1	—	—	—	15	36	—	3	1
NORTHAMPTON	88,944	59	—	—	—	—	17	35	—	4	3
CAMBRIDGE	57,849	42	—	—	—	—	8	26	—	7	1
SOUTHEND ON SEA	84,034	123	—	—	—	—	84	32	—	4	3
IPSWICH	78,011	208	2	—	—	—	48	148	—	7	3
GREAT YARMOUTH	53,078	32	—	—	—	—	10	19	—	3	—
NORWICH	119,993	132	5	—	—	—	42	71	—	10	4
SWINDON	51,527	20	—	—	—	—	3	12	—	2	3
EXETER	59,014	34	—	—	—	—	10	21	—	3	—
PLYMOUTH	181,967	233	5	—	—	—	112	103	—	9	4
BATH	65,919	42	3	—	—	—	20	16	—	2	1
BRISTOL	361,247	663	9	—	—	—	384	212	—	51	7
GLOUCESTER	50,100	25	2	—	—	—	10	10	—	3	—
STOKE ON TRENT	239,316	337	4	—	—	—	225	69	—	34	5
WOLVERHAMPTON	98,403	71	—	—	—	—	49	16	—	5	1
WALSALL	92,724	49	—	—	—	—	25	14	—	6	4
WEST BROMWICH	69,899	109	—	—	—	—	86	15	—	6	2
DUDLEY	54,017	13	2	—	—	—	9	2	—	—	—
BIRMINGHAM	861,585	2,063	2	—	—	—	1,582	357	—	92	30
SMETHWICK	72,152	190	—	—	—	—	134	47	—	6	3
COVENTRY	132,048	44	1	—	—	—	23	10	—	7	3
LEICESTER	236,059	332	4	—	—	—	231	73	—	24	—
LINCOLN	60,581	62	—	—	—	—	24	35	—	3	—
GRIMSBY	78,813	65	—	—	—	—	29	28	—	8	—
NOTTINGHAM	257,573	290	5	—	—	—	131	118	—	32	4
DERBY	123,930	203	1	—	—	—	118	61	—	20	3
STOCKPORT	125,629	240	1	—	—	—	160	66	—	11	2
BIRKENHEAD	148,052	105	1	—	—	—	51	45	—	8	—
WALLASEY	95,424	45	1	—	—	—	28	12	—	4	—
LIVERPOOL	772,665	1,140	12	—	—	—	687	326	—	106	9
BOOTLE	76,962	99	—	—	—	—	64	28	—	7	—
ST. HELENS	100,805	162	—	—	1	—	117	22	—	15	7
SOUTHPORT	70,144	45	—	—	—	—	27	8	—	10	—
WIGAN	87,384	63	3	—	—	—	33	13	—	12	2
WARRINGTON	74,952	54	1	—	—	—	25	20	—	6	2
BOLTON	177,462	151	1	—	—	—	109	23	—	15	3
BURY	54,248	36	—	—	—	—	26	6	—	4	—
MANCHESTER	741,068	1,265	8	—	—	4	894	237	—	70	52
SALFORD	226,225	413	10	—	—	—	289	74	—	31	9

* The figures for London are supplied by the Medical Officer of Health of the Administrative County. (See Table IX.)

† The figures for Southsea District of Portsmouth are—total population (1911), 25,380; enteric fever, 1; typhus, —; continued fever, —; small-pox, —; scarlet fever, 10; diphtheria (including membranous croup), 5; erysipelas, 1; and puerperal fever, —.

‡ Subsequently found not to be a case of typhus.

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October, 1920.

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM	137,668	142	1	-	-	-	93	28	-	15	5
ROCHDALE	90,051	99	4	-	-	-	71	14	-	8	2
BURNLEY	101,005	83	2	-	-	-	45	18	-	16	2
BLACKBURN	125,992	74	2	-	-	-	42	13	-	14	3
PRESTON	117,277	67	5	-	-	-	22	23	-	9	3
BLACKPOOL	67,842	122	-	-	-	-	89	18	-	15	-
BARROW IN FURNESS	73,627	35	1	-	-	-	24	5	-	4	1
HUDDERSFIELD	112,301	95	-	-	-	-	42	43	-	9	1
HALIFAX	101,791	69	-	-	-	-	45	18	-	6	-
BRADFORD	282,714	380	15	-	-	-	235	89	-	29	12
LEEDS	431,999	545	6	-	-	-	329	152	-	45	13
DEWSBURY	52,969	28	-	-	-	-	19	9	-	-	-
WAKEFIELD	49,208	41	1	-	-	-	19	15	-	6	-
BARNLEY	51,680	46	4	-	-	-	13	14	-	12	3
SHEFFIELD	473,695	334	5	-	-	-	160	106	-	41	22
ROTHERHAM	69,034	44	-	-	-	-	18	11	-	13	2
YORK	74,531	64	3	-	-	-	38	22	-	1	-
HULL	279,664	300	8	-	-	-	108	156	-	22	6
MIDDLESBROUGH	127,142	108	1	-	-	-	60	36	-	10	1
DARLINGTON	64,058	61	1	-	-	-	37	16	-	6	1
STOCKTON ON TEES	60,696	93	-	-	-	-	49	37	-	3	4
WEST HARTLEPOOL	65,515	82	2	-	-	-	58	15	-	6	1
SUNDERLAND	149,263	154	2	-	-	-	122	10	-	16	4
SOUTH SHIELDS	111,502	48	5	-	-	-	32	6	-	5	-
GATESHEAD	123,392	258	1	-	-	-	226	23	-	6	2
NEWCASTLE ON TYNE	275,099	387	1	-	-	-	264	69	-	50	3
TYNEMOUTH	58,007	51	2	-	-	-	34	7	-	7	1
CARLISLE	55,198	24	-	-	-	-	16	1	-	6	1
NEWPORT (MON.)	87,251	104	2	-	-	-	57	35	-	7	3
CARDIFF	204,436	352	2	-	-	-	266	63	-	18	3
RHONDDA	177,911	274	1	-	-	-	210	44	-	17	2
MERTHYR TYDFIL	71,638	262	1	-	-	-	209	39	-	11	2
ABERDARE	51,384	100	3	-	-	-	62	23	-	12	-
SWANSEA	160,810	194	1	-	-	-	65	115	-	12	1
Smaller Towns.											
SURREY—											
BARNES	35,704	33	1	-	-	-	11	17	-	4	-
GUILDFORD	23,506	17	-	-	-	-	11	5	-	1	-
KINGSTON ON THAMES	37,151	51	2	-	-	-	31	10	-	6	2
MITCHAM	34,561	83	-	-	-	-	55	28	-	-	-
REIGATE	26,798	45	-	-	-	-	26	16	-	3	-
RICHMOND	34,209	26	5	-	-	-	11	7	-	2	1
SUTTON	21,246	6	-	-	-	-	4	2	-	-	-
WOKING	24,625	10	1	-	-	-	5	2	-	1	1
KENT—											
BECKENHAM	32,516	44	6	-	-	-	23	14	-	1	-
BROMLEY	34,795	38	-	-	-	-	21	15	-	2	-
CANTERBURY	22,258	11	2	-	-	-	2	3	-	2	2
CHATHAM	38,435	93	3	-	-	-	24	65	-	-	1
DARTFORD	22,517	60	1	-	-	-	14	39	-	5	1
DOVER	39,282	34	3	-	-	-	14	17	-	-	-
ERITH	30,525	46	2	-	-	-	15	24	-	5	-
FOLKESTONE*	32,050	38	1	-	-	-	28	7	-	-	2
GRAVESEND	29,288	25	4	-	-	-	-	16	-	5	-
MAIDSTONE	33,148	31	-	-	-	-	19	11	-	1	-
MARGATE	22,352	39	-	-	-	-	25	12	-	2	-
PENGE (Surrey Reg. Co.)	24,338	32	-	-	-	-	19	10	-	1	2
RAMSGATE	28,214	42	2	-	-	-	28	11	-	1	-
ROCHESTER	32,110	27	1	-	-	-	16	7	-	3	-
ROYAL TUNBRIDGE WELLS	34,423	28	-	-	-	-	17	7	-	4	-

* Including the civil parish of Folkestone next Sandgate.

TABLE VIII. (continued).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October, 1920.

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—											
HOVE	44,149	22	1	-	-	-	8	10	-	3	-
SUSSEX WEST—											
WORTHING	30,345	25	2	-	-	-	13	9	-	1	-
SOUTHAMPTON—											
ALDERSHOT (Surrey Reg. Co.).	21,920	7	-	-	-	-	4	2	-	1	-
GOSPORT AND ALVERSTOKE	29,192	23	-	-	-	-	6	16	-	-	1
WINCHESTER	24,314	7	-	-	-	-	5	1	-	-	1
MIDDLESEX—											
CHISWICK	42,476	48	-	-	-	-	18	29	-	1	-
FINCHLEY	45,043	42	-	-	-	-	31	8	-	3	-
HENDON	56,522	64	1	-	-	-	34	25	-	3	1
HESTON AND ISLEWORTH .	40,338	60	-	-	-	-	50	7	-	2	1
SOUTHALL NORWOOD . . .	27,684	21	-	-	-	-	13	5	-	3	-
SOUTHGATE	38,999	41	-	-	-	-	27	14	-	-	-
TWICKENHAM	34,695	19	1	-	-	-	8	6	-	2	2
WOOD GREEN	50,312	55	-	-	-	-	36	15	-	4	-
HERTFORDSHIRE—											
ST. ALBANS	24,833	14	-	-	-	-	9	4	-	1	-
WATFORD	46,187	68	1	-	-	-	59	6	-	2	-
BUCKINGHAMSHIRE—											
CHEPPING WYCOMBE . . .	20,771	17	2	-	-	-	12	1	-	1	1
NORTHAMPTONSHIRE—											
KETTERING	29,966	21	-	-	-	-	9	9	-	3	-
SOKE OF PETERBOROUGH—											
PETERBOROUGH	33,420	21	1	-	-	-	5	13	-	2	-
BEDFORDSHIRE—											
BEDFORD	40,017	33	2	-	-	-	18	12	-	1	-
LUTON	56,406	35	-	-	-	-	12	21	-	2	-
ESSEX—											
BARKING TOWN	33,804	54	-	-	-	-	13	27	-	13	1
COLCHESTER	41,359	49	2	-	-	-	21	23	-	2	1
SUFFOLK EAST—											
LOWESTOFT	41,509	28	1	-	-	-	10	13	-	3	1
NORFOLK—											
KING'S LYNN	19,839	14	9	-	-	-	2	2	-	-	1
WILTSHIRE—											
SALISBURY	22,383	13	-	-	-	-	4	8	-	1	-
DORSETSHIRE—											
POOLE	41,189	30	-	-	-	-	10	20	-	-	-
WEYMOUTH AND MELCOMBE REGIS.	21,645	5	-	-	-	-	2	2	-	-	1
DEVONSHIRE—											
TORQUAY	33,374	13	-	-	-	-	8	3	-	2	-
SOMERSETSHIRE—											
TAUNTON	20,628	21	-	-	-	-	3	15	-	3	-
WESTON SUPER MARE . . .	24,741	18	1	-	-	-	5	11	-	1	-
GLOUCESTERSHIRE—											
CHELTENHAM	44,985	39	1	-	-	-	13	20	-	5	-
HEREFORDSHIRE—											
HEREFORD	23,989	32	1	-	-	-	16	9	-	4	2

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October, 1920.

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—											
SHREWSBURY . . .	29,778	17	-	-	-	-	4	11	-	2	-
STAFFORDSHIRE—											
BILSTON . . .	26,276	11	-	-	-	-	6	2	-	3	-
BURTON UPON TRENT . .	47,682	78	-	-	-	-	47	30	-	1	-
CANNOCK . . .	33,411	21	-	-	-	-	2	17	-	1	1
COSELRY . . .	22,696	4	-	-	-	-	2	-	-	2	-
NEWCASTLE UNDER LYME	19,742	2	-	-	-	-	-	1	-	1	-
ROWLEY REGIS . . .	36,749	66	-	-	-	-	57	5	-	3	1
STAFFORD . . .	26,698	36	-	-	-	-	15	16	-	4	1
TIPTON . . .	32,555	28	-	-	-	-	23	2	-	3	-
WEDNESBURY . . .	30,329	24	-	-	-	-	14	1	-	9	-
WOLSTANTON UNITED . .	29,230	28	1	-	-	-	9	11	-	6	1
WORCESTERSHIRE—											
KIDDERMINSTER . . .	26,564	14	-	-	-	-	8	6	-	-	-
OLDBURY (Staffordshire Reg. Co.).	36,242	101	-	-	-	-	95	2	-	3	1
WORCESTER . . .	47,361	39	2	-	-	-	8	25	-	2	2
WARWICKSHIRE—											
NUNEATON . . .	39,499	56	-	-	-	-	40	12	-	4	-
ROYAL LEAMINGTON SPA .	28,317	18	-	-	-	-	12	3	-	3	-
RUGBY . . .	27,128	13	-	-	-	-	6	3	-	4	-
SUTTON COLDFIELD (Staffs. Reg. Co.).	20,853	31	1	-	-	-	22	8	-	-	-
LEICESTERSHIRE—											
LOUGHBOROUGH . . .	24,675	38	-	-	-	-	24	14	-	-	-
LINCOLNSHIRE											
(KESTEVEN)—											
GRANTHAM . . .	22,065	7	-	-	-	-	1	4	-	2	-
LINCOLNSHIRE											
(LINDSEY)—											
CLEETHORPE WITH	25,673	22	1	-	-	-	7	14	-	-	-
THRUNSCOE.											
GAINSBOROUGH . . .	19,206	7	-	-	-	-	2	3	-	2	-
NOTTINGHAMSHIRE—											
MANSFIELD . . .	44,447	35	1	-	-	-	23	7	-	3	1
SUTTON IN ASHFIELD . .	23,041	12	-	-	-	-	4	5	-	3	-
WORKSOP . . .	21,843	4	-	-	-	-	1	2	-	-	1
DERBYSHIRE—											
CHESTERFIELD . . .	38,249	36	2	-	-	-	4	26	-	4	-
GLOSSOP . . .	20,039	21	2	-	-	-	11	5	-	3	-
ILKESTON (Nottinghamshire Reg. Co.).	31,318	23	-	-	-	-	12	9	-	2	-
CHESHIRE—											
CHESTER . . .	40,764	48	1	-	-	-	18	27	-	1	1
CREWE . . .	45,640	56	-	-	-	4	33	18	-	1	-
HYDE . . .	32,550	30	1	-	-	-	16	8	-	4	1
MACCLESFIELD . . .	32,432	14	-	-	-	-	3	11	-	-	-
STALYBRIDGE (Lancashire Reg. Co.).	26,062	14	1	-	-	-	12	-	-	1	-
LANCASHIRE—											
ACCINGTON . . .	43,658	33	-	-	-	-	21	9	-	3	-
ASHTON IN MAKERFIELD .	21,263	28	2	-	-	-	22	3	-	1	-
ASHTON UNDER LYNE . .	43,697	43	3	-	-	-	25	5	-	7	3
BACUP . . .	20,246	12	-	-	-	-	3	4	-	4	1
CHADDERTON . . .	28,551	27	-	-	-	-	14	10	-	3	-
CHORLEY . . .	31,594	25	-	-	-	-	13	6	-	6	-
COLNE . . .	25,846	30	1	-	-	-	11	15	-	3	-
DARWEN . . .	37,681	11	-	-	-	-	7	2	-	2	-
ECCLES . . .	42,409	68	-	-	-	-	45	14	-	7	2
FARNWORTH . . .	27,817	25	1	-	-	-	13	9	-	2	-

TABLE VIII. (continued).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October, 1920.

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—cont.											
HEYWOOD	26,183	27	-	-	-	-	6	10	-	10	1
HINDLEY	23,598	16	-	-	-	-	11	4	-	-	1
INCE IN MAKERFIELD	21,810	15	-	-	-	-	8	3	-	1	-
LANCASTER	36,791	32	3	-	-	-	23	7	-	2	-
LEIGH	44,468	53	1	-	-	-	35	10	-	4	3
MIDDLETON	27,716	17	-	-	-	3	6	8	-	-	-
NELSON	41,444	27	-	-	-	-	16	5	-	6	-
RADCLIFFE	23,450	15	-	-	-	-	9	4	-	2	-
RAWTENSTALL	27,379	8	-	-	-	-	5	1	-	2	-
STRET福德	45,603	63	1	-	-	-	55	7	-	-	-
SWINTON AND PENDLEBURY	28,144	77	2	-	-	-	50	17	-	8	-
WATERLOO WITH SEAFORTH	28,698	53	1	-	-	-	37	10	-	5	-
WIDNES	32,689	44	-	-	-	-	23	19	-	2	-
YORKSHIRE (WEST RIDING)—											
BATLEY	35,128	24	-	-	-	-	17	7	-	-	-
BRIGHOUSE	20,071	21	-	-	-	-	10	8	-	3	-
CASTLEFORD	24,611	20	-	-	-	-	12	7	-	1	-
DONCASTER	51,592	23	1	-	-	-	12	3	-	7	-
GOOLE	17,835	39	-	-	-	-	18	19	-	2	-
HARROGATE	36,231	30	1	-	-	-	20	8	-	3	-
KEIGHLEY	39,086	27	1	-	-	-	23	3	-	-	-
MORLEY	23,402	16	-	-	-	-	15	1	-	-	-
SHIPLEY	28,912	24	2	-	-	-	17	4	-	1	-
SPENBOROUGH	30,045	33	1	-	-	-	16	12	-	3	1
TODMORDEN	23,140	55	-	-	-	-	43	9	-	3	-
YORKSHIRE (NORTH RIDING)—											
ESTON	28,094	53	-	-	-	1	42	5	-	5	-
SCARBOROUGH	34,108	39	3	-	-	-	21	11	-	1	3
DURHAM—											
BLAYDON	34,351	39	-	-	-	-	27	9	-	3	-
FELLING	27,198	110	-	-	-	-	99	3	-	8	-
HARTLEPOOL	19,548	36	-	-	-	-	35	1	-	-	-
HEBBURN	22,551	26	-	-	-	-	17	3	-	6	-
JARROW	35,779	64	-	-	-	-	51	2	-	9	2
STANLEY	23,455	37	2	-	-	-	23	11	-	1	-
NORTHUMBERLAND—											
ASHINGTON	28,432	139	2	-	-	-	120	9	-	7	1
BEDLINGTONSHIRE	25,845	58	3	-	-	-	41	7	-	6	1
BLYTH	31,480	44	2	-	-	-	29	5	-	8	-
WALLSEND	43,689	50	1	-	-	-	30	14	-	1	4
CUMBERLAND—											
WORKINGTON	26,137	25	-	-	-	-	6	18	-	-	1
MONMOUTHSHIRE—											
ABERSYCHAN	26,824	32	1	-	-	-	21	5	-	5	-
ABERTILLERY	42,771	53	-	-	-	-	34	16	-	3	-
BEDWELLY	33,657	23	-	-	-	-	20	1	-	1	1
EBBW VALE	39,426	94	1	-	-	-	83	3	-	6	1
TREDEGAR	24,524	46	2	-	-	-	28	12	-	3	1
GLAMORGANSHIRE—											
BARRY	37,937	35	3	-	-	-	8	20	-	3	1
CAERPHILLY	36,580	134	3	-	-	-	91	39	-	-	1
GELLIGAER	39,803	60	1	-	-	-	38	18	-	3	-
MAESTEG	28,760	190	1	-	-	-	169	18	-	1	1
MOUNTAIN ASH	43,530	96	3	-	-	-	77	13	-	1	2
OGMORE AND GARW	30,207	130	1	-	-	-	119	7	-	3	-
PONTYPRIDD	45,574	33	-	-	-	-	19	10	-	4	-
CARMARTHENSHIRE—											
LLANELLY	37,291	23	-	-	-	-	3	19	-	1	-

TABLE IX.—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 2nd October, 1920.*

BOROUGHs.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Malaria.	Continued Fever.	Trench Fever.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Poliomyelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio-encephalitis.	Typhus.	
WEST.																				
Addington - -	143,938	231	4	3	-	-	116	67	17	15	-	3	5	1	-	-	-	-	-	
Barnsbury - -	157,886	262	8	2	-	-	158	53	9	11	1	4	14	-	1	-	-	1	-	
Barnsbury - -	130,981	307	1	4	-	1	174	76	18	7	2	5	15	3	-	-	1	-	-	
Barnsbury - -	152,543	412	7	5	-	-	228	110	27	19	3	7	5	1	-	-	-	-	-	
Barnsbury - -	60,573	56	1	1	-	-	23	24	-	2	-	-	4	-	-	1	-	-	-	
City of Westminster	127,533	171	3	1	1	-	83	51	7	13	2	4	6	-	-	-	-	-	-	
NORTH.																				
Barnsbury - -	97,953	187	11	2	-	-	115	18	9	15	1	3	12	-	-	1	-	-	-	
Barnsbury - -	88,012	90	3	1	-	-	32	34	5	10	1	-	3	1	-	-	-	-	-	
Barnsbury - -	219,434	440	3	7	-	-	185	171	23	31	1	4	12	-	-	3	-	-	-	
Barnsbury - -	323,034	763	6	5	-	-	349	298	13	35	3	6	39	5	-	4	-	-	-	
Barnsbury - -	50,954	93	1	-	-	-	48	32	-	4	1	2	3	1	-	1	-	-	-	
Barnsbury - -	216,736	444	2	1	-	-	266	130	5	21	-	5	11	-	2	1	-	-	-	
CENTRAL.																				
Barnsbury - -	38,156	61	3	1	-	-	26	14	1	7	-	-	7	2	-	-	-	-	-	
Barnsbury - -	75,291	210	1	-	-	-	120	42	5	23	1	1	10	1	-	-	-	-	+1	
City of London	13,893	13	-	-	-	-	8	2	1	2	-	-	-	-	-	-	-	-	-	
EAST.																				
Barnsbury - -	98,134	261	4	-	-	-	121	78	22	16	-	4	10	2	3	1	-	-	-	
Barnsbury - -	110,085	520	-	-	-	-	293	150	17	40	2	4	9	2	1	2	-	-	-	
Barnsbury - -	232,566	1,076	3	7	-	-	831	134	32	42	2	5	14	-	-	6	-	-	-	
Barnsbury - -	153,644	648	6	2	-	-	349	198	53	19	2	-	17	-	1	1	-	-	-	
SOUTH.																				
Barnsbury - -	179,971	414	2	4	-	-	227	90	23	41	1	4	22	-	-	-	-	-	-	
Barnsbury - -	124,239	455	2	3	-	-	342	63	10	11	2	4	15	-	-	-	3	-	-	
Barnsbury - -	282,322	530	1	1	-	-	274	156	37	24	1	2	26	2	4	1	1	-	-	
Barnsbury - -	159,316	368	1	7	-	-	164	108	40	16	1	7	22	-	-	1	-	1	-	
Barnsbury - -	333,693	576	5	11	-	-	246	209	40	31	4	8	19	-	1	2	-	-	-	
Barnsbury - -	273,802	556	5	13	-	-	291	180	13	35	1	1	11	-	4	1	1	-	-	
Barnsbury - -	111,205	249	2	10	-	-	118	74	7	24	-	7	6	-	1	-	-	-	-	
Barnsbury - -	98,484	229	7	8	-	-	135	45	13	16	-	1	4	-	-	-	-	-	-	
Barnsbury - -	167,754	219	4	6	-	-	115	58	9	13	1	4	7	-	-	2	-	-	-	
Barnsbury - -	136,237	238	2	7	-	-	93	84	16	22	2	5	7	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON.		4,358,309	10,079	98	112	1	1	5,530	2,749	472	570	35	100	335	21	18	28	6	2	+1
Ages 0-1 - - -		493	-	-	-	-	44	49	25	24	13	-	335	3	-	-	-	-	-	
" 1-5 - - -		1,868	1	-	-	-	1,080	684	76	7	5	-	-	12	2	1	-	-	-	
" 5- - - -		3,784	6	-	-	-	2,607	1,082	53	21	6	-	-	4	1	3	-	1	-	
" 10- - - -		1,821	13	2	-	-	1,240	493	41	28	1	-	-	-	-	3	-	-	-	
" 15- - - -		541	16	-	-	-	288	157	27	39	3	4	-	1	-	5	-	-	+1	
" 20- - - -		329	13	21	1	-	99	112	29	31	2	18	-	-	-	1	1	1	-	
" 25- - - -		466	20	53	-	1	122	97	34	73	2	50	-	1	9	2	2	-	-	
" 35- - - -		335	16	30	-	-	41	51	59	98	-	26	-	-	6	6	2	-	-	
" 45- - - -		217	7	5	-	-	7	17	63	109	3	2	-	-	-	4	-	-	-	
" 55- - - -		124	4	1	-	-	2	4	40	70	-	-	-	-	-	3	-	-	-	
" 65- - - -		65	1	-	-	-	-	-	18	45	-	-	-	-	-	-	1	-	-	
" 75 and upwards - -		36	1	-	-	-	-	3	7	25	-	-	-	-	-	-	-	-	-	
Age not stated - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

† Subsequently found not to be a case of typhus.

TABLE X.—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October, 1920.

(Civilian Population only.)

TOWNS.	Annual Rate per 1,000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
LONDON	8·32	0·09	0·00	0·00	-	5·09	2·53	-	0·52	0·09
243 Provincial Towns	5·21	0·08	-	0·00	0·00	3·22	1·46	-	0·37	0·08
95 Great Towns	5·40	0·07	-	0·00	0·00	3·34	1·51	-	0·39	0·09
148 Smaller Towns	4·68	0·10	-	-	0·01	2·85	1·33	-	0·33	0·06
Great Towns.										
CROYDON	5·05	0·11	-	-	-	2·16	2·44	-	0·30	0·04
WIMBLEDON	4·02	-	-	-	-	3·02	0·60	-	0·40	-
EALING	1·96	0·05	-	-	-	1·15	0·44	-	0·27	0·05
ACTON	4·81	-	-	-	-	2·21	2·47	-	0·13	-
WILLESDEN	7·65	0·15	-	0·02	-	3·19	3·79	-	0·35	0·15
HORNSEY	2·89	0·09	-	-	-	1·40	1·19	-	0·21	-
TOTTENHAM	7·29	0·11	-	-	-	4·48	2·53	-	0·14	0·03
EDMONTON	7·32	0·06	-	-	-	3·97	2·44	-	0·68	0·17
ENFIELD	6·80	-	-	-	-	5·08	1·24	-	0·48	-
WEST HAM	11·68	0·10	-	-	-	7·80	3·23	-	0·47	0·08
EAST HAM	6·80	0·14	-	-	-	4·08	2·14	-	0·44	-
LEYTON	4·34	0·03	-	-	-	2·14	1·78	-	0·36	0·03
WALTHAMSTOW	8·53	0·06	-	-	-	6·03	1·82	-	0·53	0·09
ILFORD	7·11	0·10	-	-	-	4·09	2·72	-	0·15	0·05
GILLINGHAM	5·07	-	-	-	-	2·77	2·12	-	0·18	-
HASTINGS	2·58	0·07	-	-	-	1·53	0·70	-	0·28	-
EASTBOURNE	3·56	-	-	-	-	2·40	0·75	-	0·33	0·08
BRIGHTON	3·75	-	-	-	-	1·97	1·51	-	0·24	0·03
PORTSMOUTH	4·57	0·27	-	-	-	1·64	2·37	-	0·27	0·02
BOURNEMOUTH	2·19	0·05	-	-	-	1·12	0·97	-	-	0·05
SOUTHAMPTON	3·39	0·06	-	-	-	0·76	2·16	-	0·38	0·03
READING	5·04	0·04	-	-	-	4·21	0·48	-	0·31	-
OXFORD	3·89	0·07	-	-	-	1·04	2·50	-	0·21	0·07
NORTHAMPTON	2·67	-	-	-	-	0·77	1·58	-	0·18	0·14
CAMBRIDGE	2·91	-	-	-	-	0·55	1·80	-	0·49	0·07
SOUTHEND ON SEA	5·87	-	-	-	-	4·01	1·53	-	0·19	0·14
IPSWICH	10·69	0·10	-	-	-	2·47	7·61	-	0·36	0·15
GREAT YARMOUTH	2·43	-	-	-	-	0·76	1·44	-	0·23	-
NORWICH	4·40	0·17	-	-	-	1·40	2·37	-	0·33	0·13
SWINDON	1·55	-	-	-	-	0·23	0·93	-	0·16	0·23
EXETER	2·31	-	-	-	-	0·68	1·43	-	0·20	-
PLYMOUTH	5·14	0·11	-	-	-	2·47	2·27	-	0·20	0·09
BATH	2·55	0·18	-	-	-	1·22	0·97	-	0·12	0·06
BRISTOL	7·36	0·10	-	-	-	4·26	2·35	-	0·57	0·08
GLOUCESTER	2·00	0·16	-	-	-	0·80	0·80	-	0·24	-
STOKE ON TRENT	5·65	0·07	-	-	-	3·77	1·16	-	0·57	0·08
WOLVERHAMPTON	2·89	-	-	-	-	2·00	0·65	-	0·20	0·04
WALSALL	2·12	-	-	-	-	1·08	0·61	-	0·26	0·17
WEST BROMWICH	6·24	-	-	-	-	4·93	0·86	-	0·34	0·11
DUDLEY	0·97	0·15	-	-	-	0·67	0·15	-	-	-
BIRMINGHAM	9·60	0·01	-	-	-	7·36	1·66	-	0·43	0·14
SMETHWICK	10·56	-	-	-	-	7·45	2·61	-	0·33	0·17
COVENTRY	1·33	0·03	-	-	-	0·70	0·30	-	0·21	0·09
LEICESTER	5·64	0·07	-	-	-	3·92	1·24	-	0·41	-
LINCOLN	4·11	-	-	-	-	1·59	2·32	-	0·20	-
GRIMSBY	3·32	-	-	-	-	1·48	1·43	-	0·41	-
NOTTINGHAM	4·52	0·08	-	-	-	2·04	1·84	-	0·50	0·06
DERBY	6·57	0·03	-	-	-	3·82	1·97	-	0·65	0·10
STOCKPORT	7·66	0·03	-	-	-	5·11	2·11	-	0·35	0·06
BIRKENHEAD	2·85	0·03	-	-	-	1·38	1·22	-	0·22	-
WALLASEY	1·89	0·04	-	-	-	1·18	0·50	-	0·17	-
LIVERPOOL	5·92	0·06	-	-	-	3·57	1·69	-	0·55	0·05
BOOTLE	5·16	-	-	-	-	3·34	1·46	-	0·36	-
ST. HELENS	6·46	-	-	0·04	-	4·66	0·88	-	0·60	0·28
SOUTHPORT	2·57	-	-	-	-	1·54	0·46	-	0·57	-
WIGAN	2·89	0·14	-	-	-	1·51	0·60	-	0·55	0·09
WARRINGTON	2·89	0·05	-	-	-	1·34	1·07	-	0·32	0·11
BOLTON	3·41	0·02	-	-	-	2·46	0·52	-	0·34	0·07
BURY	2·66	-	-	-	-	1·92	0·44	-	0·30	-
MANCHESTER	6·84	0·04	-	-	0·02	4·84	1·28	-	0·38	0·28
SALFORD	7·32	0·18	-	-	-	5·12	1·31	-	0·55	0·16

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October 1920.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM	4·15	0·03	-	-	-	2·71	0·82	-	0·44	0·15
ROCHDALE	4·41	0·18	-	-	-	3·16	0·62	-	0·36	0·09
BURNLEY	3·30	0·08	-	-	-	1·79	0·71	-	0·64	0·08
BLACKBURN	2·36	0·06	-	-	-	1·34	0·41	-	0·45	0·10
PRESTON	2·29	0·17	-	-	-	0·75	0·96	-	0·31	0·10
BLACKPOOL	7·21	-	-	-	-	5·26	1·06	-	0·89	-
BARROW IN FURNESS	1·90	0·05	-	-	-	1·31	0·27	-	0·22	0·05
HUDDERSFIELD	3·40	-	-	-	-	1·50	1·54	-	0·32	0·04
HALIFAX	2·72	-	-	-	-	1·77	0·71	-	0·24	-
BRADFORD	5·38	0·21	-	-	-	3·33	1·26	-	0·41	0·17
LEEDS	5·06	0·06	-	-	-	3·05	1·41	-	0·42	0·12
DEWSBURY	2·12	-	-	-	-	1·44	0·68	-	-	-
WAKEFIELD	3·34	0·08	-	-	-	1·55	1·22	-	0·49	-
BARNLEY	3·57	0·31	-	-	-	1·01	1·09	-	0·93	0·23
SHEFFIELD	2·83	0·04	-	-	-	1·35	0·90	-	0·35	0·19
ROTHERHAM	2·57	-	-	-	-	1·05	0·64	-	0·76	0·12
YORK	3·44	0·16	-	-	-	2·05	1·18	-	0·05	-
HULL	4·31	0·11	-	-	-	1·55	2·24	-	0·32	0·09
MIDDLESBROUGH	3·41	0·03	-	-	-	1·89	1·14	-	0·32	0·03
DARLINGTON	3·82	0·06	-	-	-	2·32	1·00	-	0·38	0·06
STOCKTON ON TEES	6·14	-	-	-	-	3·24	2·44	-	0·20	0·26
WEST HARTLEPOOL	5·02	0·12	-	-	-	3·55	0·92	-	0·37	0·06
SUNDERLAND	4·14	0·05	-	-	-	3·28	0·27	-	0·43	0·11
SOUTH SHIELDS	1·73	0·18	-	-	-	1·15	0·22	-	0·18	-
GATESHEAD	8·40	0·03	-	-	-	7·35	0·75	-	0·20	0·07
NEWCASTLE ON TYNE	5·64	0·01	-	-	-	3·85	1·01	-	0·73	0·04
TYNEMOUTH	3·52	0·14	-	-	-	2·35	0·48	-	0·48	0·07
CARLISLE	1·74	-	-	-	-	1·16	0·07	-	0·44	0·07
NEWPORT (MON.)	4·78	0·09	-	-	-	2·62	1·61	-	0·32	0·14
CARDIFF	6·91	0·04	-	-	-	5·22	1·24	-	0·35	0·06
RHONDDA	6·17	0·02	-	-	-	4·73	0·99	-	0·38	0·05
MERTHYR TYDFIL	14·67	0·06	-	-	-	11·70	2·18	-	0·62	0·11
ABERDARE	7·81	0·23	-	-	-	4·84	1·80	-	0·94	-
SWANSEA	4·83	0·02	-	-	-	1·62	2·87	-	0·30	0·02
Smaller Towns.										
SURREY—										
BARNES	3·71	0·11	-	-	-	1·24	1·91	-	0·45	-
GUILDFORD	2·90	-	-	-	-	1·88	0·85	-	0·17	-
KINGSTON ON THAMES	5·51	0·22	-	-	-	3·34	1·08	-	0·65	0·22
MITCHAM	9·63	-	-	-	-	6·38	3·25	-	-	-
REIGATE	6·73	-	-	-	-	3·89	2·39	-	0·45	-
RICHMOND	3·05	0·59	-	-	-	1·29	0·82	-	0·23	0·12
SUTTON	1·14	-	-	-	-	0·76	0·38	-	-	-
WOKING	1·62	0·16	-	-	-	0·81	0·33	-	0·16	0·16
KENT—										
BECKENHAM	5·43	0·74	-	-	-	2·84	1·73	-	0·12	-
BROMLEY	4·38	-	-	-	-	2·42	1·73	-	0·23	-
CANTERBURY	1·98	0·36	-	-	-	0·36	0·54	-	0·36	0·36
CHATHAM	9·69	0·31	-	-	-	2·50	6·78	-	-	0·10
DARTFORD	10·69	0·18	-	-	-	2·49	6·95	-	0·89	0·18
DOVER	3·48	0·31	-	-	-	1·43	1·74	-	-	-
ERITH	6·04	0·26	-	-	-	1·97	3·15	-	0·66	-
FOLKESTONE*	4·76	0·13	-	-	-	3·50	0·88	-	-	0·25
GRAVESEND	3·42	0·55	-	-	-	-	2·19	-	0·68	-
MAIDSTONE	3·75	-	-	-	-	2·30	1·33	-	0·12	-
MARGATE	7·00	-	-	-	-	4·49	2·15	-	0·36	-
PENGE (Surrey Reg. Co.)	5·27	-	-	-	-	3·13	1·65	-	0·16	0·33
RAMSGATE	5·96	0·28	-	-	-	3·98	1·56	-	0·14	-
ROCHESTER	3·36	0·12	-	-	-	2·00	0·87	-	0·37	-
ROYAL TUNBRIDGE WELLS	3·27	-	-	-	-	1·98	0·82	-	0·47	-

* Including the Civil Parish of Folkestone next Sandgate.

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October, 1920.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—										
HOVE	2'00	0'09	-	-	-	0'73	0'91	-	0'27	-
SUSSEX WEST—										
WORTHING	3'30	0'26	-	-	-	1'72	1'19	-	0'13	-
SOUTHAMPTON—										
ALDRESHOT (Surrey Reg. Co.).	1'28	-	-	-	-	0'73	0'37	-	0'18	-
GOSPORT & ALVERSTOKE—	3'16	-	-	-	-	0'82	2'20	-	-	0'14
WINCHESTER	1'14	-	-	-	-	0'82	0'16	-	-	0'16
MIDDLESEX—										
CHISWICK	4'53	-	-	-	-	1'70	2'74	-	0'09	-
FINCHLEY	3'74	-	-	-	-	2'76	0'71	-	0'27	-
HENDON	4'53	0'07	-	-	-	2'41	1'77	-	0'21	0'07
HESTON & ISLEWORTH	5'97	-	-	-	-	4'97	0'70	-	0'20	0'10
SOUTHALL NORWOOD	3'04	-	-	-	-	1'89	0'72	-	0'43	-
SOUTHGATE	4'22	-	-	-	-	2'78	1'44	-	-	-
TWICKENHAM	2'19	0'12	-	-	-	0'92	0'69	-	0'23	0'23
WOOD GREEN	4'39	-	-	-	-	2'87	1'20	-	0'32	-
HERTFORDSHIRE—										
ST. ALBANS	2'26	-	-	-	-	1'45	0'65	-	0'16	-
WATFORD	5'90	0'09	-	-	-	5'12	0'52	-	0'17	-
BUCKINGHAMSHIRE—										
CHEPPING WYCOMBE	3'28	0'39	-	-	-	2'32	0'19	-	0'19	0'19
NORTHAMPTONSHIRE—										
KETTERING	2'80	-	-	-	-	1'20	1'20	-	0'40	-
SOKE OF PETERBOROUGH—										
PETERBOROUGH	2'52	0'12	-	-	-	0'60	1'56	-	0'24	-
BEDFORDSHIRE—										
BEDFORD	3'30	0'20	-	-	-	1'80	1'20	-	0'10	-
LUTON	2'48	-	-	-	-	0'85	1'49	-	0'14	-
ESSEX—										
BARKING TOWN	6'40	-	-	-	-	1'54	3'20	-	1'54	0'12
COLCHESTER	4'75	0'19	-	-	-	2'04	2'23	-	0'19	0'10
SUFFOLK EAST—										
LOWESTOFT	2'72	0'10	-	-	-	0'97	1'26	-	0'29	0'10
NORFOLK—										
KING'S LYNN	2'82	1'82	-	-	-	0'40	0'40	-	-	0'20
WILTSHIRE—										
SALISBURY	2'33	-	-	-	-	0'72	1'43	-	0'18	-
DORSETSHIRE—										
POOLE	2'92	-	-	-	-	0'97	1'95	-	-	-
WEYMOUTH AND MELCOMBE REGIS.	0'93	-	-	-	-	0'37	0'37	-	-	0'19
DEVONSHIRE—										
TORQUAY	1'56	-	-	-	-	0'96	0'36	-	0'24	-
SOMERSETSHIRE—										
TAUNTON	4'08	-	-	-	-	0'58	2'92	-	0'58	-
WESTON SUPER MARE	2'91	0'16	-	-	-	0'81	1'78	-	0'16	-
GLOUCESTERSHIRE—										
CHELTENHAM	3'48	0'09	-	-	-	1'16	1'78	-	0'45	-
HEREFORDSHIRE—										
HEREFORD	5'35	0'17	-	-	-	2'68	1'50	-	0'67	0'33

TABLE X. (continued).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October, 1920.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—										
SHREWSBURY - - -	2.29	-	-	-	-	0.54	1.48	-	0.27	-
STAFFORDSHIRE—										
BILSTON - - -	1.69	-	-	-	-	0.92	0.31	-	0.46	-
BURTON UPON TRENT - -	6.55	-	-	-	-	3.95	2.52	-	0.08	-
CANNOCK - - -	2.52	-	-	-	-	0.24	2.04	-	0.12	0.12
COSELEY - - -	0.70	-	-	-	-	0.35	-	-	0.35	-
NEWCASTLE UNDER LYME	0.40	-	-	-	-	-	0.20	-	0.20	-
ROWLEY REGIS - - -	7.21	-	-	-	-	6.22	0.55	-	0.33	0.11
STAFFORD - - -	5.40	-	-	-	-	2.25	2.40	-	0.60	0.15
TIPTON - - -	3.45	-	-	-	-	2.83	0.25	-	0.37	-
WEDNESBURY - - -	3.17	-	-	-	-	1.85	0.13	-	1.19	-
WOLSTANTON UNITED -	3.84	0.14	-	-	-	1.23	1.51	-	0.82	0.14
WORCESTERSHIRE—										
KIDDERMINSTER - - -	2.12	-	-	-	-	1.21	0.91	-	-	-
OLDBURY (Staffs. Reg. Co.)	11.17	-	-	-	-	10.51	0.22	-	0.33	0.11
WORCESTER - - -	3.31	0.17	-	-	-	0.68	2.12	-	0.17	0.17
WARWICKSHIRE—										
NUNEATON - - -	5.69	-	-	-	-	4.06	1.22	-	0.41	-
ROYAL LEAMINGTON SPA	2.54	-	-	-	-	1.70	0.42	-	0.42	-
RUGBY - - -	1.92	-	-	-	-	0.89	0.44	-	0.59	-
SUTTON COLDFIELD (Staffs. Reg. Co.).	5.96	0.19	-	-	-	4.23	1.54	-	-	-
LEICESTERSHIRE—										
LOUGHBOROUGH - - -	6.18	-	-	-	-	3.90	2.28	-	-	-
LINCOLNSHIRE (KESTEVEN)—										
GRANTHAM - - -	1.27	-	-	-	-	0.18	0.73	-	0.36	-
LINCOLNSHIRE (LINDSEY)—										
CLEETHORPE WITH THRUNSCOE.	3.44	0.16	-	-	-	1.09	2.19	-	-	-
GAINSBOROUGH - - -	1.47	-	-	-	-	0.42	0.63	-	0.42	-
NOTTINGHAMSHIRE—										
MANSFIELD - - -	3.16	0.09	-	-	-	2.08	0.63	-	0.27	0.09
SUTTON IN ASHFIELD -	2.09	-	-	-	-	0.70	0.87	-	0.52	-
WORKSOP - - -	0.73	-	-	-	-	0.18	0.37	-	-	0.18
DERBYSHIRE—										
CHESTERFIELD - - -	3.78	0.21	-	-	-	0.42	2.73	-	0.42	-
GLOSSOP - - -	4.20	0.40	-	-	-	2.20	1.00	-	0.60	-
ILKESTON (Notts. Reg. Co.)	2.95	-	-	-	-	1.54	1.15	-	0.26	-
CHESHIRE—										
CHESTER - - -	4.73	0.10	-	-	-	1.77	2.66	-	0.10	0.10
CREWE - - -	4.92	-	-	-	0.35	2.90	1.58	-	0.09	-
HYDE - - -	3.69	0.12	-	-	-	1.97	0.99	-	0.49	0.12
MACCLESFIELD - - -	1.73	-	-	-	-	0.37	1.36	-	-	-
STALYBRIDGE (Lancs. Reg. Co.).	2.15	0.15	-	-	-	1.85	-	-	0.15	-
LANCASHIRE—										
ACCINGTON - - -	3.04	-	-	-	-	1.93	0.83	-	0.28	-
ASHTON IN MAKERFIELD	5.29	0.38	-	-	-	4.15	0.57	-	0.19	-
ASHTON UNDER LYNE -	3.96	0.28	-	-	-	2.30	0.46	-	0.64	0.28
BACUP - - -	2.37	-	-	-	-	0.59	0.79	-	0.79	0.20
CHADDERTON - - -	3.79	-	-	-	-	1.97	1.40	-	0.42	-
CHORLEY - - -	3.17	-	-	-	-	1.65	0.76	-	0.76	-
COLNE - - -	4.67	0.16	-	-	-	1.71	2.33	-	0.47	-
DARWEN - - -	1.17	-	-	-	-	0.75	0.21	-	0.21	-
ECCLES - - -	6.43	-	-	-	-	4.26	1.32	-	0.66	0.19
FARNWORTH - - -	3.60	0.14	-	-	-	1.87	1.30	-	0.29	-

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October, 1920.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE— <i>cont.</i>										
HEYWOOD -	4.13	-	-	-	-	0.92	1.53	-	1.53	0.15
HINDLEY -	2.72	-	-	-	-	1.87	0.68	-	-	0.17
INCE IN MAKERFIELD -	2.75	0.55	-	-	-	1.47	0.55	-	0.18	-
LANCASTER -	3.49	-	-	-	-	2.51	0.76	-	0.22	-
LEIGH -	4.78	0.09	-	-	-	3.16	0.90	-	0.36	0.27
MIDDLETON -	2.46	-	-	-	0.43	0.87	1.16	-	-	-
NELSON -	2.61	-	-	-	-	1.55	0.48	-	0.58	-
RADCLIFFE -	2.56	-	-	-	-	1.54	0.68	-	0.34	-
RAWTENSTALL -	1.17	-	-	-	-	0.73	0.15	-	0.29	-
STRETFORD -	5.55	0.09	-	-	-	4.84	0.62	-	-	-
SWINTON AND	10.97	0.29	-	-	-	7.12	2.42	-	1.14	-
PENDLEBURY.										
WATERLOO WITH	7.41	0.14	-	-	-	5.17	1.40	-	0.70	-
SEAFORTH.										
WIDNES -	5.40	-	-	-	-	2.82	2.33	-	0.25	-
YORKSHIRE										
(WEST RIDING)—										
BATLEY -	2.74	-	-	-	-	1.94	0.80	-	-	-
BRIGHOUSE -	4.20	-	-	-	-	2.00	1.60	-	0.60	-
CASTLEFORD -	3.26	-	-	-	-	1.96	1.14	-	0.16	-
DONCASTER -	1.78	0.08	-	-	-	0.93	0.23	-	0.54	-
GOOLE -	8.77	-	-	-	-	4.05	4.27	-	0.45	-
HARROGATE -	3.31	0.11	-	-	-	2.21	0.66	-	0.33	-
KEIGHLEY -	2.77	0.10	-	-	-	2.36	0.31	-	-	-
MORLEY -	2.74	-	-	-	-	2.57	0.17	-	-	-
SHIPLEY -	3.33	0.28	-	-	-	2.36	0.55	-	0.14	-
SPENBOROUGH -	4.40	0.13	-	-	-	2.14	1.60	-	0.40	0.13
TODMORDEN -	9.53	-	-	-	-	7.45	1.56	-	0.52	-
YORKSHIRE										
(NORTH RIDING)—										
ESTON -	7.56	-	-	-	0.14	6.00	0.71	-	0.71	-
SCARBOROUGH -	4.58	0.35	-	-	-	2.47	1.29	-	0.12	0.35
DURHAM—										
BLAYDON -	4.55	-	-	-	-	3.15	1.05	-	0.35	-
FELLING -	16.22	-	-	-	-	14.60	0.44	-	1.18	-
HARTLEPOOL -	7.39	-	-	-	-	7.18	0.21	-	-	-
HEBBURN -	4.62	-	-	-	-	3.02	0.53	-	1.07	-
JARROW -	7.17	-	-	-	-	5.72	0.22	-	1.01	0.22
STANLEY -	6.32	0.34	-	-	-	3.93	1.88	-	0.17	-
NORTHUMBERLAND—										
ASHINGTON -	19.61	0.28	-	-	-	16.93	1.27	-	0.99	0.14
BEDLINGTONSHIRE -	9.01	0.47	-	-	-	6.36	1.09	-	0.93	0.16
BLYTH -	5.61	0.25	-	-	-	3.70	0.64	-	1.02	-
WALLSEND -	4.59	0.09	-	-	-	2.75	1.29	-	0.09	0.37
CUMBERLAND—										
WORKINGTON -	3.83	-	-	-	-	0.92	2.76	-	-	0.15
MONMOUTHSHIRE—										
ABERSYCHAN -	4.79	0.15	-	-	-	3.14	0.75	-	0.75	-
ABERTILLERY -	4.97	-	-	-	-	3.19	1.50	-	0.28	-
BEDWELLTY -	2.74	-	-	-	-	2.38	0.12	-	0.12	0.12
EBBW VALE -	9.57	0.10	-	-	-	8.45	0.31	-	0.61	0.10
TREDEGAR -	7.52	0.33	-	-	-	4.58	1.96	-	0.49	0.16
GLAMORGANSHIRE—										
BARRY -	3.71	0.32	-	-	-	0.85	2.11	-	0.32	0.11
CAERPHILLY -	14.70	0.33	-	-	-	9.98	4.28	-	-	0.11
GELLIGAER -	6.04	0.10	-	-	-	3.83	1.81	-	0.30	-
MAESTEG -	26.50	0.14	-	-	-	23.57	2.51	-	0.14	0.14
MOUNTAIN ASH -	3.85	0.28	-	-	-	7.10	1.20	-	0.09	0.18
OGMORE AND GARW -	17.26	0.13	-	-	-	15.80	0.93	-	0.40	-
PONTYPRIDD -	2.90	-	-	-	-	1.67	0.88	-	0.35	-
CARMARTHENSHIRE—										
LLANELLY -	2.47	-	-	-	-	0.32	2.04	-	0.11	-

TABLE XI.--PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 2nd October, 1920.

(Civilian Population only.)

BOROUGHs.	Annual Rate per 1000 Civilian Population, Mid. 1919:									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
ADMINISTRATIVE COUNTY OF LONDON }	8.32	0.09	0.00*	0.00	-	5.09	2.53	-	0.52	0.09
WEST.										
Paddington - - -	5.71	0.11	-	-	-	3.23	1.87	-	0.42	0.08
Kensington - - -	5.94	0.20	-	-	-	4.01	1.35	-	0.28	0.10
Hammersmith - - -	8.05	0.03	-	-	-	5.33	2.33	-	0.21	0.15
Fulham - - -	9.75	0.18	-	-	-	6.00	2.89	-	0.50	0.18
Chelsea - - -	3.31	0.07	-	-	-	1.52	1.59	-	0.13	-
City of Westminster -	4.87	0.09	-	0.03	-	2.61	1.60	-	0.41	0.13
NORTH.										
St. Marylebone - - -	6.63	0.45	-	-	-	4.71	0.74	-	0.61	0.12
Hampstead - - -	3.61	0.14	-	-	-	1.46	1.55	-	0.46	-
St. Pancras - - -	7.20	0.05	-	-	-	3.38	3.13	-	0.57	0.07
Islington - - -	8.60	0.07	-	-	-	4.33	3.70	-	0.43	0.07
Stoke Newington - -	6.85	0.08	-	-	-	3.78	2.52	-	0.31	0.16
Hackney - - -	7.85	0.04	-	-	-	4.92	2.41	-	0.39	0.09
CENTRAL.										
Holborn - - -	5.26	0.32	-	-	-	2.73	1.47	-	0.74	-
Finsbury - - -	10.27	0.05	0.05*	-	-	6.39	2.24	-	1.49	0.05
City of London - -	3.47	-	-	-	-	2.31	0.58	-	0.53	-
EAST.										
Shoreditch - - -	9.11	0.16	-	-	-	4.95	3.19	-	0.65	0.16
Bethnal Green - - -	17.76	-	-	-	-	10.68	5.47	-	1.46	0.15
Stepney - - -	17.51	0.05	-	-	-	14.34	2.31	-	0.72	0.09
Poplar - - -	14.94	0.16	-	-	-	9.11	5.17	-	0.50	-
SOUTH.										
Southwark - - -	8.11	0.04	-	-	-	5.06	2.01	-	0.91	0.09
Bermondsey - - -	13.62	0.06	-	-	-	11.04	2.03	-	0.36	0.13
Lambeth - - -	6.49	0.01	-	-	-	3.89	2.22	-	0.34	0.03
Battersea - - -	7.46	0.03	-	-	-	4.13	2.72	-	0.40	0.18
Wandsworth - - -	6.00	0.06	-	-	-	2.96	2.51	-	0.37	0.10
Camberwell - - -	7.49	0.07	-	-	-	4.26	2.64	-	0.51	0.01
Deptford - - -	8.12	0.07	-	-	-	4.26	2.67	-	0.87	0.25
Greenwich - - -	8.31	0.29	-	-	-	5.50	1.83	-	0.65	0.04
Lewisham - - -	4.65	0.10	-	-	-	2.75	1.39	-	0.31	0.10
Woolwich - - -	6.07	0.06	-	-	-	2.74	2.47	-	0.65	0.15

* Subsequently found not to be a case of typhus.

TABLE XII. (continued).—**Diarrhoea** and **Enteritis**.—**Mortality** from **Diarrhoea** and **Enteritis** among **children** under two years of age per 1,000 births in the **96 Great Towns** in each Week of the Third or Summer Quarter of 1920.

TOWNS.	Mortality per 1,000 Births.													
	13 weeks ended 2nd Oct. 1920.	Week ended—												
		July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.
GRIMSBY - - -	22·9	-	22·9	-	-	-	-	-	-	91·7	45·9	22·9	45·9	68·8
NOTTINGHAM - - -	21·6	-	-	-	16·0	16·0	8·0	16·0	24·1	32·1	24·1	32·1	88·2	24·1
DERBY - - -	4·0	-	17·3	-	-	-	-	-	17·3	-	-	-	17·3	-
STOCKPORT - - -	9·1	-	19·8	-	39·6	19·8	-	-	19·8	-	-	-	-	19·8
BIRKENHEAD - - -	24·1	48·1	-	12·0	12·0	-	12·0	24·1	36·1	36·1	48·1	36·1	36·1	12·0
WALLASEY - - -	11·4	-	-	29·7	29·7	-	29·7	-	-	59·5	-	-	-	-
LIVERPOOL - - -	20·5	4·5	20·3	22·6	11·3	15·8	6·8	15·8	29·4	24·8	22·6	33·9	29·4	29·4
BOOTLE - - -	5·6	-	-	-	-	24·1	-	-	-	-	-	-	24·1	24·1
ST. HELENS - - -	13·9	-	-	-	-	16·5	-	16·5	16·5	16·5	49·4	16·5	32·9	16·5
SOUTHPORT - - -	3·5	-	-	-	-	-	-	-	-	-	-	45·1	-	-
WIGAN - - -	35·0	19·8	-	19·8	-	19·8	19·8	59·4	-	59·4	59·4	39·6	39·6	118·7
WARRINGTON - - -	23·7	23·7	-	-	-	-	23·7	23·7	47·4	23·7	71·0	-	47·4	47·4
BOLTON - - -	10·7	12·6	12·6	-	25·3	12·6	-	-	12·6	25·3	12·6	25·3	-	-
BURY - - -	7·4	-	-	48·0	-	-	-	-	-	-	-	48·0	-	-
MANCHESTER - - -	11·4	5·8	5·8	5·8	11·6	17·5	14·6	20·4	5·8	2·9	14·6	14·6	8·7	20·4
SALFORD - - -	13·5	17·5	8·8	8·8	8·8	8·8	-	8·8	8·8	-	-	26·3	26·3	52·5
OLDHAM - - -	18·8	16·3	16·3	32·5	32·5	81·3	16·3	16·3	-	-	32·5	-	-	-
ROCHDALE - - -	10·8	-	28·1	-	-	56·3	28·1	28·1	-	-	-	-	-	-
BURNLEY - - -	16·3	-	23·6	23·6	-	-	-	-	23·6	-	70·8	23·6	-	47·2
BLACKBURN - - -	5·7	-	-	-	18·6	-	-	-	18·6	-	-	18·6	-	18·6
PRESTON - - -	14·4	-	18·7	-	-	-	18·7	18·7	18·7	18·7	18·7	18·7	18·7	37·5
BLACKPOOL - - -	3·7	-	-	-	-	-	-	-	-	-	-	-	-	48·1
BARROW IN FURNESS - -	8·2	26·6	-	26·6	-	-	-	-	-	26·6	-	-	-	26·6
HUDDERSFIELD - - -	11·0	-	23·8	23·8	-	23·8	-	-	-	23·8	-	-	23·8	23·8
HALIFAX - - -	4·0	-	26·2	-	-	-	-	-	26·2	-	-	-	-	-
BRADFORD - - -	12·0	-	-	18·4	9·2	18·4	18·4	18·4	9·2	18·4	9·2	9·2	18·4	9·2
LEEDS - - -	15·6	4·7	9·4	9·4	-	9·4	18·8	14·1	14·1	18·8	28·3	23·6	28·3	23·6
DEWSBURY - - -	28·2	-	-	-	-	-	-	-	-	40·8	81·5	81·5	40·8	122·3
WAKEFIELD - - -	18·3	39·8	39·8	39·8	39·8	-	-	79·5	-	-	-	-	-	-
BARNSELY - - -	77·1	32·3	32·3	64·7	32·3	32·3	-	-	64·7	129·4	64·7	129·4	258·7	161·7
SHEFFIELD - - -	23·9	-	12·1	12·1	16·1	8·1	8·1	12·1	32·3	24·2	16·1	52·5	48·4	68·6
ROTHERHAM - - -	11·3	-	-	-	-	-	-	-	-	-	-	88·0	29·3	29·3
YORK - - -	6·1	-	-	-	-	-	-	-	-	26·6	-	26·6	-	26·6
HULL - - -	43·1	19·3	12·9	19·3	19·3	6·4	12·9	45·1	51·5	128·8	57·9	57·9	57·9	70·8
MIDDLESBROUGH - - -	31·1	13·1	-	26·1	26·1	26·1	39·2	-	39·2	26·1	13·1	52·2	65·3	78·3
DARLINGTON - - -	16·2	-	-	-	-	30·2	30·2	-	-	-	60·3	60·3	-	30·2
STOCKTON ON TEES - -	31·5	54·6	-	27·3	-	-	-	54·6	-	-	54·6	27·3	163·9	27·3
WEST HARTLEPOOL - -	21·3	-	-	-	-	-	-	-	27·7	-	55·3	27·7	83·0	83·0
SUNDERLAND - - -	27·5	-	10·2	10·2	10·2	20·5	30·7	20·5	40·9	61·4	30·7	40·9	61·4	20·5
SOUTH SHIELDS - - -	29·9	27·7	13·9	13·9	13·9	-	69·4	41·6	27·7	27·7	41·6	-	41·6	69·4
GATESHEAD - - -	29·8	-	13·8	27·7	13·8	13·8	27·7	55·3	27·7	27·7	41·5	27·7	55·3	55·3
NEWCASTLE ON TYNE -	11·7	13·3	6·6	6·6	6·6	6·1	6·1	19·9	-	13·3	13·3	19·9	13·3	26·5
TYNEMOUTH - - -	18·2	-	-	59·2	-	-	29·6	-	-	29·6	-	29·6	88·8	-
CARLISLE - - -	2·8	-	-	-	-	-	-	-	-	-	-	-	36·8	-
NEWPORT (MON.) - -	17·8	46·2	-	-	-	46·2	23·1	23·1	-	23·1	23·1	-	23·1	23·1
CARDIFF - - -	10·5	10·5	10·5	-	-	-	10·5	31·6	-	-	-	10·1	10·1	52·7
RHONDDA - - -	19·6	11·1	11·1	22·2	22·2	22·2	-	11·1	-	11·1	22·2	11·1	11·1	99·7
MERTHYR TYDFIL - -	9·0	-	-	-	-	-	23·3	-	23·3	23·3	-	-	23·3	23·3
ABERDARE - - -	16·8	-	-	-	-	36·4	72·8	-	-	36·4	-	-	36·4	36·4
SWANSEA - - -	14·4	-	-	25·0	12·5	-	12·5	12·5	12·5	12·5	25·0	12·5	37·5	25·0

TABLE XIII.—**Mortality** from **Diarrhœa** and **Enteritis**, and **Meteorology** (Greenwich), in LONDON, in the Third or Summer Quarters (13 weeks) of each of the Fifty Years 1871–1920.

YEARS.	Estimated POPULATION in the middle of each Year.	MORTALITY from DIARRHŒA and ENTERITIS.*			Mean Earth TEMPERATURE at 3 ft. 2 ins. depth.	RAINFALL.	
		ALL AGES per 1000 Living.	UNDER 1 YEAR OF age per 1000 Births.	UNDER 5 YEARS of age per 1000 Living at that age.		Amount in Millimetres.	Number of Days on which measured.
Mean, 1871–1920.	4,157,213	2·52	62 1876–1920.	21·43 1869–1915.	61°5 1868 1917.	172	39
1871	3,267,251	4·21	—	29·60	62·8	208	38
1872	3,319,736	3·76	—	26·41	63·0	165	37
1873	3,373,065	4·08	—	28·89	62·4	193	33
1874	3,427,250	2·89	—	20·05	62·2	157	38
1875	3,482,306	2·67	—	18·68	61·7	262	38
1876	3,538,246	3·48	80	24·77	62·6	135	43
1877	3,595,085	2·18	46	14·99	61·6	163	41
1878	3,652,837	3·49	72	24·38	63·1	165	37
1879	3,711,517	1·43	29	9·73	59·4	297	53
1880	3,771,139	3·48	74	24·58	62·0	224	41
1881	3,824,980	2·71	61	18·72	61·3	208	44
1882	3,862,956	1·67	35	11·60	60·3	152	48
1883	3,901,309	2·12	46	14·75	61·0	165	43
1884	3,940,042	3·43	77	24·62	63·1	114	36
1885	3,979,160	2·27	54	16·31	61·5	142	36
1886	4,018,666	3·47	79	25·80	62·3	124	33
1887	4,058,565	3·49	85	26·08	63·0	150	35
1888	4,098,860	1·64	39	12·11	59·3	284	50
1889	4,139,555	2·23	56	16·60	61·9	142	37
1890	4,180,654	2·21	52	16·60	60·4	196	39
1891	4,223,720	2·00	50	15·28	60·2	201	51
1892	4,269,634	2·03	49	15·49	60·6	168	42
1893	4,312,263	2·65	63	19·98	63·1	150	43
1894	4,351,501	1·56	41	12·26	60·7	191	52
1895	4,387,248	3·28	83	26·42	62·3	165	36
1896	4,419,411	3·42	93	27·79	62·2	221	45
1897	4,447,907	4·66	121	38·45	62·2	160	43
1898	4,472,664	4·75	127	39·69	62·0	64	25
1899	4,493,617	5·43	148	45·03	64·0	109	29
1900	4,510,711	3·66	100	30·81	61·3	117	23
1901	4,536,201	3·43	96	28·93	62·0	130	24
1902	4,534,828	1·78	48	15·14	59·6	145	39
1903	4,533,443	1·84	49	15·53	60·2	312	46
1904	4,531,856	4·02	113	34·51	61·4	122	33
1905	4,530,418	2·87	82	24·89	61·6	147	34
1906	4,528,964	3·84	107	32·87	62·0	97	26
1907	4,527,495	0·73	19	5·64	59·2	89	32
1908	4,525,847	1·90	54	16·20	60·2	208	39
1909	4,524,346	1·21	35	10·14	59·2	188	46
1910	4,522,832	0·84	24	7·05	59·4	170	38
1911	4,521,194	4·28	127	38·23	64·0	76	22
1912	4,520,401	0·66	20	5·66	60·1	193	42
1913	4,519,480	1·50	43	13·49	59·8	137	36
1914	4,518,021	1·93	59	17·22	61·7	84	34
1915	4,518,021†	1·34	45	11·65	60·6	211	35
1916	4,237,387‡	0·78	24	?	59·9	150	42
1917	4,026,901‡	0·86	29	?	62·6	260	47
1918	3,954,554‡	0·61	23	?	?	328	51
1919	4,358,309‡	0·64	22	?	56·8¶	140	38
1920	4,358,309§	0·43	13	?	56·1¶	211	36

* Including appendicitis up to 1900 inclusive, cholera nostras to 1910, and dysentery from 1882 to 1910.

† Estimated population mid. 1914.

§ Estimated civilian population, mid. 1919.

‡ Estimated civilian population.

¶ At 4 ft. depth.

the 13 WEEKS ended **2nd October, 1920.** (The births in this table are those actually registered in the several Metropolitan Boroughs. The deaths relate to the civilian population only and are, so far as concerns London as a whole, corrected to the extent indicated at the head of Table V. As between individual boroughs, however, correction is complete.)

BOROUGH.	Estimated Civilian Population, Mid. 1919.	Births.	Deaths from								Deaths of Infants under 1 Year of Age.	ANNUAL DEATH-RATES PER 1000 CIVILIAN POPULATION, MID. 1919.							RATE PER 1000 BIRTHS.			
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and En- teritis (under 2 Years).		Pulmonary Tuberculosis.	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Pulmonary Tuberculosis.	Diarrhoea and En- teritis (under 2 Years).	Total deaths under 1 Year.
County of London -	4,358,309	28,448	10,451	11	-	51	38	45	182	383	949	1,669	9.6	0.01	-	0.05	0.03	0.04	0.17	0.87	13.5	59
WEST.																						
PADDINGTON -	143,938	767	312	-	-	2	-	2	4	12	21	59	8.7	-	-	0.06	-	0.06	0.11	0.59	15.6	77
KENSINGTON -	157,886	856	417	-	-	3	2	2	4	22	30	69	10.6	-	-	0.08	0.05	0.05	0.10	0.76	25.7	81
HAMMERSMITH -	130,981	695	265	1	-	2	1	-	8	5	19	34	8.1	0.03	-	0.06	0.03	-	0.24	0.58	7.2	49
FULHAM -	152,543	1,031	320	1	-	-	3	-	8	9	22	63	8.4	0.03	-	-	0.08	-	0.21	0.58	8.7	61
CHELSEA -	60,573	339	168	-	-	1	-	-	3	3	18	14	11.1	-	-	0.07	-	0.20	1.19	8.8	41	
CITY OF WESTMINSTER -	127,533	379	269	-	-	2	-	-	2	7	27	32	8.5	-	-	0.06	-	0.06	0.85	18.5	84	
NORTH.																						
ST. MARYLEBONE -	97,953	967	253	-	-	2	1	2	1	6	20	29	10.4	-	-	0.08	0.04	0.08	0.04	0.82	6.2	30
HAMPSTEAD -	88,012	410	156	-	-	-	-	-	1	3	5	16	7.1	-	-	-	-	0.05	0.23	7.3	39	
ST. PANCRAS -	219,434	1,424	534	-	-	3	2	2	10	13	44	67	9.8	-	-	0.05	0.04	0.18	0.80	9.1	47	
ISLINGTON -	323,034	2,060	782	-	-	5	1	-	29	14	63	98	9.7	-	-	0.06	0.01	-	0.36	0.78	6.8	48
STOKE NEWINGTON -	50,954	269	138	-	-	-	-	-	5	6	7	16	10.9	-	-	-	-	0.39	0.55	22.3	59	
HACKNEY -	216,736	1,502	477	-	-	3	-	5	6	23	46	83	8.8	-	-	0.06	-	0.09	0.11	0.85	15.3	55
CENTRAL.																						
HOLBORN -	38,156	139	115	-	-	-	-	-	-	3	14	12	12.1	-	-	-	-	-	-	1.47	21.6	86
FINSBURY -	75,291	895	204	-	-	-	-	3	-	9	21	45	10.9	-	-	-	-	-	-	1.12	10.1	50
CITY OF LONDON -	13,893	111	39	-	-	-	-	-	-	-	7	2	11.3	-	-	-	-	-	-	2.02	-	18
EAST.																						
SHOREDITCH -	98,134	764	290	-	-	-	-	1	3	28	26	72	11.9	-	-	-	-	0.04	0.12	1.06	36.6	94
BETHNAL GREEN -	110,085	763	280	-	-	3	6	-	5	14	39	47	10.2	-	-	0.11	0.22	-	0.18	1.42	18.3	62
STEPNEY -	232,506	1,873	647	-	-	4	4	4	8	37	68	135	11.2	-	-	0.07	0.07	0.07	0.14	1.17	19.8	72
POPLAR -	153,644	1,195	444	1	-	3	5	5	13	15	49	73	11.6	-	-	0.08	0.13	0.13	0.34	1.28	12.6	61
SOUTH.																						
SOUTHWARK -	179,971	1,207	476	1	-	2	1	3	7	18	52	79	10.6	-	-	0.04	0.02	0.07	0.16	1.16	14.9	65
BERMONDSEY -	124,239	914	315	-	-	1	2	2	6	12	39	65	10.2	-	-	0.03	0.06	0.06	0.19	1.26	13.1	71
LAMBETH -	282,322	2,502	682	-	-	5	5	2	19	21	57	100	9.7	-	-	0.07	0.07	0.03	0.27	0.81	8.4	40
BATTERSEA -	159,316	972	412	-	-	4	1	2	5	21	33	84	10.4	-	-	0.10	0.03	0.05	0.13	0.83	21.6	86
WANDSWORTH -	333,693	1,691	657	2	-	2	2	3	9	21	52	84	7.9	-	-	0.02	0.02	0.04	0.11	0.63	12.4	50
CAMBERWELL -	273,802	1,647	638	2	-	1	-	3	9	25	52	117	9.3	-	-	0.01	-	0.04	0.13	0.76	15.2	71
DEPTFORD -	111,205	714	291	2	-	2	-	2	5	14	29	59	10.5	-	-	0.07	-	0.07	0.18	1.05	19.6	83
GREENWICH -	98,484	572	223	1	-	1	-	-	2	4	29	21	9.1	-	-	0.04	-	-	0.08	1.18	7.0	37
LEWISHAM -	167,754	922	374	-	-	-	2	-	7	10	25	57	8.9	-	-	-	0.05	-	0.17	0.60	10.8	62
WOOLWICH -	136,237	868	273	-	-	-	-	2	3	8	35	37	8.0	-	-	-	-	0.06	0.09	1.03	9.2	43

TABLE XV.—**Births and Deaths** in the **Second and Third Quarters** (13 Weeks) of **1920** in certain **Colonial and Foreign Cities**.

CITIES.	POPULATION (enumerated or estimated).	BIRTHS. (Excl. Stillb born.)	DEATHS.	ANNUAL RATE per 1000 Persons living.										RATE per 1000 Births	
				Births.	Deaths from								Diarrhoea and Enter- itis (under 2 Years).†	Total	
					All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Influenza.			
SECOND QUARTER.*															
CALCUTTA - -	896,067	—	7,205‡	—	32·3	?	1·83	?	?	?	?	?	0·83	?	
BOMBAY - -	979,445	4,257	10,314‡	17·4	42·2	0·16	0·54	0·21	-	0·02	-	-	1·41	100·8	
MADRAS - -	518,660	4,989	4,729‡	38·6	36·6	0·15	0·32	0·08	?	0·36	-	-	0·26	100·2	
PARIS (3 months) -	2,847,229	14,507	10,241	20·4	14·4	0·03	-	0·25	0·02	0·16	0·07	0·03	0·03	17·0	
BUDAPEST - -	1,071,492	5,737	5,109	21·5	19·1	0·07	0·02	0·01	0·17	0·10	0·06	0·06	0·09	57·3	
TRIESTE - -	236,540	1,583	888	26·8	15·1	0·02	-	0·05	0·15	0·19	0·07	-	-	31·0	
CAIRO - -	761,300	9,126	9,748	48·1	51·4	0·37	0·16	1·40	0·05	?	0·07	?	?	153·8	
ALEXANDRIA - -	445,700	4,933	3,904‡	44·4	35·1	0·13	0·67	0·06	0·03	?	0·01	?	?	97·5	
NEW ORLEANS (3 months) -	400,000	—	1,494	—	15·0	0·03	0·43	-	0·02	0·09	0·03	0·10	?	?	
NEW YORK - -	6,141,445	28,494	14,159	22·0	10·9	0·01	-	0·17	0·04	0·10	0·18	0·11	0·11	10·9	
CHICAGO - -	2,727,504	—	7,917	—	11·6	0·01	-	0·03	0·06	0·05	0·20	0·06	?	?	
THIRD QUARTER.*															
LONDON - -	4,358,309	28,448	10,451	25·1	9·6	0·01	-	0·05	0·03	0·04	0·17	0·05	?	13·5	
ANTWERP - -	329,956	1,551	698	18·9	8·5	0·04	-	0·04	0·02	0·06	0·07	0·01	?	76·7	
AMSTERDAM - -	651,994	3,654	1,375	22·5	8·5	0·10	-	0·08	0·01	0·02	0·03	0·02	?	3·8	
COPENHAGEN - -	571,000	2,970	1,348	20·9	9·5	0·01	-	0·01	0·04	0·02	0·04	0·02	?	9·1	
STOCKHOLM - -	415,201	1,701	979	16·4	9·5	0·05	0·01	-	0·01	0·02	0·03	0·02	?	4·1	
GOTHENBURG - -	200,578	—	440	—	8·8	0·06	-	-	0·04	0·02	0·12	0·04	?	?	
CHRISTIANIA - -	260,904	1,262	596	19·4	9·2	0·02	-	-	0·02	-	0·02	-	?	6·3	
BERLIN - -	1,904,590	7,540	6,053	15·9	12·7	0·03	-	0·02	0·02	0·04	0·10	0·04	?	69·8	
HAMBURG - -	1,002,933	4,683	2,559	18·7	10·2	0·10	-	0·02	0·02	0·08	0·11	?	?	21·8	
LEIPZIG (12 weeks)	610,686	2,926	1,893	20·8	13·5	0·08	-	0·07	0·02	0·09	0·08	?	?	93·6	
MUNICH - -	647,030	3,026	1,924	18·8	11·9	0·01	-	0·04	-	0·05	0·05	?	?	38·0	
DRESDEN - -	537,127	2,726	1,632	20·4	12·2	0·04	-	0·01	0·01	0·04	0·07	?	?	46·6	
COLOGNE - -	642,899	4,122	2,018	25·7	12·6	0·06	-	0·18	0·01	0·16	0·10	?	?	53·6	
BRESLAU - -	531,347	3,333	2,101	25·2	15·9	0·03	-	0·09	0·02	0·05	0·12	0·02	?	99·2	
FRANKFORT-ON-M.	435,103	2,220	1,063	20·5	9·8	0·04	-	0·02	0·02	0·06	0·03	?	?	47·7	
VIENNA - -	1,842,005	6,499	6,424	14·2	14·0	0·07	0·01	0·01	0·03	0·04	0·03	0·05	?	45·1	
PRAGUE - -	524,496	2,052	1,875	15·7	14·3	0·20	-	-	-	0·04	0·01	0·08	?	42·4	
TRIESTE - -	238,182	1,446	1,056	24·4	17·8	0·51	-	-	0·03	0·03	0·07	-	?	136·2	

* For statistics of other Colonial and Foreign cities during the First Quarter of 1920, see Quarterly Return for that period (No. 285).

† The death-rates in this column relate to all ages for Bombay, Madras, Christiania and Budapest, and to children under 1 year of age for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ Including 36 deaths from Plague in Calcutta, 132 in Bombay, and 2 in Alexandria, and from Asiatic Cholera 967 deaths in Calcutta, 54 in Bombay, and 4 in Madras.

|| The figures for London refer to the civilian population only.

England and Wales—Causes of Death at
Different Age-Periods in the Quarter
ended 31st March, 1920.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
18	Erysipelas - - { M F	139 125	12 4	9 9	3 6	1 2	25 21	1 —	1 —	— —	— —	27 21	1 —
19	Other epidemic diseases. { M F	17 11	— —	1 —	2 1	2 3	5 4	— 1	1 1	1 2	1 1	8 9	3 1
	A. Mumps - - { M F	4 2	— —	1 —	— —	— —	1 —	— —	1 —	1 1	1 —	4 1	— —
	B. German measles. { M F	4 2	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— 1	1 1
	C. Varicella - { M F	6 7	— —	— —	2 1	2 3	4 4	— 1	— 1	— 1	— —	4 7	2 —
	D. Other diseases included under 19. { M F	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
20	Pyæmia, Septicæmia. { M F	127 82	6 8	8 4	1 —	— 3	15 15	3 2	— 1	— —	— 1	18 19	2 3
	A. Pyæmia - { M F	16 17	1 4	2 1	— —	— —	3 5	— —	— —	— —	— —	3 5	1 —
	B. Septicæmia - { M F	110 62	5 3	5 2	1 —	— 2	11 7	3 2	— 1	— —	— 1	14 11	1 3
	C. Vaccinia - { M F	1 3	— 1	1 1	— —	— 1	1 3	— —	— —	— —	— —	1 3	— —
21	Glanders - - { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
22	Anthrax (Splenic Fever). { M F	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
23	Rabies - - - { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
24	Tetanus - - - { M F	38 6	3 3	2 —	— —	— —	5 3	— —	— —	— —	— —	5 3	4 —
25	Mycoses - - - { M F	8 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Actinomycosis { M F	7 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other mycoses { M F	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
26	Pellagra - - { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
27	Beri-beri - - { M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
28	Pulmonary tuberculosis (not acute). { M F	4,434 3,654	— 1	1 3	7 1	16 7	24 12	21 12	11 7	6 7	10 7	72 45	36 52
	A. Pulmonary tuberculosis. { M F	3,573 2,888	— 1	1 2	6 1	15 5	22 9	17 10	10 6	4 5	10 6	63 36	32 44
	B. Phthisis (not defined as tuberculous). { M F	861 766	— —	— 1	1 —	1 2	2 3	4 2	1 1	2 2	— 1	9 9	4 8

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1920—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
3 1	3 1	3 3	2 1	3 4	5 5	6 7	9 7	15 9	13 12	10 7	11 16	9 13	14 11	5 2	— 5	} 18
2	—	—	—	2	—	—	1	—	1	—	—	—	—	—	—	} 19
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} A
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	} B
2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	} C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} D
—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	} 20
6 8	7 1	6 3	3 5	8 4	11 1	5 1	8 8	12 5	8 7	9 2	8 3	8 5	4 4	3 1	1 2	} 20
—	2	1	1	1	—	1	1	2	1	—	1	—	1	—	—	} A
1	—	—	—	—	1	—	2	2	2	—	1	2	1	—	—	} B
6 7	5 1	5 3	2 5	7 4	11 —	4 1	7 6	10 3	7 5	9 2	7 2	8 3	3 3	3 1	1 2	} B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 22
—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	} 22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 24
2	3	1	4	2	3	2	3	1	2	3	3	—	—	—	—	} 24
—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	} 25
1	—	2	—	—	—	—	2	1	—	—	1	—	1	—	—	} 25
—	1	—	2	—	—	—	1	—	—	—	1	—	—	—	—	} A
1	—	1	—	—	—	—	2	1	—	—	1	—	1	—	—	} B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 26
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 26
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 27
—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	} 27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 28
64 166	276 408	438 516	439 466	450 418	577 415	524 335	472 270	387 178	306 116	206 109	116 85	48 41	15 24	7 7	1 3	} 28
50 134	218 328	362 396	343 385	374 335	461 331	418 255	391 209	306 134	242 88	163 90	96 65	38 36	12 17	3 4	1 1	} A
14 32	58 80	76 120	96 81	76 83	116 84	106 80	81 61	81 44	64 28	43 19	20 20	10 5	3 7	4 3	— 2	} B

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
29	Acute phthisis, Acute miliary tuberculosis.	M	370	1	2	2	4	9	9	14	7	9	48	16
		F	405	—	1	7	3	11	5	8	7	6	37	25
	A. Acute phthisis	M	282	—	—	—	—	—	5	5	1	2	13	6
		F	298	—	1	3	—	4	1	3	3	3	14	9
	B. Acute miliary tuberculosis.	M	88	1	2	2	4	9	4	9	6	7	35	10
		F	107	—	—	4	3	7	4	5	4	3	23	16
28 & 29	Pulmonary tuber- culosis (acute and chronic).	M	4,804	1	3	9	20	33	30	25	13	19	120	52
		F	4,059	1	4	8	10	23	17	15	14	13	82	77
30	Tuberculous meningitis.	M	475	—	6	18	52	76	66	35	45	29	251	99
		F	461	1	10	18	41	70	53	52	27	31	233	84
31	Tuberculosis of peritoneum and intestines.	M	236	1	10	15	26	52	31	14	12	8	117	21
		F	287	—	5	12	20	37	26	14	12	6	95	24
	A. Tabes mesenterica.	M	22	—	1	6	4	11	4	2	2	—	19	—
		F	21	—	—	1	4	5	4	3	1	2	15	2
	B. Other peri- toneal and intestinal tubercle.	M	214	1	9	9	22	41	27	12	10	8	98	21
		F	266	—	5	11	16	32	22	11	11	4	80	22
32	Tuberculosis of spinal column	M	109	—	—	—	—	—	1	—	4	2	7	5
		F	64	—	1	—	—	1	—	1	—	—	2	5
33	Tuberculosis of joints.	M	61	—	1	1	1	3	1	—	1	1	6	3
		F	39	—	—	1	—	1	3	—	—	—	4	5
34	Tuberculosis of other organs.	M	85	2	—	1	2	5	—	1	2	1	9	3
		F	74	—	—	1	1	2	2	2	—	1	7	2
	A. Lupus - -	M	6	—	—	—	—	—	—	—	—	—	—	—
		F	13	—	—	—	—	—	—	—	—	—	—	—
	B. Scrofula - -	M	1	1	—	—	—	1	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
	C. Other tuber- culosis in- cluded under 34.	M	78	1	—	1	2	4	—	1	2	1	8	3
		F	61	—	—	1	1	2	2	2	—	1	7	2
35	Disseminated tuberculosis.	M	234	—	4	6	13	23	14	4	11	6	58	19
		F	210	—	3	3	8	14	16	5	3	11	49	27
28- 35	Tuberculosis (all forms).	M	6,004	4	24	50	114	192	143	79	88	66	568	202
		F	5,194	2	23	43	80	148	117	89	56	62	472	224
36	Rickets, Softening of bones.	M	91	1	4	6	18	29	31	9	10	1	80	5
		F	64	1	1	7	10	19	19	8	3	3	52	2
	A. Rickets - -	M	86	1	4	6	18	29	31	9	10	1	80	5
		F	56	1	1	7	10	19	19	8	3	3	52	2
	B. Other forms of bone soften- ing.	M	5	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	—	—	—	—	—	—
37	Syphilis - - -	M	348	78	119	37	19	253	7	2	1	—	263	—
		F	255	71	69	34	16	190	9	3	—	—	202	2

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1920—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards	
12 29	46 75	40 52	26 50	31 34	39 25	35 20	26 18	21 11	14 18	9 5	3 2	4 3	— 1	— —	— —	{ 29
6 21	39 58	32 43	20 36	30 32	33 22	33 17	21 15	20 9	14 13	8 5	3 1	4 3	— —	— —	— —	
6 8	7 17	8 9	6 14	1 2	6 3	2 3	5 3	1 2	— 5	1 —	— 1	— —	— 1	— —	— —	{ B
76 195	322 483	478 568	465 516	481 452	616 440	559 355	498 288	408 189	320 134	215 114	119 87	52 44	15 25	7 7	1 3	
40 63	31 34	17 15	13 14	2 6	4 4	6 4	4 2	3 2	5 —	— —	— —	— —	— —	— —	— —	{ 30
20 28	24 25	10 25	6 19	9 14	8 19	6 8	5 9	2 5	1 5	4 6	2 2	1 3	— —	— —	— —	
2 2	— 1	— 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ A
18 26	24 24	10 24	6 19	9 14	7 19	6 8	5 9	2 5	1 5	4 6	2 2	1 3	— —	— —	— —	
10 8	16 12	18 3	10 3	7 5	8 6	5 5	5 3	3 2	4 1	6 2	4 4	— 2	— 1	— —	1 —	{ 32
5 2	8 3	3 1	1 —	4 3	3 1	4 1	3 1	2 5	4 3	4 3	4 2	3 3	3 1	1 1	— —	
5 1	3 7	10 9	6 4	6 5	7 8	4 1	11 8	3 7	7 3	2 5	5 1	2 2	— 2	2 2	— —	{ 34
— —	1 1	1 1	1 —	— —	— 1	— 1	1 —	— 4	— —	— 2	1 —	— —	— 1	1 2	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ B
5 1	2 6	9 8	5 4	6 5	7 7	4 —	10 8	3 3	7 3	2 3	4 1	2 2	— 1	1 —	— —	
30 19	23 14	23 11	12 18	13 10	7 10	13 6	8 8	9 9	6 11	8 7	4 5	1 3	— 1	— —	— 2	{ 35
186 316	427 578	559 632	513 574	522 495	653 488	597 380	534 319	430 219	347 157	239 137	138 101	59 57	18 30	10 10	2 5	
1 —	— —	— 2	— —	1 1	— 1	— —	1 3	— 1	2 —	— 1	— —	1 1	— —	— —	— —	{ 36
1 —	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— 1	— —	1 1	— —	— —	1 3	— 1	2 —	— 1	— —	1 1	— —	— —	— —	{ B
— —	3 2	2 6	4 3	8 5	14 7	12 3	7 8	8 1	8 4	12 5	5 5	1 2	1 —	— —	— —	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1920—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	1	—	—	—	1	1	—	—	—	1	—	—	—	—	}	38
—	—	1	1	—	1	1	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	—	—	—	1	1	—	—	—	1	—	—	—	—	}	B
—	—	1	1	—	1	1	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	—	2	—	4	6	15	47	88	89	127	115	75	35	27	4	}	39
—	1	1	2	4	4	2	5	11	11	11	13	12	12	3	4		
—	4	5	5	15	31	68	122	232	289	333	333	209	136	49	10	}	40
1	1	1	5	8	27	56	96	162	213	279	270	246	185	80	20		
1	1	4	4	17	19	32	64	115	145	178	202	184	89	37	10	}	41
—	1	4	9	12	20	47	91	108	136	174	207	151	118	44	20		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	42
2	1	5	9	43	61	118	157	171	189	166	135	95	64	24	10		
—	—	—	—	—	—	—	—	—	2	1	1	1	2	2	—	}	43
—	—	—	5	14	51	79	148	143	147	137	97	103	88	61	23		
—	—	—	—	1	1	6	14	9	22	22	18	25	18	17	13	}	44
—	—	2	1	—	1	1	4	3	11	13	12	14	11	14	12		
8	8	11	12	18	21	37	87	102	141	176	174	134	74	37	12	}	45
3	10	6	3	15	20	33	56	63	84	76	60	64	29	32	8		
10	13	22	21	55	78	158	334	546	688	837	843	628	354	169	49	}	39-45
6	14	19	34	96	184	336	557	661	791	856	794	685	507	258	97		
—	1	—	—	1	—	2	5	—	1	3	1	1	1	—	2	}	46
—	—	—	1	—	1	4	—	2	3	5	1	1	3	3	2		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	—	—	1	—	2	5	—	1	3	1	1	1	—	2	}	C
—	—	—	1	—	1	4	—	2	3	5	1	1	3	3	2		
53	37	22	25	13	17	15	11	16	10	9	3	2	1	—	—	}	47
76	41	34	19	21	23	22	19	15	11	8	6	4	2	—	2		
1	1	1	1	2	4	4	10	12	18	25	31	38	32	15	4	}	48
—	1	1	1	5	4	5	17	21	34	44	65	67	45	36	15		
—	—	—	1	—	2	1	2	3	2	7	7	13	10	6	3	}	A
—	—	—	—	1	—	2	2	2	5	9	11	12	10	8	3		
1	1	1	—	2	2	3	6	8	9	8	15	17	13	7	1	}	B
—	1	1	1	4	4	3	15	19	28	35	52	55	34	26	11		
—	—	—	—	—	—	—	2	1	7	10	9	8	9	2	—	}	C
—	—	—	—	—	—	—	—	—	1	—	2	—	1	2	1		

ENGLAND AND WALES—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
49	Scurvy - - - {	M 5	—	—	—	1	1	1	—	2	—	4	—
		F 2	—	—	—	—	—	1	—	—	—	1	—
50	Diabetes - - - {	M 496	—	—	—	—	—	—	—	—	1	1	4
		F 524	—	—	—	—	—	—	—	1	2	3	8
51	Exophthalmic goître. {	M 11	—	—	—	—	—	—	—	—	—	—	—
		F 119	—	—	—	—	—	—	—	—	—	—	—
52	Addison's disease - {	M 21	—	—	—	—	—	—	—	—	—	—	—
		F 40	—	—	—	—	—	—	—	—	—	—	1
53	Leucocythæmia, Lymphadenoma. {	M 101	—	—	1	2	3	—	2	2	1	8	7
		F 77	—	1	—	—	1	1	—	1	—	3	4
	A. Leucocythæ- mia (Leuchæ- mia). {	M 49	—	—	—	—	—	—	2	1	1	4	4
		F 43	—	1	—	—	1	1	—	1	—	3	1
	B. Lymphade- noma. {	M 52	—	—	1	2	3	—	—	1	—	4	3
		F 34	—	—	—	—	—	—	—	—	—	—	3
	Anæmia, Chlorosis {	M 269	1	1	1	—	3	3	2	1	1	10	2
		F 358	1	—	1	1	3	1	—	1	—	5	4
55	Other general diseases. {	M 58	17	3	—	4	24	2	2	2	—	30	2
		F 53	4	1	2	—	7	2	1	4	1	15	2
	A. Diabetes insipidus. {	M 2	—	—	—	—	—	—	—	—	—	—	1
		F 2	—	—	—	—	—	—	—	—	—	—	—
	B. Purpura - {	M 26	5	2	—	4	11	1	—	2	—	14	1
		F 35	1	1	2	—	4	2	1	3	1	11	2
	C. Hæmophilia - {	M 14	7	1	—	—	8	—	1	—	—	9	—
		F 7	3	—	—	—	3	—	—	—	—	3	—
	D. Other diseases included under 55. {	M 16	5	—	—	—	5	1	1	—	—	7	—
		F 9	—	—	—	—	—	—	—	1	—	1	—
56	Alcoholism (acute or chronic). {	M 45	—	—	—	—	—	—	—	—	—	—	—
		F 11	—	—	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning. {	M 19	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	A. Occupational lead poison- ing. {	M 19	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	B. Non-occupa- tional lead poisoning. {	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
58	Other chronic occu- pational poison- ings. {	M 1	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings. {	M —	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
60- 76	II. Diseases of the Nervous System and of the Organs of Special Sense. {	M 6,747	473	288	186	194	1,141	166	57	52	43	1,459	149
		F 6,612	333	167	142	193	835	157	45	36	29	1,102	140
60	Encephalitis - - {	M 137	—	2	—	2	4	5	3	6	2	20	14
		F 110	—	—	—	1	1	4	1	1	2	9	10

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1920—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 49
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
16	14	20	18	13	19	29	32	34	46	86	72	47	32	7	6	{ 50
7	15	16	15	17	21	16	25	34	55	73	83	82	35	13	6	
—	1	1	1	—	3	1	1	1	—	1	1	—	—	—	—	{ 51
1	3	7	10	12	9	20	15	19	10	4	6	2	—	1	—	
1	1	2	2	1	1	1	2	3	3	1	1	1	1	—	—	{ 52
—	3	1	2	2	3	1	1	6	5	5	7	2	—	1	—	
7	4	7	6	6	8	13	5	9	9	6	3	3	—	—	—	{ 53
6	3	4	4	1	6	3	6	8	10	6	7	4	2	—	—	
2	3	3	3	3	2	9	3	4	3	2	2	2	—	—	—	{ A
5	2	—	3	1	4	1	2	7	4	4	4	2	—	—	—	
5	1	4	3	3	6	4	2	5	6	4	1	1	—	—	—	{ B
1	1	4	1	—	2	2	4	1	6	2	3	2	2	—	—	
9	5	3	5	4	11	15	24	38	32	46	30	18	15	2	—	{ 54
2	6	13	10	15	20	29	39	32	42	48	42	32	15	4	—	
2	5	1	2	3	3	3	1	—	1	2	2	1	—	—	—	{ 55
5	5	—	2	4	2	1	3	4	—	1	2	2	2	1	2	
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	{ A
—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	
1	2	—	—	2	—	2	—	—	—	2	1	1	—	—	—	{ B
5	3	—	2	3	2	1	2	—	—	1	1	—	1	1	—	
—	1	1	—	1	2	—	—	—	—	—	—	—	—	—	—	{ C
—	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
1	2	—	2	—	—	1	1	—	1	—	1	—	—	—	—	{ D
—	—	—	—	—	—	—	—	3	—	—	1	1	1	—	2	
—	—	1	2	—	6	12	9	4	5	4	—	2	—	—	—	{ 56
—	—	—	—	—	—	1	2	4	1	—	2	1	—	—	—	
—	—	—	—	—	1	—	5	4	3	4	2	—	—	—	—	{ 57
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	—	5	4	3	4	2	—	—	—	—	{ A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	{ 58
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 59
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
114	128	89	99	134	200	262	283	339	451	571	753	688	619	291	118	{ 60-76
116	119	85	78	90	117	172	273	329	482	569	720	756	772	458	234	
8	23	7	14	7	9	11	4	5	4	4	2	3	2	—	—	{ 60
8	11	9	3	4	15	8	8	6	4	4	4	2	4	1	—	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1920—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
35 35	18 42	16 11	11 7	14 8	18 6	13 7	6 6	9 4	11 7	2 2	2 4	3 3	1 5	2 —	— —	}	61
9 8	5 13	7 3	3 3	2 1	4 —	1 —	3 1	1 —	— —	— —	— —	— —	— —	— —	— —		
— 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	B
26 26	13 29	9 8	8 4	12 6	14 6	12 7	3 5	8 4	11 7	2 2	2 4	3 3	1 5	2 —	— —		
— —	— —	— —	1 —	2 1	7 1	9 5	17 3	20 1	29 7	17 4	18 3	5 1	2 —	— —	1 —	}	62
8 6	15 2	8 6	7 12	10 11	17 13	22 20	29 16	24 19	41 34	51 32	72 42	45 40	36 30	17 18	2 3		
4 —	5 —	1 1	— 2	2 —	3 —	2 5	4 2	6 5	11 11	22 19	34 24	28 23	22 14	13 17	2 3	}	A
2 5	2 —	2 1	— 1	1 —	— 1	— —	— —	— —	— 2	— —	— —	1 —	— —	— —	— —		
2 1	8 2	5 4	7 9	7 11	14 12	20 15	25 14	18 14	30 21	29 13	38 18	16 17	14 16	4 1	— —	}	C
2 3	3 1	7 4	8 3	14 14	34 29	63 67	98 154	153 207	260 331	360 405	520 527	522 589	482 599	224 363	101 188		
— 2	— —	— 1	1 —	— 1	2 1	14 7	9 18	18 37	32 44	63 61	81 79	75 97	80 101	40 73	12 23	}	A
— —	— —	— —	— —	— 1	1 —	1 —	— 1	1 —	1 —	— 1	— 2	1 2	3 2	2 5	3 3		
— —	— —	— —	— —	— —	— —	— —	— 1	— —	2 —	— 1	— 1	— 1	— —	— 2	— 1	}	C
— —	— —	— —	— —	— —	1 —	— —	— 1	— 1	3 4	3 2	10 7	6 6	9 12	2 6	5 3		
2 1	3 1	7 3	7 3	14 12	30 28	48 60	89 133	134 169	222 283	294 340	429 438	440 483	390 484	180 277	81 158	}	E
1 1	— —	— —	— —	— —	1 1	2 4	— 2	12 7	4 12	22 12	20 22	24 19	24 26	13 20	6 12		
— 3	— 1	1 —	— 1	1 2	2 2	10 1	8 5	22 12	16 20	35 32	45 63	53 58	51 75	22 42	4 21	}	66
— 2	— 1	— —	— 1	— 1	2 1	8 —	4 3	20 9	15 17	32 23	38 55	47 46	39 66	18 37	4 21		
— —	— —	— —	— —	— —	— 1	1 —	2 1	1 2	— 1	1 4	3 2	2 5	4 4	— 1	— —	}	B
— 1	— —	1 —	— —	1 1	— —	1 1	2 1	1 1	1 2	2 5	4 6	4 7	8 5	4 4	— —		
— —	2 1	— —	5 2	39 6	70 5	78 5	69 12	35 10	32 5	19 4	7 1	1 1	— —	— 1	1 —	}	67
— —	3 2	2 7	2 6	3 6	4 7	3 5	4 22	15 19	13 14	12 30	17 16	7 6	6 5	3 4	— 1		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
69	Epilepsy - - - { M F	328 304	3 2	5 —	1 1	— 2	9 5	3 5	— 3	1 1	4 1	17 15	16 11
70	Convulsions (non- puerperal; 5 years and over). { M F	10 13	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	7 5
	A. Epileptiform convulsions. { M F	2 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Others in- cluded under 70. { M F	8 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	7 5
71	Infantile convul- sions (under 5 years). { M F	1,077 818	458 319	254 150	147 102	110 129	969 700	80 90	21 16	6 6	1 6	1,077 818	— —
	A. Convulsions with teeth- ing. { M F	115 101	— —	1 1	18 12	49 53	68 66	42 32	5 2	— 1	— —	115 101	— —
	B. Other infan- tile convul- sions. { M F	962 717	458 319	253 149	129 90	61 76	901 634	38 58	16 14	6 5	1 6	962 717	— —
72	Chorea - - - { M F	11 35	— —	— —	— —	— —	— —	— —	1 —	— —	2 2	3 2	1 11
73	Hysteria, Neuralgia, Neuritis. { M F	23 31	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Hysteria, Neu- ralgia, Scia- tica. { M F	3 10	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Neuritis - { M F	20 21	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
74	Other diseases of the nervous sys- tem. { M F	252 241	— —	— 2	5 1	3 3	8 6	10 3	7 4	3 —	7 1	35 14	18 14
	A. Idiocy, Imbe- cility. { M F	32 21	— —	— —	1 —	2 —	3 —	3 1	2 1	— —	2 1	10 3	8 6
	B. Cretinism - { M F	8 11	— —	— 1	— —	— 1	— 2	4 —	— 1	— —	1 —	5 3	1 2
	C. Cerebral tu- mour. { M F	113 114	— —	— 1	— —	— —	— 1	— —	1 1	2 —	2 —	5 2	5 4
	D. Other diseases included under 74. { M F	99 95	— —	— —	4 1	1 2	5 3	3 2	4 1	1 —	2 —	15 6	4 2
75	Diseases of the eyes and annexa. { M F	6 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 2
76	Diseases of the ears { M F	194 144	1 1	3 2	5 2	17 9	26 14	13 6	5 1	10 4	8 4	62 29	23 34
	A. Mastoid disease. { M F	49 49	— —	— —	2 1	3 3	5 4	4 1	1 —	3 2	3 2	16 9	7 11
	B. Other diseases of the ears. { M F	145 95	1 1	3 2	3 1	14 6	21 10	9 5	4 1	7 2	5 2	46 20	16 23
77-85	III. Diseases of the Circulatory System. { M F	9,091 9,989	9 5	8 8	4 7	5 9	26 29	11 5	5 8	4 5	14 7	60 54	68 73
77	Pericardiitis - - { M F	58 53	2 —	— —	— —	— —	2 —	2 2	1 1	— 1	1 —	6 4	— 6

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1920—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
20 11	34 29	21 22	28 21	22 25	19 20	25 21	18 20	20 19	21 26	23 13	25 18	10 18	6 11	3 3	— 1	{ 69
—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	{ 70
2	1	1	—	—	—	—	—	—	—	1	1	1	1	—	—	{ A
—	1	1	—	—	—	—	—	—	—	—	1	1	1	—	—	{ B
2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	{ 71
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B
1 10	3 8	— 2	— 1	—	—	2	—	1 1	—	—	—	—	—	—	—	{ 72
—	—	—	—	—	—	4	—	4	1	6	5	2	1	—	—	{ 73
—	—	3	1	1	2	1	2	4	4	4	3	3	1	2	—	{ A
—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	{ B
—	—	3	—	—	—	—	1	1	2	1	—	—	1	1	—	{ 74
—	—	—	—	—	—	2	—	4	1	5	5	2	1	—	—	{ A
—	—	—	1	1	2	1	1	3	2	3	3	3	—	1	—	{ B
17 6	11 9	10 12	9 15	10 11	16 13	15 23	22 18	17 15	15 15	16 23	15 15	12 14	7 13	4 4	3 7	{ 75
3 2	1 2	4 2	2 —	— 1	2 1	— 1	—	1 —	1 1	—	—	—	—	—	—	{ A
1 2	— 1	1 1	—	— 1	— 1	—	—	—	—	—	—	—	—	—	—	{ B
10 2	7 5	5 7	6 11	6 8	10 7	12 20	14 11	13 11	7 12	7 4	2 8	3 1	1 1	—	—	{ C
3 —	3 1	— 2	1 4	4 1	4 4	3 2	8 7	3 4	7 2	9 19	13	9 12	6 12	4 4	3 7	{ D
—	1	—	—	1	—	—	—	—	1	—	—	—	—	2	—	{ 76
—	—	—	—	—	—	2	1	—	1	1	—	—	1	—	—	{ 77
22 31	15 12	17 8	14 6	11 1	3 3	4 3	8 4	2 5	2 2	4 2	5 1	1 1	1 1	—	—	{ 78
4 12	3 4	4 3	5 4	2 —	2 1	1 1	— 1	2 2	1 1	—	—	1 —	1 —	—	—	{ A
18 19	12 8	13 5	9 2	9 1	1 2	3 2	8 3	— 3	1 1	4 2	5 1	— 1	— 1	—	1	{ B
84 140	110 126	130 138	173 176	179 184	254 234	277 313	435 402	630 563	791 729	1,084 1,005	1,463 1,375	1,307 1,507	1,129 1,463	594 892	323 615	{ 77-85
7 13	2 3	2 1	1 3	1 2	4 3	5 1	5 2	1 1	7 5	7 3	5 2	3 2	1 1	— 1	1 —	{ 77

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
84	Dis. of the lymphatic system (Lymphangitis, &c.)	M 45 F 29	6 4	7 5	4 4	4 5	21 18	3 1	3 2	1 —	2 —	30 21	1 1	
	A. Status lymphaticus.	M 27 F 15	5 2	5 5	3 3	3 2	16 12	1 —	3 1	1 —	2 —	23 13	—	
	B. Other diseases of the lymphatic system.	M 18 F 14	1 2	2 —	1 1	1 3	5 6	2 1	— 1	— —	— —	7 8	—	
85	Hæmorrhage, other dis. of the circulatory system.	M 51 F 73	— —	— 1	— —	— —	— 1	— —	— —	— —	1 —	1 1	—	
	A. Functional disease of the heart.	M 40 F 60	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—	
	B. Epistaxis	M — F 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—	
	C. Other diseases included under 85.	M 11 F 12	— —	— 1	— —	— —	— 1	— —	— —	— —	1 —	1 1	—	
86—98	IV.—Diseases of the Respiratory System.	M 16,041 F 14,163	487 354	1,295 834	1,056 702	1,461 1,105	4,299 2,995	1,355 1,162	413 366	208 238	170 184	6,445 4,945	34 32	
86	Diseases of the nasal fossæ.	M 17 F 10	4 —	2 3	2 —	1 1	9 4	— —	— —	— —	— 2	9 6	—	
87	Diseases of the larynx.	M 187 F 164	6 2	3 3	8 12	9 12	26 29	34 17	26 23	15 20	21 16	122 105	3 3	
	A. Laryngismus stridulus.	M 31 F 33	2 1	1 1	2 4	2 5	7 11	8 3	3 4	3 8	2 5	23 31	—	
	B. Laryngitis	M 149 F 128	4 1	2 2	6 8	7 7	19 18	26 14	22 19	12 12	19 11	98 74	2 3	
	C. Other diseases of larynx.	M 7 F 3	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	—	
88	Diseases of the thyroid body	M 5 F 59	— —	— —	— 1	— —	— 1	— —	— —	— —	— —	— 1	—	
89 & 90	Bronchitis	M 7,143 F 7,254	286 206	718 464	454 302	479 343	1,937 1,315	298 278	57 63	37 30	26 38	2,355 1,724	—	
	A. Bronchiectasis, Bronchial catarrh, &c.	M 122 F 81	5 5	9 4	7 5	5 3	26 17	— 4	1 —	1 —	— 1	28 22	—	
	B. Other bronchitis.	M 7,021 F 7,173	281 201	709 460	447 297	474 340	1,911 1,298	298 274	56 63	36 30	26 37	2,327 1,702	—	
91	Broncho-pneumonia.	M 4,095 F 3,414	137 114	472 293	483 310	809 611	1,901 1,328	819 688	250 211	100 136	79 94	3,149 2,457	1 1	
92	Pneumonia, lobar and undefined	M 3,725 F 2,580	38 27	93 63	99 69	153 125	383 284	193 167	75 65	51 46	39 31	741 593	1 1	
	A. Lobar pneumonia	M 1,659 F 1,038	7 3	23 20	15 14	39 31	84 68	48 34	24 24	18 15	14 12	188 153	—	
	B. Pneumonia (type not stated).	M 2,066 F 1,542	31 24	70 43	84 55	114 94	299 216	145 133	51 41	33 31	25 19	553 440	—	

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1920—continued.

AGES AT DEATH.																	International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
2 1	2 —	— —	3 1	— —	— —	1 1	— —	— —	— 1	3 1	— 1	1 —	1 1	1 —	— —	{	84
2 1	1 —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		A
— —	1 —	— —	3 —	— —	— —	1 1	— —	— —	— 1	3 1	— 1	1 —	1 1	1 —	— —	{	B
— —	3 3	2 1	— —	— 1	3 1	— 4	2 4	2 6	4 4	4 7	6 10	9 14	9 9	2 5	4 3		85
— —	2 2	1 1	— —	— 1	3 1	— 2	1 4	2 4	3 4	4 7	6 8	6 12	6 8	2 5	4 1	{	A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —		{
— —	1 1	1 —	— —	— —	— —	— 2	1 —	— 2	1 —	— —	— 2	3 1	3 1	— —	— 2	{	
108 89	171 100	205 141	280 213	313 254	406 263	449 277	567 334	715 457	764 591	968 822	1,175 1,051	1,110 1,296	1,045 1,390	645 947	329 666		{
— —	— 1	1 —	1 —	— 1	1 —	1 —	1 —	— —	— —	— —	1 1	— —	— —	— —	— —	{	
6 3	1 2	1 1	1 —	— 3	2 3	1 2	3 1	7 3	1 1	1 3	3 1	3 —	1 3	1 1	— —		{
1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{	
4 3	1 2	1 1	1 —	— 3	2 2	1 2	2 1	6 2	1 1	1 2	2 1	3 —	— 3	1 1	— —		{
1 —	— —	— —	— —	— —	— 1	— —	1 —	1 1	— —	— 1	1 —	— —	1 —	— —	— —	{	
— 1	2 1	1 2	— 1	— 1	— 1	— 2	— 3	1 5	— 6	1 12	— 9	— 3	— 5	— 5	— 1		{
11 8	12 9	20 15	27 19	38 35	66 55	116 72	177 119	277 228	360 330	529 490	741 715	764 952	807 1,119	518 765	279 563	{	
3 —	2 2	1 2	3 2	2 1	5 3	7 1	12 1	5 5	10 3	2 5	9 4	10 4	6 8	4 7	11 10		{
8 8	10 7	19 13	24 17	36 34	61 52	109 71	165 118	272 223	350 327	527 485	732 711	754 948	801 1,111	514 758	268 553	{	
28 15	26 11	18 15	33 23	39 42	29 40	57 37	55 37	65 44	67 67	75 88	97 93	110 120	63 88	36 56	20 36		{
55 57	117 67	148 90	200 152	215 157	266 124	232 136	264 138	277 139	245 145	272 160	227 164	159 146	121 107	51 73	10 32	{	
24 27	61 35	92 40	103 78	116 79	139 63	136 69	135 69	129 57	114 63	123 73	106 73	76 61	47 36	11 19	3 9		{
31 30	56 32	56 50	97 74	99 78	127 61	96 67	129 69	148 82	131 82	149 87	121 91	83 85	74 71	40 54	7 23	{	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
100	Diseases of the pharynx, Tonsillitis. { M	110	2	2	3	3	10	8	6	8	5	37	1	
	F	85	—	1	—	—	1	6	2	9	4	22	2	
	A. Tonsillitis { M	72	1	2	—	1	4	3	5	7	4	23	1	
	F	64	—	—	—	—	—	5	2	8	3	18	1	
	B. Ludwig's angina. { M	17	—	—	1	—	1	2	—	—	—	3	—	
	F	7	—	1	—	—	1	—	—	—	—	1	—	
	C. Other diseases of the pharynx. { M	21	1	—	2	2	5	3	1	1	1	11	—	
	F	14	—	—	—	—	—	1	—	1	1	3	—	
	101	Diseases of the œsophagus. { M	11	—	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach. { M	319	—	—	—	—	—	—	—	1	—	1	—	
	F	247	—	—	—	—	—	—	—	—	—	—	—	
103	Other diseases of the stomach. { M	389	36	84	47	30	197	9	6	—	1	213	1	
	F	444	32	46	36	22	136	19	8	3	—	166	1	
	A. Inflammation of stomach { M	334	33	79	43	30	185	8	6	—	—	199	—	
	F	386	31	43	35	22	131	19	6	3	—	159	—	
	B. Other diseases included under 103. { M	55	3	5	4	—	12	1	—	—	1	14	—	
	F	58	1	3	1	—	5	—	2	—	—	7	—	
	104 & 105	Diarrhœa and enteritis { M	1,173	116	256	230	130	732	55	20	7	8	822	—
		F	819	75	138	140	84	437	62	5	9	8	521	—
A. Infective enteritis. { M		134	13	33	38	22	106	9	3	—	1	119	—	
F		94	6	18	12	19	55	14	—	5	1	75	—	
B. Diarrhœa—not returned as infective. { M		171	24	40	31	17	112	8	6	4	—	130	—	
F		132	10	25	32	7	74	8	—	1	—	83	—	
C. Enteritis—not returned as infective. { M		280	28	60	67	33	188	9	4	—	4	205	—	
F		215	24	30	32	26	112	12	3	2	1	130	—	
D. Gastro-enteritis—not returned as infective. { M		379	41	102	85	56	284	27	7	3	3	324	—	
F		273	32	53	51	29	165	28	2	1	6	202	—	
106	E. Dyspepsia—under 2 years. { M	39	8	20	9	1	38	1	—	—	—	39	—	
	F	28	3	9	13	3	28	—	—	—	—	28	—	
	F. Colic { M	7	2	1	—	1	4	—	—	—	—	4	—	
	F	8	—	2	—	—	2	—	—	—	—	2	—	
	G. Ulceration of intestines. { M	22	—	—	—	—	—	—	—	—	—	—	—	
	F	34	—	1	—	—	1	—	—	—	—	1	—	
	H. Duodenal ulcer. { M	141	—	—	—	—	—	1	—	—	—	1	—	
	F	35	—	—	—	—	—	—	—	—	—	—	—	
107	Ankylostomiasis { M	1	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	
108	Other intestinal parasites. { M	3	—	—	—	—	—	2	—	—	—	2	—	
	F	5	—	—	—	—	—	2	1	—	—	3	—	
109	Appendicitis { M	353	—	—	—	1	1	—	1	7	10	19	—	
	F	285	—	—	—	—	—	2	1	3	3	9	—	

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1920—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
4 4	5 4	6 2	4 3	3 2	8 7	4 2	5 2	7 4	3 5	1 3	3 3	2 1	2 —	1 1	— —	}	100
3 3	3 4	5 1	2 3	2 1	4 4	3 2	2 2	5 3	2 4	— —	1 3	2 —	— —	1 1	— —		}
1 1	1 —	1 —	1 —	1 1	2 1	— —	3 —	2 —	1 1	— —	— —	— 1	1 —	— —	— —	}	
— —	1 —	— 1	1 —	— —	2 2	1* —	— —	— 1	— —	1 3	2 —	— —	1 —	— —	— —		}
— —	— —	— —	— —	1 —	— —	— —	— 1	2 1	— 1	1 —	3 4	— 1	2 2	1 —	1 1	}	
— 3	7 5	11 13	18 11	24 21	41 29	34 28	42 35	35 27	27 23	36 20	25 11	11 14	2 3	3 4	— —		}
5 5	3 2	1 3	1 2	2 4	9 7	9 8	10 10	16 13	16 21	23 16	21 34	15 37	14 48	14 38	7 20	}	
5 5	1 1	1 2	— 1	1 4	6 5	8 4	10 7	12 11	12 19	18 13	14 29	11 29	12 39	10 32	5 17		}
— —	2 1	— 1	1 1	1 —	3 2	1 4	— 3	4 2	4 2	5 3	7 5	4 8	2 9	4 6	2 3	}	
8 7	12 6	11 8	11 11	19 16	28 14	18 11	31 15	29 21	31 18	28 27	28 24	29 32	21 31	19 24	10 11		}
— 1	— —	2 —	— 1	— 2	2 1	1 1	— 1	1 2	1 —	2 1	2 1	1 1	— 3	2 —	— 1	}	
1 —	2 —	1 1	1 —	— 1	1 2	1 —	— —	1 3	— —	3 5	1 3	9 7	12 12	5 10	2 4		}
1 1	4 1	1 4	3 3	4 3	2 5	— 4	4 4	5 5	5 7	3 8	12 7	5 12	6 6	10 6	4 4	}	
6 4	4 2	1 1	— 3	2 1	3 —	— 1	4 2	4 6	3 3	6 5	5 9	5 10	— 6	— 6	3 1		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— 1	— 1	— 1	1 1	— —	— 1		}
— —	1 2	— 1	2 3	3 7	5 3	— 3	1 3	— 2	1 4	3 3	2 1	2 1	— —	1 —	— —	}	
— 1	1 1	6 1	5 1	10 2	13 3	16 2	22 5	18 3	21 4	11 4	6 2	7 —	2 3	1 2	1 —		}
— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
51 30	49 36	29 34	23 19	16 15	21 18	22 22	22 13	22 10	18 16	6 8	7 9	8 6	1 4	1 1	— 1	}	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
109	Hernia, Intestinal obstruction.	M 516	13	17	36	30	96	15	5	2	2	120	13
		F 544	10	6	16	13	45	6	3	2	1	57	10
	A. Hernia - -	M 199	5	7	9	5	26	4	1	1	—	32	1
		F 226	3	1	1	—	5	1	1	1	—	8	—
	B. Intestinal obstruction.	M 317	8	10	27	25	70	11	4	1	2	88	12
		F 318	7	5	15	13	40	5	2	1	1	49	10
110	Other diseases of the intestines.	M 49	—	6	2	—	8	1	1	—	—	10	—
		F 61	3	1	—	2	6	3	—	—	—	9	—
111	Acute yellow atrophy of the liver.	M 6	—	—	—	—	—	—	—	—	—	—	1
		F 9	—	—	—	—	—	—	—	1	—	1	—
112	Hydatid of liver -	M 2	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver	M 283	—	—	—	1	1	—	—	—	—	1	—
		F 126	—	—	—	—	—	—	—	—	—	—	1
	A. Cirrhosis of the liver not ret'd alcoholic.	M 250	—	—	—	1	1	—	—	—	—	1	—
		F 119	—	—	—	—	—	—	—	—	—	—	1
	B. Cirrhosis of the liver ret'd as alcoholic.	M 28	—	—	—	—	—	—	—	—	—	—	—
		F 4	—	—	—	—	—	—	—	—	—	—	—
	C. Dis. formerly classed to "Other dis. of liver and gall bladder."	M 5	—	—	—	—	—	—	—	—	—	—	—
		F 3	—	—	—	—	—	—	—	—	—	—	—
114	Biliary calculi -	M 48	—	—	—	—	—	—	—	—	—	—	—
		F 149	—	—	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver.	M 96	—	1	—	1	2	—	2	1	—	5	1
		F 103	—	—	—	—	—	1	—	—	—	1	2
116	Diseases of the spleen.	M 3	—	—	—	—	—	—	—	—	—	—	—
		F 8	—	—	—	—	—	—	—	—	—	—	—
	A. Infarction of spleen.	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	B. Other diseases of the spleen.	M 3	—	—	—	—	—	—	—	—	—	—	—
		F 8	—	—	—	—	—	—	—	—	—	—	—
117	Peritonitis (cause unstated).	M 55	3	6	—	—	9	—	1	3	—	13	1
		F 81	3	1	—	—	4	1	2	1	2	10	11
118	Other diseases of the digestive system.	M 32	—	—	—	—	—	—	—	—	—	—	—
		F 21	—	—	—	—	—	—	—	—	1	1	—
	A. Abdominal abscess, Sub-phrenic absces.	M 2	—	—	—	—	—	—	—	—	—	—	—
		F 3	—	—	—	—	—	—	—	—	1	1	—
	B. Other diseases included under 118.	M 30	—	—	—	—	—	—	—	—	—	—	—
		F 18	—	—	—	—	—	—	—	—	—	—	—
119-133	VI. Non - Venereal Diseases of the Genito-Urinary System and Annexa.	M 2,725	10	12	5	4	31	8	7	13	5	64	33
		F 2,063	3	5	2	7	17	12	4	12	9	54	33
119	Acute Nephritis -	M 251	4	6	4	3	17	6	6	11	5	45	2
		F 233	—	4	2	4	10	11	4	9	9	43	2

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1920—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
8 3	13 2	13 4	7 13	11 11	11 15	12 20	19 26	23 36	33 55	51 61	56 63	55 56	47 61	20 38	4 13	}	109
1 —	3 —	5 —	— —	1 1	5 6	5 6	7 9	9 21	13 22	20 32	28 39	32 36	26 27	9 16	2 3		}
7 3	10 2	8 4	7 13	10 10	6 9	7 14	12 17	14 15	20 33	31 29	28 24	23 20	21 34	11 22	2 10	}	
1 2	— 1	1 2	1 1	— 3	2 2	2 —	1 2	6 2	6 7	3 4	1 6	5 6	3 11	3 1	4 2		}
— 1	1 1	1 —	— 1	— —	— 3	1 —	1 2	— —	— —	1 —	— —	— —	— —	— —	— —	}	
— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —		}
1 —	2 1	— 1	1 1	3 2	12 —	24 12	26 15	50 28	52 20	39 17	46 13	16 10	7 5	2 —	1 —	}	
1 —	2 1	— 1	1 —	3 2	9 —	22 10	26 15	42 27	47 20	33 15	40 12	16 10	4 5	2 —	1 —		}
— —	— —	— —	— 1	— —	3 —	1 1	— —	7 —	4 —	5 1	5 1	— —	3 —	— —	— —	}	
— —	— —	— —	— —	— —	— —	1 1	— —	1 1	1 —	1 1	1 —	— —	— —	— —	— —		}
— —	— —	1 1	— —	2 3	2 3	2 5	3 7	6 15	3 27	5 18	8 26	7 23	5 14	2 4	2 3	}	
1 1	2 —	1 2	4 2	3 3	6 3	5 4	7 4	8 10	7 6	9 16	8 14	13 18	10 13	4 3	2 1		}
— —	— —	— —	— 1	1 —	— 3	1 1	— 1	1 —	— 1	— —	— —	— —	— —	— 1	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	— 1	1 —	— 3	1 1	— 1	1 —	— 1	— —	— —	— —	— —	— 1	— —	}	
2 10	3 2	2 7	2 5	5 1	3 6	1 8	2 1	4 4	4 1	2 5	2 2	5 2	4 4	— 1	— 1		}
— —	— —	1 2	— 2	3 —	2 1	1 1	3 2	6 4	5 2	5 1	3 1	2 3	1 1	— —	— —	}	
— —	— —	— —	— 1	— —	1 —	— —	— —	— —	— —	1 —	— —	— 1	— —	— —	— —		}
— —	— —	1 2	— 1	3 —	1 1	1 1	3 2	6 4	5 2	4 1	3 1	2 2	1 1	— —	— —	}	
26 32	33 40	39 54	43 78	68 101	98 119	110 126	169 188	202 161	297 201	320 207	341 207	366 186	299 148	145 87	67 35		}
14 12	10 14	5 13	9 12	14 14	15 12	16 9	17 16	21 13	17 10	22 8	9 10	6 9	3 8	1 2	— —	}	

ENGLAND AND WALES—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1920—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
9 18	21 20	26 24	30 32	42 48	69 57	79 66	122 116	152 113	208 155	214 163	211 167	203 153	125 108	51 69	27 23	} 120
7 13	16 15	15 14	16 17	29 35	47 47	59 55	94 93	122 93	174 132	183 135	176 142	178 128	109 96	44 62	21 18	
2 5	5 5	11 10	14 15	13 13	22 10	20 11	28 23	30 20	34 23	31 28	35 25	25 25	16 12	7 7	6 5	} B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 121
2 —	1 2	4 3	2 4	5 2	3 11	5 4	8 7	2 6	9 9	9 4	5 5	14 5	9 4	1 3	2 —	
—	—	2 —	— 1	— 1	1 2	— —	3 1	— —	— 1	— —	— —	— 1	— —	— —	— —	} A
—	1 —	1 —	— —	— —	— 1	2 —	1 1	— 2	1 2	1 1	— —	— 1	— 1	— —	— —	
—	—	—	—	—	—	—	—	—	—	1 —	— —	2 1	2 —	— 1	1 —	} C
2 —	— 2	1 3	2 3	5 1	2 8	3 4	4 5	2 4	8 6	7 3	5 5	12 2	7 3	1 2	1 —	
—	1 —	2 —	1 3	2 3	2 1	2 5	— 2	1 2	9 2	5 —	7 1	7 —	2 4	2 —	— —	} 123
— 1	— —	2 1	— —	3 —	2 1	4 2	12 1	10 6	15 2	21 5	28 5	38 7	45 14	27 7	15 7	
1 —	— —	— —	1 —	2 —	6 —	4 —	8 —	13 1	14 —	10 —	11 —	9 1	6 —	2 —	— —	} 125
1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	
—	—	—	1 —	2 —	5 —	4 —	8 —	13 1	14 —	9 —	11 —	8 1	6 —	2 —	— —	} B
—	—	—	—	—	1 —	— —	2 —	2 —	23 —	38 —	70 —	89 —	109 —	61 —	23 —	
—	—	—	—	—	—	—	—	1 —	2 —	1 —	— —	— —	— —	— —	— —	} 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1 —	— —	1 —	1 —	3 —	3 —	2 —	— —	— —	— —	— —	— —	— —	1 —	— —	} 128
—	1 —	— —	1 —	1 —	1 —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	
—	—	—	—	—	2 —	3 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	} B
—	—	—	4 —	8 —	10 —	12 —	20 —	9 —	4 —	9 —	5 —	1 —	2 —	2 —	— —	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
138	Puerperal albumin- uria and convul- sions.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	193 ⁵	—	—	—	—	—	—	—	—	—	—	
	A. Puerperal ne- phritis and uræmia.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	36	—	—	—	—	—	—	—	—	—	—	
	B. Puerperal albuminuria and Bright's disease.	M	—	—	—	—	—	—	—	—	—	—		
		F	13	—	—	—	—	—	—	—	—	—		
	C. Puerperal convulsions.	M	—	—	—	—	—	—	—	—	—	—		
		F	144	—	—	—	—	—	—	—	—	—		
139	Puerperal phlegma- sia alba dolens, embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—		
		F	100	—	—	—	—	—	—	—	—	—		
	A. Puerperal phlegmasia alba dolens, and phlebitis.	M	—	—	—	—	—	—	—	—	—	—		
		F	17	—	—	—	—	—	—	—	—	—		
	B. Puerperal em- bolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—		
		F	83	—	—	—	—	—	—	—	—	—		
140	Puerperal insanity	M	—	—	—	—	—	—	—	—	—	—		
		F	12	—	—	—	—	—	—	—	—	—		
141	Puerperal diseases of the breast.	M	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—		
142— 145	VIII. Diseases of the Skin and of the Cellular Tissue.	M	562	53	28	15	10	106	8	3	1	2	120	5
		F	485	25	27	10	6	68	12	3	3	—	86	6
142	Gangrene	M	201	4	—	—	—	4	—	2	—	—	6	1
		F	211	3	—	—	—	3	1	—	1	—	5	3
	A. Senile gangrene.	M	178	—	—	—	—	—	—	—	—	—	—	—
		F	190	—	—	—	—	—	—	—	—	—	—	—
	B. Noma, Gan- grene of mouth.	M	9	2	—	—	—	2	—	2	—	—	4	1
		F	10	1	—	—	—	1	—	—	1	—	2	3
	C. Noma pudendi	M	4	1	—	—	—	1	—	—	—	—	1	—
		F	1	—	—	—	—	—	1	—	—	—	1	—
	D. Other gan- grene.	M	10	1	—	—	—	1	—	—	—	—	1	—
		F	10	2	—	—	—	2	—	—	—	—	2	—
143	Carbuncle, Boil	M	73	—	—	1	—	1	—	—	—	—	1	—
		F	21	—	—	—	1	1	1	—	—	—	2	—
144	Phlegmon, Acute abscess.	M	154	17	9	5	2	33	4	—	—	2	39	3
		F	109	8	12	5	3	28	6	1	2	—	37	2
	A. Phlegmon	M	103	8	2	2	—	12	—	—	—	1	13	2
		F	75	5	6	4	1	16	1	1	1	—	19	—
	B. Acute Abscess	M	51	9	7	3	2	21	4	—	—	1	26	1
		F	34	3	6	1	2	12	5	—	1	—	18	2

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1920—continued.

AGES AT DEATH																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
—	12	37	53	49	27	14	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	1	6	5	10	12	2	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	1	4	4	2	1	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	10	27	44	37	14	11	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	2	10	19	24	29	16	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	2	2	4	7	2	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	2	8	17	20	22	14	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	1	5	3	2	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	11	3	4	9	15	18	22	18	32	40	45	67	71	47	35	142- 145
3	3	4	7	9	8	8	10	10	16	28	39	62	82	66	38	
—	2	—	—	1	1	1	2	—	4	14	21	46	43	32	27	142
2	—	—	1	1	2	1	1	2	2	16	15	39	52	43	26	
—	—	—	—	—	—	—	—	—	—	13	21	45	42	32	25	A
—	—	—	—	—	—	—	—	1	—	15	14	39	52	43	26	
—	1	—	—	1	—	1	1	—	—	—	—	—	—	—	—	B
2	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	
—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	—	1	—	4	—	—	1	1	—	1	D
—	—	—	1	—	1	—	1	1	2	1	1	—	—	—	—	
—	4	1	1	2	5	8	8	2	8	7	10	8	4	3	1	143
1	—	1	—	—	1	2	2	—	3	2	1	1	2	2	1	
—	4	2	3	5	7	8	9	13	14	14	7	5	13	4	4	144
—	1	3	5	7	4	1	3	5	4	6	9	9	6	6	1	
—	2	1	2	3	5	6	6	9	14	11	7	4	12	3	3	A
—	1	2	5	5	3	1	3	4	2	5	6	7	5	6	1	
—	2	1	1	2	2	2	3	4	—	3	—	1	1	1	1	B
—	—	1	—	2	1	—	—	1	2	1	3	2	1	—	—	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFEREN

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
145	Diseases of the integumentary system.	M 134	32	19	9	8	68	4	1	1	—	74	1
	F 144	144	14	15	5	2	36	4	2	—	—	42	1
	A. Ulcer, Bedsore	M 35	1	—	—	—	1	—	—	—	—	1	—
	F 71	71	—	—	—	—	—	—	—	—	—	—	—
	B. Eczema -	M 36	6	7	5	6	24	2	—	1	—	27	—
	F 21	21	2	5	2	—	9	2	2	—	—	13	—
	C. Pemphigus -	M 25	15	5	—	1	21	—	—	—	—	21	—
	F 12	12	7	2	—	—	9	—	—	—	—	9	—
	D. Other Dis. of the integumentary system.	M 38	10	7	4	1	22	2	1	—	—	25	—
	F 40	40	5	8	3	2	18	2	—	—	—	20	1
146—	IX. Diseases of the Bones and of the Organs of Locomotion.	M 135	2	4	1	1	8	4	1	3	1	17	23
149		F 87	87	1	1	—	1	3	2	2	3	3	13
146	Diseases of the bones	M 108	1	2	—	1	4	4	—	3	1	12	22
	F 58	58	—	1	—	1	2	2	2	3	3	12	9
147	Diseases of the joints.	M 26	1	2	1	—	4	—	1	—	—	5	1
	F 23	23	1	—	—	—	1	—	—	—	—	1	—
148	Amputations -	M —	—	—	—	—	—	—	—	—	—	—	—
	F 1	1	—	—	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system.	M 1	—	—	—	—	—	—	—	—	—	—	—
	F 5	5	—	—	—	—	—	—	—	—	—	—	1
	X. Malformations.												
150	Congenital malformations.	M 690	409	142	52	28	631	12	6	9	3	661	9
	F 514	514	318	86	38	27	469	8	3	2	7	489	7
	A. Congenital hydrocephalus.	M 45	12	6	6	7	31	5	2	3	1	42	2
	F 26	26	6	4	4	5	19	—	1	—	2	22	3
	B. Phimosi	M 10	4	2	2	—	8	—	1	—	—	9	—
	F —	—	—	—	—	—	—	—	—	—	—	—	—
	C. Congenital malformation of heart.	M 297	184	54	17	9	264	5	2	4	2	277	7
	F 205	205	118	34	11	14	177	6	1	1	4	189	1
	D. Other congenital malformations.	M 338	209	80	27	12	328	2	1	2	—	333	—
	F 283	283	194	48	23	8	273	2	1	1	1	278	3
151—	XI. Diseases of Early Infancy.	M 4,848	4,007	618	166	57	4,848	—	—	—	—	4,848	—
153		F 3,593	3,593	2,977	460	122	34	3,593	—	—	—	—	3,593
151	Premature birth,	M 4,315	3,497	595	166	57	4,315	—	—	—	—	4,315	—
	Infantile debility, Icterus and Sclerema.	F 3,140	2,545	439	122	34	3,140	—	—	—	—	3,140	—
	A. Premature birth.	M 2,783	2,536	219	23	5	2,783	—	—	—	—	2,783	—
	F 2,202	2,202	1,964	209	23	6	2,202	—	—	—	—	2,202	—
	B. Infantile atrophy, debility and marasmus.	M 1,392	846	356	140	50	1,392	—	—	—	—	1,392	—
	F 866	866	523	219	97	27	866	—	—	—	—	866	—
	C. Icterus neonatorum.	M 114	105	9	—	—	114	—	—	—	—	114	—
	F 63	63	55	8	—	—	63	—	—	—	—	63	—
	D. Sclerema and œdema neonatorum.	M 7	5	2	—	—	7	—	—	—	—	7	—
	F 3	3	1	1	1	—	3	—	—	—	—	3	—
	E. Want of breast milk.	M 19	5	9	3	2	19	—	—	—	—	19	—
	F 6	6	2	2	1	1	6	—	—	—	—	6	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
152	Other diseases peculiar to early infancy.	M 486 F 401	464 381	22 20	— —	— —	486 401	— —	— —	— —	— —	486 401	— —
	A. Diseases of umbilicus, &c.	M 55 F 58	50 50	5 8	— —	— —	55 58	— —	— —	— —	— —	55 58	— —
	B. Atelectasis	M 219 F 209	205 201	14 8	— —	— —	219 209	— —	— —	— —	— —	219 209	— —
	C. Injuries at birth.	M 203 F 131	200 127	3 4	— —	— —	203 131	— —	— —	— —	— —	203 131	— —
	D. Cyanosis neonatorum.	M 9 F 3	9 3	— —	— —	— —	9 3	— —	— —	— —	— —	9 3	— —
153	Lack of care - -	M 47 F 52	46 51	1 1	— —	— —	47 52	— —	— —	— —	— —	47 52	— —
XII.—Old Age.													
154	Old age - - -	M 3,136 F 4,560	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Senile dementia.	M 176 F 213	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Senile decay -	M 2,960 F 4,347	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
155-186	XIII.—Affections produced by External Causes.	M 3,128 F 1,426	68 56	46 42	25 15	20 14	159 127	64 48	60 34	52 42	48 41	383 292	131 79
155	Suicide by poison -	M 50 F 35	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia	M 33 F 29	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation.	M 139 F 33	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning	M 106 F 94	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms	M 64 F 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments.	M 133 F 28	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place.	M 13 F 12	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing	M 37 F 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides -	M 6 F 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
155-163	Suicide - - -	M 581 F 245	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food -	M 8 F 4	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —
165	Other acute poisonings.	M 12 F 10	1 —	1 —	— 1	— —	2 1	1 —	— —	— —	— —	3 1	— —
166	Conflagration -	M 15 F 30	— —	— —	— —	— —	— —	— 3	— —	— 2	2 1	2 6	— —
167	Burns (conflagration excepted).	M 238 F 360	1 —	2 1	5 2	10 12	18 15	50 33	45 27	29 28	20 32	162 135	20 50

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1920—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	152
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	153
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	3	36	153	526	866	883	668	154
—	—	—	—	—	—	—	—	2	3	38	154	602	1141	1297	1323	
—	—	—	—	—	—	—	—	—	1	10	34	44	37	31	19	A
—	—	—	—	—	—	—	—	—	1	12	33	48	46	44	29	
—	—	—	—	—	—	—	—	1	2	26	119	482	829	852	649	B
—	—	—	—	—	—	—	—	2	2	26	121	554	1095	1253	1294	
92	165	166	169	174	208	211	246	259	240	215	182	110	106	39	32	155— 186
33	48	52	49	50	54	74	70	74	86	60	72	73	109	78	73	
—	—	4	3	7	2	7	5	9	4	3	3	2	1	—	—	155
—	1	4	3	2	2	6	6	3	2	3	2	—	1	—	—	
—	—	2	3	1	3	1	6	5	5	3	2	1	1	—	—	156
—	—	1	1	3	5	6	7	1	4	1	—	—	—	—	—	
4	4	5	5	13	6	8	12	23	18	13	12	7	5	2	2	157
—	—	1	1	3	2	6	4	5	5	2	2	1	1	—	—	
1	1	4	3	4	12	6	14	7	16	13	12	3	5	4	1	158
—	3	8	7	11	11	14	7	14	5	7	3	2	2	—	—	
—	3	5	6	2	6	5	8	9	6	6	5	2	—	1	—	159
—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	
—	—	2	2	11	11	13	21	18	17	13	15	7	3	—	—	160
—	1	2	1	3	3	—	5	4	4	1	1	2	1	—	—	
1	—	—	—	—	1	1	1	3	3	—	2	—	—	1	—	161
—	1	—	1	1	—	—	2	2	2	1	1	—	—	—	1	
—	4	3	1	5	3	2	4	5	4	4	1	—	1	—	—	162
—	—	1	1	—	1	—	1	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	163
—	—	1	—	2	—	1	—	—	—	—	1	—	—	—	—	
6	12	25	23	43	44	43	71	79	73	58	53	23	17	8	3	155— 163
—	6	18	16	25	25	35	32	30	22	15	10	5	5	—	1	
—	—	—	—	1	—	—	—	2	1	2	—	—	—	1	—	164
—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	
—	1	—	—	—	1	3	—	1	—	1	—	2	—	—	—	165
—	—	1	—	1	2	2	1	1	—	1	—	—	—	—	—	
—	—	1	—	—	—	1	1	3	3	1	1	—	—	—	—	166
1	8	4	1	1	—	—	1	2	1	—	—	—	3	1	—	
5	3	1	1	3	1	5	2	6	5	1	3	7	7	2	4	167
16	7	9	11	4	8	9	6	9	12	3	12	22	22	17	8	

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1920—continued.

AGES AT DEATH.																International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
3 1	3 —	3 —	2 1	4 1	2 1	2 —	3 —	3 2	1 —	2 3	4 1	1 —	— 5	— —	— —	{ 168
6 2	8 7	18 9	24 6	23 5	23 6	38 4	22 11	26 6	21 7	24 5	16 8	16 1	4 —	3 —	1 —	
4 —	4 —	3 —	2 —	1 —	— —	3 1	— —	2 —	— —	1 —	— —	— —	— —	— —	— —	{ 170
1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
8 1	12 4	12 —	19 1	10 1	12 —	24 8	33 11	38 14	45 20	45 21	33 28	26 35	41 63	18 57	23 61	{ 172
5 —	34 1	20 —	18 —	24 —	36 —	22 —	24 —	18 —	20 —	9 —	11 —	4 —	— —	— —	— —	
5 1	23 1	8 —	6 —	6 1	8 —	7 —	10 —	10 —	5 1	3 —	3 —	4 —	— —	— —	— —	{ 174
38 9	52 10	41 4	41 4	32 4	66 6	42 11	62 5	56 6	53 15	53 11	45 12	24 10	30 8	7 3	1 1	
— —	1 —	1 —	— —	1 —	— —	— —	— —	— —	2 —	4 —	3 —	1 —	— —	— —	— —	{ 176
— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	3 —	1 —	— —	— —	— —	— —	
1 —	— —	— —	— —	— —	1 —	— —	1 —	1 2	— —	3 —	3 —	1 —	2 1	— —	— 1	{ 178
— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ 180
— —	1 —	1 —	3 —	1 —	— —	— —	1 —	1 —	— —	1 —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ 182
— —	— —	1 —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
1 —	— —	— 2	2 —	1 2	— 1	1 2	— 1	— —	— —	— —	— —	— —	— 1	— —	— —	{ 183
— 1	1 2	— 2	— 6	1 2	2 1	3 1	1 1	3 2	3 3	— —	1 —	1 —	1 —	— —	— —	
— —	— —	— —	1 —	1 —	1 —	— —	1 —	— —	1 4	— —	1 —	— —	1 —	— —	— 1	{ 185
10 —	10 2	32 2	26 —	21 2	11 3	17 1	13 —	9 —	7 1	4 1	4 1	— —	3 —	— —	— —	
4 3	1 1	3 6	2 6	5 4	9 5	16 16	26 11	34 26	39 28	44 27	75 35	4 9	9 3	2 1	1 1	{ 187- 189
— —	— —	— —	— —	— —	— —	— 2	— —	— 1	— —	— —	— —	— —	1 1	— —	— 1	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
188	Syncope, Sudden death. {	M 38	—	—	—	—	—	—	—	—	—	—	—
		F 25	—	—	—	—	—	—	—	—	—	—	—
	A. Syncope (aged 1 year and under 70 years). {	M 37	—	—	—	—	—	—	—	—	—	—	—
		F 23	—	—	—	—	—	—	—	—	—	—	—
	B. Sudden death (not otherwise defined). {	M 1	—	—	—	—	—	—	—	—	—	—	—
		F 2	—	—	—	—	—	—	—	—	—	—	—
189	Ill-defined causes - {	M 298	17	3	1	7	28	23	5	3	—	59	—
		F 210	9	2	—	3	14	26	5	5	4	54	—
	A. Heart failure (aged 1 year and under 70). {	M 190	—	—	—	—	—	1	—	1	—	2	—
		F 124	—	—	—	—	—	2	—	—	3	5	—
	B. Atrophy, debility, marasmus (aged 1 year and under 70). {	M 31	—	—	—	—	—	19	5	2	—	26	—
		F 30	—	—	—	—	—	20	4	4	—	28	—
	C. Teething - {	M 8	—	—	—	6	6	2	—	—	—	8	—
		F 3	—	1	—	1	2	1	—	—	—	3	—
	D. Pyrexia - - {	M 1	—	—	—	—	—	—	—	—	—	—	—
		F 2	—	—	—	—	—	—	—	1	—	1	—
	E. Other ill-defined deaths. {	M 54	10	3	1	1	15	1	—	—	—	16	—
		F 43	6	1	—	2	9	2	1	—	1	13	—
	F. Cause not specified. {	M 14	7	—	—	—	7	—	—	—	—	7	—
		F 8	3	—	—	—	3	1	—	—	—	4	—

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE

BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1920.

FOR OFFICIAL USE.

QUARTERLY RETURN

OF

MARRIAGES, BIRTHS, AND DEATHS

REGISTERED IN

ENGLAND AND WALES

AND IN THE REGISTRATION COUNTIES;

AND OF BIRTHS, DEATHS, AND NOTIFIED CASES OF INFECTIOUS DISEASE
IN CERTAIN LARGE TOWNS.

~~~~~  
**Published by Authority of the Registrar-General.**  
~~~~~

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and

28, ABINGDON STREET, LONDON, S.W. 1;

37, PETER STREET, MANCHESTER;

1, ST. ANDREW'S CRESCENT, CARDIFF;

23, FORTH STREET, EDINBURGH;

or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

No. 288.]

[Price 1s. Net.

Marriages—*July, August, September, 1920, and Year 1920.*

Births and Deaths—*October, November, December, 1920, and Year 1920.*

*General Register Office, Somerset House,
31st January, 1921.*

The figures in this publication are tabulated mainly from statistical Returns furnished by the local Registrars, and may not be found to correspond exactly with the authoritative figures for the whole year to be published later in the Annual Report. *With this issue of the Quarterly Return, tables are included relating to the year 1920. A table of the deaths (by sex, age, and cause) in England and Wales during the second quarter of the year 1920 is also included and similar tables for subsequent quarters will be published from time to time as available in future issues of this Return. A list of changes in the boundaries of administrative areas and Poor Law areas during the six months ended 31st December 1920 is also included.*

ENGLAND AND WALES.

The figures in this Quarterly Return are based upon the BIRTHS and DEATHS registered in the 1,917 registration sub-districts of England and Wales in the three months ended 31st December, 1920; and the MARRIAGES in 16,135 churches or chapels, in 17,809 registered places of worship unconnected with the Established Church, and in 634 Superintendent Registrars' Offices, in the three months ended 30th September, 1920.

The births registered during the three months ended 31st December, 1920, numbered 208,380 and the deaths 115,603; the number of persons married during the three months ended 30th September, 1920, was 219,888.

Marriages.

The number of persons married during the *third* quarter of 1920 showed an increase of 2,552 over the number in the preceding quarter, and was 7,300 more than that in the *third* quarter of 1919; it corresponds to an annual rate of 23·3 per 1,000 total population, including armed forces abroad, in 1919.*

Births.

The births registered in the *fourth* quarter of 1920 were 21,487 fewer than in the preceding quarter, and 15,201 fewer than in the *fourth* quarter of 1919.

Of the 208,380 births, 9,434 (or 785 less than the number in the corresponding quarter of 1919) were illegitimate; the distribution of the illegitimate births among the several registration counties is shown in Table IVa.

The births of males numbered 107,102 and those of females 101,278. Male births were in proportion to female births as 1,058 to 1,000, the average proportion in the ten preceding fourth quarters being 1,048.

The 208,380 births registered during the quarter correspond to an annual rate of 22·0 per 1,000 total population, including armed forces abroad, in 1919.*

Natural Increase of Population.

The natural increase of population in England and Wales last quarter by excess of births over deaths was 92,777, against 40,947, and 108,821, in the fourth quarters of 1917 and 1919, and a natural decrease of 79,379 in the fourth quarter of 1918. This statement excludes all deaths among the armed forces except those registered in this country.

Deaths.

The deaths registered in England and Wales last quarter were 21,913 more than in the preceding quarter, and 843 more than in the fourth quarter of 1919.

The 115,603 registered deaths included 59,531 of males and 56,072 of females. The total deaths correspond to an annual rate of 12·5 per 1,000 total population in England and Wales in 1919.*

Influenza was stated to be either a primary or a contributory cause of death in 1,396, or 1·2 per cent. of the total deaths registered last quarter. No death from small-pox was registered during the quarter.

* The estimates of population for the year 1920 depend upon the movements of births, deaths, migration, &c., up to the middle of the year, and were not available for the calculation of rates in the returns for the first three quarters. For the sake of comparability, therefore, the 1919 populations have been continued in use for the quarterly rates in this return. Estimates of the population in the middle of 1920 have now been made, the total population being 37,609,600. Based upon this population the marriage-rate during the third quarter of 1920 was 23·2 per 1,000 and the birth-rate and death-rate during the fourth quarter were 22·0 and 12·2 per 1,000 respectively. The new estimates have been employed in Table II. and in the sections dealing with statistics for the whole year, those relating to the towns representing civilians only.

Infant Mortality.

Infant mortality, measured by the proportion of deaths under one year of age to registered births, was equal to 85 per 1,000, being 19 per 1,000 below the average in the ten preceding fourth quarters.

Urban Mortality.

Table III. shows the birth-rates, the death-rates from all causes, from the principal epidemic diseases, and from violence, and the infant mortality, together with the proportion of inquest cases, of uncertified deaths, and of deaths in public institutions among the civilian population during the last five quarters in the 96 great towns, in the 148 smaller towns, and among the total population in England and Wales. The numbers of deaths from influenza last quarter in the several 244 towns are shown in Tables V. and VII., and the death-rates in the 96 great towns in Table VI.

The highest death-rates per 1,000 from the several epidemic diseases among the 96 great towns last quarter, as shown by Table VI., were as follows:—from *enteric fever*, 0·21 in Hastings; from *measles*, 0·43 in Bath, 0·46 in West Bromwich, 0·47 in Sheffield, 0·52 in Rhondda, 0·54 in Warrington, 0·79 in Middlesbrough, and 0·82 in Walsall; from *scarlet fever*, 0·13 in Wimbledon and in Stockport, 0·16 in St. Helens and in Gateshead, 0·23 in Rhondda, and 0·62 in Merthyr Tydfil; from *whooping-cough*, 0·17 in Swansea, 0·19 in Sheffield and in Sunderland, 0·23 in Wigan, 0·24 in Wakefield, 0·32 in Newport (Mon.), and 0·43 in South Shields; from *diphtheria*, 0·52 in Acton, 0·64 in Newport (Mon.), 0·68 in Edmonton, 0·83 in Gillingham, and 0·86 in Swindon; and from *influenza*, 0·40 in Gloucester, 0·63 in West Bromwich, and 0·65 in South Shields. The highest death-rates per 1,000 births from *diarrhoea and enteritis* among children under 2 years of age were 31·7 in Birkenhead, 33·9 in Sheffield, 34·0 in Burnley, 35·2 in Rotherham, 36·9 in Barnsley, 40·6 in Hull, 45·4 in Stockton-on-Tees, and 47·3 in Middlesbrough.

UNITED KINGDOM.

In the United Kingdom 284,966 *births* and 121,626 *deaths* were registered in the three months ended 30th September, 1920. The natural increase of population was, therefore, 163,340. The number of *persons married* in the United Kingdom during the quarter was 258,840.

For facts, in detail, concerning Scotland and Ireland reference should be made to the Quarterly Returns of the Registrars-General of those parts of the United Kingdom.

COLONIAL AND FOREIGN CITIES.

The Registrar-General has been favoured with returns of vital statistics by the authorities of certain Colonial and Foreign Cities. From these a summary has been constructed for the 13 weeks ended 1st January, 1921 (Table XIII.). A column showing the death-rate from influenza has been inserted in this table. Figures for the preceding quarter, which were not available at the time of publication of the last quarterly return, are also shown in this table.

RETURNS OF NOTIFIED CASES OF INFECTIOUS DISEASE.

Tables VIII.—XI. (pages 20–31) show the numbers and the rates to population of cases of infectious sickness among the civilian population notified, under Act of Parliament, to the Sanitary Authorities of certain of the largest towns in England and Wales, during the 13 weeks ended 1st January, 1921. The figures for London are supplied by the London County Council.

METEOROLOGY.*

October.

The outstanding characteristic of the weather during October was the abundant sunshine in the East and South of England. At Felixstowe the sunny hours during the month amounted to 207, and at Copdock (Ipswich) 200 were recorded, the latter figure being largely above any October total recorded at this station during the past eighteen years. After the 5th, under the influence of a warm southerly current of air, a spell of summerlike weather, which synchronized with "St. Luke's Summer," was widely experienced; and for many consecutive days the temperature rose to 294a and above, and in some instances maxima unequalled since 1908 were recorded. The nights also were very warm, and minima between 286a and 289a were frequently registered. Over a large part of the country there was no cloud from the 24th to the 30th, these and the previous sunny days, combined with unusually bright moonlight nights making the month the most brilliant October experienced for very many years.

Temperature.†—The mean temperature of the month was above the normal in all Districts, the excess ranging from 1·4a in England South-East and South-West to 1·0a in the Midlands. This was the fifth month during the present year in which all Districts exceeded the normal, the other four months being February, March, May and June. Of the temperatures recorded at individual stations during October the highest was 297a at Brighton on the 9th, and the lowest 269a at Geldeston (Norfolk) on the 21st and 27th, and at Cranwell (Lincs.) on the 30th. At Sheepstor (Devon) on the 9th the maximum was 296a, the first time that 294a has been reached in October during 14 years.

Precipitation.—Over the British Isles as a whole the rainfall was in general below the normal, but the local departures from the latter were very remarkable. In England a considerable area in East Anglia had less than 13 mm.; while in Devon and Cornwall 150 mm. were recorded. The general rainfall expressed as a percentage of the normal was:—England and Wales 58, Scotland 67, Ireland 127, and the British Isles as a whole 79.

* Furnished by the Director of the Meteorological Office. For further information the reader is referred to the Monthly Weather Report (Price 6d., post free 7d.) and other publications of the Meteorological Office. Maps illustrating the distribution of rainfall, pressure, temperature, and sunshine are given in the Monthly Weather Report. The normal values for each month, mostly based on 35 years' observations, are shown in "The Book of Normals of Meteorological Elements for the British Isles." (M.O. 236 (Section I.), 1919, Price 2s. net.)

† Temperature is given on the Absolute Centigrade Scale. To the nearest degree 255a = 0° F., 273a = 32° F., 280a = 45° F., 300a = 81° F., and 310a = 99° F.

Sunshine.—The mean daily amount of sunshine varied from 5·51 hr. in England East to 2·69 hr. in the Midlands, the departures from the normal ranging from + 2·18 hr. per day in the former District to — 0·19 hr. in the latter. During the week which ended on the 30th, the mean daily amount of sunshine at Cromer and St. Leonards was as much as 8·9 hr.; the percentage of the possible duration was 89 and 88 respectively.

November.

During the greater part of November the British Isles lay on the western edge of a continental anti-cyclone, and under these conditions the month was mostly fine, but with much fog. During the first week and from the 20th to 24th sharp frosts occurred at many of the inland stations, the minimum temperatures recorded during the second of these cold spells being lower than any recorded this season up to that date. On the other hand, winds blew on many days from points between South and West, and there were many sunny days.

Temperature.—The mean temperature was above the normal in all Districts, the excess ranging from 1·2a in England North-West to 0·1a in England East, this being the sixth month during the present year in which all Districts exceeded the normal. The highest temperature recorded in November was 29·0a at Weymouth on the 8th, and the lowest, 26·5a at South Farnborough and Wokingham on the 22nd, and at Rhayader (Radnor) on the 23rd.

Precipitation.—Everywhere in England and Wales the total rainfall for the month was below the normal, and except in the West and part of the South was generally less than half the normal. At Birkenhead (Bidston) the total (16 mm.) was the lowest in November at this station during fifty-five years, and at Blundellsands (Lancs.) the total (23 mm.) was the lowest in forty-five years; and at Leyland (Lancs.) the total (40 mm.) was the lowest yet recorded here in November. The general rainfall expressed as a percentage of the normal was:—England and Wales 49, Scotland 106, Ireland 110, and the British Isles as a whole 87.

Sunshine.—The mean daily amount of sunshine varied from 1·42 hr. in the Midlands to 2·90 hr. in England East, the departures from the normal ranging from — 0·37 hr. per day in the former District to +0·78 hr. in the latter. At Copdock (Ipswich), where 104 hrs. were registered, it was the sunniest November on record.

December.

Outstanding features of the weather during December were the wintry spell which occurred during the second week, and the unusual warmth which set in just before Christmas. Other notable events were the gales which were experienced all over the Kingdom on the 3rd, and the fogs which were very general between the 6th and 9th. On the 10th there was slight snow in East and South-East England and there was more over a wide area on the 11th, when it fell to a depth of 14 inches at Clacton. Snow also fell at many places on the 12th, 13th, 15th and 16th.

Temperature.—The mean temperature for the month was 0·7a below the normal in England South-West and 0·3a below in England North-West, but in all other Districts the mean differed but little from the normal. On the 2nd temperatures as high as 28·6a were recorded over a large area and slightly higher readings were registered on Christmas Day. The lowest temperature recorded was 25·5a at Raunds (Northants.), other low minima in the shade being 25·7a at Cambridge and Oundle.

Precipitation.—In nearly all parts of England and Wales the total rainfall for the month was above the normal, but the excess was extremely moderate. Less than 75mm. fell over the greater part of the English Midlands, but practically all Western Districts had more than 100 mm. The areas with 250 mm. were apparently smaller than usual. The general rainfall expressed as a percentage of the normal was:—England and Wales 101; Scotland 91; Ireland 97; and the British Isles as a whole 96.

Sunshine.—The mean daily amount of sunshine varied from 1·64 hr. in England South-West to 0·92 hr. in England East, the departures from the normal ranging from +0·32 hr. per day in England North-West to −0·41 hr. in England North-East and South-East.

THE QUARTER.

The mean temperature for the Quarter was above the normal in all Districts, the excess ranging from 0·8a in England North-West to 0·4a in England East. On the other hand, the total rainfall was everywhere below the normal the deficiency varying from 120 mm. in England North-West to 47 mm. in the Midlands. Except in the Midlands, where there was a deficiency of 0·3 hr. per day, and in England North-East which was normal, the mean daily amount of sunshine was above the normal; the greatest excess was 0·8 hr. per day in England East.

SUMMARY, 1920.

The Summary relating to the year 1920, giving the principal Tables published up to 1912 in the "Annual Summary," will be found on pages 34 to 57 of this publication, the Tables being numbered XIV. to XXII.

ENGLAND AND WALES.

According to the quarterly returns furnished by local registrars, 957,994 births and 466,213 deaths were registered in England and Wales in the year 1920. The natural increase of population, by excess of births over deaths, was, therefore, 491,781, the average annual increase in the preceding five years having been 187,625. This statement excludes all war deaths except those registered in this country.. The number of persons married during the year was 759,316.

The numbers of births and of marriages are the highest ever recorded; while the number of deaths is the lowest since 1862, when the population was only about 20 millions. Natural increase also was the greatest on record.

The marriage-rate in England and Wales during the year 1920 was 20·1 per 1,000 of the estimated population in the middle of the year, the birth-rate 25·4 per 1,000, and the death-rate 12·4 per 1,000. Infant mortality was 80 per 1,000 registered births. The marriage-rate was higher and the total death-rate and infant mortality lower than in any other year on record. The birth-rate was the highest since 1909.

A statement of the birth-rate and an analysis of the mortality during the year in England and Wales, London, and the groups of towns is given in Table XV.; and Table XVI. shows the birth-rate, death-rate, and infant mortality during the year in each of the Metropolitan Boroughs and 96 Great Towns.



TABLES.

TABLE I.—**Marriages, Births, and Deaths** registered in **England and Wales** in the Years **1910-1920**, and in each Quarter of those Years.

YEAR - - -	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.*
Marriages - - -	267,721	274,943	283,834	286,583	294,401	360,885	279,846	258,855	287,163	369,411	379,658
Births - - -	896,962	881,138	872,737	881,890	879,096	814,614	785,520	668,346	662,661	692,438	957,994
Deaths - - -	483,247	527,810	486,939	504,975	516,742	562,253	508,217	498,922	611,861	504,203	466,213
MARRIAGES.											
Quarter ended the last day of											
March - - -	56,432	44,808	44,737	60,926	51,046	55,472	67,952	50,770	65,807	60,203	69,151
June - - -	61,036	75,656	74,619	65,904	81,312	97,220	74,550	63,854	67,201	101,252	108,668
September - - -	76,545	77,873	83,505	83,636	82,048	102,671	67,477	69,740	79,047	106,294	109,944
December - - -	73,708	76,606	80,973	76,117	79,995	105,522	69,867	74,491	75,108	101,662	91,893
BIRTHS.											
March - - -	221,684	223,585	222,600	216,629	217,414	221,523	194,965	178,729	162,259	144,789	271,081
June - - -	234,825	225,774	218,070	227,470	226,152	213,109	209,006	173,408	170,212	148,761	248,668
September - - -	227,146	222,506	219,232	225,501	227,238	196,501	198,307	162,526	168,427	175,307	229,861
December - - -	213,307	209,273	212,835	212,290	208,292	183,481	183,242	153,683	161,763	223,581	208,381
DEATHS.											
March - - -	136,400	143,128	144,642	146,541	146,193	177,243	142,983	163,919	137,995	191,917	137,631
June - - -	115,671	119,966	115,777	121,743	124,128	138,575	126,534	127,707	118,562	108,439	119,281
September - - -	104,149	140,949	101,680	113,446	115,535	109,406	102,435	94,560	114,162	89,087	93,691
December - - -	127,027	123,767	124,840	123,245	130,886	137,029	136,265	112,736	241,142	114,760	115,601

* Provisional.

TABLE II.—**Annual Rate** per 1,000, of **Persons Married**, of **Births**, and of **Deaths**, in the Years **1910-1920**, and in each Quarter of those Years.

Estimated Population of England and Wales in thousands, in the middle of each Year - - -	35,792	36,190	36,382	36,606	36,961	35,359*	34,500*	33,711*	33,475*	36,800	37,600
YEAR - - -	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920
Persons married - -	15·0	15·2	15·6	15·7	15·9	19·4†	14·9†	13·8†	15·3†	19·7†	20·1
Births - - -	25·1	24·3	23·9	24·1	23·8	21·9†	20·9†	17·8†	17·7†	18·5†	25·1
Deaths - - -	13·5	14·6	13·3	13·8	14·0	15·7*	14·4*	14·4*	17·6*	13·7	12·1
PERSONS MARRIED.											
Quarter ended the last day of											
March - - -	12·8	10·0	9·9	13·5	11·2	12·1†	14·5†	11·0†	14·2†	13·0†	14·1
June - - -	13·7	16·8	16·5	14·4	17·6	20·9†	15·9†	13·6†	14·4†	21·7†	23·1
September - - -	17·0	17·1	18·2	18·1	17·6	21·9†	14·3†	14·7†	16·7†	22·5†	23·1
December - - -	16·3	16·8	17·7	16·5	17·2	22·5†	14·8†	15·7†	15·9†	21·5†	19·1
BIRTHS.											
March - - -	25·1	25·1	24·5	24·0	23·9	24·1†	20·8†	19·3†	17·5†	15·7†	28·1
June - - -	26·3	25·0	24·0	24·9	24·5	22·9†	22·3†	18·5†	18·2†	15·9†	26·1
September - - -	25·2	24·4	23·9	24·4	24·4	20·9†	21·0†	17·2†	17·8†	18·5†	24·1
December - - -	23·6	22·9	23·2	23·0	22·4	19·5†	19·4†	16·2†	17·1†	23·7†	22·1
DEATHS.											
March - - -	15·5	16·0	15·9	16·2	16·0	20·1*	16·4*	19·3*	16·4*	21·2	14·1
June - - -	13·0	13·3	12·8	13·3	13·5	15·4*	14·4*	14·8*	13·8*	11·8	12·1
September - - -	11·5	15·5	11·1	12·3	12·4	12·1*	11·4*	10·8*	13·0*	9·6	9·1
December - - -	14·1	13·6	13·6	13·4	14·0	15·1*	15·3*	13·0*	27·0*	12·4	12·1

* Civilians only.

† Based upon populations specially estimated for this purpose.

‡ The rates in this column are based upon the population in the middle of 1920.

TABLE III.—**Birth-rate, Death-rate, and Analysis of Mortality** during the last Five Quarters.

(Provisional figures. Populations estimated to the middle of 1919 have been used for rates for that year; but, for the reason stated on page ii, the populations for 1919 are continued in use for 1920.) The mortality rates refer to the whole population as regards England and Wales, but only to civilians as regards the groups of towns.

	QUARTER.	ANNUAL BIRTH- RATE PER 1,000 TOTAL POPULA- TION.*	ANNUAL DEATH-RATE PER 1,000 POPULATION.								DEATH-RATE PER 1000 BIRTHS.				PERCENTAGE OF TOTAL DEATHS.		
			All Causes.*	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.	Diarrhoea and Enteritis (under 2 Years).	Total deaths under one Year.	Deaths in Public Institutions.	Certified Causes of Death.	Inquest Cases.	Uncertified Causes of Death.
ENGLAND AND WALES	1919. Fourth	23.7	12.4	0.02	—	0.15	0.05	0.07	0.17	0.18	0.56	8.2	71	24.6	91.5	7.1	1.4
	1920. First	29.0	15.0	0.01	0.00	0.34	0.05	0.20	0.21	0.44	0.51	4.2	88	23.0	92.4	6.3	1.3
	Second	26.6	13.0	0.01	0.00	0.29	0.04	0.15	0.12	0.45	0.50	5.4	82	23.9	92.6	6.3	1.1
	Third	24.3	10.1	0.01	0.00	0.08	0.03	0.06	0.11	0.08	0.48	11.5	65	25.4	91.0	7.7	1.3
	Fourth	22.0	12.5	0.01	—	0.06	0.04	0.05	0.16	0.15	0.46	13.6	85	25.4	92.1	6.6	1.3
96 GREAT TOWNS (Census Populations exceeding 50,000).	1919. Fourth	25.0	12.7	0.02	—	0.18	0.06	0.08	0.20	0.18	0.47	11.0	76	30.7	91.3	7.9	0.8
	1920. First	30.3	16.1	0.01	0.00	0.46	0.06	0.29	0.24	0.53	0.48	5.5	97	29.0	92.5	6.7	0.8
	Second	27.6	12.9	0.01	0.00	0.32	0.04	0.18	0.14	0.51	0.45	6.6	80	31.6	92.6	6.7	0.7
	Third	24.8	10.0	0.01	—	0.06	0.03	0.06	0.11	0.08	0.43	15.0	68	33.4	91.1	8.1	0.8
	Fourth	22.7	13.0	0.01	—	0.07	0.05	0.05	0.19	0.16	0.44	16.4	93	32.1	92.1	7.2	0.7
148 SMALLER TOWNS (Census Populations, 20,000-50,000).	1919. Fourth	23.5	11.4	0.02	—	0.19	0.04	0.06	0.16	0.15	0.39	6.2	70	17.7	92.7	5.5	1.8
	1920. First	28.3	13.9	0.02	0.00	0.25	0.03	0.17	0.19	0.41	0.43	3.8	89	15.3	93.4	5.1	1.5
	Second	26.2	12.3	0.02	—	0.36	0.02	0.15	0.11	0.43	0.40	4.9	83	16.0	93.8	4.9	1.3
	Third	24.0	9.4	0.01	—	0.11	0.03	0.06	0.11	0.08	0.37	11.0	66	17.6	92.7	5.8	1.5
	Fourth	21.8	11.6	0.02	—	0.05	0.03	0.04	0.16	0.18	0.40	12.7	80	17.5	92.8	5.6	1.6

* For Quarterly rates in 1920, based upon the population estimated to the middle of 1920, see Table II.

TABLE IV.—England and Wales and Registration Counties.—MARRIAGES registered in the Quarter ended 30th September, 1920 : BIRTHS and DEATHS registered in the Quarter ended 31st December, 1920.

NOTE.—The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with Poor Law Unions of the same names. The differences between Registration Counties and Administrative Counties are shown in Table 7 of Vol. II. of the Census Report, 1911 (Cd. 6259). The numbers of marriages, births, and deaths are the numbers actually registered in each case.

REGISTRATION COUNTIES.	MAR- RIAGES in Quarter ended 30th Sept. 1920.	BIRTHS in Quarter ended 31st Dec. 1920.	DEATHS in Quarter ended 31st Dec. 1920.	The DEATHS registered include												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	REGISTRATION COUNTIES.
				Deaths of		Deaths from								Violence.					
				Infants under 1 Year of age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.						
England and Wales	109,944	208,380	115,603	17,750	42,386	123	-	535	371	434	1,479	2,838	1,396	4,231	7,646	29,353	1,461	England and Wales.	
LONDON*	14,214	26,248	14,651	2,151	5,167	8	-	23	65	42	248	367	156	555	1,349	6,950	31	LONDON.*	
SURREY.	2,464	4,539	2,690	261	1,177	1	-	5	6	5	34	30	32	108	235	835	9	SURREY.	
KENT.	2,633	5,533	2,878	296	1,284	3	-	1	9	8	47	30	29	117	160	730	48	KENT.	
SUSSEX.	1,539	3,062	2,046	152	1,050	4	-	3	-	2	17	14	17	81	144	469	10	SUSSEX.	
HAMPSHIRE.	2,468	4,931	2,791	272	1,248	3	-	3	5	4	35	29	33	85	176	692	31	HAMPSHIRE.	
BERKSHIRE.	818	1,555	875	83	404	-	-	-	1	1	7	3	11	28	40	227	27	BERKSHIRE.	
MIDDLESEX.	3,358	6,109	3,196	362	1,270	-	-	4	17	10	104	35	35	89	195	1,064	4	MIDDLESEX.	
HERTFORDSHIRE.	740	1,393	819	62	402	1	-	-	-	2	8	6	13	22	29	234	16	HERTFORDSHIRE.	
BUCKINGHAMSHIRE.	503	1,052	578	63	300	-	-	1	-	-	8	4	5	14	19	83	17	BUCKINGHAMSHIRE.	
OXFORDSHIRE.	495	872	573	43	334	-	-	1	-	1	5	6	6	8	25	112	10	OXFORDSHIRE.	
NORTHAMPTONSHIRE.	1,099	1,870	1,030	127	470	1	-	6	1	5	9	7	5	33	45	199	21	NORTHAMPTONSHIRE.	
HUNTINGDONSHIRE.	104	219	156	17	84	-	-	-	-	-	4	1	1	6	6	28	4	HUNTINGDONSHIRE.	
BEDFORDSHIRE.	563	1,041	566	53	292	-	-	4	1	3	9	4	4	13	17	105	8	BEDFORDSHIRE.	
CAMBRIDGESHIRE.	488	1,047	626	62	319	-	-	1	1	5	4	1	7	16	23	150	11	CAMBRIDGESHIRE.	
ESSEX.	4,003	7,641	3,610	456	1,478	5	-	1	11	3	55	52	40	109	234	978	70	ESSEX.	
SUFFOLK.	869	1,906	1,105	105	583	-	-	-	-	1	13	4	6	44	67	225	19	SUFFOLK.	
NORFOLK.	1,170	2,468	1,478	164	749	4	-	2	1	1	7	18	10	73	119	336	19	NORFOLK.	
WILTSHIRE.	737	1,400	780	74	377	1	-	3	1	3	14	5	9	20	45	173	11	WILTSHIRE.	
DORSETSHIRE.	531	1,086	671	54	320	-	-	-	-	4	2	-	6	23	35	134	14	DORSETSHIRE.	
DEVONSHIRE.	1,671	3,334	2,109	221	1,015	1	-	3	2	13	20	13	14	79	140	379	22	DEVONSHIRE.	
CORNWALL.	720	1,518	991.	86	499	-	-	3	-	10	3	6	7	22	56	104	17	CORNWALL.	
SOMERSETSHIRE.	1,268	2,262	1,485	123	781	-	-	17	4	9	11	10	15	51	95	259	6	SOMERSETSHIRE.	
GLOUCESTERSHIRE.	2,033	3,642	2,156	251	939	3	-	1	3	7	33	30	24	61	136	567	10	GLOUCESTERSHIRE.	
HEREFORDSHIRE.	272	580	362	53	177	-	-	-	1	2	2	3	5	9	16	63	9	HEREFORDSHIRE.	
SHROPSHIRE.	658	1,419	784	85	373	1	-	-	1	8	8	7	9	17	30	145	19	SHROPSHIRE.	
STAFFORDSHIRE.	4,666	9,407	4,306	773	1,435	1	-	51	16	12	41	113	74	188	309	767	39	STAFFORDSHIRE.	
WORCESTERSHIRE.	928	1,785	1,040	130	484	2	-	8	1	4	9	17	8	51	75	194	26	WORCESTERSHIRE.	
WARWICKSHIRE.	4,271	7,894	4,090	670	1,378	3	-	79	17	13	73	91	49	143	195	1,273	106	WARWICKSHIRE.	

REGISTRATION COUNTIES.		The DEATHS registered include													REGISTRATION COUNTIES.			
REGISTRATION COUNTIES.	MAR-RIAGES in Quarter ended 30th Sept., 1920.	BIRTHS in Quarter ended 31st Dec., 1920.	DEATHS in Quarter ended 31st Dec., 1920.	Deaths of		Deaths from								Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.					
LEICESTERSHIRE	1,499	2,738	1,496	239	550	3	-	12	1	5	25	32	19	61	85	343	22	LEICESTERSHIRE.
RUTLANDSHIRE	38	72	61	4	38	-	-	-	-	-	-	1	2	2	3	2	5	RUTLANDSHIRE.
LINCOLNSHIRE	1,453	3,340	1,707	241	727	2	-	1	3	8	19	36	19	54	76	255	27	LINCOLNSHIRE.
NOTTINGHAMSHIRE	2,338	4,321	2,104	388	701	-	-	8	4	15	44	68	24	73	114	454	31	NOTTINGHAMSHIRE.
DERBYSHIRE	1,729	3,194	1,582	283	554	3	-	16	6	8	14	22	9	73	98	264	44	DERBYSHIRE.
CHESHIRE	2,965	4,812	2,933	438	1,033	3	-	-	13	6	32	79	34	87	183	694	15	CHESHIRE.
LANCASHIRE	17,040	27,558	17,090	3,138	5,033	32	-	47	52	69	167	566	199	639	1080	4,573	294	LANCASHIRE.
WEST RIDING	10,082	17,432	9,870	1,714	3,119	16	-	73	27	39	90	395	128	383	772	2,176	44	WEST RIDING.
EAST RIDING (WITH YORK).	1,527	3,105	1,693	312	596	4	-	1	2	5	16	83	23	47	110	478	11	EAST RIDING (WITH YORK).
NORTH RIDING	1,252	2,747	1,510	332	480	2	-	30	4	6	20	68	14	60	106	203	17	NORTH RIDING.
DURHAM	4,415	10,403	4,972	1,254	1,275	6	-	8	22	39	54	256	99	172	224	645	158	DURHAM.
NORTHUMBERLAND	2,081	4,945	2,664	563	737	3	-	22	16	12	21	107	33	99	184	554	51	NORTHUMBERLAND.
CUMBERLAND	744	1,659	926	154	358	-	-	-	1	2	6	28	11	36	46	116	13	CUMBERLAND.
WESTMORLAND	151	324	213	24	105	-	-	-	2	-	3	2	2	4	4	23	6	WESTMORLAND.
MONMOUTHSHIRE	1,363	3,158	1,401	249	390	2	-	19	5	15	32	39	40	74	99	220	14	MONMOUTHSHIRE.
GLAMORGANSHIRE	3,814	7,948	3,858	767	958	2	-	62	38	18	61	119	69	210	312	571	8	GLAMORGANSHIRE.
CARMARTHENSHIRE	425	1,023	541	105	169	1	-	5	1	-	21	12	3	19	28	51	7	CARMARTHENSHIRE.
PEMBROKESHIRE	209	512	289	31	121	-	-	4	-	-	-	2	2	9	15	23	8	PEMBROKESHIRE.
CARDIGANSHIRE	153	336	322	30	174	1	-	-	-	2	-	-	4	6	13	16	10	CARDIGANSHIRE.
BRECKNOCKSHIRE	142	328	184	18	85	-	-	-	1	-	2	1	1	5	10	21	4	BRECKNOCKSHIRE.
RADNORSHIRE	38	79	46	6	21	-	-	-	-	-	-	-	-	-	1	7	2	RADNORSHIRE.
MONTGOMERYSHIRE	101	283	197	28	92	-	-	1	-	1	2	1	1	2	5	10	6	MONTGOMERYSHIRE.
FLINTSHIRE	152	449	245	45	100	-	-	1	5	1	4	3	3	12	12	22	4	FLINTSHIRE.
DENBIGHSHIRE	409	776	473	60	195	1	-	1	2	1	10	6	10	11	14	91	12	DENBIGHSHIRE.
MERIONETHSHIRE	111	250	188	14	93	-	-	-	1	1	2	2	3	6	7	13	2	MERIONETHSHIRE.
CARNARVONSHIRE	280	598	471	45	219	-	-	4	1	2	1	3	11	18	25	44	9	CARNARVONSHIRE.
ANGLESEY	50	177	125	19	54	-	-	-	-	1	3	1	3	4	5	9	3	ANGLESEY.

TABLE IVa.—**England and Wales and Registration Counties.**—
 ILLEGITIMATE BIRTHS registered in the Quarter ended 31st December of the
 Years 1919 and 1920.

REGISTRATION COUNTIES.	Illegitimate Births registered during the Quarter ended		REGISTRATION COUNTIES.	Illegitimate Births registered during the Quarter ended	
	31st Dec., 1919.	31st Dec., 1920.		31st Dec., 1919.	31st Dec., 1920.
England and Wales.	10,219	9,434	Leicestershire - - -	129	105
London - - - -	1,411	1,223	Rutlandshire - - -	4	4
Surrey - - - -	226	220	Lincolnshire - - -	221	196
Kent - - - -	272	246	Nottinghamshire - -	241	245
Sussex - - - -	189	177	Derbyshire - - -	140	119
Hampshire - - -	291	246	Cheshire - - - -	214	188
Berkshire - - -	94	72	Lancashire - - - -	1,392	1,286
Middlesex - - -	240	207	Yorkshire (West Riding) -	926	879
Hertfordshire - -	44	57	Yorkshire (East Riding with York).	163	167
Buckinghamshire -	50	47	Yorkshire (North Riding)	112	171
Oxfordshire - - -	45	42	Durham - - - -	436	435
Northamptonshire -	70	97	Northumberland - - -	227	223
Huntingdonshire -	14	18	Cumberland - - - -	107	95
Bedfordshire - - -	52	41	Westmorland - - -	26	28
Cambridgeshire - -	78	52	Monmouthshire - - -	94	94
Essex - - - -	259	234	Glamorganshire - - -	284	284
Suffolk - - - -	112	103	Carmarthenshire - - -	36	37
Norfolk - - - -	157	129	Pembrokeshire - - -	29	18
Wiltshire - - - -	98	72	Cardiganshire - - -	28	16
Dorsetshire - - -	69	55	Brecknockshire - - -	19	15
Devonshire - - -	214	163	Radnorshire - - - -	3	7
Cornwall - - - -	78	68	Montgomeryshire - - -	21	20
Somersetshire - - -	103	91	Flintshire - - - -	23	21
Gloucestershire - -	180	150	Denbighshire - - -	66	48
Herefordshire - - -	24	44	Merionethshire - - -	23	18
Shropshire - - - -	81	96	Carnarvonshire - - -	54	61
Staffordshire - - -	343	320	Anglesey - - - -	15	19
Worcestershire - - -	75	66			
Warwickshire - - -	317	299			

NOTE.—The 30 Great Towns are those with populations exceeding 30,000 persons at the Census of 1911. The births here shown are those actually registered in the civil population only; those in London have been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents occurring in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County. (See also Table XII.) The deaths in the other towns have been corrected as far as possible, (1) by the exclusion of all deaths of non-residents and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

TOWNS.		ESTIMATED CIVILIAN POPULATION MID. 1919.	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	MEAN TEMPERATURE (De- grees Fabr.). *	RAIN- FALL (Milli- metres). *	TOWNS.	
					Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.							Violence.
96 Towns		17,807,258	104,891	57,703	9,797	18,943	40	-	322	221	222	841	1,717	705	1,952	4,178	13,518	424	45.7	161	96 Towns.
LONDON		4,358,309	25,943	14,230	2,051	5,117	7	-	23	72	40	273	340	156	516	1,270	6,633	31	45.4§	97§	LONDON.
(CROYDON		184,239	916	511	69	213	1	-	-	2	1	10	10	8	9	51	142	-	44.3¶	141¶	(CROYDON.
WIMBLEDON		59,791	243	136	15	52	-	-	1	2	-	1	2	3	4	13	32	-	-	99	WIMBLEDON.
EALING		73,212	290	165	10	84	-	-	-	-	-	-	2	4	6	13	49	-	-	-	EALING.
ACTON		61,732	283	171	20	55	-	-	-	-	2	8	3	1	2	10	59	-	-	-	ACTON.
WILLESDEN		160,917	933	477	84	162	-	-	1	3	1	14	9	5	19	33	207	-	-	-	WILLESDEN.
HORNSEY		94,348	321	249	22	107	1	-	-	1	-	8	4	3	5	15	84	-	-	-	HORNSEY.
TOTTENHAM		141,338	783	370	62	116	-	-	3	4	1	11	7	2	15	32	149	-	46.1	123	TOTTENHAM.
{ EDMONTON		70,711	413	180	24	53	-	-	-	-	1	12	1	3	6	21	69	-	-	-	{ EDMONTON.
ENFIELD		58,442	293	142	18	54	-	-	-	1	2	5	1	1	5	8	48	-	44.6	140	ENFIELD.
WEST HAM		287,966	2,139	960	161	309	1	-	-	3	-	14	26	12	34	82	354	7	-	-	WEST HAM.
EAST HAM		144,451	774	339	41	112	1	-	-	1	-	5	7	5	10	27	109	-	-	-	EAST HAM.
LEYTON		123,896	602	313	46	118	-	-	-	3	-	6	9	4	11	23	107	-	-	-	LEYTON.
WALTHAMSTOW		127,684	640	280	41	103	-	-	-	1	-	2	7	7	10	26	93	-	-	-	WALTHAMSTOW.
{ ILFORD		79,524	329	170	20	73	-	-	-	-	1	6	1	-	7	9	44	-	-	-	{ ILFORD.
GILLINGHAM		43,501	317	136	21	40	-	-	-	-	-	9	3	1	3	6	37	2	-	-	GILLINGHAM.
HASTINGS		57,674	247	224	13	125	3	-	-	-	1	4	2	1	2	10	59	-	47.8	196	HASTINGS.
EASTBOURNE		48,424	243	128	13	61	-	-	-	-	-	1	2	4	3	4	32	-	47.5	203	EASTBOURNE.
BRIGHTON		132,409	702	432	41	206	-	-	2	-	-	1	2	4	22	42	137	-	47.9	178	BRIGHTON.
PORTSMOUTH†		224,846	1,462	662	86	255	-	-	-	3	-	11	5	16	24	49	182	-	48.1	193	PORTSMOUTH.†
BOURNEMOUTH		82,627	341	251	13	124	-	-	-	-	-	4	3	3	7	18	47	-	47.2	195	BOURNEMOUTH.
SOUTHAMPTON†		126,033	655	355	39	147	-	-	-	-	-	8	9	4	15	25	125	5	46.8	215	SOUTHAMPTON.†
READING		91,365	482	261	36	103	-	-	-	-	2	2	3	8	9	11	65	3	45.1	155	READING.
OXFORD		57,666	215	143	11	79	-	-	-	-	-	3	3	1	3	8	27	1	45.0	143	OXFORD.
NORTHAMPTON		88,944	444	241	39	95	-	-	-	-	1	3	4	-	4	8	46	-	-	-	NORTHAMPTON.
CAMBRIDGE		57,849	245	154	8	88	-	-	-	-	-	-	1	1	4	5	35	-	44.1	66	CAMBRIDGE.

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† The extension of the Borough of Portsmouth on 1st October 1920, and of the Borough of Southampton on 9th November 1920, will not be taken into account in this table until next year.

§ These values refer to the Royal Observatory, Greenwich.

¶ Observations made at Addington Hills.

TABLE V. (continued).—96 Great Towns, &c.—Population; Births, and Deaths in the 13 Weeks ended 1st January, 1921.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1919.	BIRTHS.	DEATHS.	The DEATHS registered include														MEAN TEMPERATURE (De- grees Fahr.). *	RAIN- FALL. (Milli- metres). *	TOWNS.
				Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.				Violence.			
SOUTHEND ON SEA.	84,034	390	247	27	95	-	-	-	-	-	-	1	1	8	10	51	9	46.0	102	SOUTHEND ON SEA.
IPSWICH.	78,011	397	217	24	95	-	-	-	-	-	-	-	-	10	19	64	-	44.7	107	IPSWICH.
GREAT YARMOUTH.	53,078	310	165	22	83	-	-	-	-	-	1	2	3	6	10	36	-	46.6	85	GREAT YARMOUTH.
NORWICH.	119,993	652	351	48	151	-	-	-	-	1	-	2	8	17	44	111	-	44.4	122	NORWICH.
SWINDON.	51,527	274	161	22	59	-	-	-	-	-	-	11	2	2	6	33	-	-	-	SWINDON.
EXETER.	59,014	337	197	30	82	-	-	1	-	-	-	3	2	1	11	44	-	-	-	EXETER.
PLYMOUTH.	181,967	1,153	609	93	239	-	-	-	-	-	4	4	7	6	48	100	-	49.2	273	PLYMOUTH.
BATH.	65,919	274	219	13	120	-	-	7	1	1	1	1	3	6	22	57	-	46.1	186	BATH.
BRISTOL.	361,247	2,076	1,147	161	444	1	-	1	2	3	26	20	8	31	85	334	-	45.9†	214†	BRISTOL.
GLOUCESTER.	50,100	299	150	19	64	1	-	-	1	1	1	3	5	2	5	32	6	-	-	GLOUCESTER.
STOKE ON TRENT.	239,316	1,739	779	186	198	-	-	1	4	1	3	40	17	25	53	142	9	-	-	STOKE ON TRENT.
WOLVERHAMPTON.	98,403	665	300	46	112	-	-	-	-	1	1	8	6	13	25	67	-	-	-	WOLVERHAMPTON.
WALSALL.	92,724	674	303	65	77	-	-	19	-	3	5	14	2	6	15	49	-	-	-	WALSALL.
WEST BROMWICH.	69,899	514	267	62	78	-	-	8	1	-	7	7	11	8	9	50	3	-	-	WEST BROMWICH.
DUDLEY.	54,017	390	174	29	71	-	-	-	-	-	1	6	1	9	12	32	4	-	-	DUDLEY.
BIRMINGHAM.	861,385	5,397	2,794	475	866	1	-	78	16	9	63	80	33	101	118	971	89	44.9	156	BIRMINGHAM.
SMETHWICK.	72,152	450	161	38	46	1	-	7	-	-	5	4	3	8	12	25	1	-	-	SMETHWICK.
COVENTRY.	132,048	664	300	59	98	-	-	-	1	-	1	7	4	5	14	67	2	44.6	126	COVENTRY.
LEICESTER.	236,059	1,312	759	132	253	-	-	3	-	3	9	20	5	29	55	201	7	-	-	LEICESTER.
LINCOLN†.	60,581	327	168	20	73	-	-	-	-	-	1	5	1	6	6	29	2	44.9	99	LINCOLN.†
GRIMSBY.	78,813	510	272	56	85	1	-	-	-	1	2	9	4	10	19	55	2	-	-	GRIMSBY.
NOTTINGHAM.	257,573	1,484	831	141	268	-	-	-	2	6	27	21	9	22	49	268	1	44.4	113	NOTTINGHAM.
DERBY.	123,930	714	359	56	125	1	-	1	2	-	3	6	1	12	25	110	-	-	-	DERBY.

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

TABLE V. (continued).—96 Great Towns, &c.—Population; Births, and Deaths in the 13 Weeks ended 1st January, 1921.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1919.	BIRTHS.	DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	MEAN TEMPERATURE (De- grees Fahr.). *	RAIN- FALL (Milli- metres). *	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.							
STOCKPORT	-	125,629	582	431	51	146	-	-	-	-	4	-	13	7	10	9	22	119	-	STOCKPORT.	
BIRKENHEAD	-	148,052	916	504	125	133	-	-	-	2	-	-	3	29	6	17	28	149	2	BIRKENHEAD.	
WALLASEY	-	95,424	355	236	32	81	1	-	-	-	1	5	1	5	1	5	9	63	1	WALLASEY.	
LIVERPOOL	-	772,665	5,345	3,037	722	787	3	-	-	8	18	159	33	20	20	89	213	1234	26	LIVERPOOL.	
BOOTLE	-	76,962	505	254	54	68	-	-	-	2	-	11	6	2	2	9	9	63	14	BOOTLE.	
ST. HELENS	-	100,805	667	328	83	59	-	-	-	4	3	14	-	2	3	15	18	63	8	ST. HELENS.	
SOUTHPORT	-	70,144	317	254	15	127	-	-	-	-	-	-	-	4	-	4	6	36	11	SOUTHPORT.	
WIGAN	-	87,384	617	335	100	57	-	-	-	-	5	12	3	2	4	11	20	49	-	WIGAN.	
WARRINGTON	-	74,952	485	238	47	58	-	-	10	1	1	6	1	6	4	9	10	63	9	WARRINGTON.	
BOLTON	-	177,462	885	608	96	191	-	-	-	-	5	12	2	2	7	24	44	133	2	BOLTON	
BURY	-	54,248	250	194	27	68	-	-	5	-	1	2	2	2	4	5	12	43	5	BURY.	
MANCHESTER	-	741,068	4,256	2,518	452	703	4	-	-	17	9	85	31	31	31	81	140	801	18	MANCHESTER.	
SALFORD	-	226,225	1,348	764	133	215	3	-	2	5	1	32	9	9	12	34	82	237	1	SALFORD.	
OLDHAM	-	137,668	668	516	82	156	-	-	-	-	1	5	4	4	7	23	46	101	-	OLDHAM.	
ROCHDALE	-	90,051	401	301	40	95	-	-	-	1	-	4	4	4	3	10	22	78	3	ROCHDALE.	
BURNLEY	-	101,005	529	384	83	111	1	-	2	1	-	18	3	3	2	15	32	124	-	BURNLEY.	
BLACKBURN	-	125,992	630	403	68	141	-	-	-	-	-	14	-	-	3	11	20	76	4	BLACKBURN.	
PRESTON	-	117,277	626	436	81	142	-	-	-	-	3	6	3	6	8	16	21	86	13	PRESTON.	
BLACKPOOL	-	67,842	281	235	19	109	-	-	-	1	-	-	2	2	2	7	8	39	9	BLACKPOOL.	
BARROW IN FURNESS	-	73,627	428	218	29	55	-	-	3	-	-	5	1	1	6	18	20	59	6	BARROW IN FURNESS.	
HUDDERSFIELD	-	112,301	483	340	28	120	-	-	1	-	1	1	7	1	4	14	25	54	1	HUDDERSFIELD.	
HALIFAX	-	101,791	440	302	42	115	-	-	-	-	-	3	3	3	6	4	25	78	-	HALIFAX.	
BRADFORD	-	282,714	1,410	946	130	315	3	-	2	6	1	13	7	13	8	27	76	305	1	BRADFORD.	
LEEDS	-	431,999	2,447	1,466	258	461	-	-	2	1	3	37	10	37	24	65	140	395	-	LEEDS.	
DEWSBURY	-	52,969	304	188	26	50	-	-	-	-	1	9	1	9	1	4	7	27	-	DEWSBURY.	
WAKEFIELD	-	49,208	320	167	26	46	1	-	-	-	3	3	-	3	4	3	11	46	-	WAKEFIELD.	
BARNLEY	-	51,680	379	169	40	41	-	-	-	-	-	14	1	14	4	2	16	19	-	BARNLEY.	

* The values for Mean Temperature and Rainfall relate to the calendar quarter.
† These values refer to Blundellsands.
‡ These values refer to Hutton.

TABLE V. (continued).--96 Great Towns, &c.--Population; Births, and Deaths in the 13 Weeks ended 1st January, 1921.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.	BIRTHS.	DEATHS.	The DEATHS registered include															MEAN TEMPERATURE (De- grees Fahr.) *	RAIN- FALL (Milli- metres). *	TOWNS.
				Deaths of		Deaths from															
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
SHEFFIELD	473,695	2,799	1,550	330	392	-	-	56	2	22	13	95	22	60	126	485	1	163	SHEFFIELD.		
ROTHERHAM	69,034	455	212	55	53	-	-	-	-	-	-	16	-	5	12	39	5	-	ROTHERHAM.		
YORK	74,531	472	251	37	90	-	-	1	2	-	2	4	6	8	21	81	-	129	YORK.		
HULL	279,664	1,822	933	220	272	1	-	-	-	4	11	74	7	24	60	270	8	122	HULL.		
MIDDLESBROUGH	127,142	994	543	185	95	-	-	25	-	1	2	47	2	13	29	99	7	-	MIDDLESBROUGH.		
DARLINGTON	64,058	361	177	32	57	-	-	-	1	-	-	8	2	5	4	32	5	-	DARLINGTON.		
STOCKTON ON TEES	60,696	441	246	53	64	-	-	2	-	-	-	20	3	4	10	25	4	-	STOCKTON ON TEES.		
WEST HARTLEPOOL	65,515	468	203	34	64	-	-	-	-	2	-	3	5	7	8	40	5	-	WEST HARTLEPOOL.		
SUNDERLAND	149,263	1,093	583	132	156	-	-	-	-	7	5	25	5	28	49	148	8	-	SUNDERLAND.		
SOUTH SHIELDS	111,502	817	470	124	127	-	-	-	-	12	4	22	18	7	10	77	19	-	SOUTH SHIELDS.		
GATESHEAD	123,392	885	478	116	112	-	-	1	5	4	5	21	7	21	22	92	17	-	GATESHEAD.		
NEWCASTLE ON TYNE	275,099	1,863	1,002	234	271	-	-	21	6	4	4	43	16	27	81	217	2	-	NEWCASTLE ON TYNE.		
TYNEMOUTH	58,607	459	235	62	48	1	-	-	-	1	1	10	-	7	12	55	15	153	TYNEMOUTH.		
CARLISLE	55,198	333	161	30	59	-	-	-	-	-	1	3	2	2	5	35	5	-	CARLISLE.		
NEWPORT (MON.)	87,251	593	252	37	78	1	-	-	-	7	14	3	6	7	10	62	1	261	NEWPORT (MON.).		
CARDIFF	204,436	1,074	539	114	160	1	-	-	3	3	5	21	6	19	53	106	-	277	CARDIFF.		
RHONDDA	177,911	1,114	553	119	105	-	-	23	10	3	8	20	13	28	40	49	4	-	RHONDDA.		
MERTHYR TYDFIL	71,638	473	272	41	62	-	-	5	11	1	3	12	4	9	12	61	-	-	MERTHYR TYDFIL.		
ABERDARE	51,384	332	162	25	41	-	-	1	1	-	2	3	-	9	12	16	-	-	ABERDARE.		
SWANSEA	160,810	912	499	100	154	-	-	-	-	7	5	17	8	19	29	66	-	326	SWANSEA.		
GREATER LONDON	7,259,388	40,835	21,828	3,000	8,069	12	-	28	101	55	422	469	254	756	1,854	9,086	44	-	GREATER LONDON.		
OUTER RING	2,901,079	14,892	7,598	949	2,952	5	-	5	29	15	149	129	98	240	584	2,453	13	-	OUTER RING.		
14 GREAT TOWNS IN OUTER RING.	1,668,251	8,959	4,463	633	1,611	4	-	5	21	9	102	89	58	143	363	1,546	7	-	14 GREAT TOWNS IN OUTER RING.		
REMAINDER OF OUTER RING.	1,232,828	5,933	3,135	316	1,341	1	-	-	8	6	47	40	40	97	221	907	6	-	REMAINDER OF OUTER RING.		
EDINBURGH†	342,300	1,683	1,178	148	448	1	-	10	4	5	17	12	15	44	?	?	?	126	EDINBURGH.†		
GLASGOW†	1,115,500	7,485	4,246	993	1,011	10	12	8	16	47	47	95	29	201	?	?	?	242	GLASGOW.†		
DUBLIN (Registra- tion Area).‡	415,000	2,511	1,790	359	483	3	-	1	3	20	19	101	16	56	48	653	58	249 ^a 272 ^b	DUBLIN (Registra- tion Area).‡		
BELFAST†	413,000	2,618	1,468	308	343	4	-	1	18	8	19	50	10	37	50	408	26	408\$	BELFAST.†		

* The values for Mean Temperature and Rainfall relate to the calendar quarter. † The values for Births and Deaths are corrected throughout by deduction of deaths of non-residents domiciled in Scotland and by addition of deaths of residents domiciled in Scotland.

^a Phoenix Park.

^b Fitzwilliam Square.

NOTE.—The rates in this table are based upon the figures shown in Table V.

TOWNS.		ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION, 1919.										DEATH-RATE PER 1,000 BIRTHS.		PERCENTAGE of Total Deaths.		TOWNS.		
		All Causes. 13 or 14 Weeks ended :— 3rd Jan., 1920.†1st Jan., 1921.			Deaths from							Diar- rhoea and Enter- itis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.	
					Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.							Violence.
ANNUAL BIRTH- RATE PER 1,000 TOTAL POPULA- TION, 1919.*	22.7	12.7	13.0	0.01	-	0.07	0.05	0.05	0.19	0.16	0.44	16.4	93	7.2	32.1	0.7	96 Towns.	
LONDON	-	13.2	13.1	0.01	-	0.02	0.07	0.07	0.25	0.14	0.47	13.1	79	8.9	46.6	0.2	LONDON.	
{CROYDON	-	11.5	11.1	0.02	-	-	0.04	0.02	0.22	0.17	0.20	10.9	75	10.0	27.8	-	{CROYDON.	
WIMBLEDON	-	9.6	9.1	-	-	0.07	0.13	-	0.07	0.20	0.27	8.2	62	9.6	23.5	-	WIMBLEDON.	
EALING	-	10.5	9.0	-	-	-	-	-	-	0.22	0.33	6.9	34	7.9	29.7	-	EALING.	
ACTON	-	9.6	11.1	-	-	-	-	0.13	0.52	0.06	0.13	10.6	71	5.8	34.5	-	ACTON.	
WILLESDEN	-	10.9	11.9	-	-	0.02	0.07	0.02	0.35	0.12	0.47	9.6	90	6.9	43.4	-	WILLESDEN.	
HORNSEY	-	10.5	10.6	0.04	-	-	0.04	-	0.34	0.13	0.21	12.5	69	6.0	33.7	-	HORNSEY.	
{TOTTENHAM	-	10.4	10.5	-	-	-	0.11	0.03	0.31	0.06	0.43	8.9	79	8.6	40.3	-	{TOTTENHAM.	
EDMONTON	-	8.8	10.2	-	-	0.17	-	0.06	0.68	0.17	0.34	2.4	58	11.7	38.3	-	EDMONTON.	
ENFIELD	-	10.1	9.7	-	-	-	0.07	0.14	0.34	0.07	0.34	3.4	61	5.6	33.8	-	ENFIELD.	
WEST HAM	-	13.5	13.4	0.01	-	-	0.04	-	0.19	0.17	0.47	12.2	75	8.5	36.9	0.7	WEST HAM.	
EAST HAM	-	10.3	9.4	0.03	-	-	0.03	-	0.14	0.14	0.28	9.0	53	8.0	32.2	-	EAST HAM.	
LEYTON	-	11.2	10.1	-	-	-	0.10	-	0.19	0.13	0.36	15.0	76	7.3	34.2	-	LEYTON.	
WALTHAMSTOW	-	9.6	8.8	-	-	-	0.03	-	0.06	0.22	0.31	10.9	64	9.3	33.2	-	WALTHAMSTOW.	
{ILFORD	-	9.1	8.6	-	-	-	-	0.05	0.30	-	0.35	3.0	61	5.3	25.9	-	{ILFORD.	
GILLINGHAM	-	12.4	12.5	-	-	-	-	-	0.83	0.09	0.28	9.5	66	4.4	27.2	1.5	GILLINGHAM.	
HASTINGS	-	14.1	15.6	0.21	-	-	-	0.07	0.28	0.07	0.14	8.1	53	4.5	26.3	-	HASTINGS.	
EASTBOURNE	-	9.1	10.6	-	-	-	-	-	0.08	0.33	0.25	8.2	53	3.1	25.0	-	EASTBOURNE.	
BRIGHTON	-	12.2	13.1	-	-	0.06	-	-	0.03	0.12	0.67	2.8	58	9.7	31.7	-	BRIGHTON.	
PORTSMOUTH	-	12.6	11.8	-	-	-	0.05	-	0.20	0.29	0.43	3.4	59	7.4	27.5	-	PORTSMOUTH.	
BOURNEMOUTH	-	11.6	12.2	-	-	-	-	-	0.19	0.15	0.34	8.8	38	7.2	18.7	-	BOURNEMOUTH.	
SOUTHAMPTON	-	11.1	11.3	-	-	-	-	-	0.25	0.13	0.48	13.7	60	7.0	35.2	1.4	SOUTHAMPTON.	
READING	-	10.1	11.5	-	-	-	-	0.09	0.09	0.35	0.40	6.2	75	4.2	24.9	1.1	READING.	
OXFORD	-	9.9	9.9	-	-	-	-	-	0.21	0.07	0.21	14.0	51	5.6	18.9	0.7	OXFORD.	
NORTHAMPTON	-	11.6	10.9	-	-	-	-	0.05	0.14	-	0.18	9.0	88	3.3	19.1	-	NORTHAMPTON.	
CAMBRIDGE	-	9.1	10.7	-	-	-	-	-	-	0.07	0.28	4.1	33	3.2	22.7	-	CAMBRIDGE.	

* The birth-rates are based upon total populations estimated for this purpose.

† These towns are included within the Metropolitan Outer Ring.

‡ Revised rates.

TABLE VI. (continued).—96 Great Towns, &c.—Birth-rate, Civilian Death-rate, and Analysis of Mortality in the 13 Weeks ended 1st January, 1921.

TOWNS.	ANNUAL BIRTH-RATE PER 1,000 TOTAL POPULATION, 1919.*	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION, 1919.														PERCENTAGE of Total Deaths.			TOWNS.
		Deaths from																	
		All Causes.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.								
		13 or 14 Weeks ended :—																	
		3rd Jan., 1920.†																	
		1st Jan., 1921.																	
SOUTHEND ON SEA -	-	17.9	10.8	11.8	-	-	-	-	0.05	0.05	0.38	2.6	69	4.0	20.6	3.6	SOUTHEND ON SEA.		
IPSWICH -	-	19.6	11.6	11.2	-	-	-	-	0.31	-	0.51	-	60	8.8	29.5	-	IPSWICH.		
GREAT YARMOUTH -	-	22.5	13.6	12.5	-	-	-	-	0.08	0.15	0.45	9.7	71	6.1	21.8	-	GREAT YARMOUTH.		
NORWICH -	-	20.9	11.5	11.7	-	-	-	0.03	-	0.07	0.10	12.3	74	12.5	31.6	-	NORWICH.		
SWINDON -	-	20.5	12.4	12.5	-	-	-	-	-	0.86	0.08	7.3	80	3.7	20.5	-	SWINDON.		
EXETER -	-	22.0	11.7	13.4	-	0.07	-	-	-	0.20	0.07	5.9	89	5.6	22.3	-	EXETER.		
PLYMOUTH -	-	24.4	15.1	13.4	-	-	-	-	0.09	0.09	0.13	6.1	81	7.9	16.4	-	PLYMOUTH.		
BATH -	-	16.0	13.5	13.3	-	0.43	0.06	0.06	0.06	0.37	0.37	10.9	47	10.0	26.0	-	BATH.		
BRISTOL -	-	22.1	12.1	12.7	0.01	-	0.02	0.03	0.29	0.09	0.34	9.6	78	7.4	29.1	-	BRISTOL.		
GLOUCESTER -	-	23.0	13.5	12.0	0.08	-	0.08	0.08	0.08	0.40	0.16	10.0	64	3.3	21.3	4.0	GLOUCESTER.		
STOKE ON TRENT -	-	28.0	12.4	13.1	-	0.02	0.07	0.02	0.05	0.28	0.42	23.0	107	6.8	18.2	1.2	STOKE ON TRENT.		
WOLVERHAMPTON -	-	26.0	12.1	12.2	-	-	-	0.04	0.04	0.24	0.53	12.0	69	8.3	22.3	-	WOLVERHAMPTON.		
WALSALL -	-	28.0	12.6	13.1	-	0.82	-	0.13	0.22	0.09	0.26	20.8	96	5.0	16.2	-	WALSALL.		
WEST BROMWICH -	-	28.3	10.6	15.3	-	0.46	0.06	-	0.40	0.63	0.46	13.6	121	3.4	18.7	1.1	WEST BROMWICH.		
DUDLEY -	-	27.8	11.2	12.9	-	-	-	-	0.07	0.07	0.67	15.4	74	6.9	18.4	2.3	DUDLEY.		
BIRMINGHAM -	-	24.1	12.1	13.0	0.00	-	0.07	0.04	0.29	0.15	0.47	14.8	88	4.2	34.8	3.2	BIRMINGHAM.		
SMETHWICK -	-	24.0	9.4	8.9	0.06	-	-	-	0.28	0.17	0.44	8.9	84	7.5	15.5	0.6	SMETHWICK.		
COVENTRY -	-	19.4	10.8	9.1	-	-	0.03	-	0.03	0.12	0.15	10.5	89	4.7	22.3	0.7	COVENTRY.		
LEICESTER -	-	21.4	11.5	12.9	-	0.05	-	0.05	0.15	0.08	0.49	15.2	101	7.2	26.5	0.9	LEICESTER.		
LINCOLN -	-	20.8	10.7	11.1	-	-	-	-	0.07	0.07	0.40	15.3	61	3.6	17.3	1.2	LINCOLN.		
GRIMSBY -	-	24.9	13.1	13.8	0.05	-	-	0.05	0.10	0.20	0.51	17.6	110	7.0	20.2	0.7	GRIMSBY.		
NOTTINGHAM -	-	22.2	13.1	12.9	-	-	0.03	0.09	0.42	0.14	0.34	14.2	95	5.9	32.3	0.1	NOTTINGHAM.		
DERBY -	-	22.2	11.5	11.6	0.03	-	0.06	-	0.10	0.03	0.39	8.4	78	7.0	30.6	-	DERBY.		

TABLE VI. (continued).—96 Great Towns, &c.—Birth-rate, Civilian Death-rate, and Analysis of Mortality in the 13 Weeks ended 1st January, 1921.

TOWNS.		ANNUAL BIRTH-RATE PER 1,000 TOTAL POPULATION, 1919.*	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION, 1919.										PERCENTAGE of Total Deaths.			TOWNS.		
			Deaths from										Deaths in Public Institutions.	Uncertified Causes of Death.				
			All Causes.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.						
			13 or 14 Weeks ended:—	3rd Jan., 1920.†														
															1st Jan., 1921.			
STOCKPORT	-	17·8	11·6	13·8	-	-	-	0·13	-	0·42	0·32	0·29	12·0	88	5·1	27·6	-	STOCKPORT.
BIRKENHEAD	-	23·8	11·8	13·7	-	-	-	0·05	-	0·08	0·16	0·46	31·7	136	5·6	29·6	0·4	BIRKENHEAD.
WALLASEY	-	14·3	9·3	9·9	0·04	-	-	-	0·04	0·04	0·04	0·21	14·1	90	3·8	26·7	0·4	WALLASEY.
LIVERPOOL	-	26·6	15·0	15·8	0·02	-	-	0·04	0·09	0·17	0·10	0·46	29·7	135	7·0	40·6	0·9	LIVERPOOL.
BOOTLE	-	25·3	13·2	13·2	-	-	-	0·10	-	0·31	0·10	0·47	21·8	107	3·5	24·8	5·5	BOOTLE.
ST. HELENS	-	25·5	12·9	13·1	-	-	-	0·16	0·12	-	0·12	0·60	21·0	124	5·5	26·5	2·4	ST. HELENS.
SOUTHPORT	-	17·4	12·1	14·5	-	-	-	-	-	-	-	0·23	6·3	47	2·4	14·2	4·3	SOUTHPORT.
WIGAN	-	27·2	14·0	15·4	-	-	0·18	-	0·23	0·14	0·18	0·50	19·4	162	6·0	14·6	-	WIGAN.
WARRINGTON	-	24·9	9·8	12·7	-	-	0·54	0·05	0·05	0·05	0·21	0·48	12·4	97	4·2	26·5	3·8	WARRINGTON.
BOLTON	-	19·2	12·5	1·7	-	-	-	-	0·11	0·05	0·16	0·54	13·6	108	7·2	21·9	0·3	BOLTON.
BURY	-	17·7	13·8	14·3	-	-	0·37	-	0·07	0·15	0·39	0·37	8·9	108	6·2	22·2	2·6	BURY.
MANCHESTER	-	22·1	13·0	13·6	0·02	-	-	0·09	0·05	0·17	0·17	0·44	20·9	106	5·6	31·8	0·7	MANCHESTER.
SALFORD	-	22·9	13·0	13·5	0·05	-	0·04	0·09	0·02	0·16	0·21	0·60	23·7	99	10·7	31·0	0·1	SALFORD.
OLDHAM	-	18·7	14·6	15·0	-	-	-	-	0·03	0·12	0·20	0·67	7·5	123	8·9	19·6	-	OLDHAM.
ROCHDALE	-	17·1	14·4	13·4	-	-	-	0·04	-	0·18	0·13	0·45	10·0	100	7·3	25·9	1·0	ROCHDALE.
BURNLEY	-	20·2	14·0	15·2	0·04	-	0·08	0·04	-	0·12	0·08	0·60	34·0	157	8·3	32·3	-	BURNLEY.
BLACKBURN	-	19·3	12·0	12·8	-	-	-	-	-	-	0·10	0·35	22·2	108	5·0	18·9	1·0	BLACKBURN.
PRESTON	-	20·6	12·8	14·9	-	-	-	-	0·10	0·10	0·27	0·55	9·6	129	4·8	19·7	3·0	PRESTON.
BLACKPOOL	-	15·9	12·2	13·9	-	-	-	0·06	-	0·12	0·12	0·41	-	68	3·4	16·6	3·8	BLACKPOOL.
BARROW IN FURNESS	-	22·4	12·7	11·9	-	-	0·16	-	-	0·05	0·33	0·98	11·7	68	9·2	27·1	2·8	BARROW IN FURNESS.
HUDDERSFIELD	-	16·6	12·5	12·1	-	-	0·04	-	0·04	0·25	0·14	0·50	2·1	58	7·4	15·9	0·3	HUDDERSFIELD.
HALIFAX	-	16·6	13·0	11·9	-	-	-	-	-	0·12	0·24	0·16	6·8	95	8·3	25·8	-	HALIFAX.
BRADFORD	-	19·2	13·4	13·4	0·04	-	0·03	0·09	0·01	0·10	0·11	0·38	9·2	92	8·0	32·2	0·1	BRADFORD.
LEEDS	-	21·8	14·5	13·6	-	-	0·02	0·01	0·03	0·09	0·22	0·60	15·1	105	9·5	26·9	-	LEEDS.
DEWSBURY	-	22·1	14·6	14·2	-	-	-	-	0·08	0·08	0·08	0·30	29·6	86	3·7	14·4	-	DEWSBURY.
WAKEFIELD	-	25·0	12·8	13·6	0·08	-	-	-	0·24	-	0·33	0·24	9·4	81	6·6	27·5	-	WAKEFIELD.
BARNLEY	-	28·2	13·4	13·1	-	-	-	-	-	0·08	0·31	0·16	36·9	106	9·5	11·2	-	BARNLEY.

* See note * on first page of table.

† Revised rates.

TABLE VI. (continued). --96 Great Towns, &c. Birth-rate, Civilian Death-rate, and Analysis of Mortality in the 13 Weeks ended 1st January, 1921.

TOWNS.	ANNUAL BIRTH-RATE PER 1,000 TOTAL POPULATION, 1919.*	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION, 1919.										DEATH-RATE PER 1,000 BIRTHS.		PERCENTAGE of Total Deaths.		TOWNS.	
		Deaths from										Diar- rhoea and Enter- itis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.
		All Causes.															
		13 or 14 Weeks ended:—															
		3rd Jan., 1920.	1st Jan., 1921.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.						
SHEFFIELD	-	-	-	-	-	-	-	-	-	-	-	33.9	118	8.1	31.3	0.1	SHEFFIELD.
ROTHERHAM	-	-	-	-	-	-	-	-	-	-	-	35.2	121	5.7	18.4	2.4	ROTHERHAM.
YORK	-	-	-	-	-	-	-	-	-	-	-	8.5	78	8.4	32.3	-	YORK.
HULL	-	-	-	-	-	-	-	-	-	-	-	40.6	121	6.4	23.9	0.9	HULL.
MIDDLESBROUGH	-	-	-	-	-	-	-	-	-	-	-	47.3	186	5.3	18.2	1.3	MIDDLESBROUGH.
DARLINGTON	-	-	-	-	-	-	-	-	-	-	-	22.2	89	2.3	18.1	2.8	DARLINGTON.
STOCKTON ON TEES	-	-	-	-	-	-	-	-	-	-	-	45.4	120	4.1	10.2	1.6	STOCKTON ON TEES.
WEST HARTLEPOOL	-	-	-	-	-	-	-	-	-	-	-	6.4	73	3.9	19.7	2.5	WEST HARTLEPOOL.
SUNDERLAND	-	-	-	-	-	-	-	-	-	-	-	22.9	121	8.4	25.4	1.4	SUNDERLAND.
SOUTH SHIELDS	-	-	-	-	-	-	-	-	-	-	-	26.9	152	2.1	16.4	4.0	SOUTH SHIELDS.
GATESHEAD	-	-	-	-	-	-	-	-	-	-	-	23.7	131	4.6	19.2	3.6	GATESHEAD.
NEWCASTLE ON TYNE	-	-	-	-	-	-	-	-	-	-	-	23.1	126	8.1	21.7	0.2	NEWCASTLE ON TYNE.
TYNEMOUTH	-	-	-	-	-	-	-	-	-	-	-	21.8	135	5.1	23.4	6.4	TYNEMOUTH.
CARLISLE	-	-	-	-	-	-	-	-	-	-	-	9.0	90	3.1	21.7	3.1	CARLISLE.
NEWPORT (MON.)	-	-	-	-	-	-	-	-	-	-	-	5.1	62	4.0	24.6	0.4	NEWPORT (MON.).
CARDIFF	-	-	-	-	-	-	-	-	-	-	-	19.6	106	9.8	19.7	-	CARDIFF.
RHONDDA	-	-	-	-	-	-	-	-	-	-	-	18.0	107	7.2	8.9	0.7	RHONDDA.
MERTHYR TYDFIL	-	-	-	-	-	-	-	-	-	-	-	25.4	87	4.4	22.4	-	MERTHYR TYDFIL.
ABERDARE	-	-	-	-	-	-	-	-	-	-	-	9.0	75	7.4	9.9	-	ABERDARE.
SWANSEA	-	-	-	-	-	-	-	-	-	-	-	18.6	110	5.8	13.2	-	SWANSEA.
GREATER LONDON	-	-	-	-	-	-	-	-	-	-	-	11.5	73	8.5	41.6	0.2	GREATER LONDON.
OUTER RING	-	-	-	-	-	-	-	-	-	-	-	8.7	64	7.7	32.3	0.2	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	-	-	-	-	-	-	-	-	-	-	-	9.9	71	8.1	34.6	0.2	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	-	-	-	-	-	-	-	-	-	-	-	6.7	53	7.0	23.9	0.2	REMAINDER OF OUTER RING.
EDINBURGH	-	-	-	-	-	-	-	-	-	-	-	7.1	88	?	?	?	EDINBURGH.
GLASGOW	-	-	-	-	-	-	-	-	-	-	-	12.7	133	?	?	?	GLASGOW.
DUBLIN (Registration Area)	-	-	-	-	-	-	-	-	-	-	-	40.2	143	2.7	36.5	3.2	DUBLIN (Registra- tion Area).
BELFAST	-	-	-	-	-	-	-	-	-	-	-	19.1	118	3.4	27.8	1.8	BELFAST.

NOTE.—The 148 Smaller Towns are those with populations of 20,000 but not exceeding 50,000 at the Census of 1911. The births here shown are those actually registered in the several towns. The deaths relate to the civilian population only, and have been corrected as far as possible, (1) by the exclusion of all deaths of non-residents, and (2) by the inclusion of deaths of residents in certain outlying institutions. With regard to towns in the Outer Ring, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

The DEATHS registered in the Quarter include																				
TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.	BIRTHS.	DEATHS.	Deaths of		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Deaths from						Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 Year to 1000 Births.	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.					Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.						
148 Towns	4,718,275	27,046	13,776	2,172	5,080	26		56	37	42	190	344	212	470	774	2,413	219	80	148 Towns.	
SURREY.																			SURREY.	
Barnes*.	35,704	151	100	5	43						4	2		4	11	26	3	33	Barnes*.	
Guildford	23,506	134	52	2	25									2	6	13		15	Guildford.	
Kingston on Thames*	37,151	196	127	16	61									1	19	54		82	Kingston on Thames*.	
Mitcham*	34,561	221	102	14	36						4			7	6	36		63	Mitcham*.	
Reigate	26,798	113	75	5	42						2			1	8	21		44	Reigate.	
Richmond*	34,209	143	118	10	52						1		1	4	10	36	1	70	Richmond*.	
Sutton*	21,246	88	62	3	32				1			1			5	13		34	Sutton*.	
Woking	24,625	113	43	2	26			1						1	2	2		18	Woking.	
KENT.																			KENT.	
Beckenham*	32,516	166	72	8	35	1			1			1				18		48	Beckenham*.	
Bromley*.	34,795	176	84	12	35				1				1	4	8	24	1	68	Bromley*.	
Canterbury	22,258	125	66	6	37						1	1		3	3	26	6	48	Canterbury.	
Chatham	38,435	247	111	17	41						5	2	2	6	6	37	1	69	Chatham.	
Dartford	22,517	110	41	5	15						6			1	4	13	1	45	Dartford.	
Dover	39,282	217	109	16	40					1	8	2		3	5	34	8	74	Dover.	
Erith*	30,525	183	68	9	20						1	2	1	1	6	21	2	49	Erith*.	
Folkestone†	31,737	142	97	2	46								3	5	5	9		14	Folkestone.†	
Gravesend	29,288	178	87	10	32					4		1	2	6	6	19	3	56	Gravesend.	
Maidstone	33,148	192	88	11	48							1	1	6	4	15	1	65	Maidstone.	
Margate	22,352	124	58	8	26						2	1	1	2	8	18	4	63	Margate.	
Penge (Surrey Reg. Co.)*	24,338	128	85	8	42						2	4	2	3	3	20	2	106	Penge (Surrey Reg. Co.)*.	
Ramsgate	28,214	161	103	17	58						2	2	2	1	2	24		37	Ramsgate.	
Rochester	32,110	164	97	6	44						2			2	2	16		50	Rochester.	
Royal Tunbridge Wells	34,423	141	85	7	43								2	2	2				Royal Tunbridge Wells.	
SUSSEX EAST.																			SUSSEX EAST.	
Hove	44,149	184	134	7	71			1			1			7	9	18		38	Hove.	
SUSSEX WEST.																			SUSSEX WEST.	
Worthing	30,345	127	110	4	64							2	1	4	9	18		31	Worthing.	
SOUTHAMPTON.																			SOUTHAMPTON.	
Aldershot (Surrey Reg. Co.).	21,920	238	47	9	18									1	2	19	1	38	Aldershot (Surrey Reg. Co.).	
Gosport and Alverstoke	29,192	200	91	9	34	1					2	1		2	6	14	1	45	Gosport and Alverstoke.	
Winchester	24,314	155	76	6	31	1							1		3	29		39	Winchester.	
MIDDLESEX.																			MIDDLESEX.	
Chiswick*	42,476	202	132	11	52				1	1	4		1	5	9	49		54	Chiswick*.	
Finchley*	45,043	196	95	8	51						1	1	2	5	7	20		41	Finchley*.	
Hendon*	56,522	227	105	11	40					1		1	1	5	9	30		48	Hendon*.	
Heston and Isleworth*	40,338	229	111	13	48				1					1	4	23		57	Heston and Isleworth*.	
Southall Norwood*	27,684	132	69	8	31							3	1	5	6	17	2	61	Southall Norwood*.	

* These towns are included within the Metropolitan Outer Ring.

† Excluding the civil parish of Folkestone next Sandgate.

TABLE VII. (*continued*).—One hundred and forty-eight Smaller Towns.—Population; Births, and Deaths in the QUARTER ended 31st December, 1920.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.	BIRTHS.	DEATHS.	The DEATHS registered in the Quarter include													Deaths under 1 Year to 1000 Births.	TOWNS.	
				Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.						Violence.
MIDDLESEX—continued																			
Southgate.*	38,909	116	94	3	57	-	-	-	-	-	1	-	3	2	5	20	-	26	MIDDLESEX—continued.
Twickenham.*	34,695	147	101	6	42	-	-	-	1	-	-	-	1	2	6	36	-	41	Southgate.*
Wood Green.*	50,312	209	133	13	55	-	-	-	-	-	1	2	1	2	4	44	-	62	Twickenham.*
HERTFORDSHIRE.																			Wood Green.*
St. Albans	24,833	110	57	2	29	-	-	-	-	1	-	-	-	-	2	18	-	18	HERTFORDSHIRE.
Watford	46,187	262	18	14	48	-	-	-	-	-	1	3	4	3	6	25	4	53	St. Albans.
BUCKINGHAMSHIRE.																			Watford.
Chepping Wycombe	20,771	112	53	7	28	-	-	-	-	-	2	-	-	-	3	3	1	63	BUCKINGHAMSHIRE.
NORTHAMPTONSHIRE.																			Chepping Wycombe.
Kettering	29,966	150	89	5	42	-	-	1	-	3	1	-	1	5	4	19	1	33	NORTHAMPTONSHIRE.
SOKE OF PETERBOROUGH.																			Kettering.
Peterborough	33,420	204	104	11	53	-	-	-	-	1	-	2	-	2	1	17	5	54	SOKE OF PETERBOROUGH.
BEDFORDSHIRE.																			Peterborough.
Bedford	40,017	161	99	6	52	-	-	1	-	-	-	-	2	2	3	16	-	37	BEDFORDSHIRE.
Luton	56,406	311	158	25	66	-	-	1	-	1	5	3	-	3	5	24	3	80	Bedford.
ESSEX.																			Luton.
Barking Town*	33,804	251	93	10	29	-	-	-	1	-	3	2	6	-	3	29	-	40	ESSEX.
Colchester	41,359	250	93	4	44	-	-	-	-	-	1	-	1	3	5	30	1	16	Barking Town.*
SUFFOLK EAST.																			Colchester.
Lowestoft	41,509	259	113	18	45	-	-	-	-	-	-	1	1	5	8	28	2	69	SUFFOLK EAST.
NORFOLK.																			Lowestoft.
King's Lynn	19,839	110	63	7	31	-	-	-	-	-	-	-	-	6	7	16	2	64	NORFOLK.
WILTSHIRE.																			King's Lynn.
Salisbury	22,383	122	50	4	21	-	-	-	-	2	-	-	-	-	2	16	1	33	WILTSHIRE.
DORSETSHIRE.																			Salisbury.
Poole	41,189	223	138	16	58	-	-	-	-	-	-	-	3	4	7	32	4	72	DORSETSHIRE.
Weymouth and Melcombe Regis.	21,645	118	64	4	30	-	-	-	-	-	-	-	-	3	3	14	1	34	Poole.
DEVONSHIRE.																			Weymouth and Melcombe Regis.
Torquay	33,374	121	106	5	69	-	-	-	-	-	-	1	2	6	7	18	2	41	DEVONSHIRE.
SOMERSETSHIRE.																			Torquay.
Taunton	20,628	107	66	5	28	-	-	-	-	-	-	-	-	2	4	16	-	47	SOMERSETSHIRE.

TOWNS.	BIRTHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 Year & 1000 Births.	TOWNS.
		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.				
GLoucestershire. Cheltenham.	194	172	94	-	-	-	-	-	1	1	4	4	6	-	98	GLoucestershire. Cheltenham.
HEREFORDshire. Hereford.	123	71	32	-	-	-	-	-	-	2	1	1	3	2	130	HEREFORDshire. Hereford.
SHROPSHIRE. Shrewsbury.	150	83	40	-	-	-	-	-	-	-	-	-	-	-	33	SHROPSHIRE. Shrewsbury.
STAFFORDshire. Bilston.	214	84	19	-	-	-	-	-	-	3	3	1	4	1	117	STAFFORDshire. Bilston.
Burton upon Trent.	271	131	45	-	-	-	1	-	1	-	1	3	3	3	66	Burton upon Trent.
Cannock.	240	91	29	-	-	7	-	-	1	1	3	3	10	-	71	Cannock.
Coseley.	186	56	15	-	-	-	-	-	-	3	-	3	4	1	70	Coseley.
Newcastle under Lyme.	126	58	21	-	-	-	-	-	1	1	-	3	7	-	71	Newcastle under Lyme.
Rowley Regis.	260	95	22	-	-	-	1	1	-	5	1	2	5	-	77	Rowley Regis.
Stafford.	150	98	38	-	-	-	-	1	1	1	1	1	4	-	73	Stafford.
Tipton.	262	97	36	-	-	-	-	-	2	2	3	4	2	-	31	Tipton.
Wednesbury.	184	83	25	-	-	-	-	-	2	2	3	4	6	1	82	Wednesbury.
Wolstanton United.	174	68	29	-	-	-	-	-	3	1	1	2	3	-	69	Wolstanton United.
WORCEstershire. Kidderminster.	132	94	38	-	-	-	-	-	1	1	1	3	5	-	83	WORCEstershire. Kidderminster.
Oldbury (Staffs. Reg. Co.)	258	98	28	-	-	-	4	-	1	1	5	2	3	2	74	Oldbury (Staffs. Reg. Co.).
Worcester.	246	164	77	1	-	-	-	-	-	3	1	5	11	-	93	Worcester.
WARWICKshire. Nuneaton.	256	92	29	-	-	-	-	-	-	1	1	3	4	2	90	WARWICKshire. Nuneaton.
Royal Leamington Spa.	121	95	56	-	-	-	-	1	1	2	2	3	6	1	66	Royal Leamington Spa.
Rugby.	108	67	35	-	-	-	-	-	-	-	1	2	5	-	37	Rugby.
Sutton Coldfield (Staffs. Reg. Co.).	95	45	23	-	-	-	-	-	-	-	-	1	3	-	21	Sutton Coldfield (Staffs. Reg. Co.).
LEICEstershire. Loughborough.	131	64	22	-	-	-	-	-	1	2	1	1	1	-	99	LEICEstershire. Loughborough.
LINCOLNshire (Kesteven). Grantham.	99	46	21	-	-	-	-	-	-	-	-	1	3	1	30	LINCOLNshire (Kesteven). Grantham.
LINCOLNshire (Lindsey). Cleethorpe with Thruinscoe.	148	73	26	-	-	-	-	1	1	1	-	3	6	-	54	LINCOLNshire (Lindsey). Cleethorpe with Thruinscoe.
Gainsborough.	131	54	16	-	-	-	-	1	1	6	1	1	1	-	76	Gainsborough.
NOTTINGHAMshire. Mansfield.	285	94	23	-	-	-	-	-	1	6	-	5	8	1	109	NOTTINGHAMshire. Mansfield.
Sutton in Ashfield.	152	56	18	-	-	-	-	-	-	2	-	1	2	2	72	Sutton in Ashfield.
Worksop.	120	53	19	-	-	-	-	-	-	3	-	1	1	2	67	Worksop.

TABLE VII. (continued).—One hundred and forty-eight Smaller Towns.—Population; Births, and Deaths in the QUARTER ended 31st December, 1920.

TOWNS.		BIRTHS. DEATHS.		The DEATHS registered in the Quarter include										Deaths under 1 Year to 1000 Births.		TOWNS.			
ESTIMATED (VILIAN) POPULATION, MID. 1919.				Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
				Infants under 1 Year of Age.	Persons aged 65 Year and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.						Violence.
DERBYSHIRE.																			
Chesterfield.*	38,249	244	146	31	39	1	-	-	-	-	3	1	-	2	2	28	5	127	DERBYSHIRE.
Glossop.	20,039	98	58	7	24	-	-	-	-	-	-	-	-	-	-	4	4	71	Chesterfield.*
Ilkeston (Notts. Reg. Co)	31,318	179	82	15	32	-	-	-	-	-	-	5	2	4	-	10	-	84	Glossop.
CHESHIRE.																			Ilkeston (Notts. Reg. Co.).
Chester.	40,764	238	111	12	45	1	-	-	1	-	-	-	-	3	3	4	2	50	CHESHIRE.
Crewe.	45,640	231	137	24	45	-	-	-	1	-	-	3	2	6	6	18	-	104	Chester.
Hyde.	32,550	161	103	22	36	-	-	-	1	-	-	2	1	2	2	6	-	137	Crewe.
Macclesfield	32,432	166	130	24	42	-	-	-	-	-	2	6	1	4	4	35	-	145	Hyde.
Stalybridge (Lancs. Reg. Co.).	26,062	134	77	15	23	-	-	-	-	-	-	1	-	1	1	12	-	112	Macclesfield.
LANCASHIRE.																			Stalybridge (Lancs. Reg. Co.).
Accrington.	43,658	206	147	26	55	-	-	-	2	-	1	-	-	8	4	17	3	126	LANCASHIRE.
Ashton in Makerfield	21,263	167	63	26	12	2	-	-	-	-	1	7	-	-	2	2	2	156	Accrington.
Ashton under Lyne	43,697	235	151	36	42	-	-	-	-	-	1	4	1	1	5	37	13	153	Ashton in Makerfield.
Bacup.	20,246	107	62	5	22	-	-	-	-	-	-	-	-	1	1	6	1	47	Ashton under Lyne.
Chadderton	28,551	135	100	19	27	-	-	-	-	-	1	1	1	2	3	9	1	141	Bacup.
Chorley.	31,594	162	99	22	29	-	-	-	-	-	2	9	3	3	1	12	3	136	Chadderton.
Colne.	25,846	115	77	8	22	-	-	-	1	-	3	2	-	1	1	2	2	70	Chorley.
Darwen.	37,681	174	104	9	41	1	-	-	-	-	5	2	-	3	3	26	2	52	Colne.
Eccles.	42,409	200	112	10	48	-	-	-	1	-	2	1	-	1	1	15	7	50	Darwen.
Farnworth	27,817	157	94	25	25	-	-	-	-	-	-	7	-	2	2	10	1	159	Eccles.
Heywood.	26,183	145	88	17	29	-	-	-	-	-	-	9	1	4	5	7	1	141	Farnworth.
Hindley.	23,598	142	59	20	15	-	-	-	-	-	1	9	1	3	3	8	-	248	Heywood.
Ince in Makerfield	21,810	153	91	38	13	2	-	-	-	-	1	9	1	3	3	6	2	141	Ince in Makerfield.
Lancaster	36,791	194	125	21	51	1	-	-	-	-	1	10	3	5	5	21	8	108	Lancaster.
Leigh.	44,468	254	147	26	42	3	-	-	-	-	-	6	5	6	6	17	2	102	Leigh.
Middleton.	27,716	147	75	10	26	-	-	-	-	3	-	2	-	2	2	7	2	68	Middleton.
Nelson.	41,444	163	85	11	33	-	-	-	-	2	-	2	-	4	1	8	1	67	Nelson.
Radcliffe.	23,450	119	84	17	28	-	-	-	-	1	-	2	1	3	6	9	5	143	Radcliffe.
Rawtenstall.	27,379	140	90	13	35	1	-	-	-	2	-	1	1	4	7	6	4	93	Rawtenstall.
Stretford.	45,603	210	87	9	42	-	-	-	-	1	2	2	-	2	8	8	2	43	Stretford.
Swinton and Pendlebury.	28,144	136	93	16	22	-	-	-	-	-	6	2	1	5	9	9	1	118	Swinton and Pendlebury.
Waterloo with Seaforth.	28,698	138	79	13	31	-	-	-	-	-	1	2	2	2	20	20	4	94	Waterloo with Seaforth.
Widnes*.	32,689	248	121	24	29	-	-	-	-	-	1	10	8	-	2	21	5	97	Widnes*.
YORKSHIRE (WEST RIDING).																			YORKSHIRE (WEST RIDING).
Batley.	35,128	212	119	18	42	1	-	-	-	-	2	5	1	4	4	18	-	85	Batley.
Brighouse.	20,071	96	71	6	20	-	-	-	-	-	1	1	3	3	6	6	-	63	Brighouse.
Castleford.	24,611	172	58	14	16	-	-	-	-	-	1	5	1	1	4	4	-	81	Castleford.
Doncaster.	51,592	328	160	20	63	-	-	-	-	-	1	6	1	4	8	29	6	91	Doncaster.

The DEATHS registered in the Quarter include

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1919.	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 Year to 1000 Births.	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.					
YORKSHIRE (WEST RIDING)— <i>cont.</i>																	YORKSHIRE (WEST RIDING)— <i>cont.</i>	
Keighley.	39,086	192	139	15	51	-	-	-	-	-	-	1	3	2	5	6	78	
Morley.	23,402	129	63	5	27	-	-	-	-	-	-	2	2	-	1	5	39	
Shipley.	24,912	106	83	12	27	-	-	1	-	-	-	-	-	-	6	16	113	
Spenborough.	30,045	127	84	10	36	1	-	-	-	-	-	-	-	-	7	6	79	
Todmorden.	23,140	90	72	6	32	-	-	-	1	-	-	1	2	-	5	6	67	
YORKSHIRE (NORTH RIDING).																	YORKSHIRE (NORTH RIDING).	
Eston.	28,094	225	111	27	20	-	-	-	1	-	-	1	5	2	8	8	120	
Scarborough.	34,108	161	131	8	66	-	-	-	-	-	-	5	1	3	31	20	50	
DURHAM.																	DURHAM.	
Blaydon.	34,351	245	89	24	14	-	-	-	-	-	1	6	4	1	3	5	98	
Felling.	27,198	193	91	23	14	-	-	-	-	-	-	2	3	-	2	6	119	
Hartlepool.	19,548	145	70	22	15	-	-	-	2	-	-	-	-	-	5	10	152	
Hebburn.	22,551	188	86	25	21	-	-	-	-	1	-	2	4	3	4	4	133	
Jarrow.	35,779	269	138	55	28	-	-	-	-	2	-	1	7	3	20	2	130	
Stanley.	23,455	204	90	28	18	-	-	1	-	-	-	2	6	-	3	5	137	
NORTHUMBERLAND.																	NORTHUMBERLAND.	
Ashington.	28,432	270	99	40	22	-	-	-	1	1	-	-	14	2	1	4	148	
Bedlingtonshire.	25,845	213	86	20	21	-	-	-	-	3	1	7	4	-	2	2	94	
Blyth.	31,480	235	101	33	22	-	-	-	-	-	-	1	9	1	7	7	140	
Wallsend.	43,689	328	144	38	26	-	-	-	-	1	1	-	9	2	16	4	116	
CUMBERLAND.																	CUMBERLAND.	
Workington.	26,137	203	114	22	35	-	-	-	-	-	-	2	6	6	11	8	108	
MONMOUTHSHIRE.																	MONMOUTHSHIRE.	
Abersychan.	26,824	193	73	15	20	-	-	-	-	-	-	2	1	2	7	12	78	
Abertillery.	42,771	282	166	40	19	-	-	-	-	-	-	2	14	9	8	2	142	
Bedwellty.	33,657	272	72	21	11	-	-	2	-	-	2	-	4	7	2	3	77	
Ebbw Vale.	39,426	257	113	24	30	-	-	1	1	-	-	4	5	1	14	11	93	
Tredegar.	24,524	209	67	10	23	-	-	-	-	-	-	-	4	1	6	10	48	
GLAMORGANSHIRE.																	GLAMORGANSHIRE.	
Barry.	37,937	208	85	11	28	-	-	-	1	-	-	-	4	-	8	18	53	
Caerphilly.	36,580	254	93	22	17	-	-	6	2	2	1	2	2	3	7	6	87	
Gelligaer.	39,803	365	129	29	23	-	-	6	1	1	-	7	3	3	12	11	79	
Maesteg.	28,760	228	76	20	19	-	-	-	3	-	1	3	3	1	2	6	88	
Mountain Ash.	43,530	308	132	24	25	-	-	1	-	1	4	4	1	4	10	10	78	
Ogmore and Garw.	30,207	268	96	25	21	-	-	13	1	1	3	2	-	6	8	6	120	
Pontypridd.	45,574	368	137	41	21	-	-	1	1	1	7	3	1	10	12	12	111	
CARMARTHENSHIRE.																	CARMARTHENSHIRE.	
Llanelli.	37,291	253	118	28	31	-	-	1	-	-	-	4	3	-	4	12	120	

TABLE VIII.—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January, 1921.*

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
Great Towns.											
LONDON -	4,358,309	15,811	77	-	2	1	10,270	4,622	-	733	106
CROYDON -	184,239	419	3	-	-	-	199	191	-	21	5
WIMBLEDON -	59,791	153	1	-	-	-	119	26	-	6	1
EALING -	73,212	92	-	-	-	-	63	18	-	9	2
ACTON -	61,732	97	-	-	-	-	44	48	-	4	1
WILLESDEN -	160,917	627	7	-	-	-	340	253	-	23	4
HORNSEY -	94,348	135	2	-	-	-	96	30	-	7	-
TOTTENHAM -	141,338	376	1	-	-	-	175	182	-	18	-
EDMONTON -	70,711	272	-	-	-	-	113	139	-	19	1
ENFIELD -	58,442	173	1	-	-	-	111	48	-	11	2
WEST HAM -	287,966	1,547	7	-	1	-	1,214	241	-	80	4
EAST HAM -	144,451	454	2	-	-	-	365	69	-	14	4
LEYTON -	123,896	401	1	-	-	-	260	122	-	18	-
WALTHAMSTOW -	127,684	414	-	-	-	-	307	87	-	19	1
ILFORD -	79,524	185	1	-	-	-	90	81	-	11	2
GILLINGHAM -	43,501	98	-	-	-	-	25	69	-	4	-
HASTINGS -	57,674	54	10	-	-	-	13	20	-	10	1
EASTBOURNE -	48,424	40	1	-	-	-	10	26	-	3	-
BRIGHTON -	132,409	165	2	-	-	-	108	37	-	15	3
PORTSMOUTH† -	227,078	448	6	-	-	-	227	185	-	28	2
BOURNEMOUTH -	82,627	91	-	-	-	-	51	34	-	6	-
SOUTHAMPTON‡ -	155,975	227	6	-	-	-	89	116	-	16	-
READING -	91,365	131	-	-	-	-	87	37	-	7	-
OXFORD -	57,666	67	1	-	-	-	14	48	-	4	-
NORTHAMPTON -	88,944	97	-	-	-	-	22	61	-	12	2
CAMBRIDGE -	57,849	50	-	-	-	-	15	28	-	7	-
SOUTHEND ON SEA -	84,034	156	1	-	-	-	102	45	-	5	3
IPSWICH -	78,011	270	-	-	-	-	86	172	-	7	5
GREAT YARMOUTH -	53,078	32	1	-	-	-	15	13	-	3	-
NORWICH -	119,993	207	2	-	-	-	54	144	-	7	-
SWINDON -	51,527	75	-	-	-	-	21	46	-	8	-
EXETER -	59,014	38	-	-	-	-	24	12	-	1	1
PLYMOUTH -	181,967	285	1	-	-	-	163	96	-	22	3
BATH -	65,919	27	1	-	-	-	9	13	-	3	1
BRISTOL -	361,247	924	9	-	-	-	521	321	-	66	7
GLOUCESTER -	50,100	84	2	-	1	-	48	20	-	10	3
STOKE ON TRENT -	239,316	400	4	-	-	-	249	92	-	43	12
WOLVERHAMPTON -	98,403	106	1	-	-	-	84	14	-	5	2
WALSALL -	92,724	97	-	-	-	-	43	36	-	18	-
WEST BROMWICH -	69,899	213	-	-	-	-	169	22	-	19	3
DUDLEY -	54,017	41	3	-	-	-	33	3	-	2	-
BIRMINGHAM -	861,585	2,496	10	-	-	-	1,734	611	-	104	37
SMETHWICK -	72,152	243	1	-	-	-	188	46	-	8	-
COVENTRY -	132,048	75	1	-	-	-	49	18	-	5	2
LEICESTER -	236,059	469	1	-	-	-	309	128	-	29	2
LINCOLN‡ -	64,955	72	-	-	-	-	32	37	-	2	1
GRIMSBY -	78,813	68	3	-	-	-	35	28	-	2	-
NOTTINGHAM -	257,573	467	4	-	-	-	141	293	-	29	-
DERBY -	123,930	349	-	-	-	-	229	93	-	25	2
STOCKPORT -	125,629	487	1	-	-	-	347	103	-	32	4
BIRKENHEAD -	148,052	139	4	-	-	-	82	42	-	8	3
WALLASEY -	95,424	91	1	-	-	-	44	36	-	9	1
LIVERPOOL -	772,665	1,426	13	-	-	-	903	350	-	139	21
BOOTLE -	76,962	128	-	-	-	-	98	24	-	6	-
ST. HELENS -	100,805	185	-	-	-	-	155	13	-	16	1
SOUTHPORT -	70,144	96	1	-	-	-	68	13	-	7	3
WIGAN -	87,384	52	1	-	-	-	26	12	-	13	-
WARRINGTON -	74,952	60	1	-	-	-	37	15	-	6	1
BOLTON -	177,462	164	2	-	-	-	105	39	-	18	-
BURY -	54,248	49	-	-	-	-	18	20	-	8	3
MANCHESTER -	741,068	2,105	30	-	1	-	1,543	377	-	114	40
SALFORD -	226,225	595	16	-	1	-	433	103	-	33	9

* The figures for London are supplied by the Medical Officer of Health of the Administrative County.

† The figures for Southsea District of Portsmouth are—total population (1911), 25,380; enteric fever, nil; typhus, nil; continued fever, nil; small-pox, nil; scarlet fever, 8; diphtheria (including membranous croup), 8; erysipelas, nil; and puerperal fever, nil. The figures for the Borough of Portsmouth relate to the area as extended on 1st October 1920.

‡ Including figures for the extended area from 9th November 1920. The population refers to the extended area.

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January, 1921.

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM - - - -	137,668	222	-	-	-	4	152	42	-	20	4
ROCHDALE - - - -	90,051	166	-	-	-	-	133	24	-	9	-
BURNLEY - - - -	101,005	108	2	-	-	-	48	41	-	17	-
BLACKBURN - - - -	125,992	90	-	-	-	-	59	13	-	16	2
PRESTON - - - -	117,277	96	4	-	-	-	54	35	-	3	-
BLACKPOOL - - - -	67,842	111	-	-	-	-	78	23	-	8	2
BARROW IN FURNESS - -	73,627	48	-	-	-	-	38	3	-	7	-
HUDDERSFIELD - - - -	112,301	230	4	-	-	-	42	173	-	8	3
HALIFAX - - - -	101,791	131	1	-	-	-	90	32	-	8	-
BRADFORD - - - -	282,714	607	15	-	1	-	441	100	-	39	11
LEEDS - - - -	431,999	649	7	-	-	-	365	208	-	58	11
DEWSBURY - - - -	52,969	88	1	-	-	-	74	10	-	2	1
WAKEFIELD - - - -	49,208	40	3	-	-	-	15	16	-	5	1
BARNLEY - - - -	51,680	71	-	-	-	-	40	19	-	12	-
SHEFFIELD - - - -	473,695	516	10	-	-	-	233	207	-	49	17
ROTHERHAM - - - -	69,034	49	-	-	-	-	19	14	-	14	2
YORK - - - -	74,531	133	-	-	-	-	105	20	-	7	1
HULL - - - -	279,664	318	5	-	-	-	128	149	-	31	5
MIDDLESBROUGH - - - -	127,142	98	1	-	-	-	46	37	-	12	2
DARLINGTON - - - -	64,058	94	2	-	-	-	73	9	-	10	-
STOCKTON ON TEES - - -	60,696	60	-	-	-	-	27	22	-	9	2
WEST HARTLEPOOL - - -	65,515	60	1	-	-	-	45	7	-	6	1
SUNDERLAND - - - -	149,263	163	1	-	-	-	111	28	-	23	-
SOUTH SHIELDS - - - -	111,502	77	1	-	-	-	51	13	-	9	3
GATESHEAD - - - -	123,392	283	1	-	-	-	241	28	-	13	-
NEWCASTLE ON TYNE - -	275,099	503	4	-	-	-	334	101	-	63	1
TYNEMOUTH - - - -	58,007	65	2	-	-	-	38	13	-	11	1
CARLISLE - - - -	55,198	38	-	-	-	-	20	5	-	13	-
NEWPORT (MON.) - - -	87,251	243	2	-	-	-	76	151	-	12	2
CARDIFF - - - -	204,436	489	2	-	-	-	359	107	-	21	-
RHONDDA - - - -	177,911	519	-	-	-	-	424	66	-	23	6
MERTHYR TYDFIL - - -	71,638	321	2	-	-	-	281	30	-	7	1
ABERDARE - - - -	51,384	106	-	-	-	-	46	49	-	8	3
SWANSEA - - - -	160,810	226	-	-	-	-	85	127	-	10	4
Smaller Towns.											
SURREY—											
BARNES - - - -	35,704	89	-	-	-	-	29	53	-	5	2
GUILDFORD - - - -	23,506	7	1	-	-	-	3	2	-	1	-
KINGSTON ON THAMES - -	37,151	77	1	-	-	-	51	15	-	10	-
MITCHAM - - - -	34,561	126	-	-	-	-	92	30	-	2	2
REIGATE - - - -	26,798	53	-	-	-	-	37	16	-	-	-
RICHMOND - - - -	34,209	47	-	-	-	-	18	26	-	3	-
SUTTON - - - -	21,246	12	-	-	-	-	5	7	-	-	-
WOKING - - - -	24,625	15	-	-	-	-	9	4	-	2	-
KENT—											
BECKENHAM - - - -	32,516	70	1	-	-	-	52	14	-	3	-
BROMLEY - - - -	34,795	49	1	-	-	-	30	10	-	5	3
CANTERBURY - - - -	22,258	10	-	-	-	-	-	10	-	-	-
CHATHAM - - - -	38,435	172	7	-	-	-	29	130	-	6	-
DARTFORD - - - -	22,517	164	-	-	-	-	101	59	-	4	-
DOVER - - - -	39,282	177	-	-	-	-	98	78	-	1	-
ERITH - - - -	30,525	83	-	-	-	-	53	26	-	4	-
FOLKESTONE* - - - -	32,050	76	-	-	-	-	59	8	-	8	1
GRAVESEND - - - -	29,288	29	2	-	-	-	3	20	-	4	-
MAIDSTONE - - - -	33,148	17	2	-	-	-	7	8	-	-	-
MARGATE - - - -	22,352	31	1	-	-	-	11	17	-	2	-
PENGE (Surrey Reg. Co.) -	24,338	51	1	-	-	-	36	11	-	3	-
RAMSGATE - - - -	28,214	27	-	-	-	-	22	3	-	2	-
ROCHESTER - - - -	32,110	55	1	-	-	-	30	23	-	1	-
ROYAL TUNBRIDGE WELLS	34,423	54	1	-	-	-	32	16	-	5	-

* Including the civil parish of Folkestone next Sandgate.

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January, 1921.

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—											
HOVE - - - - -	44,149	35	-	-	-	-	15	16	-	3	1
SUSSEX WEST—											
WORTHING - - - - -	30,345	48	-	-	-	-	41	6	-	-	1
SOUTHAMPTON—											
ALDERSHOT (Surrey Reg. Co.).	21,920	21	-	-	-	-	11	6	-	4	-
GOSPORT AND ALVERSTOKE	29,192	68	2	-	-	-	19	44	-	2	1
WINCHESTER - - - - -	24,314	17	7	-	-	-	5	4	-	1	-
MIDDLESEX—											
CHISWICK - - - - -	42,476	101	-	-	-	-	44	55	-	2	-
FINCHLEY - - - - -	45,043	117	-	-	-	-	89	27	-	1	-
HENDON - - - - -	56,522	95	1	-	-	-	57	32	-	3	2
HESTON AND ISLEWORTH -	40,338	122	-	-	-	-	90	26	-	3	3
SOUTHALL NORWOOD - -	27,684	61	-	-	-	-	46	10	-	5	-
SOUTHGATE - - - - -	38,999	68	1	-	-	-	47	18	-	2	-
TWICKENHAM - - - - -	34,695	36	1	-	-	-	16	13	-	5	1
WOOD GREEN - - - - -	50,312	101	1	-	-	-	61	29	-	8	2
HERTFORDSHIRE—											
ST. ALBANS - - - - -	24,833	22	-	-	-	-	15	3	-	4	-
WATFORD - - - - -	46,187	47	-	-	-	-	31	10	-	4	2
BUCKINGHAMSHIRE—											
CHEPPING WYCOMBE - -	20,771	27	1	-	-	-	6	19	-	-	1
NORTHAMPTONSHIRE—											
KETTERING - - - - -	29,966	28	-	-	-	-	11	15	-	2	-
SOKE OF PETERBOROUGH—											
PETERBOROUGH - - - - -	33,420	21	-	-	-	-	11	9	-	1	-
BEDFORDSHIRE—											
BEDFORD - - - - -	40,017	53	1	-	-	-	28	22	-	2	-
LUTON - - - - -	56,406	146	5	-	-	-	77	57	-	5	2
ESSEX—											
BARKING TOWN - - - - -	33,804	95	-	-	-	-	45	38	-	11	1
COLCHESTER - - - - -	41,359	91	1	-	-	-	63	17	-	10	-
SUFFOLK EAST—											
LOWESTOFT - - - - -	41,509	68	-	-	-	-	33	28	-	7	-
NORFOLK—											
KING'S LYNN - - - - -	19,839	12	-	-	-	-	12	-	-	-	-
WILTSHIRE—											
SALISBURY - - - - -	22,383	13	-	-	-	-	2	9	-	2	-
DORSETSHIRE—											
POOLE - - - - -	41,189	88	-	-	-	-	32	52	-	4	-
WEYMOUTH AND MELCOMBE REGIS.	21,645	5	1	-	-	-	3	1	-	-	-
DEVONSHIRE—											
TORQUAY - - - - -	33,374	9	1	-	-	-	2	6	-	-	-
SOMERSETSHIRE—											
TAUNTON - - - - -	20,628	18	-	-	-	-	4	9	-	4	1
WESTON SUPER MARE - -	24,741	28	-	-	-	-	15	12	-	1	-
GLOUCESTERSHIRE—											
CHELTENHAM - - - - -	44,985	67	2	-	-	-	30	30	-	5	-
HEREFORDSHIRE—											
HEREFORD - - - - -	23,989	36	1	-	-	-	18	12	-	3	2

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January, 1921.

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—											
SHREWSBURY - - -	29,778	18	-	-	-	-	7	5	-	6	-
STAFFORDSHIRE—											
BILSTON - - - -	26,276	14	-	-	-	-	8	3	-	3	-
BURTON UPON TRENT - - -	47,682	97	1	-	-	-	80	12	-	4	-
CANNOCK - - - -	33,411	41	-	-	-	-	13	27	-	1	-
COSELEY - - - -	22,696	15	1	-	-	-	7	3	-	4	-
NEWCASTLE UNDER LYME - -	19,742	23	1	-	-	-	4	17	-	1	-
ROWLEY REGIS - - - -	36,749	86	-	-	-	-	65	11	-	9	1
STAFFORD - - - -	26,698	38	1	-	-	-	4	27	-	4	2
TIPTON - - - -	32,555	86	-	-	-	-	69	6	-	10	1
WEDNESBURY - - - -	30,329	38	-	-	-	-	23	5	-	8	2
WOLSTANTON UNITED - -	29,280	51	1	-	-	-	19	28	-	2	1
WORCESTERSHIRE—											
KIDDERMINSTER - - -	26,564	30	-	-	-	-	24	4	-	2	-
OLDBURY (Staffordshire Reg. Co.).	36,242	173	-	-	-	-	146	20	-	7	-
WORCESTER - - - -	47,361	88	2	-	-	-	39	37	-	10	-
WARWICKSHIRE—											
NUNEATON - - - -	39,499	84	-	-	-	-	65	11	-	6	2
ROYAL LEAMINGTON SPA - -	23,317	23	-	-	-	-	5	15	-	3	-
RUGBY - - - -	27,128	15	-	-	-	-	3	8	-	3	1
SUTTON COLDFIELD (Staffs. Reg. Co.).	20,853	27	1	-	-	-	18	8	-	-	-
LEICESTERSHIRE—											
LOUGHBOROUGH - - -	24,675	44	-	-	-	-	11	30	-	3	-
LINCOLNSHIRE (KESTEVEN)—											
GRANTHAM - - - -	22,065	7	-	-	-	-	1	3	-	3	-
LINCOLNSHIRE (LINDSEY)—											
CLEETHORPE WITH THRUNSCOE.	25,673	17	-	-	-	-	4	7	-	6	-
GAINSBOROUGH - - -	19,206	9	-	-	-	-	2	7	-	-	-
NOTTINGHAMSHIRE—											
MANSFIELD - - - -	44,447	31	1	-	-	-	22	8	-	-	-
SUTTON IN ASHFIELD - -	23,041	7	-	-	-	-	3	4	-	-	-
WORKSOP - - - -	21,843	4	-	-	-	-	2	1	-	-	1
DERBYSHIRE—											
CHESTERFIELD* - - -	56,759	75	4	-	-	-	4	61	-	4	2
GLOSSOP - - - -	20,039	30	-	-	-	-	23	2	-	5	-
ILKESTON (Nottinghamshire Reg. Co.).	31,318	18	1	-	-	-	11	4	-	2	-
CHESHIRE—											
CHESTER - - - -	40,764	58	1	-	-	-	40	14	-	2	1
CREWE - - - -	45,640	109	-	-	-	1	86	16	-	6	-
HYDE - - - -	32,550	44	-	-	-	-	38	2	-	2	2
MACCLESFIELD - - -	32,432	27	-	-	-	-	8	15	-	4	-
STALYBRIDGE (Lancashire Reg. Co.).	26,062	61	-	-	-	-	52	3	-	6	-
LANCASHIRE—											
ACCINGTON - - - -	43,658	44	1	-	-	-	31	10	-	-	2
ASHTON IN MAKERFIELD - -	21,263	13	2	-	-	-	9	1	-	1	-
ASHTON UNDER LYNE - -	43,697	49	4	-	-	-	33	5	-	6	1
BACUP - - - -	20,246	10	-	-	-	-	1	5	-	4	-
CHADDERTON - - - -	28,551	43	-	-	-	-	30	10	-	2	1
CHORLEY - - - -	31,594	35	-	-	-	-	12	16	-	7	-
COLNE - - - -	25,846	49	1	-	-	-	19	28	-	1	-
DARWEN - - - -	37,681	28	2	-	-	-	18	7	-	1	-
ECCLES - - - -	42,409	110	1	-	-	-	91	11	-	7	-
FARNWORTH - - - -	27,817	28	-	-	-	-	24	-	-	3	1

* Including figures for the extended area from 9th November 1920. The population refers to the extended area.

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January, 1921.

TOWNS.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—<i>cont.</i>											
HEYWOOD - - - -	26,183	18	-	-	-	-	4	3	-	11	-
HINDLEY - - - -	23,598	23	2	-	-	-	14	3	-	4	-
INCE IN MAKERFIELD - - -	21,810	13	2	-	-	-	6	3	-	2	-
LANCASTER - - - -	36,791	41	-	-	-	-	27	10	-	3	1
LEIGH - - - -	44,468	52	3	-	-	-	30	14	-	3	2
MIDDLETON - - - -	27,716	126	-	-	-	79	27	15	-	4	1
NELSON - - - -	41,444	63	-	-	-	-	50	11	-	2	-
RADCLIFFE - - - -	23,450	29	2	-	-	-	16	7	-	1	3
RAWTENSTALL - - - -	27,379	9	-	-	-	-	3	5	-	-	1
STRETFORD - - - -	45,603	159	1	-	-	-	133	17	-	8	-
SWINTON AND PENDLEBURY.	28,144	103	-	-	-	-	86	7	-	10	-
WATERLOO WITH SEAFORTH.	28,698	86	3	-	-	-	44	35	-	4	-
WIDNES* - - - -	36,530	82	1	-	-	-	35	41	-	2	3
YORKSHIRE (WEST RIDING)—											
BATLEY - - - -	35,128	47	3	-	-	-	22	21	-	-	1
BRIGHOUSE - - - -	20,071	8	-	-	-	-	4	3	-	1	-
CASTLEFORD - - - -	24,611	46	-	-	-	-	33	11	-	2	-
DONCASTER - - - -	51,592	34	-	-	-	-	16	5	-	13	-
GOOLE - - - -	17,835	38	-	-	-	-	12	24	-	2	-
HARROGATE - - - -	36,231	40	-	-	-	-	21	16	-	3	-
KEIGHLEY - - - -	39,086	85	-	-	-	-	72	11	-	2	-
MORLEY - - - -	23,402	26	1	-	-	-	14	7	-	4	-
SHIPLEY - - - -	28,912	44	2	-	-	-	36	5	-	1	-
SPENBOROUGH - - - -	30,045	62	2	-	-	-	41	14	-	4	1
TODMORDEN - - - -	23,140	19	-	-	-	-	5	11	-	3	-
YORKSHIRE (NORTH RIDING)—											
ESTON - - - -	28,094	70	1	-	-	1	56	7	-	5	-
SCARBOROUGH - - - -	34,108	103	7	-	-	-	55	32	-	6	3
DURHAM—											
BLAYDON - - - -	34,351	94	3	-	-	-	68	22	-	1	-
FELLING - - - -	27,198	104	-	-	-	-	91	9	-	4	-
HARTLEPOOL - - - -	19,548	46	-	-	-	-	42	3	-	1	-
HEBBURN - - - -	22,551	22	-	-	-	-	11	5	-	6	-
JARROW - - - -	35,779	49	-	-	-	-	21	9	-	19	-
STANLEY - - - -	23,455	92	-	-	-	-	60	27	-	4	1
NORTHUMBERLAND—											
ASHINGTON - - - -	28,432	110	2	-	-	-	88	8	-	12	-
BEDLINGTONSHIRE - - -	25,845	199	1	-	-	-	169	21	-	7	1
BLYTH - - - -	31,480	42	2	-	-	-	26	7	-	7	-
WALLSEND - - - -	43,689	84	1	-	-	-	50	18	-	12	3
CUMBERLAND—											
WORKINGTON - - - -	26,137	52	1	-	-	-	30	17	-	4	-
MONMOUTHSHIRE—											
ABERSYCHAN - - - -	26,824	90	-	-	-	-	78	10	-	2	-
ABERTILLERY - - - -	42,771	37	1	-	-	1	23	8	-	4	-
BEDWELTY - - - -	33,657	134	-	-	-	-	117	16	-	-	1
EBBW VALE - - - -	39,426	155	1	-	-	-	118	28	-	7	1
TREDEGAR - - - -	24,524	98	1	-	-	-	82	8	-	5	2
GLAMORGANSHIRE—											
BARRY - - - -	37,937	66	4	-	-	-	36	23	-	1	2
CAERPHILLY - - - -	36,580	193	1	-	-	-	128	60	-	4	-
GELLIGAER - - - -	39,803	181	-	-	-	-	146	27	-	7	1
MAESTEG - - - -	28,760	145	1	-	-	-	124	19	-	1	-
MOUNTAIN ASH - - - -	43,530	149	-	-	-	-	111	33	-	5	-
OGMORE AND GARW - - -	30,207	220	-	-	-	-	203	11	-	6	-
PONTYPRIDD - - - -	45,574	77	3	-	-	-	42	22	-	10	-
CARMARTHENSHIRE—											
LLANELLY - - - -	37,291	36	-	-	-	-	4	32	-	-	-

* Including figures for the extended area from 9th November 1920. The population refers to the extended area.

TABLE IX.—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 31st January, 1921.*

BOROUGHs.	Estimated Civilian Population, Mid. 1919.	Total Cases.	Enteric Fever.	Malaria.	Continued Fever.	Trench Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Pneumonia.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Ophthalmia Neonatorum.	Polio-myelitis.	Dysentery.	Encephalitis Lethargica.	Anthrax.	Polio-encephalitis.	
WEST.																				
Brixton -	143,938	464	5	1	-	-	-	237	153	29	23	1	7	7	1	-	-	-	-	
Clapham -	157,886	422	5	-	1	-	-	280	85	18	18	1	1	8	1	1	3	-	-	
Clapham -	130,981	700	-	2	-	-	-	462	149	44	19	-	8	9	2	1	4	-	-	
Clapham -	152,543	733	2	3	-	-	-	424	220	39	30	1	8	4	1	-	-	-	1	
Clapham -	60,573	134	-	-	-	-	-	55	63	5	6	-	-	5	-	-	-	-	-	
Clapham -	127,533	250	1	-	-	-	-	107	81	18	24	-	3	14	-	-	2	-	-	
NORTH.																				
Clapham -	97,953	265	2	3	-	-	-	183	33	12	19	-	1	7	2	1	2	-	-	
Clapham -	88,012	231	4	2	-	-	1	142	58	10	11	-	-	2	-	1	-	-	-	
Clapham -	219,434	686	6	1	-	-	-	343	223	51	33	1	2	24	-	1	1	-	-	
Clapham -	323,034	1,216	8	6	-	-	-	553	576	12	39	2	3	14	-	1	2	-	-	
Clapham -	50,954	194	1	-	-	-	-	113	71	-	6	-	-	3	-	-	-	-	-	
Clapham -	216,736	901	4	1	-	-	-	535	287	16	45	2	4	5	-	-	2	-	-	
CENTRAL.																				
Clapham -	38,156	128	1	-	-	-	-	41	67	10	4	-	-	5	-	-	-	-	-	
Clapham -	75,291	321	1	-	-	-	-	195	97	5	15	1	3	3	1	-	-	-	-	
Clapham -	13,893	33	-	-	-	-	-	20	12	-	-	-	-	1	-	-	-	-	-	
EAST.																				
Clapham -	98,134	430	4	2	-	-	-	204	141	39	23	2	1	13	1	-	-	-	-	
Clapham -	110,085	719	1	1	-	-	-	476	155	33	43	1	1	6	1	-	1	-	-	
Clapham -	232,506	1,579	1	1	-	-	-	1,172	231	103	54	5	9	1	-	-	2	-	-	
Clapham -	153,644	1,130	3	1	-	1	-	754	264	63	24	3	9	8	-	-	-	-	-	
SOUTH.																				
Clapham -	179,971	650	4	1	-	-	-	390	111	72	50	-	3	17	-	-	-	1	1	
Clapham -	124,239	648	3	2	1	-	-	476	116	11	23	-	7	7	-	-	1	1	-	
Clapham -	282,322	762	8	2	-	-	-	427	182	62	43	1	11	24	-	-	2	-	-	
Clapham -	159,316	640	1	1	-	-	-	306	198	81	28	2	6	15	-	1	1	-	-	
Clapham -	333,693	1,113	1	-	-	-	-	652	281	108	45	3	4	9	-	1	9	-	-	
Clapham -	273,802	1,042	7	13	-	1	-	631	298	25	51	1	2	9	-	3	1	-	-	
Clapham -	111,205	487	1	2	-	-	-	338	97	18	20	-	4	5	-	-	2	-	-	
Clapham -	98,484	395	2	6	-	-	-	234	113	17	11	-	3	9	-	-	-	-	-	
Clapham -	167,754	429	1	1	-	-	-	267	127	14	13	1	2	2	-	-	1	-	-	
Clapham -	136,237	444	-	4	-	-	-	253	133	29	13	1	4	6	-	-	-	1	-	
ADMINISTRATIVE COUNTY OF LONDON.		4,358,309	17,146	77	56	2	2	1	10,270	4,622	944	733	29	106	242	10	11	36	3	2
Ages 0-1		612	-	-	-	-	-	107	126	100	22	12	-	242	2	-	1	-	-	
" 1-5		3,179	-	2	-	-	-	1,888	1,066	196	14	7	-	-	4	-	1	-	1	
" 5-		6,705	9	1	-	-	-	4,729	1,836	91	27	6	-	-	4	-	2	-	-	
" 10-		3,324	6	-	-	-	-	2,385	847	36	43	1	-	-	-	-	6	-	-	
" 15-		897	13	-	1	-	-	562	232	43	37	1	3	-	-	-	5	-	-	
" 20-		560	13	12	-	-	-	249	183	47	32	-	22	-	-	1	1	-	-	
" 25-		711	15	24	-	2	-	232	189	107	67	1	63	-	-	6	5	-	-	
" 35-		490	10	11	-	-	-	93	101	107	136	1	16	-	-	3	9	2	1	
" 45-		310	9	4	1	-	1	21	29	91	150	-	2	-	-	1	1	-	-	
" 55-		195	2	2	-	-	-	3	6	63	114	-	-	-	-	-	4	1	-	
" 65-		109	-	-	-	-	-	-	5	41	63	-	-	-	-	-	-	-	-	
" 75 and upwards		54	-	-	-	-	-	1	2	22	28	-	-	-	-	-	1	-	-	
Age not stated		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

TABLE X.—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January 1921.

(Civilian Population only.)

TOWNS.	Annual Rate per 1,000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
LONDON	14·54	0·07	-	0·00	0·00	9·45	4·25	-	0·67	0·10
243 Provincial Towns	7·85	0·08	-	0·00	0·02	4·94	2·22	-	0·51	0·08
95 Great Towns	7·92	0·07	-	0·00	0·00	4·98	2·25	-	0·53	0·09
148 Smaller Towns	7·68	0·10	-	-	0·07	4·82	2·14	-	0·48	0·07
Great Towns.										
CROYDON	9·13	0·07	-	-	-	4·33	4·16	-	0·46	0·11
WIMBLEDON	10·26	0·07	-	-	-	7·88	1·74	-	0·40	0·07
EALING	5·04	-	-	-	-	3·45	0·99	-	0·49	0·11
ACTON	6·30	-	-	-	-	2·86	3·12	-	0·26	0·06
WILLESDEN	15·62	0·17	-	-	-	8·47	6·31	-	0·57	0·10
HORNSEY	5·75	0·09	-	-	-	4·08	1·28	-	0·30	-
TOTTENHAM	10·67	0·03	-	-	-	4·97	5·16	-	0·51	-
EDMONTON	15·43	-	-	-	-	6·41	7·88	-	1·08	0·06
ENFIELD	11·87	0·07	-	-	-	7·62	3·29	-	0·75	0·14
WEST HAM	21·55	0·10	-	0·01	-	16·91	3·36	-	1·11	0·06
EAST HAM	12·61	0·06	-	-	-	10·13	1·92	-	0·39	0·11
LEYTON	12·98	0·03	-	-	-	8·42	3·95	-	0·58	-
WALTHAMSTOW	13·00	-	-	-	-	9·64	2·73	-	0·60	0·03
ILFORD	9·33	0·05	-	-	-	4·54	4·09	-	0·55	0·10
GILLINGHAM	9·04	-	-	-	-	2·31	6·36	-	0·37	-
HASTINGS	3·76	0·70	-	-	-	0·90	1·39	-	0·70	0·07
EASTBOURNE	3·31	0·08	-	-	-	0·83	2·15	-	0·25	-
BRIGHTON	4·99	0·06	-	-	-	3·27	1·12	-	0·45	0·09
PORTSMOUTH*	7·92	0·11	-	-	-	4·01	3·27	-	0·49	0·04
BOURNEMOUTH	4·42	-	-	-	-	2·48	1·65	-	0·29	-
SOUTHAMPTON*	6·34	0·17	-	-	-	2·48	3·24	-	0·45	-
READING	5·75	-	-	-	-	3·82	1·62	-	0·31	-
OXFORD	4·66	0·07	-	-	-	0·97	3·34	-	0·28	-
NORTHAMPTON	4·37	-	-	-	-	0·99	2·75	-	0·54	0·09
CAMBRIDGE	3·47	-	-	-	-	1·04	1·94	-	0·49	-
SOUTHEND ON SEA	7·45	0·05	-	-	-	4·87	2·15	-	0·24	0·14
IPSWICH	13·88	-	-	-	-	4·42	8·84	-	0·36	0·26
GREAT YARMOUTH	2·42	0·08	-	-	-	1·13	0·98	-	0·23	-
NORWICH	6·92	0·07	-	-	-	1·81	4·81	-	0·23	-
SWINDON	5·83	-	-	-	-	1·63	3·58	-	0·62	-
EXETER	2·59	-	-	-	-	1·63	0·82	-	0·07	0·07
PLYMOUTH	6·28	0·02	-	-	-	3·59	2·12	-	0·48	0·07
BATH	1·64	0·06	-	-	-	0·55	0·79	-	0·18	0·06
BRISTOL	10·26	0·10	-	-	-	5·79	3·56	-	0·73	0·08
GLOUCESTER	6·72	0·16	-	0·08	-	3·84	1·60	-	0·80	0·24
STOKE ON TRENT	6·70	0·07	-	-	-	4·17	1·54	-	0·72	0·20
WOLVERHAMPTON	4·31	0·04	-	-	-	3·42	0·57	-	0·20	0·08
WALSALL	4·20	-	-	-	-	1·86	1·56	-	0·78	-
WEST BROMWICH	12·22	-	-	-	-	9·70	1·26	-	1·09	0·17
DUDLEY	3·04	0·22	-	-	-	2·45	0·22	-	0·15	-
BIRMINGHAM	11·61	0·05	-	-	-	8·07	2·84	-	0·48	0·17
SMETHWICK	13·51	0·06	-	-	-	10·45	2·56	-	0·44	-
COVENTRY	2·28	0·03	-	-	-	1·49	0·55	-	0·15	0·06
LEICESTER	7·96	0·02	-	-	-	5·25	2·17	-	0·49	0·03
LINCOLN*	4·57	-	-	-	-	2·03	2·35	-	0·13	0·06
GRIMSBY	3·46	0·15	-	-	-	1·78	1·43	-	0·10	-
NOTTINGHAM	7·27	0·06	-	-	-	2·20	4·56	-	0·45	-
DERBY	11·29	-	-	-	-	7·41	3·01	-	0·81	0·06
STOCKPORT	15·55	0·03	-	-	-	11·08	3·29	-	1·02	0·13
BIRKENHEAD	3·77	0·11	-	-	-	2·22	1·14	-	0·22	0·08
WALLASEY	3·82	0·04	-	-	-	1·85	1·51	-	0·38	0·04
LIVERPOOL	7·41	0·07	-	-	-	4·69	1·82	-	0·72	0·11
BOOTLE	6·67	-	-	-	-	5·11	1·25	-	0·31	-
ST. HELENS	7·37	-	-	-	-	6·17	0·52	-	0·64	0·04
SOUTHPORT	5·49	0·06	-	-	-	3·89	0·97	-	0·40	0·17
WIGAN	2·39	0·05	-	-	-	1·19	0·55	-	0·60	-
WARRINGTON	3·20	0·05	-	-	-	1·98	0·80	-	0·32	0·05
BOLTON	3·71	0·05	-	-	-	2·37	0·88	-	0·41	-
BURY	3·62	-	-	-	-	1·33	1·48	-	0·59	0·22
MANCHESTER	11·40	0·16	-	0·01	-	8·35	2·04	-	0·62	0·22
SALFORD	10·56	0·28	-	0·02	-	7·68	1·83	-	0·59	0·16

* See note to Table VIII. Allowance has been made in calculating the above rates.

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January 1921.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM - - - -	6·47	-	-	-	0·12	4·43	1·22	-	0·58	0·12
ROCHDALE - - - -	7·39	-	-	-	-	5·92	1·07	-	0·40	-
BURNLEY - - - -	4·30	0·08	-	-	-	1·91	1·63	-	0·68	-
BLACKBURN - - - -	2·86	-	-	-	-	1·88	0·41	-	0·51	0·06
PRESTON - - - -	3·29	0·14	-	-	-	1·85	1·20	-	0·10	-
BLACKPOOL - - - -	6·56	-	-	-	-	4·61	1·36	-	0·47	0·12
BARROW IN FURNESS - -	2·61	-	-	-	-	2·07	0·16	-	0·38	-
HUDDERSFIELD - - - -	8·22	0·14	-	-	-	1·50	6·18	-	0·29	0·11
HALIFAX - - - -	5·17	0·04	-	-	-	3·55	1·26	-	0·32	-
BRADFORD - - - -	8·61	0·21	-	0·01	-	6·26	1·42	-	0·55	0·16
LEEDS - - - -	6·02	0·06	-	-	-	3·39	1·93	-	0·54	0·10
DEWSBURY - - - -	6·67	0·08	-	-	-	5·60	0·76	-	0·15	0·08
WAKEFIELD - - - -	3·25	0·24	-	-	-	1·22	1·30	-	0·41	0·08
BARNSELY - - - -	5·50	-	-	-	-	3·10	1·47	-	0·93	-
SHEFFIELD - - - -	4·35	0·08	-	-	-	1·97	1·75	-	0·41	0·14
ROTHERHAM - - - -	2·84	-	-	-	-	1·10	0·81	-	0·81	0·12
YORK - - - -	7·16	-	-	-	-	5·65	1·08	-	0·38	0·05
HULL - - - -	4·56	0·07	-	-	-	1·84	2·14	-	0·44	0·07
MIDDLESBROUGH - - - -	3·09	0·03	-	-	-	1·45	1·17	-	0·38	0·06
DARLINGTON - - - -	5·89	0·13	-	-	-	4·57	0·53	-	0·63	-
STOCKTON ON TEES - - -	3·95	-	-	-	-	1·78	1·45	-	0·59	0·13
WEST HARTLEPOOL - - -	3·68	0·06	-	-	-	2·76	0·43	-	0·37	0·06
SUNDERLAND - - - -	4·38	0·03	-	-	-	2·98	0·75	-	0·62	-
SOUTH SHIELDS - - - -	2·77	0·04	-	-	-	1·83	0·47	-	0·32	0·11
GATESHEAD - - - -	9·19	0·03	-	-	-	7·83	0·91	-	0·42	-
NEWCASTLE ON TYNE - -	7·33	0·06	-	-	-	4·87	1·47	-	0·92	0·01
TYNEMOUTH - - - -	4·50	0·14	-	-	-	2·63	0·90	-	0·76	0·07
CARLISLE - - - -	2·75	-	-	-	-	1·45	0·36	-	0·94	-
NEWPORT (MON.) - - -	11·16	0·09	-	-	-	3·49	6·94	-	0·55	0·09
CARDIFF - - - -	9·59	0·04	-	-	-	7·04	2·10	-	0·41	-
RHONDDA - - - -	11·71	-	-	-	-	9·56	1·49	-	0·52	0·14
MERTHYR TYDFIL - - -	17·97	0·11	-	-	-	15·73	1·68	-	0·39	0·06
ABERDARE - - - -	8·26	-	-	-	-	3·59	3·82	-	0·62	0·23
SWANSEA - - - -	5·64	-	-	-	-	2·12	3·17	-	0·25	0·10
Smaller Towns.										
SURREY—										
BARNES - - - -	9·99	-	-	-	-	3·26	5·95	-	0·56	0·22
GUILDFORD - - - -	1·19	0·17	-	-	-	0·51	0·34	-	0·17	-
KINGSTON ON THAMES - -	8·32	0·11	-	-	-	5·51	1·62	-	1·08	-
MITCHAM - - - -	14·62	-	-	-	-	10·68	3·48	-	0·23	0·23
REIGATE - - - -	7·93	-	-	-	-	5·54	2·39	-	-	-
RICHMOND - - - -	5·51	-	-	-	-	2·11	3·05	-	0·35	-
SUTTON - - - -	2·26	-	-	-	-	0·94	1·32	-	-	-
WOKING - - - -	2·45	-	-	-	-	1·47	0·65	-	0·33	-
KENT—										
BECKENHAM - - - -	8·63	0·12	-	-	-	6·41	1·73	-	0·37	-
BROMLEY - - - -	5·66	0·12	-	-	-	3·46	1·15	-	0·58	0·35
CANTERBURY - - - -	1·80	-	-	-	-	-	1·80	-	-	-
CHATHAM - - - -	17·96	0·73	-	-	-	3·03	13·57	-	0·63	-
DARTFORD - - - -	29·21	-	-	-	-	17·99	10·51	-	0·71	-
DOVER - - - -	18·06	-	-	-	-	10·00	7·96	-	0·10	-
ERITH - - - -	10·91	-	-	-	-	6·96	3·42	-	0·53	-
FOLKESTONE* - - - -	9·51	-	-	-	-	7·38	1·00	-	1·00	0·13
GRAVESEND - - - -	3·97	0·27	-	-	-	0·41	2·74	-	0·55	-
MAIDSTONE - - - -	2·06	0·24	-	-	-	0·85	0·97	-	-	-
MARGATE - - - -	5·56	0·18	-	-	-	1·97	3·05	-	0·36	-
PENGE (Surrey Reg. Co.) -	8·39	0·16	-	-	-	5·93	1·81	-	0·49	-
RAMSGATE - - - -	3·84	-	-	-	-	3·13	0·43	-	0·28	-
ROCHESTER - - - -	6·86	0·12	-	-	-	3·75	2·87	-	0·12	-
ROYAL TUNBRIDGE WELLS -	6·29	0·12	-	-	-	3·73	1·86	-	0·58	-

* Including the Civil Parish of Folkestone next Sandgate.

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January, 1921.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—										
HOVE - - - -	3·17	-	-	-	-	1·36	1·45	-	0·27	0·09
SUSSEX WEST—										
WORTHING - - -	6·34	-	-	-	-	5·42	0·79	-	-	0·13
SOUTHAMPTON—										
ALDERSHOT (Surrey Reg. Co.).	3·84	-	-	-	-	2·01	1·10	-	0·73	-
GOSPORT & ALVERSTOKE -	9·34	0·27	-	-	-	2·61	6·05	-	0·27	0·14
WINCHESTER - - -	2·79	1·15	-	-	-	0·82	0·66	-	0·16	-
MIDDLESEX—										
CHISWICK - - - -	9·53	-	-	-	-	4·15	5·19	-	0·19	-
FINCHLEY - - - -	10·42	-	-	-	-	7·93	2·40	-	0·09	-
HENDON - - - - -	6·73	0·07	-	-	-	4·04	2·27	-	0·21	0·14
HESTON & ISLEWORTH -	12·14	-	-	-	-	8·95	2·59	-	0·30	0·30
SOUTHALL NORWOOD -	8·83	-	-	-	-	6·66	1·45	-	0·72	-
SOUTHGATE - - - -	6·99	0·10	-	-	-	4·83	1·85	-	0·21	-
TWICKENHAM - - -	4·17	0·12	-	-	-	1·85	1·50	-	0·58	0·12
WOOD GREEN - - -	8·05	0·08	-	-	-	4·86	2·31	-	0·64	0·16
HERTFORDSHIRE—										
ST. ALBANS - - - -	3·55	-	-	-	-	2·42	0·48	-	0·65	-
WATFORD - - - - -	4·08	-	-	-	-	2·69	0·87	-	0·35	0·17
BUCKINGHAMSHIRE—										
CHEPPING WYCOMBE -	5·21	0·19	-	-	-	1·16	3·67	-	-	0·19
NORTHAMPTONSHIRE—										
KETTERING - - - -	3·75	-	-	-	-	1·47	2·01	-	0·27	-
SOKE OF										
PETERBOROUGH—										
PETERBOROUGH - - -	2·52	-	-	-	-	1·32	1·08	-	0·12	-
BEDFORDSHIRE—										
BEDFORD - - - - -	5·32	0·10	-	-	-	2·81	2·21	-	0·20	-
LUTON - - - - -	10·39	0·36	-	-	-	5·48	4·05	-	0·36	0·14
ESSEX—										
BARKING TOWN - - -	11·28	-	-	-	-	5·34	4·51	-	1·31	0·12
COLCHESTER - - - -	8·83	0·10	-	-	-	6·11	1·65	-	0·97	-
SUFFOLK EAST—										
LOWESTOFT - - - -	6·58	-	-	-	-	3·19	2·71	-	0·68	-
NORFOLK—										
KING'S LYNN - - - -	2·43	-	-	-	-	2·43	-	-	-	-
WILTSHIRE—										
SALISBURY - - - - -	2·33	-	-	-	-	0·36	1·61	-	0·36	-
DORSETSHIRE—										
POOLE - - - - -	8·57	-	-	-	-	3·12	5·06	-	0·39	-
WEYMOUTH AND MELCOMBE REGIS.	0·94	0·19	-	-	-	0·56	0·19	-	-	-
DEVONSHIRE—										
TORQUAY - - - - -	1·03	0·12	-	-	-	0·24	0·72	-	-	-
SOMERSETSHIRE—										
TAUNTON - - - - -	3·50	-	-	-	-	0·78	1·75	-	0·78	0·19
WESTON SUPER MARE -	4·54	-	-	-	-	2·43	1·95	-	0·16	-
GLOUCESTERSHIRE—										
CHELTENHAM - - - -	5·97	0·18	-	-	-	2·67	2·67	-	0·45	-
HEREFORDSHIRE—										
HEREFORD - - - - -	6·02	0·17	-	-	-	3·01	2·01	-	0·50	0·33

TABLE X. (continued).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January, 1921.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—										
SHREWSBURY - - -	2·42	-	-	-	-	0·94	0·67	-	0·81	-
STAFFORDSHIRE—										
BILSTON - - -	2·14	-	-	-	-	1·22	0·46	-	0·46	-
BURTON UPON TRENT -	8·17	0·08	-	-	-	6·73	1·02	-	0·34	-
CANNOCK - - -	4·92	-	-	-	-	1·56	3·24	-	0·12	-
COSELEY - - -	2·66	0·18	-	-	-	1·24	0·53	-	0·71	-
NEWCASTLE UNDER LYME	4·66	0·20	-	-	-	0·81	3·45	-	0·20	-
ROWLEY REGIS - - -	9·39	-	-	-	-	7·10	1·20	-	0·98	0·11
STAFFORD - - -	5·71	0·15	-	-	-	0·60	4·06	-	0·60	0·30
TIPTON - - -	10·59	-	-	-	-	8·50	0·74	-	1·23	0·12
WEDNESBURY - - -	5·02	-	-	-	-	3·04	0·66	-	1·06	0·26
WOLSTANTON UNITED -	6·99	0·14	-	-	-	2·60	3·84	-	0·27	0·14
WORCESTERSHIRE—										
KIDDERMINSTER - - -	4·52	-	-	-	-	3·62	0·60	-	0·30	-
OLDBURY (Staffs. Reg. Co.)	19·14	-	-	-	-	16·16	2·21	-	0·77	-
WORCESTER - - -	7·45	0·17	-	-	-	3·30	3·13	-	0·85	-
WARWICKSHIRE—										
NUNEATON - - -	8·53	-	-	-	-	6·60	1·12	-	0·61	0·20
ROYAL LEAMINGTON SPA	3·25	-	-	-	-	0·71	2·12	-	0·42	-
RUGBY - - -	2·21	-	-	-	-	0·44	1·18	-	0·44	0·15
SUTTON COLDFIELD (Staffs. Reg. Co.).	5·19	0·19	-	-	-	3·46	1·54	-	-	-
LEICESTERSHIRE—										
LOUGHBOROUGH - - -	7·16	-	-	-	-	1·79	4·88	-	0·49	-
LINCOLNSHIRE (KESTEVEN)—										
GRANTHAM - - -	1·28	-	-	-	-	0·18	0·55	-	0·55	-
LINCOLNSHIRE (LINDSEY)—										
CLEETHORPE WITH THRUNSCOE.	2·65	-	-	-	-	0·62	1·09	-	0·94	-
GAINSBOROUGH - - -	1·89	-	-	-	-	0·42	1·47	-	-	-
NOTTINGHAMSHIRE—										
MANSFIELD - - -	2·80	0·09	-	-	-	1·99	0·72	-	-	-
SUTTON IN ASHFIELD -	1·22	-	-	-	-	0·52	0·70	-	-	-
WORKSOP - - -	0·73	-	-	-	-	0·37	0·18	-	-	0·18
DERBYSHIRE—										
CHESTERFIELD* - - -	6·12	0·33	-	-	-	0·33	4·97	-	0·33	0·16
GLOSSOP - - -	6·00	-	-	-	-	4·60	0·40	-	1·00	-
ILKESTON (Notts. Reg. Co.)	2·31	0·13	-	-	-	1·41	0·51	-	0·26	-
CHESHIRE—										
CHESTER - - -	5·72	0·10	-	-	-	3·94	1·38	-	0·20	0·10
CREWE - - -	9·59	-	-	-	0·09	7·56	1·41	-	0·53	-
HYDE - - -	5·43	-	-	-	-	4·68	0·25	-	0·25	0·25
MACCLESFIELD - - -	3·33	-	-	-	-	0·99	1·85	-	0·49	-
STALYBRIDGE (Lancs. Reg. Co.).	9·38	-	-	-	-	8·00	0·46	-	0·92	-
LANCASHIRE—										
ACCRINGTON - - -	4·04	0·09	-	-	-	2·85	0·92	-	-	0·18
ASHTON IN MAKERFIELD	2·46	0·38	-	-	-	1·70	0·19	-	0·19	-
ASHTON UNDER LYNE -	4·50	0·37	-	-	-	3·03	0·46	-	0·55	0·09
BACUP - - -	1·98	-	-	-	-	0·20	0·99	-	0·79	-
CHADDERTON - - -	6·03	-	-	-	-	4·21	1·40	-	0·28	0·14
CHORLEY - - -	4·44	-	-	-	-	1·52	2·03	-	0·89	-
COLNE - - -	7·62	0·16	-	-	-	2·95	4·35	-	0·16	-
DARWEN - - -	2·99	0·21	-	-	-	1·92	0·75	-	0·11	-
ECCLES - - -	10·40	0·09	-	-	-	8·61	1·04	-	0·66	-
FARNWORTH - - -	4·03	-	-	-	-	3·46	-	-	0·43	0·14

* See note to Table VIII. Allowance has been made in calculating the above rates.

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January, 1921.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE— <i>cont.</i>										
HEYWOOD	2·75	-	-	-	-	0·61	0·46	-	1·68	-
HINDLEY	3·91	0·34	-	-	-	2·38	0·51	-	0·68	-
INCE IN MAKERFIELD	2·39	0·37	-	-	-	1·10	0·55	-	0·37	-
LANCASTER	4·47	-	-	-	-	2·94	1·09	-	0·33	0·11
LEIGH	4·69	0·27	-	-	-	2·71	1·26	-	0·27	0·18
MIDDLETON	18·23	-	-	-	11·43	3·91	2·17	-	0·58	0·14
NELSON	6·11	-	-	-	-	4·84	1·08	-	0·19	-
RADCLIFFE	4·96	0·34	-	-	-	2·74	1·20	-	0·17	0·51
RAWTENSTALL	1·32	-	-	-	-	0·44	0·73	-	-	0·15
STRETFORD	13·99	0·09	-	-	-	11·70	1·50	-	0·70	-
SWINTON AND	14·69	-	-	-	-	12·26	1·00	-	1·43	-
PENDLEBURY.										
WATERLOO WITH	12·02	0·42	-	-	-	6·15	4·89	-	0·56	-
SEAFORTH.										
WIDNES*	9·40	0·11	-	-	-	4·02	4·70	-	0·23	0·34
YORKSHIRE										
(WEST RIDING)—										
BATLEY	5·36	0·34	-	-	-	2·51	2·40	-	-	0·11
BRIGHOUSE	1·60	-	-	-	-	0·80	0·60	-	0·20	-
CASTLEFORD	7·50	-	-	-	-	5·38	1·79	-	0·33	-
DONCASTER	2·64	-	-	-	-	1·24	0·39	-	1·01	-
GOOLE	8·55	-	-	-	-	2·70	5·40	-	0·45	-
HARROGATE	4·42	-	-	-	-	2·32	1·77	-	0·33	-
KEIGHLEY	8·73	-	-	-	-	7·39	1·13	-	0·21	-
MORLEY	4·46	0·17	-	-	-	2·40	1·20	-	0·19	-
SHIPLEY	6·10	0·28	-	-	-	4·99	0·69	-	0·14	-
SPENBOROUGH	8·27	0·27	-	-	-	5·47	1·87	-	0·53	0·13
TODMORDEN	3·30	-	-	-	-	0·87	1·91	-	0·52	-
YORKSHIRE										
(NORTH RIDING)—										
ESTON	9·99	0·14	-	-	0·14	8·00	1·00	-	0·71	-
SCARBOROUGH	12·11	0·82	-	-	-	6·47	3·76	-	0·71	0·35
DURHAM—										
BLAYDON	10·98	0·35	-	-	-	7·94	2·57	-	0·12	-
FELLING	15·34	-	-	-	-	13·42	1·33	-	0·59	-
HARTLEPOOL	9·45	-	-	-	-	8·62	0·62	-	0·21	-
HEBBURN	3·92	-	-	-	-	1·96	0·89	-	1·07	-
JARROW	5·49	-	-	-	-	2·35	1·01	-	2·13	-
STANLEY	15·73	-	-	-	-	10·26	4·62	-	0·68	0·17
NORTHUMBERLAND—										
ASHINGTON	15·51	0·28	-	-	-	12·41	1·13	-	1·69	-
BEDLINGTONSHIRE	30·90	0·16	-	-	-	26·23	3·26	-	1·09	0·16
BLYTH	5·34	0·25	-	-	-	3·31	0·89	-	0·89	-
WALLSEND	7·71	0·09	-	-	-	4·59	1·65	-	1·10	0·28
CUMBERLAND—										
WORKINGTON	7·97	0·15	-	-	-	4·60	2·61	-	0·61	-
MONMOUTHSHIRE—										
ABERSYCHAN	13·46	-	-	-	-	11·66	1·50	-	0·30	-
ABERTILLERY	3·47	0·09	-	-	0·09	2·16	0·75	-	0·38	-
BEDWELLTY	15·97	-	-	-	-	13·94	1·91	-	-	0·12
EBBW VALE	15·77	0·10	-	-	-	12·01	2·85	-	0·71	0·10
TREDEGAR	16·03	0·16	-	-	-	13·41	1·31	-	0·82	0·33
GLAMORGANSHIRE—										
BARRY	6·98	0·42	-	-	-	3·81	2·43	-	0·11	0·21
CAERPHILLY	21·17	0·11	-	-	-	14·04	6·58	-	0·44	-
GELLIGAER	18·24	-	-	-	-	14·71	2·72	-	0·71	0·10
MAESTEG	20·22	0·14	-	-	-	17·29	2·65	-	0·14	-
MOUNTAIN ASH	13·72	-	-	-	-	10·22	3·04	-	0·46	-
OGMORE AND GARW	29·22	-	-	-	-	26·96	1·46	-	0·80	-
PONTYPRIDD	6·78	0·26	-	-	-	3·70	1·94	-	0·88	-
CARMARTHENSHIRE—										
LLANELLY	3·87	-	-	-	-	0·43	3·44	-	-	-

* See Note to Table VIII. Allowance has been made in calculating the above rates.

TABLE XI.—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 1st January, 1921.

(Civilian Population only.)

BOROUGHs.	Annual Rate per 1000 Civilian Population, Mid. 1919.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
ADMINISTRATIVE COUNTY OF LONDON }	11·54	0·07	-	0·00	0·00	9·45	4·25	-	0·67	0·10
WEST.										
Paddington - - -	11·84	0·14	-	-	-	6·60	4·26	-	0·64	0·20
Kensington - - -	9·92	0·13	-	0·03	-	7·11	2·16	-	0·46	0·03
Hammersmith - - -	19·53	-	-	-	-	14·15	4·56	-	0·58	0·24
Fulham - - -	17·98	0·05	-	-	-	11·15	5·78	-	0·79	0·21
Chelsea - - -	8·21	-	-	-	-	3·64	4·17	-	0·40	-
City of Westminster -	6·79	0·03	-	-	-	3·37	2·55	-	0·75	0·09
NORTH.										
St. Marylebone - - -	9·74	0·08	-	-	-	7·49	1·35	-	0·78	0·04
Hampstead - - -	9·84	0·18	-	-	0·05	6·47	2·64	-	0·50	-
St. Pancras - - -	11·10	0·11	-	-	-	6·27	4·08	-	0·60	0·04
Islington - - -	14·64	0·10	-	-	-	6·87	7·15	-	0·48	0·04
Stoke Newington - -	15·04	0·08	-	-	-	8·90	5·59	-	0·47	-
Hackney - - -	16·18	0·07	-	-	-	9·90	5·31	-	0·83	0·07
CENTRAL.										
Holborn - - -	11·88	0·11	-	-	-	4·31	7·04	-	0·42	-
Finsbury - - -	16·57	0·05	-	-	-	10·39	5·17	-	0·80	0·16
City of London - - -	9·23	-	-	-	-	5·77	3·46	-	-	-
EAST.										
Shoreditch - - -	15·24	0·16	-	-	-	8·34	5·76	-	0·94	0·04
Bethnal Green - - -	24·64	0·04	-	-	-	17·34	5·65	-	1·57	0·04
Stepney - - -	25·32	0·02	-	-	-	20·22	3·99	-	0·93	0·16
Poplar - - -	27·51	0·08	-	-	-	19·08	6·89	-	0·63	0·23
SOUTH.										
Southwark - - -	12·43	0·09	-	-	-	8·69	2·47	-	1·11	0·07
Bermondsey - - -	20·21	0·10	-	0·03	-	15·37	3·74	-	0·74	0·23
Lambeth - - -	9·54	0·11	-	-	-	6·07	2·59	-	0·61	0·16
Battersea - - -	13·56	0·03	-	-	-	7·70	4·98	-	0·70	0·15
Wandsworth - - -	11·82	0·01	-	-	-	7·84	3·38	-	0·54	0·05
Camberwell - - -	14·49	0·10	-	-	-	9·24	4·37	-	0·75	0·03
Deptford - - -	16·59	0·04	-	-	-	12·19	3·50	-	0·72	0·14
Greenwich - - -	14·78	0·08	-	-	-	9·53	4·60	-	0·45	0·12
Lewisham - - -	9·80	0·02	-	-	-	6·38	3·04	-	0·31	0·05
Woolwich - - -	11·87	-	-	-	-	7·45	3·92	-	0·38	0·12

TABLE XII.—COUNTY OF LONDON.—Births, Deaths, and Death-Rates in London, and in the Metropolitan Boroughs during the 13 WEEKS ended 1st January, 1921. (The births in this table are those actually registered in the several Metropolitan Boroughs. The deaths relate to the civilian population only and are, so far as concerns London as a whole, corrected to the extent indicated at the head of Table V. As between individual boroughs, however, correction is complete.)

BOROUGH.	Estimated Civilian Population, Mid. 1919.	Births.	Deaths from								Deaths of Infants under 1 Year of Age.	ANNUAL DEATH-RATES PER 1000 CIVILIAN POPULATION, MID. 1919.							RATE PER 1000 BIRTHS.			
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).		Pulmonary Tuberculosis.	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Pulmonary Tuberculosis.	Diarrhoea and Enteritis (under 2 Years).	Total deaths under 1 Year.
County of London -	4,358,309	25,943	14,230	7	-	23	72	40	273	340	1,266	2,051	13.1	0.01	-	0.02	0.07	0.04	0.25	1.17	13.1	79
WEST.																						
PADDINGTON -	143,938	693	441	-	-	3	-	1	8	10	43	68	12.3	-	-	0.08	-	0.03	0.22	1.20	14.4	98
KENSINGTON -	157,886	756	586	-	-	-	-	3	3	23	35	88	14.9	-	-	-	-	0.08	0.08	0.89	30.4	116
HAMMERSMITH -	130,981	662	411	-	-	1	4	1	8	5	42	39	12.6	-	-	0.03	0.13	0.03	0.25	1.29	7.6	59
FULHAM -	152,543	901	484	-	-	-	3	-	9	16	38	73	12.7	-	-	-	0.08	-	0.24	1.00	17.8	81
CHELSEA -	60,573	282	202	-	-	1	-	-	1	4	22	22	13.4	-	-	0.07	-	-	0.07	1.46	14.2	78
CITY OF WESTMINSTER -	127,533	351	428	-	-	-	1	-	4	9	38	39	13.5	-	-	-	0.03	-	0.13	1.20	25.6	111
NORTH.																						
ST. MARYLEBONE -	97,953	890	315	-	-	-	2	-	2	7	24	34	12.9	-	-	-	0.08	-	0.08	0.98	7.9	38
HAMPSTEAD -	88,012	334	217	-	-	1	3	-	1	-	15	18	9.9	-	-	0.05	0.14	-	0.05	0.68	-	54
ST. PANCRAS -	219,434	1,253	713	1	-	1	3	-	7	12	69	83	13.0	0.02	-	0.02	0.05	-	0.13	1.26	9.6	66
ISLINGTON -	323,034	1,698	1104	1	-	-	6	3	54	28	87	159	13.7	0.01	-	-	0.07	0.04	0.67	1.08	16.5	94
STOKE NEWINGTON -	50,954	253	167	-	-	-	3	1	8	2	11	21	13.1	-	-	-	0.24	0.08	0.03	0.87	7.9	83
HACKNEY -	216,736	1,387	689	-	-	1	3	2	10	25	53	123	12.8	-	-	0.02	0.06	0.04	0.13	0.98	18.0	89
CENTRAL.																						
HOLBORN -	38,156	132	168	-	-	-	1	1	3	4	19	10	17.7	-	-	-	0.11	0.11	0.32	2.00	30.3	76
FINSBURY -	75,291	872	283	-	-	1	3	3	10	2	27	31	15.1	-	-	0.05	0.16	0.53	1.44	2.3	36	29
CITY OF LONDON -	13,893	104	40	-	-	-	-	-	-	1	-	3	11.5	-	-	-	-	-	-	-	9.6	
EAST.																						
SHOREDITCH -	98,134	714	360	1	-	3	3	1	5	16	34	71	14.7	-	-	0.12	0.12	0.04	0.20	1.39	22.4	99
BETHNAL GREEN -	110,085	711	410	-	-	3	1	5	9	16	39	95	14.9	-	-	0.11	0.04	0.18	0.33	1.42	22.5	134
STEPNEY -	232,506	1,790	817	-	-	2	6	-	12	25	74	140	14.1	-	-	0.03	0.10	-	0.21	1.28	14.0	78
POPLAR -	153,644	1,038	569	1	-	3	6	-	20	9	64	101	14.9	-	-	0.08	0.16	-	0.52	1.67	8.7	97
SOUTH.																						
SOUTHWARK -	179,971	1,107	711	1	-	-	2	2	10	15	69	132	15.9	-	-	-	0.04	0.04	0.22	1.54	13.6	119
BERMONDSEY -	124,239	829	381	1	-	-	2	5	8	12	28	76	12.3	-	-	-	0.06	0.16	0.26	0.90	14.5	92
LAMBETH -	282,322	2,344	976	-	-	1	4	1	19	22	83	127	13.9	-	-	0.01	0.06	0.01	0.27	1.18	9.4	54
BATTERSEA -	159,316	917	509	-	-	1	1	3	9	12	48	92	12.8	-	-	0.03	0.03	0.08	0.23	1.21	13.1	100
WANDSWORTH -	333,693	1,506	949	-	-	-	4	1	15	11	78	109	11.4	-	-	-	0.05	0.01	0.18	0.94	7.3	72
CAMBERWELL -	273,802	1,520	830	1	-	-	5	1	12	24	90	110	12.2	0.01	-	-	0.07	0.01	0.18	1.32	15.8	75
DEPTFORD -	111,205	693	341	-	-	1	-	1	4	13	36	52	12.3	-	-	0.04	-	0.04	0.14	1.30	18.8	72
GREENWICH -	98,484	561	283	-	-	-	1	1	3	7	28	44	11.5	-	-	-	0.07	0.04	0.12	1.14	12.5	78
LEWISHAM -	167,754	839	477	-	-	-	3	1	12	7	37	48	11.4	-	-	-	0.07	0.04	0.29	0.88	8.3	57
WOOLWICH -	136,237	806	369	-	-	-	2	4	7	3	35	43	10.9	-	-	-	0.06	0.12	0.21	1.03	3.7	53

TABLE XIII.—**Births and Deaths** in the **Third and Fourth Quarters** (13 Weeks) of **1920** in certain **Colonial and Foreign Cities**.

CITIES.	POPULATION (enumerated or estimated).	BIRTHS. (Excluding Stillborn.)	DEATHS. (Excluding Stillborn.)	ANNUAL RATE per 1000 Persons living.										RATE per 1000 Births.	
				Births.	Deaths from								Diarrhoea and Enter- itis (under 2 Years).†	Total Deaths under 1 Yr.	
					All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Influenza.			
THIRD QUARTER.*															
CUTTIA - -	896,067	—	6,828‡	—	30·6	?	0·05	?	?	?	?	1·29	?	?	
BOMBAY - -	979,445	5,076	10,455‡	20·8	42·8	0·15	0·03	0·03	—	0·02	0·00§	0·61	138·3	571	
MADRAS - -	518,660	5,980	4,495‡	46·3	34·8	0·09	0·14	0·03	?	0·21	—	0·34	89·7	226	
INDIA (3 months) -	2,847,229	13,601	8,540	19·0	11·9	0·05	—	0·05	0·02	0·04	0·06	0·01	39·3	104	
BUDAPEST - -	1,071,492	4,936	4,231	18·5	15·8	0·19	—	0·27	0·30	0·10	0·07	0·04	95·2	167	
COPENHAGEN - -	761,300	8,637	7,986	45·5	42·1	0·44	0·01	0·52	0·01	?	0·12	?	177·5	346	
ALEXANDRIA - -	445,700	4,491	3,894	40·4	35·0	0·29	0·04	0·07	0·01	?	0·01	?	154·5	305	
NEW YORK (12 wks.)	6,141,445	30,611	12,792	21·7	9·1	0·04	—	0·01	0·02	0·12	0·07	0·03	37·8	81	
CHICAGO - -	2,727,504	—	6,324	—	9·3	0·02	—	0·01	0·02	0·04	0·13	0·01	?	?	
NEW ORLEANS (3 months).	400,000	—	1,432‡	—	14·5	0·14	0·05	0·01	0·02	0·07	0·04	—	?	?	
FOURTH QUARTER.*															
LONDON - -	4,358,309	25,943	14,230	22·9	13·1	0·01	—	0·02	0·07	0·04	0·25	0·14	13·1	79	
CUTTIA - -	896,067	—	8,811‡	—	39·4	?	0·01	?	?	?	?	1·81	?	?	
BOMBAY (12 wks.) -	979,445	5,193	11,227‡	23·0	49·8	0·12	0·02	0·06	—	0·01	0·02§	0·88	123·8	532	
MADRAS - -	518,660	5,684	6,006‡	44·0	46·4	0·14	0·12	0·03	?	0·26	0·01§	0·77	93·1	326	
INDIA (3 months) -	2,847,229	12,867	10,483	17·9	14·6	0·06	0·00	0·01	0·03	0·02	0·06	0·02	22·5	86	
COPENHAGEN - -	333,593	1,487	1,025	17·9	12·3	0·01	—	0·53	0·05	0·05	0·12	0·22	57·8	153	
AMSTERDAM - -	654,179	3,363	1,798	20·8	11·1	0·22	—	0·45	0·01	0·04	0·07	0·07	3·0	62	
COPENHAGEN (90 days).	571,000	2,911	1,494	20·4	10·5	0·02	—	0·01	0·03	0·01	0·11	0·06	8·2	79	
STOCKHOLM - -	415,201	1,759	1,107	17·0	10·7	0·03	0·01	—	0·02	—	0·13	0·01	—	44	
GOTHENBURG - -	200,578	—	503	—	10·1	0·02	—	—	0·04	—	0·14	—	?	?	
CHRISTIANIA - -	260,904	1,251	693	19·2	10·7	—	—	0·02	—	0·02	0·11	0·02	3·2	66	
BUDAPEST (11 weeks)	1,904,590	6,087	5,281	15·1	13·1	0·03	?	0·03	0·03	0·05	0·13	0·13	21·5	139	
STOCKHOLM - -	1,002,933	4,491	3,158	18·0	12·6	0·05	?	0·01	0·03	0·08	0·10	?	16·7	113	
PRAGUE - -	610,686	3,120	1,931	20·5	12·7	0·03	?	—	0·03	0·03	0·10	?	21·8	119	
BRISBANE (12 weeks)	647,030	2,711	2,002	18·2	13·4	0·01	?	0·05	0·01	0·11	0·15	?	27·3	138	
MELBOURNE - -	537,127	2,678	1,670	20·0	12·5	0·02	?	—	0·03	0·01	0·09	?	14·2	100	
PARIS - -	642,899	3,769	2,500	23·5	15·6	0·04	?	0·42	0·04	0·19	0·17	?	22·6	148	
BRATISLAVA - -	531,347	3,218	2,030	24·3	15·3	0·09	?	0·01	0·03	0·04	0·17	0·16	21·8	141	
BRISTOL - -	435,103	2,047	1,077	18·9	9·9	0·02	?	—	0·02	—	0·07	?	11·7	87	
BRISTOL (90 days).	1,842,005	6,397	7,113	13·9	15·5	0·08	—	0·00	0·05	0·02	0·08	0·03	33·0	143	
BRISTOL (90 days) -	535,475	2,026	2,143	15·3	16·2	0·11	—	—	0·02	—	0·08	0·09	42·4	166	
BRISTOL - -	242,214	1,463	990	24·2	16·4	0·31	—	—	0·13	0·02	0·07	0·02	29·4	155	
NEW YORK - -	6,141,445	30,538	15,185	19·9	9·9	0·02	—	0·01	0·05	0·04	0·16	0·05	15·3	74	
CHICAGO - -	2,727,504	—	7,162	—	10·5	0·02	—	0·04	0·06	0·02	0·34	0·06	?	?	
NEW ORLEANS (3 months).	400,000	—	1,646	—	16·3	0·09	0·23	0·12	0·01	0·04	0·07	0·03	?	?	

For statistics of other Colonial and Foreign cities during the Third Quarter of 1920, see Quarterly Return for that period (87).

The death-rates in this column relate to all ages for Bombay, Madras, Christiania, and Budapest, and to children under 2 years of age for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

Including 2 and 0 deaths from Plague in Calcutta, 66 and 9 in Bombay, 6 and 6 in Madras, and 3 in New Orleans, and from Cholera 355 and 456 deaths in Calcutta, 61 and 2 in Bombay, and 1 and 5 in Madras.

Excluding deaths from croup.

The figures for London refer to the civilian population only.

TABLE XIV.—**ENGLAND and WALES.—Marriages,**

The numbers of Marriages, Births, and Deaths in this Table are provisional, and will be found to differ General. The numbers of Births and Deaths in London are those actually registered during the

Registration Divisions and Counties.*	Marri- ages.	Births.	Deaths.		
			Total.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.
ENGLAND and WALES	379,658	957,994	466,213	76,736	156,821
I. LONDON	49,182	123,043	58,178	9,504	18,160
1. LONDON	49,182	123,043	58,178	9,504	18,160
II. SOUTH EASTERN DIVISION	34,821	91,189	44,256	4,985	18,683
2. SURREY	8,106	21,541	10,273	1,138	4,226
3. KENT	9,511	25,335	11,672	1,440	4,721
4. SUSSEX	5,639	14,167	7,958	744	3,785
5. HAMPSHIRE	8,661	22,629	10,862	1,266	4,395
6. BERKSHIRE	2,904	7,517	3,491	397	1,556
III. SOUTH MIDLAND DIVISION	25,192	64,172	28,700	3,527	12,098
7. MIDDLESEX	11,084	29,355	11,958	1,579	4,319
8. HERTFORDSHIRE	2,548	6,603	3,101	318	1,375
9. BUCKINGHAMSHIRE	1,707	4,611	2,102	249	1,005
10. OXFORDSHIRE	1,672	4,243	2,111	218	1,106
11. NORTHAMPTONSHIRE	3,853	8,668	4,162	553	1,794
12. HUNTINGDONSHIRE	425	1,042	593	62	314
13. BEDFORDSHIRE	1,962	4,626	2,216	258	1,029
14. CAMBRIDGESHIRE	1,941	5,024	2,457	290	1,156
IV. EASTERN DIVISION	21,052	56,894	25,087	3,476	10,278
15. ESSEX	13,303	35,522	14,886	2,164	5,474
16. SUFFOLK	3,358	9,523	4,403	583	2,043
17. NORFOLK	4,391	11,839	5,798	729	2,761
V. SOUTH WESTERN DIVISION	18,843	44,063	24,436	2,541	11,397
18. WILTSHIRE	2,694	6,427	3,061	348	1,430
19. DORSETSHIRE	2,107	4,810	2,540	269	1,195
20. DEVONSHIRE	6,523	15,615	8,951	959	3,985
21. CORNWALL	2,960	6,883	4,139	410	1,976
22. SOMERSETSHIRE	4,559	10,328	5,745	555	2,811
VI. WEST MIDLAND DIVISION	43,437	113,009	51,590	8,923	17,321
23. GLOUCESTERSHIRE	6,825	17,036	8,479	1,117	3,282
24. HEREFORDSHIRE	1,099	2,622	1,397	156	675
25. SHROPSHIRE	2,440	6,338	3,162	412	1,501
26. STAFFORDSHIRE	15,615	42,029	17,937	3,688	5,186
27. WORCESTERSHIRE	3,328	8,199	4,149	574	1,710
28. WARWICKSHIRE	14,130	36,785	16,466	2,976	4,967

* The Registration or Union Counties consist of groups of Registration Districts which are generally being by this arrangement included in the Welsh Division. The differences between Registration Counties

ths, and Deaths registered in the Year 1920 (Calendar Year).

ly from the revised figures to be hereafter presented to Parliament in the 83rd Annual Report of the Registrar
dar Year, and differ from those shown in Tables XVII., XIX., XX. and XXII. (see note to Table XVII.).

The DEATHS in the Year are stated by the Registrars to include												Registration Divisions and Counties.
Deaths from								Inquest Cases.	Deaths in Public Insti- tutions.	Uncertified Causes of Death.		
Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.					
0 29	7,057	1,417	4,259	5,523	7,975	10,508	17,915	30,995	113,290	5,709	ENGLAND and WALES.	
0 1	1,024	181	775	939	1,201	1,376	2,286	5,117	27,820	111	I. LONDON.	
0 1	1,024	181	775	939	1,201	1,376	2,286	5,117	27,820	111	1. LONDON.	
0 8	346	66	303	507	397	797	1,619	2,983	11,238	472	II. SOUTH EASTERN DIVISION.	
5 -	67	15	63	130	119	221	380	831	3,086	30	2. SURREY.	
1 8	96	29	90	155	105	175	461	714	2,792	230	3. KENT.	
0 -	70	12	23	74	53	129	302	561	1,780	27	4. SUSSEX.	
3 -	88	8	113	113	101	205	368	696	2,717	98	5. HAMPSHIRE.	
1 -	25	2	14	35	19	67	103	181	863	87	6. BERKSHIRE.	
2 -	221	79	192	479	227	541	912	1,539	6,840	344	III. SOUTH MIDLAND DIVISION.	
7 -	115	62	88	322	133	269	381	763	3,585	15	7. MIDDLESEX.	
1 -	15	4	17	31	17	49	92	145	842	48	8. HERTFORDSHIRE.	
- -	12	1	10	22	11	41	62	95	306	45	9. BUCKINGHAMSHIRE.	
- -	3	-	11	15	15	33	61	114	399	37	10. OXFORDSHIRE.	
1 -	47	1	34	34	30	59	146	192	688	98	11. NORTHAMPTONSHIRE.	
- -	2	1	-	19	1	4	22	22	93	14	12. HUNTINGDONSHIRE.	
2 -	9	4	8	25	10	44	69	97	414	41	13. BEDFORDSHIRE.	
1 -	18	6	24	11	10	42	79	111	513	46	14. CAMBRIDGESHIRE.	
1 9	213	38	255	332	259	606	937	1,622	5,896	400	IV. EASTERN DIVISION.	
6 9	125	27	175	245	187	481	500	931	3,969	248	15. ESSEX.	
4 -	29	3	31	48	23	67	204	283	898	79	16. SUFFOLK.	
1 -	59	8	40	39	49	58	233	408	1,029	73	17. NORFOLK.	
5 -	112	24	151	241	127	438	857	1,528	4,059	251	V. SOUTH WESTERN DIVISION.	
5 -	6	3	21	25	11	26	83	160	623	42	18. WILTSHIRE.	
2 -	9	3	12	8	7	52	104	140	466	38	19. DORSETSHIRE.	
0 -	54	7	60	98	60	216	325	584	1,545	92	20. DEVONSHIRE.	
5 -	11	2	30	56	19	50	123	268	427	41	21. CORNWALL.	
3 -	32	9	28	54	30	94	222	376	998	33	22. SOMERSETSHIRE.	
1 -	739	212	563	577	830	1,398	1,988	3,170	11,376	859	VI. WEST MIDLAND DIVISION.	
8 -	143	15	67	99	94	115	304	655	2,243	33	23. GLOUCESTERSHIRE.	
- -	11	2	7	7	5	14	60	76	221	36	24. HEREFORDSHIRE.	
1 -	23	5	32	22	23	61	97	145	500	87	25. SHROPSHIRE.	
4 -	529	83	221	150	370	538	715	1,222	2,909	183	26. STAFFORDSHIRE.	
3 -	46	2	26	33	37	130	180	263	756	80	27. WORCESTERSHIRE.	
5 -	187	105	210	261	301	540	632	809	4,747	440	28. WARWICKSHIRE.	

extensive with the Poor Law Unions. The Counties are grouped in Registration Divisions, the County of Monmouth
Administrative Counties are shown in Table 7 of Vol. II. of the Census Report, 1911 (Cd. 6259).

TABLE XIV.—(cont.)—ENGLAND and WALES.—

Registration Divisions and Counties.	Marri- ages.	Births.	Deaths.		
			Total.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.
VII. NORTH MIDLAND DIVISION -	25,134	62,262	28,456	5,101	9,679
29. LEICESTERSHIRE - - -	5,326	12,359	5,736	927	2,059
30. RUTLANDSHIRE - - -	149	411	203	24	112
31. LINCOLNSHIRE - - -	5,630	14,543	7,132	1,116	2,754
32. NOTTINGHAMSHIRE - - -	8,052	20,401	8,944	1,875	2,631
33. DERBYSHIRE - - -	5,977	14,548	6,441	1,159	2,123
VIII. NORTH WESTERN DIVISION -	65,098	148,694	80,547	14,442	22,907
34. CHESHIRE - - - -	9,634	22,377	11,511	1,760	3,917
35. LANCASHIRE - - - -	55,464	126,317	69,036	12,682	18,990
IX. YORKSHIRE DIVISION - -	44,280	105,351	55,080	10,148	16,636
36. WEST RIDING - - - -	34,353	78,814	42,246	7,707	12,452
37. EAST RIDING (with YORK) -	5,459	14,301	6,920	1,232	2,272
38. NORTH RIDING - - -	4,488	12,236	5,914	1,209	1,912
X. NORTHERN DIVISION - -	26,974	78,491	36,037	7,986	9,671
39. DURHAM - - - -	16,103	48,470	20,885	5,194	5,045
40. NORTHUMBERLAND - - -	7,561	21,376	10,517	2,052	2,878
41. CUMBERLAND - - - -	2,707	7,332	3,818	656	1,359
42. WESTMORLAND - - - -	603	1,313	817	84	389
XI. WELSH DIVISION - - -	25,645	70,826	33,846	6,103	9,991
43. MONMOUTHSHIRE - - -	4,683	13,894	5,660	1,172	1,397
44. GLAMORGANSHIRE - - -	12,979	35,745	15,537	3,197	3,455
45. CARMARTHENSHIRE - - -	1,545	4,352	2,220	419	686
46. PEMBROKESHIRE - - -	787	2,120	1,109	138	452
47. CARDIGANSHIRE - - -	621	1,423	1,238	121	635
48. BRECKNOCKSHIRE - - -	565	1,360	742	113	266
49. RADNORSHIRE - - - -	151	372	213	32	90
50. MONTGOMERYSHIRE - - -	503	1,311	830	91	413
51. FLINTSHIRE - - - -	617	1,945	896	147	357
52. DENBIGHSHIRE - - - -	1,363	3,479	2,069	298	755
53. MERIONETHSHIRE - - -	470	1,180	841	93	391
54. CARNARVONSHIRE - - -	1,104	2,775	2,002	214	879
55. ANGLESEY - - - -	257	870	489	68	215

Marriages, Births, and Deaths registered in the Year 1920.

The DEATHS in the Year are stated by the Registrars to include											Registration Divisions and Counties.
Deaths from								Inquest Cases.	Deaths in Public Insti- tutions.	Uncertified Causes of Death.	
Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.				
1	720	44	243	379	425	431	1,065	1,565	5,118	528	VII. NORTH MIDLAND DIVISION.
-	145	7	34	86	95	80	206	322	1,214	96	29. LEICESTERSHIRE.
-	1	-	-	-	1	4	6	10	7	11	30. RUTLANDSHIRE.
-	162	8	81	79	95	137	290	386	1,001	100	31. LINCOLNSHIRE.
1	301	16	64	150	171	107	312	459	1,804	152	32. NOTTINGHAMSHIRE.
-	111	13	64	64	63	103	251	388	1,092	169	33. DERBYSHIRE.
8	1,403	262	759	765	1,651	1,693	3,148	5,258	19,983	1,165	VIII. NORTH WESTERN DIVISION.
6	123	34	121	97	169	224	416	811	2,587	51	34. CHESHIRE.
2	1,280	228	638	668	1,482	1,469	2,732	4,447	17,396	1,114	35. LANCASHIRE.
1	1,017	125	393	466	1,391	1,492	2,118	3,967	11,314	288	IX. YORKSHIRE DIVISION.
-	848	96	319	344	1,014	1,307	1,645	3,122	8,784	184	36. WEST RIDING.
-	103	11	17	51	206	104	231	457	1,808	50	37. EAST RIDING (with YORK).
1	66	18	57	71	171	81	242	388	722	54	38. NORTH RIDING.
1	407	207	359	355	943	827	1,385	1,957	5,504	950	X. NORTHERN DIVISION.
1	274	143	231	205	647	494	758	1,006	2,777	652	39. DURHAM.
-	65	52	92	83	242	233	442	719	2,138	194	40. NORTHUMBERLAND.
-	63	3	34	62	50	83	159	200	500	87	41. CUMBERLAND.
-	2	9	2	5	4	17	26	32	89	17	42. WESTMORLAND.
-	855	179	261	483	524	909	1,600	2,289	4,142	341	XI. WELSH DIVISION.
-	249	26	60	81	99	168	318	407	757	41	43. MONMOUTHSHIRE.
-	470	119	148	233	312	443	887	1,362	2,250	31	44. GLAMORGANSHIRE.
-	31	3	12	57	47	98	93	116	170	33	45. CARMARTHENSHIRE.
-	10	2	-	9	11	19	49	58	94	38	46. PEMBROKESHIRE.
-	3	2	8	4	6	15	24	39	59	36	47. CARDIGANSHIRE.
-	15	2	11	5	2	10	16	37	73	6	48. BRECKNOCKSHIRE.
-	3	-	3	1	-	2	4	6	20	11	49. RADNORSHIRE.
-	9	-	1	9	3	4	21	33	48	21	50. MONTGOMERYSHIRE.
-	7	9	2	10	6	14	35	42	75	23	51. FLINTSHIRE.
-	41	13	7	45	21	58	64	73	350	40	52. DENBIGHSHIRE.
-	-	1	3	6	6	20	28	33	51	10	53. MERIONETHSHIRE.
-	17	2	5	14	7	45	53	70	170	38	54. CARNARVONSHIRE.
-	-	-	1	9	4	13	8	13	20	13	55. ANGLESEY.

TABLE XIVa.—**England and Wales and Registration Counties.**—
ILLEGITIMATE BIRTHS registered in the Years 1919 and 1920.

REGISTRATION COUNTY.	Illegitimate Births registered during the Years		REGISTRATION COUNTY.	Illegitimate Births registered during the Years	
	1919.	1920.		1919.	1920.
England and Wales.	41,283	44,267	Leicestershire - - -	430	511
			Rutlandshire - - -	17	26
			Lincolnshire - - -	807	836
London - - -	5,877	5,947	Nottinghamshire - - -	1,025	1,187
			Derbyshire - - -	594	646
Surrey - - -	980	1,008			
Kent - - -	1,208	1,144			
Sussex - - -	822	852	Cheshire - - -	855	928
Hampshire - - -	1,243	1,135	Lancashire - - -	5,208	5,874
Berkshire - - -	377	385	-		
Middlesex - - -	951	1,026	Yorkshire (West Riding)	3,494	4,069
Hertfordshire - - -	245	243	Yorkshire (East Riding with York).	719	754
Buckinghamshire - - -	195	205	Yorkshire (North Riding)	588	691
Oxfordshire - - -	214	231			
Northamptonshire - - -	320	429			
Huntingdonshire - - -	54	67			
Bedfordshire - - -	270	242	Durham - - -	1,819	2,078
Cambridgeshire - - -	268	289	Northumberland - - -	943	945
			Cumberland - - -	423	426
Essex - - -	1,113	1,105	Westmorland - - -	78	98
Suffolk - - -	503	560			
Norfolk - - -	689	689			
			Monmouthshire - - -	406	430
Wiltshire - - -	409	337	Glamorganshire - - -	1,064	1,290
Dorsetshire - - -	265	230	Carmarthenshire - - -	137	163
Devonshire - - -	796	699	Pembrokeshire - - -	109	100
Cornwall - - -	321	312	Cardiganshire - - -	101	87
Somersetshire - - -	382	414	Brecknockshire - - -	66	62
			Radnorshire - - -	23	31
			Montgomeryshire - - -	105	111
Gloucestershire - - -	761	716	Flintshire - - -	76	91
Herefordshire - - -	171	175	Denbighshire - - -	189	226
Shropshire - - -	335	447	Merionethshire - - -	89	105
Staffordshire - - -	1,360	1,622	Carnarvonshire - - -	183	232
Worcestershire - - -	280	332	Anglesey - - -	72	86
Warwickshire - - -	1,254	1,343			

TABLE XV.—**Birth-rate, Death-rate, and Analysis of Mortality** during the Year 1920.

(Provisional figures. Provisional populations estimated to the middle of 1920 have been used for the purposes of this Table. The mortality rates refer to the whole population as regards England and Wales, but only to civilians as regards London and the groups of towns.)

	BIRTH-RATE PER 1,000 TOTAL POPULA- TION.	ANNUAL DEATH-RATE PER 1,000 POPULATION.										RATE PER 1,000 BIRTHS.		PERCENTAGE OF TOTAL DEATHS.			
		All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping- cough.	Diphtheria.	Influenza.	Violence.	Diarrhoea and Enteritis (under 2 Years).	Total Deaths under One Year.	Deaths in Public Institutions.	Certified Causes of Death.	Inquest Cases.	Uncertified Causes of Death.	
England and Wales	25.4	12.4	0.01	0.00	0.19	0.04	0.11	0.15	0.28	0.48	8.3	80	24.3	92.2	6.6	1.2	
96 Great Towns, including London (Census Populations exceeding 50,000).	26.2	12.5	0.01	0.00	0.22	0.04	0.14	0.16	0.31	0.43	10.4	85	31.3	92.2	7.1	0.7	
148 Smaller Towns (Census Populations 20,000—50,000).	24.9	11.3	0.02	0.00	0.19	0.03	0.10	0.14	0.27	0.38	7.8	80	16.5	93.2	5.3	1.5	
London	26.5	12.4	0.01	0.00	0.22	0.05	0.17	0.22	0.30	0.47	9.5	75	46.8	91.2	8.6	0.2	

TABLE XVI.—**Great Towns and Metropolitan Boroughs: Birth-rate, Civilian Death-rate, and Infant Mortality in the 52 Weeks ended 1st January, 1921.**

(Provisional populations estimated to the middle of 1920 have been used for the purposes of this Table.)

TOWNS AND BOROUGHES.	BIRTH-RATE per 1,000 total population.	DEATH-RATE per 1,000 civilian population.	INFANT MOR- TALITY per 1,000 births.	TOWNS AND BOROUGHES.	BIRTH-RATE per 1,000 total population.	DEATH-RATE per 1,000 civilian population.	INFANT MOR- TALITY per 1,000 births.
LONDON - - -	26·5	12·4	75	NORWICH - - -	24·9	12·0	75
OUTER RING - - -	23·5	9·9	61	SWINDON - - -	22·9	11·2	66
GREATER LONDON - -	25·3	11·4	70	EXETER - - -	23·5	11·6	62
Metropolitan Boroughs.				PLYMOUTH - - -	26·3	13·8	76
PADDINGTON - - -	22·8	11·1	78	BATH - - -	19·5	11·7	49
KENSINGTON - - -	24·3	13·0	81	BRISTOL - - -	25·7	11·7	69
HAMMERSMITH - - -	24·5	11·2	65	GLOUCESTER - - -	27·3	12·4	61
FULHAM - - -	27·2	11·3	74	STOKE ON TRENT - -	31·1	12·7	98
CHELSEA - - -	22·2	11·9	52	WOLVERHAMPTON - -	28·5	12·3	87
CITY OF WESTMINSTER	16·2	11·6	71	WALSALL - - -	30·7	12·9	101
ST. MARYLEBONE - -	21·6	12·5	65	WEST BROMWICH - -	32·5	13·3	108
HAMPSTEAD - - -	17·1	9·0	48	DUDLEY - - -	30·3	14·1	105
ST. PANCRAS - - -	25·4	12·3	72	BIRMINGHAM - - -	28·0	12·6	83
ISLINGTON - - -	28·2	13·3	71	SMETHWICK - - -	26·2	9·9	80
STOKE NEWINGTON - -	23·1	12·8	80	COVENTRY - - -	23·8	9·0	74
HACKNEY - - -	26·6	12·6	81	LEICESTER - - -	24·0	11·5	87
HOLBORN - - -	20·8	14·9	64	LINCOLN - - -	23·0	11·0	75
FINSBURY - - -	31·9	14·5	76	GRIMSBY - - -	28·9	13·3	91
CITY OF LONDON - -	12·6	13·3	71	NOTTINGHAM - - -	25·9	12·9	95
SHOREDITCH - - -	36·6	15·4	91	DERBY - - -	25·8	10·5	72
BETHNAL GREEN - -	33·7	14·7	95	STOCKPORT - - -	22·0	12·4	97
STEPNEY - - -	31·2	14·4	87	BIRKENHEAD - - -	27·8	12·5	101
POPULAR - - -	34·2	14·6	82	WALLASEY - - -	18·5	9·2	67
SOUTHWARK - - -	31·8	14·4	86	LIVERPOOL - - -	31·2	15·7	111
BERMONDSEY - - -	31·8	13·0	84	BOOTLE - - -	28·4	13·5	96
LAMBETH - - -	27·8	13·0	67	ST. HELENS - - -	30·9	13·1	114
BATTERSEA - - -	28·1	12·3	82	SOUTHPORT - - -	17·2	12·3	50
WANDSWORTH - - -	20·8	10·0	62	WIGAN - - -	30·1	15·7	128
CAMBERWELL - - -	26·5	11·5	70	WARRINGTON - - -	28·8	11·6	88
DEPTFORD - - -	28·3	12·0	79	BOLTON - - -	22·7	13·6	98
GREENWICH - - -	25·9	11·9	72	BURY - - -	19·7	13·9	93
LEWISHAM - - -	23·1	10·8	65	MANCHESTER - - -	25·5	13·0	94
WOOLWICH - - -	24·7	10·4	60	SALFORD - - -	26·8	12·7	97
Great Towns.				OLDHAM - - -	23·3	14·7	106
CROYDON - - -	23·0	10·8	62	RCHDALE - - -	20·4	13·0	94
WIMBLEDON - - -	17·9	8·8	62	BURNLEY - - -	23·3	13·7	126
EALING - - -	18·8	8·9	49	BLACKBURN - - -	21·5	13·4	110
ACTON - - -	22·5	10·2	68	PRESTON - - -	24·6	13·4	101
WILLESDEN - - -	25·2	9·8	65	BLACKPOOL - - -	16·8	13·3	69
HORNSEY - - -	16·1	9·1	57	BARROW IN FURNESS -	25·6	11·3	76
TOTTENHAM - - -	25·5	9·7	64	HUDDERSFIELD - - -	18·0	12·6	80
EDMONTON - - -	27·9	9·5	62	HALIFAX - - -	18·9	13·2	97
ENFIELD - - -	22·2	9·7	55	BRADFORD - - -	20·7	13·1	92
WEST HAM - - -	33·0	12·7	72	LEEDS - - -	25·6	14·3	105
EAST HAM - - -	23·0	9·6	65	DEWSBURY - - -	23·3	14·0	109
LEYTON - - -	22·8	9·9	69	WAKEFIELD - - -	26·8	13·9	86
WALTHAMSTOW - - -	23·9	9·6	62	BARNSELY - - -	32·6	14·1	127
ILFORD - - -	19·9	8·9	56	SHEFFIELD - - -	26·6	13·2	104
GILLINGHAM - - -	28·8	11·1	50	ROTHERHAM - - -	28·0	11·2	98
HASTINGS - - -	18·9	13·7	52	YORK - - -	27·7	12·3	62
EASTBOURNE - - -	19·6	9·8	56	HULL - - -	29·2	13·2	98
BRIGHTON - - -	22·7	12·0	65	MIDDLESBROUGH - -	33·4	15·1	137
PORTSMOUTH - - -	25·9	11·1	60	DARLINGTON - - -	26·1	12·0	89
BOURNEMOUTH - - -	16·7	10·7	43	STOCKTON ON TEES - -	33·3	15·1	107
BOURNHAMPTON - - -	24·2	11·5	68	WEST HARTLEPOOL - -	31·6	14·4	102
READING - - -	23·8	10·2	64	SUNDERLAND - - -	35·0	15·8	103
OXFORD - - -	18·4	9·2	54	SOUTH SHIELDS - - -	33·7	16·7	123
NORTHAMPTON - - -	24·9	11·4	72	GATESHEAD - - -	32·1	14·2	112
CAMBRIDGE - - -	20·5	9·2	38	NEWCASTLE ON TYNE -	29·4	13·8	96
SOUTHEND ON SEA - -	20·7	10·4	50	TYNEMOUTH - - -	31·7	15·5	93
IPSWICH - - -	24·8	11·5	70	CARLISLE - - -	24·6	11·8	78
GREAT YARMOUTH - -	27·8	12·0	62	NEWPORT (MON.) - -	28·9	11·8	76
				CARDIFF - - -	24·7	10·7	82
				RHONDDA - - -	27·3	11·7	104
				MERTHYR TYDFIL - -	29·7	13·6	83
				ABERDARE - - -	27·6	12·8	100
				SWANSEA - - -	24·7	11·8	89

NOTE.—The 20 Great Towns are those with populations exceeding 100,000 in 1920. The births in London relate to the calendar year, and have been corrected by the transference of those occurring in lying-in institutions. The deaths relate to the civilian population only; those in London have been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents occurring in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County. (See Table XX.) The deaths in the other towns have been corrected, as far as possible (1) by the exclusion of all deaths of non-residents, and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

The DEATHS registered include																			
TOWNS.	ESTIMATED CIVILIAN POPULATION 1920 (Provisional).	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	MEAN TEMPERATURE (De- grees Fahr.). *	RAIN- FALL (Milli- metres). *	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.						
96 Towns -	18,516,804	485,975	230,976	41,381	68,652	213	20	4,049	816	2,601	3,030	5,056	5,665	8,019	16,425	72,218	1,724	96 Towns.	
LONDON -	4,531,971	120,529	56,038	9,025	17,954	49	4	1,007	207	759	1,009	1,141	1,345	2,102	4,832	26,220	109	LONDON.	
CROYDON -	191,580	4,402	2,056	272	813	3	-	24	6	2	25	42	56	53	188	539	-	CROYDON.	
WIMBLEDON -	62,174	1,114	547	69	204	-	-	6	2	2	12	6	12	23	53	162	-	WIMBLEDON.	
EALING -	76,129	1,434	676	70	285	-	-	2	1	1	6	12	29	21	38	183	-	EALING.	
ACTON -	64,192	1,442	651	98	218	-	-	9	-	7	19	15	10	15	36	207	-	ACTON.	
WILLESDEN -	167,328	4,206	1,639	272	509	-	-	18	8	13	43	22	28	53	91	707	-	WILLESDEN.	
HORNSEY -	98,107	1,575	889	90	345	2	-	3	4	8	22	7	22	22	56	262	-	HORNSEY.	
TOTTENHAM -	146,970	3,744	1,425	241	426	-	-	15	8	11	36	27	31	46	117	539	-	TOTTENHAM.	
EDMONTON -	73,529	2,046	693	126	189	-	-	5	5	8	23	3	23	26	70	245	-	EDMONTON.	
ENFIELD -	60,771	1,348	585	74	187	-	-	8	1	3	14	4	19	18	35	182	-	ENFIELD.	
WEST HAM -	299,440	9,862	3,806	708	1,032	4	4	39	8	61	70	92	150	160	308	1,339	9	WEST HAM.	
EAST HAM -	150,207	3,453	1,436	223	417	4	3	17	1	14	16	20	43	48	113	502	2	EAST HAM.	
LEYTON -	128,832	2,932	1,277	202	437	1	1	15	5	22	27	29	45	38	90	467	-	LEYTON.	
WALTHAMSTOW -	132,771	3,173	1,274	198	395	2	-	5	1	10	19	21	48	40	104	463	5	WALTHAMSTOW.	
ILFORD -	82,693	1,643	731	92	273	1	-	10	2	14	13	4	26	22	42	172	-	ILFORD.	
GILLINGHAM -	45,333	1,495	499	75	162	-	-	3	1	3	14	10	11	12	19	102	12	GILLINGHAM.	
HASTINGS -	59,972	1,135	817	59	411	5	-	6	-	3	13	11	17	19	43	218	1	HASTINGS.	
EASTBOURNE -	50,354	988	490	55	240	-	-	1	2	3	2	3	22	19	39	102	3	EASTBOURNE.	
BRIGHTON -	137,685	3,141	1,651	203	702	1	-	32	2	7	6	18	22	56	126	505	-	BRIGHTON.	
PORTSMOUTH -	233,805	6,508	2,585	389	897	1	-	32	3	41	40	22	60	66	172	698	10	PORTSMOUTH.	
BOURNEMOUTH -	85,919	1,436	917	62	448	-	-	-	-	-	6	6	14	31	64	154	1	BOURNEMOUTH.	
SOUTHAMPTON -	131,055	3,171	1,501	217	519	2	-	23	-	26	24	42	16	39	80	552	5	SOUTHAMPTON.	
READING -	95,006	2,267	967	144	365	-	-	11	-	9	5	14	26	22	38	219	9	READING.	
OXFORD -	59,963	1,098	549	59	260	-	-	1	-	3	11	9	10	16	32	115	1	OXFORD.	
NORTHAMPTON -	92,488	2,305	1,048	166	382	-	-	16	-	8	8	11	17	26	40	216	9	NORTHAMPTON.	
CAMBRIDGE -	60,154	1,227	550	47	245	-	-	2	-	-	3	3	6	22	33	117	-	CAMBRIDGE.	

* The values for Mean Temperature and Rainfall relate to the calendar year.

† These values refer to the Royal Observatory, Greenwich.

‡ These towns are included within the Metropolitan Outer Ring.

§ Observations made at Addington Hills.

¶ The extension of the Borough of Portsmouth on 1st October 1920, and of the Borough of Southampton on 9th November 1920, will not be taken into account in this table until next year.

TABLE XVII. (continued).—96 Great Towns.—Population; Births, Deaths, and Meteorology in the 52 Weeks ended
1st January, 1921.

TOWNS.	ESTIMATED CIVILIAN POPULATION 1920 (Provisional)	BIRTHS.	DEATHS.	The DEATHS registered include													MEAN TEMPERATURE (De- grees Fahr.). *	RAIN- FALL (Milli- metres). *	TOWNS.
				Deaths of		Deaths from								Inquest cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.						
SOUTHEND ON SEA.	87,382	1,805	903	90	372	-	-	1	-	7	7	4	33	21	32	166	33	484	SOUTHEND ON SEA.
IPSWICH.	81,119	2,022	927	141	356	-	-	14	1	5	24	2	8	39	67	267	-	544	IPSWICH.
GREAT YARMOUTH.	55,193	1,543	658	96	298	-	-	6	-	4	4	4	8	27	41	131	2	532	GREAT YARMOUTH.
NORWICH.	124,774	3,129	1,499	235	606	3	-	39	2	24	9	30	17	60	144	414	-	611	NORWICH.
SWINDON.	53,580	1,221	600	80	211	1	-	1	-	4	15	5	2	8	20	91	-	-	SWINDON.
EXETER.	61,365	1,461	711	91	310	-	-	4	-	2	8	7	8	19	51	146	2	-	EXETER.
PLYMOUTH.	189,218	5,357	2,610	405	926	5	-	33	1	33	36	27	83	83	197	488	1	896	PLYMOUTH.
BATH.	68,546	1,334	798	66	433	-	-	7	1	1	3	4	18	25	65	185	-	801	BATH.
BRISTOL.	375,641	9,652	4,373	662	1,540	4	-	98	9	16	77	62	46	149	385	1,343	1	979†	BRISTOL.
GLOUCESTER.	52,096	1,420	642	86	211	2	-	21	1	29	8	8	21	15	27	131	11	-	GLOUCESTER.
STOKE ON TRENT.	248,852	7,716	3,154	755	668	2	-	71	39	6	20	90	59	116	231	597	45	-	STOKE ON TRENT.
WOLVERHAMPTON.	102,324	2,906	1,258	254	360	-	-	36	7	21	3	25	30	46	86	275	1	-	WOLVERHAMPTON.
WALSALL.	96,419	2,955	1,238	298	304	1	-	47	-	26	13	48	25	32	88	212	1	-	WALSALL.
WEST BROMWICH.	72,684	2,353	966	253	235	-	-	13	2	11	10	32	47	27	41	165	18	-	WEST BROMWICH.
DUDLEY.	56,169	1,700	792	179	239	2	-	12	1	-	4	19	45	19	33	97	13	-	DUDLEY.
BIRMINGHAM.	895,915	25,007	11,277	2,071	3,204	2	-	138	93	181	209	233	418	407	474	3,500	370	796	BIRMINGHAM.
SMETHWICK.	75,027	1,958	742	156	208	1	-	9	2	14	15	9	14	23	41	129	2	-	SMETHWICK.
COVENTRY.	137,310	3,267	1,233	241	333	-	-	13	2	10	9	23	35	35	67	293	17	701	COVENTRY.
LEICESTER.	245,465	5,888	2,821	515	889	3	-	87	2	23	38	67	17	95	177	772	31	-	LEICESTER.
LINCOLN†.	62,995	1,449	692	108	254	-	-	29	1	17	5	9	10	16	18	117	9	49.7	LINCOLN.†
GRIMSBY.	81,953	2,362	1,085	214	286	1	-	28	1	9	10	28	16	51	81	212	10	-	GRIMSBY.
NOTTINGHAM.	267,836	6,929	3,443	660	1,021	2	-	104	9	25	91	75	31	94	180	1,089	15	49.0	NOTTINGHAM.
DERBY.	128,868	3,329	1,351	240	474	1	-	8	6	1	10	18	12	44	128	405	-	-	DERBY.

TABLE XVII. (continued).—96 Great Towns.—Population; Births, Deaths, and Meteorology in the 52 Weeks ended 1st January 1921.

TOWNS.	ESTIMATED CIVILIAN POPULATION 1920. (Provisional.)	BIRTHS.	DEATHS.	Deaths of		The DEATHS registered include										MEAN TEMPERATURE (De- grees Fahr.). *	RAIN- FALL. (Milli- metres). *	TOWNS.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from								Inquest Cases.	Deaths in Public Institutions.				Uncertified Causes of Death.
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.						
STOCKPORT	-	2,867	1,619	277	489	2	-	40	7	27	29	21	29	37	87	389	1	STOCKPORT.	
BIRKENHEAD	-	4,275	1,919	430	489	1	-	28	4	44	17	69	35	68	119	569	11	BIRKENHEAD.	
WALLASEY	-	1,827	909	123	314	2	-	5	-	10	5	13	35	20	46	200	2	WALLASEY.	
LIVERPOOL	-	24,989	12,561	2,786	2,787	4	2	378	69	226	184	430	195	412	911	4,951	135	LIVERPOOL.	
BOOTLE	-	2,265	1,075	217	229	-	2	32	11	18	32	20	27	42	45	247	43	BOOTLE.	
ST. HELENS	-	3,232	1,371	370	237	-	-	57	7	7	13	36	50	61	68	344	49	ST. HELENS.	
SOUTHPORT	-	1,251	898	63	426	1	-	1	-	3	-	6	14	20	25	133	30	SOUTHPORT.	
WIGAN	-	2,730	1,427	350	279	3	-	103	1	8	12	40	31	44	107	185	-	WIGAN.	
WARRINGTON	-	2,253	903	199	211	-	-	19	2	5	7	30	24	31	36	236	43	WARRINGTON.	
BOLTON	-	4,178	2,494	411	749	7	1	27	2	33	33	41	73	81	184	532	8	BOLTON.	
BURY	-	1,119	780	104	271	-	-	6	-	9	4	6	25	21	41	162	11	BURY.	
MANCHESTER	-	19,595	9,993	1,850	2,598	12	-	207	43	83	64	228	225	309	584	3,200	77	MANCHESTER.	
SALFORD	-	6,290	2,969	610	718	13	-	30	16	30	33	86	49	114	247	912	5	SALFORD.	
OLDHAM	-	3,326	2,092	354	536	1	-	6	6	15	16	37	50	111	181	458	-	OLDHAM.	
ROCHDALE	-	1,901	1,217	179	352	4	-	6	3	11	7	10	33	41	89	284	14	ROCHDALE.	
BURNLEY	-	2,439	1,434	307	397	3	-	7	3	1	7	35	11	54	120	358	1	BURNLEY.	
BLACKBURN	-	2,810	1,751	309	589	-	-	21	2	1	9	33	61	59	120	341	8	BLACKBURN.	
PRESTON	-	2,996	1,632	302	485	1	-	12	3	10	13	24	36	51	70	304	37	PRESTON.	
BLACKPOOL	-	1,180	938	82	378	-	-	4	1	-	11	4	13	25	29	143	33	BLACKPOOL.	
BARROW IN FURNESS	-	1,952	864	149	223	2	-	17	-	11	2	11	14	49	55	170	24	BARROW IN FURNESS.	
HUDDERSFIELD	-	2,095	1,463	167	478	2	-	8	7	7	17	8	31	61	106	294	4	HUDDERSFIELD.	
HALIFAX	-	2,003	1,393	194	486	-	-	8	1	6	6	8	62	45	120	310	1	HALIFAX.	
BRADFORD	-	6,073	3,843	561	1,250	5	-	9	13	26	28	41	78	123	332	1,168	6	BRADFORD.	
LEEDS†	-	11,468	6,415	1,209	1,793	4	-	140	16	97	62	132	168	257	547	1,620	-	LEEDS.†	
DEWSBURY	-	1,279	768	140	201	-	-	13	3	5	5	20	19	20	42	114	-	DEWSBURY.	
WAKEFIELD	-	1,369	708	118	196	4	-	16	1	3	4	19	7	25	64	170	1	WAKEFIELD.	
BARNSELEY	-	1,746	755	222	147	1	-	39	-	10	2	48	20	15	55	85	1	BARNSELEY.	

* The values for Mean Temperature and Rainfall relate to the calendar year.
† The values for Mean Temperature and Rainfall relate to the calendar year.
‡ These values refer to the borough as extended on that date.
§ The births and deaths in Leeds include those in the added area from 1st April 1920. The estimated population relates to the borough as extended on that date. || These values refer to Blundellsands.

TABLE XVII. (continued).—96 Great Towns.—Population; Births, Deaths, and Meteorology in the 52 Weeks ended 1st January 1921.

TOWNS.	ESTIMATED CIVILIAN POPULATION 1920. (Provisional.)	BIRTHS.	DEATHS.	The DEATHS registered include										MEAN TEMPERATURE (Degrees Fahr.)*	RAIN-FALL (Milli-metres).*	TOWNS.	
				Deaths of		Deaths from											
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.				Violence.
SHEFFIELD	492,570	13,080	6,500	1,355	1,600	-	117	6	62	28	226	420	245	477	1,914	5	SHEFFIELD.
ROTHERHAM	71,785	2,007	800	197	218	2	2	-	8	4	26	13	30	48	162	20	ROTHERHAM.
YORK	77,501	2,195	954	135	333	-	3	3	1	10	8	21	21	65	300	-	YORK.
HULL	290,808	8,475	3,827	829	1,036	7	81	6	10	28	189	62	131	254	1,020	37	HULL.
MIDDLESBROUGH	132,208	4,400	1,991	601	371	1	42	6	23	11	110	16	53	110	327	24	MIDDLESBROUGH.
DARLINGTON	66,610	1,737	798	155	231	1	6	9	26	1	16	15	17	19	138	28	DARLINGTON.
STOCKTON ON TEES	63,114	2,099	953	225	249	-	10	5	25	15	48	11	24	34	122	18	STOCKTON ON TEES.
WEST HARTLEPOOL	68,126	2,148	981	219	233	2	19	2	17	6	20	40	37	48	174	17	WEST HARTLEPOOL.
SUNDERLAND	155,211	5,413	2,449	559	613	-	26	2	20	13	68	46	96	166	533	54	SUNDERLAND.
SOUTH SHIELDS	115,945	3,894	1,932	479	428	5	-	1	17	11	77	95	44	54	287	76	SOUTH SHIELDS.
GATESHEAD	128,309	4,111	1,813	460	400	-	4	15	27	10	55	25	55	62	319	66	GATESHEAD.
NEWCASTLE ON TYNE	286,061	8,436	3,939	814	1,013	2	43	19	47	21	94	104	124	310	933	8	NEWCASTLE ON TYNE.
TYNEMOUTH	60,318	1,915	933	178	248	6	2	-	3	3	22	36	34	48	199	36	TYNEMOUTH.
CARLISLE	57,397	1,418	675	110	221	-	4	-	11	2	7	30	19	30	120	18	CARLISLE.
NEWPORT (MON.)	90,728	2,615	1,069	199	254	1	61	3	9	22	20	23	46	81	195	1	NEWPORT (MON.)
CARDIFF	212,582	5,249	2,275	432	558	5	63	18	22	24	45	23	109	250	424	-	CARDIFF.
RHONDDA	184,999	5,042	2,162	522	357	3	114	29	24	23	63	78	108	143	175	12	RHONDDA.
MERTHYR TYDFIL	74,493	2,210	1,014	183	233	-	18	17	6	25	23	13	49	65	201	1	MERTHYR TYDFIL.
ABERDARE	53,431	1,473	682	147	162	-	9	6	14	12	19	12	37	41	62	-	ABERDARE.
SWANSEA	167,218	4,113	1,968	367	533	1	57	1	16	25	41	56	78	157	322	-	SWANSEA.
GREATER LONDON	7,548,647	191,192	85,906	13,357	28,426	77	1,285	290	1,938	1,533	1,592	2,146	3,124	7,037	35,560	151	GREATER LONDON.
OUTER RING	3,016,676	70,663	29,868	4,332	10,472	28	278	83	279	524	451	801	1,022	2,205	9,340	42	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,734,723	42,374	17,685	2,735	5,730	17	176	52	176	345	304	542	585	1,341	5,969	16	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,281,953	28,289	12,183	1,597	4,742	11	102	31	103	179	147	259	437	864	3,371	26	REMAINDER OF OUTER RING.
EDINBURGH†	342,300	7,774	4,443	688	1,579	2	42	13	10	64	52	67	178	?	?	?	EDINBURGH.†
GLASGOW†	1,115,500	32,626	16,767	3,478	3,875	30	310	58	145	164	360	324	746	?	?	?	GLASGOW.†
DUBLIN (Registration Area).‡	415,000	12,033	7,509	1,594	1,894	11	111	16	245	52	268	82	158	151	2,844	210	DUBLIN (Registration Area).‡
BELFAST†	413,000	12,144	7,234	1,602	1,366	34	132	94	84	45	199	243	175	232	2,032	117	BELFAST.†

b. Fitzwilliam Square.

deaths relate to the civilian population only, and have been corrected as far as possible (1) by the exclusion of non-residents, and (2) by the inclusion of deaths of residents in certain outlying institutions. With regard to towns in the Outer Ring, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

The DEATHS registered in the Year include																		
TOWNS.	ESTIMATED CIVILIAN POPULATION, 1920 (Provisional).	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.					Violence.
148 Towns	4,906,278	123,544	5,713	9,861	18,499	83	1	913	138	495	674	960	1,327	1,884	2,973	9,186	824	148 Towns.
SURREY.																		SURREY.
Barnes.*	37,127	776	368	50	133	-	-	3	1	8	7	6	7	23	48	85	-	Barnes.*
Guildford	24,443	562	214	17	99	-	-	2	-	1	3	9	3	6	18	35	3	Guildford.
Kingston on Thames*	38,631	965	428	58	167	-	-	-	-	9	4	9	5	22	55	165	-	Kingston on Thames.*
Mitcham*	35,938	931	375	51	126	-	-	3	-	3	8	4	8	7	17	147	-	Mitcham.*
Reigate	27,866	571	268	24	132	-	-	1	-	-	3	1	4	15	26	67	-	Reigate.
Richmond*	35,572	673	398	40	175	-	-	-	-	4	4	3	8	22	37	114	2	Richmond.*
Sutton*	22,043	448	201	15	98	1	-	1	1	-	2	2	3	8	13	50	-	Sutton.*
Woking	25,606	584	185	19	70	-	-	2	-	-	2	-	3	11	15	29	2	Woking.
KENT.																		KENT.
Beckenham*	33,812	664	335	40	156	1	-	3	1	4	1	5	12	5	8	85	2	Beckenham.*
Bromley*	36,181	783	345	49	149	-	-	2	1	2	4	4	4	13	25	102	4	Bromley.*
Canterbury	23,145	613	245	35	111	-	-	3	1	4	1	-	2	6	14	74	-	Canterbury.
Chatham	39,966	1,147	495	79	134	-	-	11	2	2	13	5	10	17	28	138	20	Chatham.
Dartford	23,414	517	161	21	47	-	-	1	-	2	16	10	3	9	11	37	5	Dartford.
Dover	40,846	1,083	465	84	155	-	-	5	-	2	13	3	3	12	13	106	29	Dover.
Erith*	31,741	780	291	49	82	-	-	3	2	3	5	3	1	11	21	77	-	Erith.*
Folkestone	33,002	704	329	37	129	-	-	7	-	4	1	3	4	13	26	51	5	Folkestone.
Gravesend	30,455	814	328	51	113	-	-	-	1	4	2	3	12	13	19	70	1	Gravesend.
Maidstone	34,469	858	372	50	164	-	-	1	-	4	2	-	6	10	19	77	9	Maidstone.
Margate	23,243	558	267	35	112	-	-	1	-	2	2	4	2	5	13	58	5	Margate.
Penge (Surrey Reg. Co.)*	25,308	685	364	54	165	-	-	1	-	2	5	7	3	7	24	77	-	Penge (Surrey Reg. Co.)*.
Ramsgate	29,338	808	387	57	176	-	-	4	-	10	1	6	1	14	16	89	11	Ramsgate.
Rochester	33,389	787	360	53	147	-	-	4	-	-	4	4	7	11	13	72	6	Rochester.
Royal Tunbridge Wells	35,795	639	423	40	224	-	-	-	2	1	3	1	18	13	18	92	2	Royal Tunbridge Wells.
SUSSEX EAST.																		SUSSEX EAST.
Hove	45,909	757	487	30	265	-	-	9	-	2	5	3	6	15	28	72	2	Hove.
SUSSEX WEST.																		SUSSEX WEST.
Worthing	31,555	588	412	20	251	1	-	-	-	-	1	4	1	11	25	94	-	Worthing.
SOUTHAMPTON.																		SOUTHAMPTON.
Aldershot (Surrey Reg. Co.).	22,793	1,053	213	49	62	-	-	5	-	10	6	2	10	4	7	63	7	Aldershot (Surrey Reg. Co.).
Gosport and Alverstoke	30,355	918	321	41	118	1	-	5	-	4	10	2	1	10	23	50	1	Gosport and Alverstoke.
Winchester	25,283	674	253	21	105	2	-	1	-	-	1	1	1	4	11	78	2	Winchester.
MIDDLESEX.																		MIDDLESEX.
Chiswick*	44,169	977	497	69	172	-	-	8	1	5	11	6	8	11	34	152	1	Chiswick.*
Finchley*	46,838	991	394	53	178	1	-	3	-	1	5	2	16	19	29	85	-	Finchley.*
Hendon*	58,774	1,098	445	56	159	-	-	8	3	4	7	5	8	22	36	107	1	Hendon.*
Heston and Isleworth*	41,945	1,181	442	62	171	-	-	7	1	5	3	8	7	13	18	120	-	Heston and Isleworth.*
Southall Norwood*	28,787	682	232	41	82	-	-	1	1	1	2	8	2	10	12	54	6	Southall Norwood.*

* These towns are included within the Metropolitan Outer Ring.

The DEATHS registered in the Year include

The DEATHS registered in the Year include																		
TOWNS.	ESTIMATED CIVILIAN POPULATION, 1920 (Provisional).	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.					Violence.
GLoucestershire. Cheltenham	46,778	1,062	620	66	324	1	-	8	-	2	2	6	9	15	26	156	5	GLoucestershire. Cheltenham.
HEREFORDshire. Hereford	24,944	587	305	38	139	-	-	3	-	1	1	4	4	11	15	55	4	HEREFORDshire. Hereford.
SHROPSHIRE. Shrewsbury	30,964	751	336	47	145	-	-	4	-	4	1	4	13	6	7	39	12	SHROPSHIRE. Shrewsbury.
STAFFORDshire. Bilston	27,323	922	427	113	97	-	-	13	1	18	-	9	16	6	23	49	4	STAFFORDshire. Bilston.
Burton upon Trent	49,582	1,316	568	89	208	-	-	7	1	3	8	4	7	17	19	113	13	Burton upon Trent.
Cannock	34,743	994	357	85	98	1	-	16	-	6	1	5	10	16	26	37	3	Cannock.
Coseley	23,600	792	314	75	81	-	-	1	-	5	-	9	15	10	25	17	3	Coseley.
Newcastle under Lyne	20,529	595	239	51	68	-	-	6	-	1	2	9	1	6	19	25	-	Newcastle under Lyne.
Rowley Regis	38,214	1,195	488	109	137	-	-	5	2	11	6	16	51	12	24	24	2	Rowley Regis.
Stafford	27,762	620	294	41	98	-	-	-	-	1	10	1	4	8	14	41	1	Stafford.
Tipton	33,852	1,159	459	96	126	2	-	2	-	6	3	15	40	13	24	40	3	Tipton.
Wednesbury	31,537	974	403	96	97	1	-	21	1	1	6	11	14	6	19	46	3	Wednesbury.
Wolstanton United	30,447	820	310	62	96	-	-	6	1	5	11	6	3	14	20	20	5	Wolstanton United.
WORCEstershire. Kidderminster	27,622	654	339	50	130	1	-	-	-	-	1	3	2	15	17	103	9	WORCEstershire. Kidderminster.
Oldbury (Staffs. Reg. Co.)	37,687	1,033	383	82	93	-	-	13	8	10	1	6	12	13	16	26	10	Oldbury (Staffs. Reg. Co.).
Worcester	49,248	1,141	634	79	263	2	-	14	-	8	5	8	6	19	36	143	4	Worcester.
WARWICKshire. Nuneaton	41,074	1,223	386	102	109	-	-	1	-	-	3	8	14	17	22	37	9	WARWICKshire. Nuneaton.
Royal Leamington Spa	29,445	670	368	45	180	-	-	1	1	1	3	6	8	11	21	101	2	Royal Leamington Spa.
Rugby	28,209	533	222	23	93	-	-	-	-	1	1	-	9	7	15	42	-	Rugby.
Sutton Coldfield (Staffs. Reg. Co.).	21,684	437	184	14	92	-	-	-	-	-	-	1	6	10	13	10	2	Sutton Coldfield (Staffs. Reg. Co.).
LEICestershire. Loughborough	25,659	607	299	61	100	-	-	24	-	-	4	6	3	5	7	43	1	LEICestershire. Loughborough.
LINCOLNshire (Kesteven). Grantham	22,945	459	202	33	70	-	-	3	-	1	2	-	1	9	10	33	5	LINCOLNshire (Kesteven). Grantham.
LINCOLNshire (Lindsey). Cleethorpe with Thrunscoe	26,696	722	297	45	98	1	-	1	-	4	6	1	2	10	14	40	3	LINCOLNshire (Lindsey). Cleethorpe with Thrunscoe.
Gainsborough	19,971	522	235	41	71	-	-	12	-	1	4	12	2	6	7	53	4	Gainsborough.
NOTTINGHAMshire. Mansfield	46,219	1,300	404	131	97	-	-	15	-	-	7	9	3	14	18	62	4	NOTTINGHAMshire. Mansfield.
Sutton in Ashfield	23,959	691	253	70	51	1	-	14	-	4	4	7	3	4	5	10	12	Sutton in Ashfield.
Worksop	22,713	654	260	54	65	-	-	13	-	1	1	5	1	6	9	36	3	Worksop.

TABLE XVIII. (*continued*).—One hundred and forty-eight Smaller Towns.—Population; Births and Deaths in the Year 1920.

The DEATHS registered in the Year include																		
TOWNS.	ESTIMATED CIVILIAN POPULATION, 1920 (Provisional).	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.					Violence.
DERBYSHIRE. Chesterfield.* Glossop. Ilkeston (Notts. Reg. Co.)	39,774 20,837 32,566	1,169 418 941	617 259 359	130 26 88	151 109 91	2 2 -	- - -	22 - 23	- - -	12 - -	8 2 2	5 1 10	14 3 6	18 4 5	19 4 5	124 30 29	16 8 8	DERBYSHIRE. Chesterfield.* Glossop. Ilkeston (Notts. Reg. Co.)
CHESHIRE. Chester. Crewe. Hyde. Macclesfield. Stalybridge (Lancs. Reg. Co.).	42,388 47,458 33,846 33,723 27,099	1,073 1,030 749 740 557	476 541 425 443 345	75 92 79 60 66	157 190 152 179 97	4 - 1 - 1	- - - - -	10 4 10 - 9	1 3 4 - -	1 2 1 1 7	3 4 5 2 -	1 6 2 8 2	3 7 10 3 5	19 18 5 16 3	34 31 19 38 18	105 72 47 129 43	3 - - - -	CHESHIRE. Chester. Crewe. Hyde. Macclesfield. Stalybridge (Lancs. Reg. Co.).
LANCASHIRE. Accrington. Ashton in Makerfield. Ashton under Lyne. Bacup. Chadderton. Chorley. Colne. Darwen. Eccles. Farnworth. Heywood. Hindley. Ince in Makerfield. Lancaster. Leigh. Middleton. Nelson. Radcliffe. Rawtenstall. Stretford. Swinton and Pendlebury. Waterloo with Seaforth. Widnes*.	45,398 22,110 45,437 21,053 29,689 32,853 26,876 39,182 44,099 28,925 27,226 24,538 22,679 38,257 46,239 28,820 43,095 24,384 28,470 47,419 29,265 29,842 33,992	861 694 1,152 471 678 790 518 831 962 723 628 639 729 962 1,200 640 691 512 597 871 650 704 1,113	586 284 616 281 318 393 304 495 459 349 385 347 315 483 619 322 385 296 362 404 329 350 492	84 77 138 37 65 96 45 78 64 81 71 91 100 75 127 54 52 59 52 39 66 64 98	216 59 168 101 88 114 109 170 164 90 118 77 50 170 153 100 142 86 131 157 89 115 107	- 4 3 - 1 - 2 - 1 1 - 2 2 1 4 - - - - - - - -	- - - - - - - 1 - - - - - - - - - - - - -	2 8 14 - - 5 1 2 1 7 32 18 5 9 4 1 - 5 6 3 5 1	2 2 2 - 1 - 3 1 - - - - - - - - - - - - -	2 1 4 1 3 - 6 4 3 - - - - - - - - - - - -	8 1 3 2 2 3 8 2 1 1 2 2 4 5 4 4 - 5 5 9 4	3 13 13 - 8 16 4 5 8 13 23 14 5 25 17 4 5 4 4 - 2 2 2 3 3 3 8 14	29 13 4 4 7 19 3 12 14 8 3 19 1 7 7 15 9 6 8 26	12 12 18 9 11 18 10 23 16 17 8 12 14 20 33 5 7 12 9 9 5 16	22 11 25 127 13 18 38 38 21 37 17 12 41 31 11 14 29 71 42 85 11 34 30 17 10 25 32 32 10 8 65 68	6 12 29 3 5 9 5 3 24 2 3 6 17 41 46 14 17 26 6 8 3 8 14 13 8 19 20	LANCASHIRE. Accrington. Ashton in Makerfield. Ashton under Lyne. Bacup. Chadderton. Chorley. Colne. Darwen. Eccles. Farnworth. Heywood. Hindley. Ince in Makerfield. Lancaster. Leigh. Middleton. Nelson. Radcliffe. Rawtenstall. Stretford. Swinton and Pendlebury. Waterloo with Seaforth. Widnes*.	
YORKSHIRE (WEST RIDING). Batley. Brighouse. Castleford. Doncaster. Goole.	36,527 20,871 25,592 53,647 18,546	871 419 745 1,430 623	471 247 285 637 268	75 30 93 140 45	168 82 62 205 87	2 - - - -	- - - - -	9 7 11 - 14	1 1 1 1 -	3 - - 8 1	4 2 4 3 5	10 1 26 18 4	5 3 2 7 4	14 8 5 21 7	35 17 15 25 15	64 21 21 102 32	1 - - 14 -	YORKSHIRE (WEST RIDING). Batley. Brighouse. Castleford. Doncaster. Goole.

The DEATHS registered in the Year include

The DEATHS registered in the Year include																			
TOWNS.	ESTIMATED CIVILIAN POPULATION, 1920 (Provisional).	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.		
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.					Violence.	
YORKSHIRE (WEST RIDING)—cont.																	YORKSHIRE (WEST RIDING)—cont.		
Keighley	40,642	794	611	67	202	1	—	—	5	—	6	3	5	28	16	23	143	12	Keighley.
Morley	24,334	533	284	40	93	1	—	—	8	—	3	6	7	14	7	18	21	—	Morley.
Shipley	30,064	571	364	65	121	1	—	—	1	1	—	—	1	10	18	21	57	—	Shipley.
Spennorth	31,241	618	353	47	101	1	—	—	3	1	3	1	—	18	9	24	27	—	Spennorth.
Todmorden	24,062	438	296	34	120	1	—	—	3	1	1	6	2	2	10	16	23	2	Todmorden.
YORKSHIRE (NORTH RIDING).																			YORKSHIRE (NORTH RIDING).
Eston	29,213	1,006	431	112	79	2	—	—	4	1	5	5	16	12	21	22	48	—	Eston.
Scarborough	35,467	773	488	52	230	2	—	—	2	2	1	21	5	6	20	48	119	2	Scarborough.
DURHAM.																			DURHAM.
Blaydon	35,720	1,125	396	126	71	—	—	—	6	1	2	10	15	4	10	12	19	8	Blaydon.
Felling	28,282	949	366	90	80	—	—	—	7	4	5	6	9	10	9	10	34	22	Felling.
Hartlepool	20,327	728	318	83	65	—	—	—	6	2	3	1	5	14	10	15	41	4	Hartlepool.
Hebburn	23,450	874	368	101	73	—	—	—	3	1	12	3	8	7	18	20	48	16	Hebburn.
Jarrow	37,204	1,280	548	108	119	—	—	—	1	1	10	3	13	7	20	18	83	24	Jarrow.
Stanley	24,390	959	358	117	77	—	—	—	11	2	1	7	7	2	9	12	25	8	Stanley.
NORTHUMBERLAND.																			NORTHUMBERLAND.
Ashington	29,565	1,091	378	135	83	1	—	—	4	5	5	6	33	5	9	10	30	10	Ashington.
Bedlingtonshire	26,875	872	337	92	95	1	—	—	3	3	2	14	7	5	10	13	13	13	Bedlingtonshire.
Blyth	32,733	990	403	108	89	1	—	—	4	—	1	4	19	11	16	18	26	9	Blyth.
Wallsend	45,430	1,423	576	158	107	—	—	—	—	2	12	2	21	15	13	16	51	19	Wallsend.
CUMBERLAND.																			CUMBERLAND.
Workington	27,177	807	422	95	115	1	—	—	12	—	1	23	9	16	13	21	46	10	Workington.
MONMOUTHSHIRE.																			MONMOUTHSHIRE.
Abersychan	27,893	746	268	69	58	1	—	—	6	1	—	4	6	4	16	20	38	4	Abersychan.
Abertillery	44,475	1,265	433	141	62	2	—	—	26	—	6	11	22	31	12	17	21	1	Abertillery.
Bedwellty	34,998	1,088	345	98	53	—	—	—	26	—	13	4	5	23	19	20	11	4	Bedwellty.
Ebbw Vale	40,998	1,135	502	113	105	1	—	—	14	7	13	8	8	10	35	36	64	1	Ebbw Vale.
Tredeggar	25,501	825	304	70	82	1	—	—	13	1	4	5	6	4	16	17	32	7	Tredeggar.
GLAMORGANSHIRE.																			GLAMORGANSHIRE.
Barry	39,449	978	362	55	78	2	—	—	11	1	3	7	11	17	23	34	65	—	Barry.
Caerphilly	38,038	1,209	393	101	67	—	—	—	13	2	7	14	4	14	31	31	40	—	Caerphilly.
Gelligaer	41,389	1,458	488	130	73	—	—	—	25	1	3	9	16	24	21	28	38	6	Gelligaer.
Maesteg	29,906	903	365	95	67	—	—	—	5	12	4	10	10	4	24	34	47	—	Maesteg.
Mountain Ash	45,265	1,364	523	124	104	1	—	—	20	2	7	7	10	9	33	40	32	5	Mountain Ash.
Ogmore and Garw	31,411	944	342	102	56	1	—	—	18	6	5	7	4	7	12	20	20	—	Ogmore and Garw.
Pontypridd	47,390	1,531	617	161	119	—	—	—	40	2	4	8	6	30	38	53	58	3	Pontypridd.
CARMARTHENSHIRE.																			CARMARTHENSHIRE.
Llanelli	38,776	959	488	106	127	—	—	—	3	—	8	7	18	46	11	16	37	10	Llanelli.

TABLE XIX.—London.—Deaths from Different Causes in each Quarter of 1920, and in several Groups of Ages during the 52 Weeks of 1920.

(For definition of deaths taken to represent London deaths, see Note at head of Table XVII.)

CAUSES OF DEATH.	Quarter ended				Fifty-two Weeks ended 1st January, 1921.													
	Apr. 3 (13 weeks.)	July 3 (13 weeks.)	Oct. 2 (13 weeks.)	Jan. 1 (13 weeks.)	TOTAL AT ALL AGES.	Under 1 Year.	1 and 2. 5.	5 and 10. 10.	10 and 15. 15.	15 and 20. 20.	20 and 25. 25.	25 and 35. 35.	35 and 45. 45.	45 and 55. 55.	55 and under 65.	65 and under 75.	75 and up- wards.	
	17,808	13,549	10,451	14,230	56,038	9,025	1,890	1,854	1,445	818	1,107	1,233	2,964	4,089	6,027	7,632	8,963	8,991
ALL CAUSES -	-	-	-	-	49 4	-	-	1	3	2	2	3	9	12	8	8	1	-
Enteric Fever	-	11	11	7	1,007	243	393	279	81	-	-	1	1	-	1	1	-	-
Small-pox	-	3	-	-	759	5	31	75	61	9	9	4	7	4	2	-	-	-
Measles	-	529	51	23	1,009	345	222	169	22	-	16	5	7	-	-	4	1	-
Scarlet Fever	-	58	38	72	2	64	99	370	361	78	55	68	227	179	204	176	169	123
Whooping Cough	-	416	45	40	1,345	54	20	28	19	23	5	3	10	18	13	20	23	16
Diphtheria	-	353	182	273	85	2	-	1	1	1	-	1	11	17	18	11	13	3
Croup	-	-	1	-	1,332	20	1	2	-	1	5	3	10	13	20	20	23	16
Influenza	-	651	59	156	2	2	2	5	-	-	-	1	11	17	18	11	13	3
Erysipelas	-	42	26	32	79	16	2	4	9	2	4	2	12	2	8	10	4	4
Other Epidemic Diseases	-	28	17	21	15	5	-	-	3	-	3	-	-	1	2	1	-	-
Pyæmia and Septicæmia	-	25	10	22	4,610	43	30	46	51	98	351	475	877	993	922	469	216	39
Tetanus	-	3	6	2	435	95	56	92	95	39	31	5	10	7	3	1	1	-
Tuberculosis :-	-	-	-	-	149	24	15	13	17	15	13	6	15	11	7	6	5	2
Pulmonary Tuberculosis	-	1,234	949	1,266	64	-	1	5	9	7	9	5	6	2	10	7	2	1
Tuberculous Meningitis	-	118	100	98	49	2	-	1	3	3	6	3	3	5	6	5	7	5
Abdominal Tuberculosis	-	44	28	42	73	4	-	-	2	2	8	5	17	8	9	6	11	1
Tuberculosis of the Spine	-	17	17	18	134	14	8	12	21	12	16	8	14	8	9	7	2	3
Tuberculosis of the Joints	-	10	18	13	261	176	-	1	-	-	4	1	11	16	26	18	7	1
Tuberculosis of Other Organs	-	20	20	21	5,445	5	4	11	-	7	17	19	114	393	1,077	1,613	1,456	721
Disseminated Tuberculosis	-	34	42	28	50	-	-	-	-	-	-	-	-	6	9	17	10	8
Veneral Diseases	-	83	72	59	225	-	-	3	49	52	34	9	21	26	14	8	5	3
Cancer	-	1,343	1,368	1,399	343	-	1	-	6	5	12	12	17	35	45	89	96	26
Tumour, situation undefined	-	12	14	11	281	-	-	-	16	11	10	13	23	29	49	55	49	16
Rheumatic Fever	-	74	54	56	401	2	3	10	7	4	7	5	22	25	30	65	94	68
Diabetes	-	87	93	96	261	41	23	10	7	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia	-	71	76	74	288	110	31	36	31	18	11	9	9	9	9	12	3	-
Other General Diseases	-	107	103	107	2,114	2	1	1	1	-	5	4	16	67	240	508	697	572
Alcoholism	-	6	3	3	61	-	-	-	-	-	-	-	-	3	5	12	3	-
Chronic Poisonings	-	1	2	1	61	1	1	1	1	-	-	-	-	1	2	3	-	-
Simple Meningitis	-	88	76	67	212	293	29	10	33	21	37	34	91	215	224	194	134	84
Cerebral Hemorrhage, Apoplexy	-	611	495	585	194	24	11	19	-	-	-	-	-	1	1	-	-	-
Softening of Brain	-	15	17	17	334	2	-	4	-	-	-	-	-	1	1	-	-	-
Paralysis, without specified cause	-	61	48	62	1,121	2	2	10	5	9	13	19	32	28	19	31	18	13
Epilepsy	-	56	50	44	288	293	29	10	-	-	-	-	-	1	1	-	-	-
"Convulsions" (not Puerperal)	-	104	91	64	288	24	11	19	33	21	37	34	91	215	224	194	134	84
Other Diseases of Nervous System	-	319	262	230	288	2	11	19	-	-	-	-	-	1	1	-	-	-

TABLE XIX. (continued).—London.—Deaths from Different Causes in each Quarter of 1920, and in several Groups of Ages during the 52 Weeks of 1920.

CAUSES OF DEATH.	Quarter ended				TOTAL AT ALL AGES.	Fifty-two Weeks ended 1st January 1921.												
	Apr. 3 (13 weeks.)	July 3 (13 weeks.)	Oct. 2 (13 weeks.)	Jan. 1 (13 weeks.)		Under 1 Year.	1 and under 2.	2 and under 5.	5 and under 10.	10 and under 15.	15 and under 20.	20 and under 25.	25 and under 35.	35 and under 45.	45 and under 55.	55 and under 65.	65 and under 75.	75 and up- wards.
Pericarditis - - - - -	21	18	13	13	65	4	2	4	4	8	8	3	4	2	7	6	9	4
Acute Endocarditis - - - - -	92	91	97	105	385	2	-	3	16	22	22	44	99	76	56	37	5	3
Organic Disease of Heart - - - - -	1,771	1,437	1,310	1,689	6,207	4	1	12	40	84	93	88	234	402	712	1,219	1,747	1,571
Embolism and Thrombosis (including Cerebral).	105	97	82	111	395	2	1	1	2	3	-	2	14	10	32	74	115	139
Other Diseases of Circulatory System -	478	440	387	474	1,779	19	4	2	2	2	1	4	6	52	152	356	517	662
Diseases of the Larynx - - - - -	19	19	9	11	58	14	9	16	4	-	1	2	2	2	3	2	1	2
Bronchitis - - - - -	1,974	880	434	1,496	4,784	671	96	43	14	-	9	8	39	134	356	671	1,165	1,578
Broncho-Pneumonia - - - - -	1,367	544	216	664	2,791	1,275	494	226	70	7	11	11	52	50	112	142	176	165
Lobar Pneumonia - - - - -	421	309	170	319	1,219	65	31	41	34	14	55	48	131	185	219	174	151	71
Pneumonia (type not distinguished) -	527	274	147	286	1,234	171	77	55	33	10	30	27	100	130	161	160	163	117
Pleurisy - - - - -	59	59	35	39	192	9	8	9	6	4	3	7	14	21	25	45	27	14
Pulmonary Congestion, Pulmonary Apoplexy.	49	36	32	36	153	19	1	2	-	-	-	-	5	-	8	20	36	62
Other Diseases of Respiratory System -	117	78	63	120	378	8	-	5	3	6	1	4	17	40	78	88	84	44
Diseases of the Pharynx, Tonsillitis -	29	20	17	12	78	6	2	20	8	6	3	6	2	6	8	5	3	3
Diseases of Stomach - - - - -	126	123	118	119	486	85	6	4	1	4	5	7	30	69	88	71	67	49
Diarrhoea and Enteritis - - - - -	285	278	469	433	1,465	1,068	73	32	10	3	4	10	30	36	53	50	49	47
Appendicitis and Typhlitis - - - - -	64	65	75	74	278	-	-	23	31	43	35	20	24	28	23	34	13	4
Hernia and Intestinal Obstruction -	145	130	115	143	533	83	4	3	6	3	2	7	26	30	75	91	119	84
Cirrhosis of Liver - - - - -	61	59	63	69	252	-	1	-	-	6	1	-	2	24	79	77	46	16
Other Diseases of Liver - - - - -	39	36	39	57	171	1	-	2	1	-	-	6	10	17	18	40	44	32
Peritonitis (cause unknown) - - - -	24	15	10	12	61	4	-	8	6	4	-	4	6	11	6	3	6	3
Other Diseases of Digestive System -	35	55	33	43	166	15	3	7	4	5	5	2	4	24	33	31	14	19
Acute Nephritis - - - - -	44	38	20	26	128	3	2	8	11	9	4	4	16	18	18	21	9	5
Chronic Bright's Disease - - - - -	395	330	277	372	1,374	-	2	-	5	12	12	25	54	137	227	352	362	186
Urinary Calculi - - - - -	10	7	8	9	34	-	-	-	-	1	-	1	5	5	6	6	5	5
Uterine Tumour (non-cancerous) - -	7	6	11	5	29	-	-	-	-	-	-	1	2	8	11	4	3	-
Ovarian Tumour - - - - -	12	7	6	5	30	-	-	-	-	-	1	-	2	5	4	5	8	5
Other Diseases of Genito-urinary System.	145	158	135	159	597	16	1	1	-	3	3	15	30	44	68	92	169	155
Puerperal Fever, &c. - - - - -	70	38	41	50	199	-	-	-	-	-	5	27	115	49	3	-	-	-
Other Causes incident to Childbirth -	53	46	50	39	188	-	-	-	-	-	5	26	89	66	2	-	-	-

TABLE XIX. (continued).—London.—Deaths from **Different Causes** in each **Quarter** of **1920** and in several **Groups** of **Ages** during the **52 Weeks** of **1920**.

CAUSES OF DEATH.	Quarter ended				Fifty-two Weeks ended 1st January 1921.													
	Apr. 3 (13 weeks.)	July 3 (13 weeks.)	Oct. 2 (13 weeks.)	Jan. 1 (13 weeks.)	TOTAL AT ALL AGES.	Under 1 Year.	1 and under 2.	2 and under 5.	5 and under 10.	10 and under 15.	15 and under 20.	20 and under 25.	25 and under 35.	35 and under 45.	45 and under 55.	55 and under 65.	65 and under 75.	75 and up- wards.
Diseases of Skin and Cellular Tissue -	134	78	67	82	361	65	5	3	5	2	4	3	12	17	32	40	79	94
Diseases of Locomotor System -	27	29	32	29	117	9	5	4	19	23	7	3	13	5	5	8	4	12
Congenital Malformations -	149	115	121	109	494	443	16	12	5	5	6	5	-	1	1	-	-	-
Premature Birth -	605	457	383	378	1,823	1,822	1	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Marasmus (Infants)	252	182	185	227	846	846	-	-	-	-	-	-	-	-	-	-	-	-
Old Age -	715	536	409	611	2,271	-	-	-	-	-	-	-	-	-	1	25	416	1,829
ACCIDENT.																		
Poisons or Poisonous Vapours -	6	11	11	13	41	-	-	1	4	1	2	1	4	8	8	4	8	-
Conflagration -	7	-	-	6	13	1	-	2	-	-	1	-	1	2	3	1	-	2
Burns and Scalds -	55	32	15	63	165	15	30	47	14	7	2	4	1	2	9	4	7	23
Drowning -	23	50	53	26	152	4	-	-	19	15	9	11	13	27	29	18	6	1
Suffocation in bed -	39	24	14	17	94	94	-	-	-	-	-	-	-	-	-	-	-	-
Other Deaths by Accident -	294	290	274	291	1,149	44	9	34	116	54	59	42	83	97	141	155	149	166
Total Deaths from Accident -	424	407	367	416	1,614	158	39	84	153	77	73	58	102	136	190	182	170	192
Included in above are deaths in connection with:—																		
Railways -	10	9	10	14	43	-	-	-	2	-	1	3	7	7	7	10	4	2
Vehicles and Horses -	123	110	115	98	446	-	1	20	93	44	33	17	28	38	39	53	51	29
Ships, Boats, Docks -	3	5	2	6	16	-	-	-	-	-	1	-	5	2	5	2	1	-
Building Operations -	6	10	14	10	40	-	-	-	-	-	1	4	2	6	12	9	6	-
VIOLENCE OTHER THAN ACCIDENTAL.																		
Homicide -	8	16	11	9	44	8	1	-	1	-	1	4	12	9	6	1	1	-
Suicide -	114	135	104	90	443	-	-	-	-	-	5	18	48	81	133	93	49	16
Execution -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Specified Diseases -	185	180	156	168	689	530	8	12	32	29	12	12	21	19	10	3	-	1
Ill-defined Causes -	17	20	11	20	68	8	12	8	3	2	-	2	4	3	9	6	11	-

TABLE XX.—**LONDON** and the **METROPOLITAN BOROUGHES**.—**Births** and **Deaths** of **Persons** belonging to **London** and the **Metropolitan Boroughs** during the **52 Weeks** ended **1st January, 1921**.*

BOROUGHES.	ESTIMATED CIVILIAN POPULATION, MID 1920 (Provisional).	Births.†	Deaths from										Deaths under 1 year of Age.
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and En- teritis (under 2 years).	Pulmonary Tuberculosis.		
COUNTY OF LONDON	4,531,971	120,529	56,038	49	4	1,007	207	759	1,003	1,141	4,610	9,025	
West.													
PADDINGTON - .	149,673	3,423	1,653	-	-	24	3	14	25	42	128	267	
KENSINGTON - . .	164,177	4,020	2,135	1	-	22	5	23	22	70	135	327	
HAMMERSMITH - .	136,200	3,335	1,525	1	-	16	6	12	35	23	128	218	
FULHAM - . . .	153,621	4,328	1,790	4	-	23	9	17	45	35	134	320	
CHELSEA - . . .	62,987	1,410	748	1	-	9	2	-	8	10	67	74	
CITY OF WESTMINSTER -	132,615	2,233	1,532	3	-	12	5	4	9	23	135	159	
North.													
ST. MARYLEBONE - .	101,856	2,217	1,267	-	-	8	9	13	7	23	94	145	
HAMPSTEAD - . .	91,519	1,566	822	2	-	8	4	6	5	5	39	75	
ST. PANCRAS - . .	228,178	5,806	2,808	1	-	62	11	62	30	44	237	419	
ISLINGTON - . .	335,907	9,472	4,447	1	-	93	12	72	134	73	346	676	
STOKE NEWINGTON -	52,984	1,223	676	-	-	5	4	10	20	13	37	98	
HACKNEY - . . .	225,372	6,010	2,827	1	-	86	6	67	69	63	203	485	
Central.													
HOLBORN - . . .	39,676	827	588	-	-	6	2	2	5	10	47	53	
FINSBURY - . . .	78,291	2,504	1,136	-	-	11	4	12	27	16	108	190	
CITY OF LONDON - .	14,447	182	192	1	-	1	-	1	1	2	20	13	
East.													
SHOREDITCH - . .	102,044	3,738	1,567	1	-	48	6	12	27	64	144	341	
BETHNAL GREEN - .	114,471	3,855	1,676	2	-	62	12	56	35	49	158	366	
STEPNEY - . . .	241,770	7,554	3,465	3	-	49	15	73	40	86	297	656	
POPLAR - . . .	159,766	5,470	2,319	4	3	35	14	54	57	47	209	447	
South.													
SOUTHWARK - . . .	187,142	5,954	2,685	5	-	63	5	27	37	53	243	512	
BERMONDSEY - . .	129,189	4,113	1,673	1	1	56	7	37	26	35	134	315	
LAMBETH - . . .	293,572	8,172	3,800	1	-	79	16	35	77	77	322	549	
BATTERSEA - . . .	165,664	4,669	2,040	2	-	45	7	33	36	52	161	382	
WANDSWORTH - . .	346,990	7,234	3,455	3	-	49	11	19	66	48	257	446	
CAMBERWELL - . .	284,712	7,557	3,275	5	-	59	15	37	63	80	293	528	
DEPTFORD - . . .	115,636	3,276	1,386	2	-	20	2	15	21	44	125	260	
GREENWICH - . . .	102,408	2,690	1,216	2	-	26	3	20	13	15	122	194	
LEWISHAM - . . .	174,438	4,033	1,872	1	-	9	8	12	45	21	130	261	
WOOLWICH - . . .	141,666	3,658	1,463	1	-	21	4	14	24	18	157	219	

* For the purpose of this table births in lying-in institutions, whether in London or elsewhere in England and Wales, have been transferred to the parents' area of residence where this differed from that in which the birth took place. The deaths relate to the civilian population only. They have been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents in Greater London and in certain Metropolitan Institutions outside Greater London.

† The births are those registered in the calendar year.

TABLE XXI.—METEOROLOGICAL TABLE for LONDON, 1920.

(Deduced from Observations at Greenwich, under the Superintendence of the Astronomer Royal.)

1920.	Baro- meter.	Air Temperature.										Hygrometer.				Earth Temperature.		Bright Sunshine.		
		Mean of		Mean of A and B.	Difference from Normal.†	Absolute Maximum and Minimum.			Mean of Observations at 9 a.m. and 9 p.m.				At 1 foot depth.	At 4 feet depth.	Daily Mean.	Difference from Normal.†	Per cent. of Possible.			
		A	B			Maximum.	Day of Month.	Minimum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.						Humidity.		
		° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	mb.	%	° F.	° F.	hrs.	hrs.	%				
January	-	47.4	37.0	42.2	+3.7	56	16	22	7	41.9	2.2	7.4	84	1.59	+0.35	19				
February	-	51.0	36.4	43.7	+3.9	62	18	27	28	42.2	2.1	7.7	85	3.03	+0.99	31				
March	-	55.7	38.1	46.9	+4.4	66	21	27	8	45.4	2.7	8.3	81	4.21	+0.81	36				
April	-	56.9	41.6	49.2	+1.6	66	24	33	30	48.4	2.9	9.2	81	2.56	-2.46	19				
May	-	66.9	45.6	56.2	+2.2	87	25	32	5	55.9	4.9	10.7	72	7.20	+0.73	46				
June	-	71.0	50.1	60.5	+0.6	79	2	37	7	59.9	4.8	12.6	73	7.18	+0.48	44				
July	-	69.5	51.9	60.7	-2.8	76	17	44	25	59.6	4.0	13.2	77	4.91	-1.59	31				
August	-	67.7	49.7	58.7	-3.9	78	14	41	20	57.8	4.0	12.4	77	4.79	-1.41	33				
September	-	66.6	49.4	58.0	0.0	76	12	39	12	56.6	2.6	13.0	84	3.59	-1.36	29				
October	-	61.0	43.1	52.0	+1.8	73	5	28	31	50.2	1.5	11.0	90	5.19	+2.07	49				
November	-	50.5	36.8	43.7	-0.3	59	15	23	22	42.7	1.4	8.3	89	2.34	+0.62	26				
December	-	44.5	36.7	40.6	+0.4	57	3	16	13	40.4	1.3	7.6	90	0.88	-0.18	11				
Year	-	59.1	43.0	51.0	+1.0	-	-	-	-	50.1	2.9	10.1	82	3.96	-0.09	32				

* The hours of observation are 9 a.m. and 9 p.m. local time.

+ The normals used are obtained from observations extending over 35 years (1881-1915).
 Pressure is expressed in millibars (1000 mb. = 29.531 mercury-inches). *Wind Force*.—The Summary is obtained from the records of a cup anemograph having 5 in. cups and 15 in. arms. The factor used is 3. Winds above 43 miles per hour are reckoned as gales and winds between 21 and 43 miles per hour as moderate or strong winds. Direction is not tabulated when the speed of the

TABLE XXI.—continued.

1920.	Cloud.	Rain and other forms of Precipitation.				Weather. Number of days of										Wind. Number of Observations at 9 a.m., 3 p.m., and 9 p.m.										
		Total Fall.	Difference from Normal. [†]	Most in a Day.		Precipitation (0.2 mm. and above).	Precipitation (1 mm. and above).	Snow.	Hail.	Thunderstorm.	Persistently Clear.	Generally Clear.†	Generally Overcast.†	Persistently Overcast.	Fog.	Gale.	Moderate and Strong Wind.	Calm.	Direction.							
				N.	N.E.														E.	S.E.	S.	S.W.	W.	N.W.		
January	-	58	+ 15	mm. 14	10	18	1	0	0	0	1	17	0	1	4	4	24	1	3	8	3	11	32	28	4	
February	-	15	- 25	6	20	10	2	0	0	0	4	13	0	11	0	0	14	18	4	6	3	7	29	11	1	
March	-	35	- 9	6	6	14	0	0	1	0	7	10	0	7	0	0	13	13	6	2	3	17	31	13	5	
April	-	68	+ 31	10	11	21	1	0	1	0	0	16	1	4	0	0	12	14	6	2	3	13	25	17	8	
May	-	18	- 26	4	6	12	0	0	0	1	3	8	0	0	0	0	8	10	4	2	8	9	23	30	5	
June	-	44	- 7	16	12	10	0	0	2	0	2	8	0	0	0	0	0	14	7	11	10	7	8	22	7	
July	-	82	+ 25	15	21	15	0	0	0	0	0	17	1	0	0	0	3	9	3	2	1	4	29	36	8	
August	-	41	- 15	23	18	7	3	0	1	0	1	13	0	2	0	0	2	12	18	11	4	1	12	25	8	
September	-	88	+ 43	22	21	14	13	0	1	0	1	14	0	2	0	0	1	22	11	7	7	2	15	19	5	
October	-	28	- 36	10	1	12	6	0	0	0	4	9	0	11	0	0	3	32	0	8	29	12	8	3	1	0
November	-	20	- 38	7	27	12	5	0	0	0	8	10	2	9	0	0	4	22	6	2	10	12	13	17	5	3
December	-	49	- 8	9	22	23	11	4	0	0	1	22	4	5	0	0	15	18	15	16	5	2	10	19	7	1
Year	-	546	- 50	-	-	168	106	8	0	6	5	38	157	8	52	4	99	185	83	77	86	61	94	243	214	55

[†] A day is reckoned as "generally clear" if the average of the estimates of the fraction of sky covered by cloud at 9 a.m., 3 p.m., and 9 p.m. is less than .2, and as "generally overcast" if the average is greater than .8. Days persistently cloudless and days persistently overcast refer to the period midnight to midnight.

TABLE XXII.—Births and Deaths in London and in certain Colonial and Foreign Cities, 1920 (52 weeks).

Note.—The figures in this table are compiled from the weekly returns.

CITIES.	POPULATION (estimated).*	PRINCIPAL EPIDEMIC DISEASES.													
		BIRTHS (exclud- ing Stillborn).	Birth - rate per 1,000.	DEATHS (exclud- ing Stillborn).	Death - rate per 1,000.	Deaths of Infants under 1 Year of age.	Rate to 1,000	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Diarrhoea (under 2 Years).	Influenza.
LONDON†	4,531,971	120,529	26.5	56,038	12.4	9,025	75	49	4	1,007	207	759	1,011	1,141	1,345
CALCUTTA	896,067	-	-	34,783	38.9	-	-	147	2,881	?	?	?	?	?	1,631
BOMBAY (51 weeks)	979,445	19,168	20.0	44,756	46.7	10,657	556	147	291	117	-	11	79	2,256†	1,552
MADRAS	518,660	21,516	41.6	21,307	41.2	5,925	275	64	109	40	?	157	291	2,139†	293
PARIS (year)	2,847,229	55,784	19.6	43,057	15.1	5,454	98	146	3	310	97	297	214	1,331	686
ANTWERP	329,673	6,567	20.0	3,459	10.5	714	109	5	-	49	8	24	28	305	69
AMSTERDAM (51 weeks 6 days)	650,758	15,004	23.2	7,155	11.1	705	47	63	-	108	7	50	34	52	329
COPENHAGEN	571,000	12,456	21.9	7,681	13.5	1,091	88	8	-	71	27	33	68	88§	992
STOCKHOLM	415,201	7,232	17.5	4,752	11.5	350	48	10	2	11	21	14	49	14§	133
GOthenBURG	200,578	-	-	2,142	10.7	-	-	15	-	35	4	5	25	43§	11
CHRISTIANIA	260,904	5,466	21.0	2,981	11.5	298	55	4	-	16	4	8	20	23†	22
BERLIN (45 weeks)	1,904,590	28,147	17.1	25,560	15.6	4,523	161	33	?	96	51	184	187	1,071§	761

HAMBURG (50 weeks) -	-	-	-	1,002,933	19,286	20·1	13,471	14·0	2,028	105	40	?	46	34	90	130	322\$?
LEIPZIG (51 weeks) -	-	-	-	610,686	13,106	21·9	8,624	14·4	1,742	133	21	?	42	18	65	51	482\$?
DRESDEN -	-	-	-	537,127	11,345	21·2	7,403	13·8	1,151	101	11	?	4	15	32	48	226\$?
COLOGNE (51 weeks) -	-	-	-	642,899	16,449	26·2	9,280	14·8	2,251	137	19	?	104	12	165	103	469\$?
BRESLAU (50 weeks) -	-	-	-	531,347	?	?	9,078	17·8	2,063	?	22	?	21	18	58	71	571\$?
FRANKFORT ON MAIN (48 weeks) -	-	-	-	435,103	7,947	19·8	4,464	11·1	835	105	6	?	26	7	46	30	179\$?
VIENNA -	-	-	-	1,842,005	26,206	14·3	33,794	18·4	4,229	161	109	5	302	89	177	124	880	1,104
PRAGUE (51 weeks 6 days) -	-	-	-	535,475	8,709	16·4	9,553	17·9	1,453	167	53	46	61	5	17	23	314	343
TRIESTE -	-	-	-	238,182	6,295	26·5	4,375	18·4	1,054	167	59	-	10	24	21	18	297	143
NEW YORK (48 weeks)**	-	-	-	6,141,445	121,513	21·5	67,300	11·9	10,396	86	124	-	653	207	562	961	2,360	3,300
CHICAGO (year) -	-	-	-	2,727,504	-	-	34,745	12·7	5,667	?	30	1	87	180	151	626	2,232	2,036
NEW ORLEANS (year) -	-	-	-	400,000	-	-	6,899	17·2	732	?	29	132	16	7	20	22	160	201

* These populations relate, as far as possible, to the middle of the year. They differ in some cases from those in Table XIII.

+ The figures for London refer to the civilian population only.

+ All ages.

|| Including 53 deaths from plague in Calcutta, 271 in Bombay, 8 in Madras, and 3 in New Orleans, and from Asiatic Cholera 2,279 deaths in Calcutta, 119 in Bombay, and 21 in Madras.

¶ Excluding deaths from Croup.

** It should have been stated in Quarterly Return No. 287 that the figures for New York during the Second Quarter of 1920 relate to a period of 11 weeks only.

PERIODS IN THE QUARTER ENDED 30TH JUNE, 1920.

AGES AT DEATH.																	International List Nos.
—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
05	1,392	1,560	1,490	1,796	2,030	2,444	2,933	3,361	3,971	4,432	5,055	4,719	4,288	2,503	1,357	All Causes	
85	1,316	1,480	1,702	1,824	1,869	2,051	2,283	2,717	2,956	3,588	4,504	4,988	4,839	3,590	2,486		
66	686	829	780	852	944	994	1,201	1,273	1,363	1,359	1,351	901	618	238	85	1-59	
90	836	873	892	860	873	932	1,081	1,189	1,182	1,245	1,254	1,084	777	377	171		
	9	8	3	3	10	6	11	3	6	3	1	—	1	—	—	1	
	10	9	12	6	8	9	3	2	1	2	1	—	1	—	—		
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	—	8	13	13	8	8	7	2	—	1	2	—	—	—	2	4	
	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—		
	—	1	—	—	—	—	2	—	2	—	—	—	—	—	—	5	
	—	2	—	1	1	2	—	—	1	—	—	—	—	—	—		
8	4	1	1	3	1	—	1	—	—	—	1	1	—	—	—	6	
0	4	1	3	2	—	—	1	2	—	—	—	—	—	—	—		
6	8	4	1	3	—	1	—	—	1	—	—	—	—	—	—	7	
0	8	5	—	3	3	—	—	—	—	—	—	—	—	—	—		
1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8	
1	—	—	2	—	1	—	—	—	—	—	—	—	1	—	—		
1	12	3	2	1	2	2	1	1	—	—	—	1	—	—	—	9	
6	12	9	1	4	4	6	—	1	2	2	2	—	—	—	—		
1	12	3	2	1	2	2	1	1	—	—	—	1	—	—	—	A	
6	12	9	1	4	4	6	—	1	2	2	2	—	—	—	—		
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9	122	118	169	191	168	140	184	168	140	161	167	130	94	35	29	10	
7	71	128	171	189	127	102	121	115	117	112	135	143	108	69	32		
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	13	
	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
	1	3	8	3	4	6	3	2	3	—	3	2	1	—	—	14	
	—	—	—	—	1	1	2	1	2	2	4	2	3	—	—		
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	
	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	17	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
18	Erysipelas - - { M F	100 102	— 4	15 16	1 —	2 1	18 21	— 1	1 1	— 1	— —	19 24	1 3
19	Other epidemic diseases. { M F	21 15	1 —	— 1	2 2	5 4	8 7	4 3	3 2	1 —	1 —	17 12	— 1
	A. Mumps - - { M F	3 2	— —	— —	— —	— —	— —	1 2	— —	1 —	— —	2 2	— —
	B. German measles. { M F	5 6	— —	— 1	1 1	3 —	4 2	— 1	1 2	— —	— —	5 5	— —
	C. Varicella - { M F	10 7	1 —	— —	1 1	2 4	4 5	3 —	2 —	— —	1 —	10 5	— 1
	D. Other diseases included under 19. { M F	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
20	Pyæmia, Septicæmia. { M F	110 51	4 2	1 2	2 —	1 1	8 5	— 1	— —	1 1	3 —	12 7	4 2
	A. Pyæmia - { M F	13 11	3 —	— 1	— —	— —	3 1	— 1	— —	— —	— —	3 2	1 1
	B. Septicæmia - { M F	97 39	1 2	1 1	2 —	1 —	5 3	— —	— —	1 1	3 —	9 4	3 1
	C. Vaccinia - { M F	— 1	— —	— —	— —	— 1	— 1	— —	— —	— —	— —	— 1	— —
21	Glanders - - { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
22	Anthrax (Splenic Fever). { M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
23	Rabies - - - { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
24	Tetanus - - - { M F	22 6	1 —	1 —	— —	1 —	3 —	— —	— 1	— —	1 —	4 1	2 1
25	Mycoses - - - { M F	5 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Actinomycosis { M F	5 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other mycoses { M F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
26	Pellagra - - { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
27	Beri-beri - - { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
28	Pulmonary tuber- culosis (not acute). { M F	4,371 3,583	— —	1 2	5 3	17 8	23 13	28 22	18 12	6 13	7 7	82 67	4 5
	A. Pulmonary tuberculosis. { M F	3,512 2,814	— —	1 2	5 3	16 8	22 13	26 21	14 12	5 13	6 6	73 65	3 5
	B. Phthisis (not defined as tuberculous). { M F	859 769	— —	— —	— —	1 —	1 —	2 1	4 —	1 —	1 1	9 2	— —

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1920—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
4 1	3 5	1 2	2 6	2 4	1 5	9 3	8 5	8 6	9 4	6 5	3 3	10 8	8 9	3 5	3 4	18
— 2	—	—	—	1 —	1 —	—	—	—	—	—	1 —	1 —	—	—	—	19
—	—	—	—	—	—	—	—	—	—	—	1 —	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
1 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
1 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
—	—	—	—	1 —	1 —	—	—	—	—	—	—	1 —	—	—	—	—
6 6	6 4	1 3	4 —	4 2	8 3	9 3	9 7	8 2	4 1	9 2	15 5	6 —	3 1	1 3	1 —	20
1 —	2 2	— 1	—	1 —	—	1 —	1 2	1 —	—	— 1	1 1	1 —	1 —	—	—	A
5 6	4 2	1 2	4 —	3 2	8 3	8 3	8 5	7 2	4 1	9 1	14 4	5 —	3 —	1 3	1 —	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
—	—	—	1 —	—	— 1	—	—	—	1 —	—	—	—	—	—	—	22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
3 —	2 —	1 —	1 —	1 —	— 2	1 —	—	1 —	4 —	— 2	1 —	—	1 —	—	—	24
—	—	2 —	1 —	— 1	—	1 —	—	— 2	— 1	—	1 —	—	—	—	—	25
—	—	2 —	1 —	— 1	—	1 —	—	—	— 1	—	1 —	—	—	—	—	A
—	—	—	—	—	—	—	—	2 —	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
81 154	281 447	483 512	409 474	445 393	513 381	484 315	461 228	408 219	306 114	188 99	137 66	33 41	13 12	5 4	2 —	28
64 123	226 344	391 400	316 376	356 301	422 290	392 251	365 182	327 172	245 92	154 76	111 49	23 29	8 8	5 3	2 —	A
17 31	55 103	92 112	93 98	89 92	91 91	92 64	96 46	81 47	61 22	34 23	26 17	10 12	5 4	— 1	—	B

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
29	Acute phthisis, Acute miliary tuberculosis.	M	427	—	—	8	10	18	15	6	4	5	48	20
		F	444	—	1	4	10	15	11	10	6	7	49	23
	A. Acute phthisis	M	342	—	—	3	5	8	8	1	2	3	22	11
		F	345	—	—	1	1	2	5	4	3	5	19	11
	B. Acute miliary tuberculosis.	M	85	—	—	5	5	10	7	5	2	2	26	9
		F	99	—	1	3	9	13	6	6	3	2	30	12
28 & 29	Pulmonary tuber- culosis (acute and chronic).	M	4,798	—	1	13	27	41	43	24	10	12	130	60
F		4,027	—	3	7	18	28	33	22	19	14	116	80	
30	Tuberculous meningitis.	M	561	1	9	28	78	116	63	57	31	30	297	110
		F	462	1	8	28	38	75	61	37	40	26	239	94
31	Tuberculosis of peritoneum and intestines.	M	294	—	11	22	30	63	40	22	15	7	147	32
		F	306	2	3	9	16	30	31	19	11	8	99	30
	A. Tabes mesenterica.	M	35	—	2	4	9	15	8	3	1	—	27	5
		F	16	—	—	2	1	3	8	2	—	—	13	—
	B. Other peri- toneal and intestinal tubercle.	M	259	—	9	18	21	48	32	19	14	7	120	23
		F	290	2	3	7	15	27	23	17	11	8	86	30
32	Tuberculosis of spinal column	M	104	—	—	—	—	—	—	1	2	2	5	—
		F	73	—	—	—	—	—	1	1	—	—	2	—
33	Tuberculosis of joints.	M	51	—	—	2	—	2	—	1	2	1	6	—
		F	34	—	—	1	1	2	—	—	—	—	2	—
34	Tuberculosis of other organs.	M	93	—	2	3	2	7	4	1	—	3	15	—
		F	75	—	2	—	1	3	3	1	—	—	7	—
	A. Lupus -	M	5	—	—	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	—	—	—	—	—	—	—
	B. Scrofula -	M	2	—	—	—	—	—	1	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
C. Other tuber- culosis in- cluded under 34.	M	86	—	2	3	2	7	3	1	—	3	14	—	
	F	61	—	2	—	1	3	3	1	—	—	7	—	
35	Disseminated tuberculosis.	M	234	—	4	4	10	18	17	7	8	5	55	23
		F	206	—	1	6	4	11	6	6	5	9	37	23
28- 35	Tuberculosis (all forms).	M	6,135	1	27	72	147	247	167	113	68	60	655	25
F		5,183	3	17	51	78	149	135	86	75	57	502	24	
36	Rickets, Softening of bones.	M	96	1	2	9	23	35	38	11	4	2	90	—
		F	56	—	3	4	11	18	17	9	1	1	46	—
	A. Rickets -	M	95	1	2	9	23	35	38	11	4	2	90	—
		F	50	—	3	4	11	18	17	9	1	1	46	—
	B. Other forms of bone soften- ing.	M	1	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	—	—	—
37	Syphilis -	M	292	70	91	28	14	203	5	1	1	—	210	—
		F	199	47	52	25	14	138	6	—	—	1	145	—

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1920—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards	
14 30	52 73	58 62	43 57	33 42	35 31	34 23	31 16	29 14	13 10	9 8	7 2	1 1	— 3	— —	— —	{ 29
6 18	45 56	45 54	38 53	30 38	30 26	31 22	27 15	27 11	13 10	9 6	7 2	1 1	— 3	— —	— —	
8 12	7 17	13 8	5 4	3 4	5 5	3 1	4 1	2 3	— —	— 2	— —	— —	— —	— —	— —	{ B
95 184	333 520	541 574	452 531	478 435	548 412	518 338	492 244	437 233	319 124	197 107	144 68	34 42	13 15	5 4	2 —	{ 28 & 29
62 56	39 34	16 16	6 5	3 8	7 2	8 3	2 3	1 2	2 —	2 —	— —	— —	— —	— —	— —	
27 26	20 37	14 12	6 18	14 19	7 16	9 12	5 12	7 5	3 5	1 6	2 1	— 1	— —	— 1	— —	{ 31
2 —	— —	1 —	— 1	— —	— 1	— —	— —	1 —	— 1	1 —	— —	— —	— —	— —	— —	
25 26	20 37	13 12	6 17	14 19	7 15	9 12	5 12	6 5	3 4	— 6	2 1	— 1	— —	— 1	— —	{ B
16 7	15 5	4 3	15 3	5 2	7 5	11 5	4 10	3 8	2 4	3 6	4 6	1 4	1 1	— —	— —	
3 3	10 3	7 1	5 3	1 —	1 6	2 4	2 1	2 —	4 2	1 1	— 2	— 2	2 1	1 1	— —	{ 33
8 6	6 5	5 4	2 4	5 6	6 5	10 1	5 7	6 3	4 3	3 4	3 6	1 6	6 2	1 1	1 1	
— —	— —	— —	— —	— —	— —	1 —	— 3	1 2	— 2	— 1	— 1	— 1	3 2	— 1	— 1	{ A
1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
7 6	6 5	5 4	2 4	5 6	6 5	9 1	5 4	5 1	4 1	3 3	3 5	1 5	3 —	1 —	1 —	{ C
24 18	18 32	28 16	12 13	15 12	10 12	10 7	16 10	6 6	10 7	1 3	4 3	1 4	— 1	— 2	— —	
235 300	441 636	615 626	498 577	521 482	586 458	568 370	526 287	462 257	344 145	208 127	157 86	37 59	22 20	7 9	3 1	{ 28-35
— —	1 1	— —	— —	— —	— 1	1 —	— —	— 1	— —	— 1	— 2	— 1	— —	— 1	— —	
— —	1 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ A
— —	— —	— —	— —	— —	— —	1 —	— —	— 1	— —	— 1	— 2	— 1	— —	— 1	— —	
— 1	2 1	4 6	2 5	6 2	15 3	4 4	13 11	8 8	8 4	10 5	6 1	2 2	1 —	— —	— —	{ 37

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1920—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	}	38
—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	}	B
—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	1	—	—	2	5	15	47	75	122	109	99	58	51	19	3	}	39
—	—	1	—	1	3	2	9	9	10	10	10	14	8	2	2		
—	1	2	9	10	26	60	131	203	279	311	329	246	144	57	4	}	40
—	1	3	5	13	35	60	95	149	183	248	287	250	154	51	30		
—	2	5	6	7	21	43	66	92	133	182	175	133	122	42	16	}	41
—	2	2	7	6	19	40	72	124	133	167	178	172	131	67	29		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	42
2	1	2	17	30	47	106	152	158	159	164	138	112	74	23	9		
—	—	—	—	—	—	1	2	2	—	1	1	—	1	—	—	}	43
—	1	—	4	20	48	90	146	164	175	142	99	102	94	44	25		
—	—	—	1	1	2	7	7	17	17	18	26	24	27	16	8	}	44
1	—	2	1	2	—	6	4	2	5	8	17	12	12	15	10		
7	12	12	11	22	26	48	89	112	156	177	183	131	74	36	6	}	45
5	4	6	8	19	27	27	56	70	74	69	87	55	44	30	8		
8	16	19	27	42	80	174	342	501	707	798	813	592	419	170	37	}	39-45
8	9	16	42	91	179	331	534	676	739	808	816	717	517	232	113		
—	—	1	—	—	—	3	1	3	1	2	2	—	3	—	—	}	46
—	1	—	—	—	2	1	3	2	3	5	2	3	6	2	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	—	—	—	3	1	3	1	2	2	—	3	—	—	}	C
—	1	—	—	—	2	1	3	2	3	5	2	3	6	2	—		
66	27	13	14	16	13	17	11	6	10	10	4	5	2	1	—	}	47
66	39	21	12	20	12	18	6	9	8	9	10	1	3	2	1		
—	—	—	—	1	2	2	7	11	18	25	43	27	25	10	4	}	48
—	1	1	1	2	5	7	14	17	29	41	59	66	62	28	11		
—	—	—	—	—	1	—	3	3	2	7	12	2	5	6	—	}	A
—	—	—	—	1	—	—	—	2	1	7	5	14	23	7	2		
—	—	—	—	1	1	2	1	5	12	11	21	18	12	4	3	}	B
—	1	1	1	1	5	7	14	15	28	34	54	51	39	20	9		
—	—	—	—	—	—	—	3	3	4	7	10	7	8	—	1	}	C
—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—		

ENGLAND AND WALES—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
49	Scurvy - - - {	M 3	—	—	—	—	—	1	—	—	—	1	—
		F 5	—	—	—	1	1	1	—	1	—	3	—
50	Diabetes - - - {	M 413	—	—	—	—	—	—	—	1	—	1	6
		F 444	—	—	—	—	—	—	—	1	—	1	4
51	Exophthalmic goitre. {	M 11	—	—	—	—	—	—	—	—	—	—	—
		F 118	—	—	—	—	—	—	—	—	—	—	—
52	Addison's disease - {	M 18	—	—	—	—	—	—	—	—	—	—	—
		F 28	—	—	—	—	—	—	—	—	—	—	—
53	Leucocythæmia, Lymphadenoma. {	M 102	—	—	2	—	2	2	1	—	1	6	7
		F 80	—	1	—	2	3	—	1	1	2	7	5
	A. Leucocythæ- mia (Leuchæ- mia). {	M 49	—	—	2	—	2	1	1	—	1	5	2
		F 56	—	1	—	2	3	—	1	1	2	7	5
	B. Lymphade- noma. {	M 53	—	—	—	—	—	1	—	—	—	1	5
		F 24	—	—	—	—	—	—	—	—	—	—	—
	Anæmia, Chlorosis {	M 307	—	1	2	5	8	3	1	3	—	15	3
		F 358	1	—	—	2	3	2	1	2	1	9	4
55	Other general diseases. {	M 65	10	2	3	1	16	—	1	3	—	20	6
		F 61	6	1	4	—	11	3	2	3	2	21	5
	A. Diabetes insipidus. {	M 4	—	—	—	—	—	—	—	—	—	—	—
		F 4	—	—	—	—	—	—	—	—	—	—	—
	B. Purpura - {	M 32	4	1	—	1	6	—	—	1	—	7	5
		F 43	3	1	4	—	8	2	2	1	2	15	5
	C. Hæmophilia - {	M 17	4	—	2	—	6	—	1	1	—	8	1
		F 4	2	—	—	—	2	—	—	1	—	3	—
	D. Other diseases included under 55. {	M 12	2	1	1	—	4	—	—	1	—	5	—
		F 10	1	—	—	—	1	1	—	1	—	3	—
	Alcoholism (acute or chronic). {	M 38	—	—	—	—	—	—	—	—	—	—	—
		F 13	—	—	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning. {	M 9	—	—	—	—	—	—	—	—	—	—	—
		F 2	—	—	—	—	—	—	—	—	—	—	—
	A. Occupational lead poison- ing. {	M 9	—	—	—	—	—	—	—	—	—	—	—
		F 2	—	—	—	—	—	—	—	—	—	—	—
	B. Non-occupa- tional lead poisoning. {	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
58	Other chronic occu- pational poison- ings. {	M 1	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings. {	M 1	—	—	—	—	—	—	—	—	—	—	—
		F 3	—	—	—	—	—	—	—	—	—	—	—
60- 76	II. Diseases of the Nervous System and of the Organs of Special Sense. {	M 5,902	435	216	137	210	998	157	46	42	34	1,277	125
		F 5,942	270	163	126	148	707	121	48	38	33	947	126
60	Encephalitis - - {	M 116	—	1	1	1	3	3	3	2	3	14	13
		F 117	—	—	—	2	2	3	2	3	—	10	15

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1920—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	}	49
1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—		
8	12	14	13	17	19	13	23	24	43	61	69	55	24	8	3	}	50
15	9	14	23	11	13	18	26	35	45	61	62	48	32	19	8		
—	—	—	2	—	—	4	—	2	2	—	1	—	—	—	—	}	51
—	4	4	10	7	16	12	14	16	18	9	5	1	2	—	—		
—	—	2	2	—	3	—	3	2	3	2	1	—	—	—	—	}	52
—	—	2	3	1	1	3	4	5	7	1	1	—	—	—	—		
9	8	6	5	9	4	5	6	9	8	9	4	5	2	—	—	}	53
8	4	5	6	8	6	6	9	2	9	1	1	2	1	—	—		
4	3	2	3	4	—	2	4	6	2	8	2	1	1	—	—	}	A
7	2	1	4	5	4	4	5	2	7	—	—	2	1	—	—		
5	5	4	2	5	4	3	2	3	6	1	2	4	1	—	—	}	B
1	2	4	2	3	2	2	4	—	2	1	1	—	—	—	—		
2	6	4	4	10	10	10	35	44	37	41	48	26	10	1	1	}	54
1	16	15	15	20	18	27	27	24	39	44	56	28	10	4	1		
5	6	—	4	2	2	3	2	1	3	2	4	—	1	2	2	}	55
2	—	2	2	1	—	3	4	2	6	5	3	2	1	2	—		
—	1	—	—	—	1	—	—	—	—	—	1	—	1	—	—	}	A
—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—		
3	3	—	2	1	1	—	—	—	3	2	1	—	—	2	2	}	B
2	—	2	1	—	—	2	4	2	3	3	3	—	1	—	—		
2	—	—	2	1	—	2	—	—	—	—	1	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—		
—	2	—	—	—	—	1	2	1	—	—	1	—	—	—	—	}	D
—	—	—	1	1	—	1	—	—	—	2	—	1	—	1	—		
—	—	—	1	1	5	5	4	5	5	8	3	1	—	—	—	}	56
—	—	—	—	1	2	3	2	3	1	1	—	—	—	—	—		
—	—	—	—	—	1	—	1	1	4	1	—	—	1	—	—	}	57
—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	1	—	1	1	4	1	—	—	1	—	—	}	A
—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	}	58
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	}	59
—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—		
101	115	109	74	112	149	207	272	324	430	511	615	622	523	228	108	}	60-76
87	91	76	91	87	109	191	240	337	415	499	670	726	641	381	228		
4	13	10	5	9	6	5	15	7	5	7	2	—	1	—	—	}	60
7	9	6	10	6	8	7	9	10	3	5	2	3	2	4	1		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.													
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—		
61	Meningitis - - - {	M	424	9	15	26	57	107	55	26	18	11	217	53	
		F	356	6	13	19	47	85	32	25	17	16	175	49	
	A. Cerebro-spinal fever. {	M	62	—	1	5	4	10	5	3	3	—	21	14	
		F	58	1	1	7	1	10	4	2	2	8	26	4	
	B. Posterior basal meningitis. {	M	17	—	2	4	3	9	3	1	—	—	13	3	
		F	13	—	—	—	5	5	1	1	—	1	8	2	
	C. Meningitis— other forms. {	M	345	9	12	17	50	88	47	22	15	11	183	36	
		F	285	5	12	12	41	70	27	22	15	7	141	43	
	62	Locomotor ataxy - {	M	132	—	—	—	—	—	—	—	—	—	—	—
			F	18	—	—	—	—	—	—	—	—	—	—	—
63	Other diseases of the spinal cord. {	M	323	—	—	2	6	8	—	—	1	1	10	—	
		F	282	—	1	—	1	2	1	—	—	1	4	2	
	A. Diseases formerly classed to "Other nervous affectns." {	M	124	—	—	—	—	—	—	—	—	—	—	—	
		F	110	—	1	—	—	1	—	—	—	—	1	—	
	B. Poliomyelitis, Polioencephalitis. {	M	17	—	—	2	6	8	—	—	1	1	10	—	
		F	8	—	—	—	1	1	1	—	—	1	3	1	
	C. Other diseases included under 63. {	M	182	—	—	—	—	—	—	—	—	—	—	—	
		F	164	—	—	—	—	—	—	—	—	—	—	1	
	64	Cerebral hæmorrhage, Apoplexy. {	M	2,510	1	—	1	1	3	—	1	—	1	5	1
			F	3,139	—	—	2	1	3	1	—	—	2	6	2
A. Apoplexy - {		M	389	—	—	—	—	—	—	—	—	—	—	—	
		F	490	—	—	—	—	—	—	—	—	—	—	—	
B. Serous apoplexy and Œdema of brain. {		M	6	—	—	1	—	1	—	—	—	—	1	—	
		F	16	—	—	—	—	—	—	—	—	—	—	—	
C. Cerebral congestion. {		M	7	1	—	—	—	1	—	1	—	1	3	—	
		F	11	—	—	—	—	—	1	—	—	1	2	1	
D. Cerebral atheroma. {		M	50	—	—	—	—	—	—	—	—	—	—	—	
		F	24	—	—	—	—	—	—	—	—	—	—	—	
E. Cerebral hæmorrhage. {	M	2,058	—	—	—	1	1	—	—	—	—	1	1		
	F	2,598	—	—	2	1	3	—	—	—	1	4	1		
65	Softening of brain {	M	83	—	—	—	—	—	—	—	—	—	—	1	
		F	112	—	—	—	—	—	—	—	—	—	—	—	
66	Paralysis without specified cause. {	M	261	1	—	—	—	1	—	—	—	—	1	—	
		F	334	1	—	—	—	1	1	1	—	—	3	—	
	A. Hemiplegia - {	M	219	—	—	—	—	—	—	—	—	—	—	—	
		F	287	—	—	—	—	—	1	—	—	—	1	—	
	B. Paraplegia - {	M	22	1	—	—	—	1	—	—	—	—	1	—	
		F	22	—	—	—	—	—	—	—	—	—	—	—	
C. Other forms of paralysis. {	M	20	—	—	—	—	—	—	—	—	—	—	—		
	F	25	1	—	—	—	1	—	1	—	—	2	—		
67	General paralysis of the insane. {	M	285	—	—	—	—	—	—	—	—	—	—	—	
		F	50	—	—	—	—	—	—	—	—	—	—	—	
68	Other forms of mental alienation. {	M	66	—	—	—	—	—	—	—	—	—	—	—	
		F	141	—	—	—	—	—	—	—	—	—	—	—	

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1920—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
34 28	31 22	18 15	7 9	7 6	8 10	9 6	8 8	8 8	9 6	7 3	4 3	2 4	2 3	— 1	— —	{	61
8 6	8 8	7 5	— 3	— 1	1 2	— 1	2 —	1 1	— —	— 1	— —	— —	— —	— —	— —		{
1 2	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{	
25 20	23 13	11 10	7 6	7 5	7 8	9 5	6 8	7 7	9 6	7 2	4 3	2 4	2 3	— 1	— —		{
— —	— —	1 —	1 —	2 1	1 1	13 1	16 1	22 —	16 3	17 1	20 5	14 3	6 1	2 1	1 —	{	
4 3	6 4	9 5	4 16	12 7	14 15	10 22	17 17	29 17	42 32	47 19	51 31	30 46	24 28	7 9	7 5		{
1 —	1 —	1 —	1 —	2 —	1 1	2 2	3 6	2 2	14 8	16 10	32 15	21 35	17 21	5 5	5 4	{	
1 1	1 —	1 —	1 1	— —	1 —	1 1	1 —	— —	— 1	— —	— —	— —	— —	— —	— —		{
2 2	4 4	7 5	2 15	10 7	12 14	7 19	13 11	27 15	28 23	31 9	19 16	9 11	7 7	2 4	2 1	{	
2 2	5 6	5 2	10 6	19 10	17 24	58 60	100 125	157 224	229 281	347 368	439 514	451 538	407 487	182 302	76 182		{
1 —	1 —	2 —	1 —	2 —	3 1	6 3	15 28	25 38	36 45	48 62	59 78	69 74	81 77	30 50	10 34	{	
— —	— —	— —	— 1	— —	— —	— —	— —	1 2	— 1	1 —	1 2	— 5	2 2	— 2	— 1		{
— —	— —	1 —	— —	— —	1 —	— —	— 1	1 —	1 2	— 1	— —	— —	— 2	— 1	— 1	{	
— —	— —	— —	— —	— —	— —	— 1	— —	1 —	6 3	7 3	8 2	9 5	9 9	7 —	3 1		{
1 2	4 6	2 2	9 5	17 10	13 23	52 56	85 96	129 184	186 230	291 302	371 432	373 454	315 397	145 249	63 145	{	
— —	— —	— —	1 —	— —	— 1	— 2	5 4	1 3	6 6	10 11	15 18	16 16	16 25	6 17	6 9		{
1 —	1 —	1 1	— 2	— 1	1 2	2 8	4 13	12 14	33 19	26 36	41 44	59 70	41 63	24 36	14 22	{	
1 —	— —	1 1	— 1	— —	— 1	1 7	1 9	11 13	26 17	23 33	33 38	52 62	34 52	23 32	13 20		{
— —	— —	— —	— 1	— 1	— —	1 1	— 3	— 1	6 1	2 —	4 3	3 3	4 5	— 2	1 1	{	
— —	1 —	— —	— —	— —	1 1	— —	3 1	1 —	1 1	1 3	4 3	4 5	3 6	1 2	— 1		{
— 1	2 —	1 —	7 2	18 5	55 3	51 8	55 4	31 8	37 9	9 4	10 3	7 2	2 —	— 1	— —	{	
1 —	2 1	1 1	2 6	4 9	4 10	6 20	6 11	7 14	10 18	6 15	6 16	8 11	3 7	— —	— 2		{

•ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
69	Epilepsy - - -	M 304	1	—	3	3	7	3	—	5	3	18	15
		F 261	3	1	1	1	6	2	2	2	2	14	9
70	Convulsions (non- puerperal; 5 years and over).	M 5	—	—	—	—	—	—	—	—	—	—	3
		F 9	—	—	—	—	—	—	—	—	—	—	8
	A. Epileptiform convulsions.	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	B. Others in- cluded under 70.	M 5	—	—	—	—	—	—	—	—	—	—	3
		F 9	—	—	—	—	—	—	—	—	—	—	8
71	Infantile convul- sions (under 5 years).	M 934	420	195	94	119	828	77	13	9	7	934	—
		F 677	259	146	97	88	590	64	11	10	2	677	—
	A. Convulsions with teeth- ing.	M 98	—	1	17	56	74	20	4	—	—	98	—
		F 85	—	—	14	41	55	27	3	—	—	85	—
	B. Other infan- tile convul- sions.	M 836	420	194	77	63	754	57	9	9	7	836	—
		F 592	259	146	83	47	535	37	8	10	2	592	—
72	Chorea - - -	M 12	—	—	—	—	—	—	—	—	—	—	4
		F 25	—	—	—	—	—	—	—	—	1	1	3
73	Hysteria, Neuralgia, Neuritis.	M 21	—	—	—	—	—	—	—	—	—	—	1
		F 32	—	—	—	—	—	—	—	—	—	—	1
	A. Hysteria, Neu- ralgia, Scia- tica.	M 2	—	—	—	—	—	—	—	—	—	—	—
		F 6	—	—	—	—	—	—	—	—	—	—	—
	B. Neuritis -	M 19	—	—	—	—	—	—	—	—	—	—	1
		F 26	—	—	—	—	—	—	—	—	—	—	1
74	Other diseases of the nervous sys- tem.	M 245	2	2	3	5	12	10	3	4	2	31	13
		F 233	—	—	1	4	5	5	4	4	5	23	8
	A. Idiocy, Imbe- cility.	M 30	—	—	—	1	1	3	2	3	1	10	4
		F 26	—	—	1	3	4	2	4	2	3	15	1
	B. Cretinism -	M 3	—	—	—	—	—	2	—	—	—	2	—
		F 3	—	—	—	—	—	—	—	1	—	1	1
	C. Cerebral tu- mour.	M 128	—	—	—	2	2	2	—	—	—	4	9
		F 123	—	—	—	1	1	—	—	1	1	3	4
75	Diseases of the eyes and annexa.	M 7	—	—	1	—	1	—	—	—	1	2	1
		F 4	—	—	—	—	—	—	1	—	—	1	—
76	Diseases of the ears	M 174	1	3	6	18	28	9	—	3	5	45	20
		F 151	1	2	6	4	13	12	2	2	4	33	29
	A. Mastoid disease.	M 56	—	—	4	6	10	3	—	2	1	16	7
		F 42	—	—	2	1	3	4	1	1	2	11	9
	B. Other diseases of the ears.	M 118	1	3	2	12	18	6	—	1	4	29	13
		F 109	1	2	4	3	10	8	1	1	2	22	20
77-85	III. Diseases of the Circulatory System.	M 8,235	8	3	8	6	25	2	4	3	4	38	67
		F 8,313	2	4	3	6	15	3	5	6	9	38	68
77	Pericarditis - -	M 59	—	1	2	2	5	—	—	—	1	6	7
		F 38	—	—	—	1	1	—	—	—	—	1	6

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1920—*continued.*

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
12 10	25 14	29 17	25 28	19 23	25 15	25 27	13 15	16 14	15 17	21 13	12 14	19 16	10 10	3 2	2 3	{	69
2 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
2 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	71
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	B
2 6	3 9	2 5	— 1	—	—	—	—	1 —	—	—	—	—	—	—	—		
— 1	— 2	—	—	1 3	3 1	— 6	2 2	2 2	4 4	— 1	2 2	4 2	1 5	1 —	—	{	73
1	—	—	—	— 1	— 1	— 1	1 —	—	— 1	—	—	— 1	— 1	—	—		
—	—	—	—	1 —	3 —	— 5	1 2	2 2	4 3	— 1	2 2	3 2	1 4	1 —	—	{	B
—	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
16 9	7 11	12 13	9 5	13 10	9 12	25 14	21 30	25 18	21 10	12 19	11 16	10 15	7 8	2 8	1 4	{	74
3 3	3 1	3 1	1 1	1 2	—	1 —	—	1 1	1 —	1 —	— 1	1 —	—	—	—		
1	—	—	—	—	—	—	—	—	1 —	—	—	—	—	—	—	{	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
12 5	2 7	7 12	7 4	8 8	6 11	20 10	15 27	20 11	13 5	4 13	1 3	—	—	—	—	{	C
—	2	2	1	4	3	4	6	4	7	—	10	9	7	2	1		
1	3	—	—	—	1	4	3	6	4	6	12	15	8	8	4	{	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	—	—	—	—	—	—	1 —	—	—	—	—	1 —	1 —	—	—	{	75
—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—		
22 19	20 13	20 11	3 6	8 6	6 6	3 10	9 1	6 5	3 6	2 4	2 1	1 —	2 1	1 —	1 —	{	76
9 8	5 3	7 1	—	4 1	— 1	1 1	4 —	— 2	2 5	1 —	—	—	—	—	—		
13 11	15 10	13 10	3 6	4 5	6 5	2 9	5 1	6 3	1 1	1 4	2 1	1 —	2 1	1 —	1 —	{	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
107 18	109 121	124 114	150 123	193 176	220 205	288 262	409 336	501 441	731 559	990 813	1,269 1,178	1,220 1,299	1,036 1,197	546 794	237 471	{	77-85
4 4	4 4	3 2	3 4	1 —	2 2	3 1	4 2	7 2	3 2	2 2	6 3	2 1	1 2	—	1 —		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	77
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
78	Acute endocarditis	M	287	—	—	—	—	—	—	2	—	1	3	1
		F	247	—	—	—	—	—	1	1	—	1	3	1
	A. Acute myocarditis.	M	71	—	—	—	—	—	—	—	—	1	1	—
		F	48	—	—	—	—	—	—	—	—	—	—	—
	B. Infective endocarditis.	M	133	—	—	—	—	—	—	—	—	—	—	—
		F	100	—	—	—	—	—	—	—	—	—	—	—
C. Other acute endocarditis.	M	83	—	—	—	—	—	—	2	—	—	2	1	
	F	99	—	—	—	—	—	1	1	—	1	3	—	
79	Organic disease of the heart.	M	5,628	—	—	—	1	1	1	2	2	2	8	4
		F	6,242	—	—	—	3	3	1	3	5	8	20	4
	A. Valvular disease.	M	2,847	—	—	—	—	—	1	2	—	2	5	3
		F	3,081	—	—	—	1	1	1	2	3	6	13	3
	B. Fatty degeneration of the heart.	M	248	—	—	—	—	—	—	—	—	—	—	—
		F	293	—	—	—	—	—	—	—	—	—	—	—
C. Other organic disease of the heart.	M	2,533	—	—	—	1	1	—	—	2	—	3	1	
	F	2,868	—	—	—	2	2	—	1	2	2	7	1	
80	Angina pectoris	M	170	—	—	—	—	—	—	—	—	—	—	—
		F	94	—	—	—	—	—	—	—	—	—	—	—
81	Dis. of the arteries, Atheroma; Aneurysm, &c.	M	1,671	—	—	—	—	—	—	—	—	—	—	—
		F	1,128	—	—	—	—	—	—	—	—	—	—	—
	A. Aneurysm	M	177	—	—	—	—	—	—	—	—	—	—	—
		F	42	—	—	—	—	—	—	—	—	—	—	—
	B. Arterial sclerosis.	M	1,472	—	—	—	—	—	—	—	—	—	—	—
		F	1,077	—	—	—	—	—	—	—	—	—	—	—
C. Other diseases of arteries.	M	22	—	—	—	—	—	—	—	—	—	—	—	
	F	9	—	—	—	—	—	—	—	—	—	—	—	
82	Embolism and thrombosis.	M	315	—	—	—	—	—	—	—	—	—	—	—
		F	431	—	1	—	—	1	—	—	—	—	1	—
	A. Cerebral embolism and thrombosis.	M	280	—	—	—	—	—	—	—	—	—	—	—
		F	403	—	—	—	—	—	—	—	—	—	—	—
	B. Other embolism and thrombosis.	M	35	—	—	—	—	—	—	—	—	—	—	—
		F	28	—	1	—	—	1	—	—	—	—	1	—
83	Dis. of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M	35	—	1	—	—	1	—	—	—	—	1	—
		F	51	—	—	—	—	—	—	—	—	—	—	—
	A. Phlebitis	M	18	—	1	—	—	1	—	—	—	—	1	—
		F	29	—	—	—	—	—	—	—	—	—	—	—
	B. Varix	M	14	—	—	—	—	—	—	—	—	—	—	—
		F	22	—	—	—	—	—	—	—	—	—	—	—
C. Pylephlebitis	M	2	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	
D. Varicocoele	M	1	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1920—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
13 20	18 19	20 24	34 20	26 23	29 27	31 22	20 14	24 16	36 23	5 7	8 3	2 5	2 —	1 3	— 1	78
1 1	3 2	1 —	2 2	1 3	3 3	8 3	9 5	17 10	21 11	— 1	2 1	— 4	1 —	1 1	— 1	
5 7	8 12	13 17	26 11	17 12	18 15	14 5	6 4	5 3	5 2	5 2	5 —	1 1	1 —	— 1	— —	
7 12	7 5	6 7	6 7	8 8	8 9	9 14	5 5	2 3	10 10	— 4	1 2	1 —	— —	— 1	— —	
87 90	83 95	95 83	108 96	153 145	168 156	218 218	308 270	352 361	491 455	707 644	898 939	815 978	641 851	332 511	122 287	79
72 73	62 82	77 61	86 61	119 99	116 100	146 139	182 173	198 196	260 258	332 322	415 434	336 430	261 331	110 188	33 88	
— —	— —	1 —	2 —	5 —	3 7	5 14	19 8	32 26	40 31	37 47	47 55	30 42	20 32	10 15	5 8	
15 17	21 13	18 21	22 23	34 41	49 49	67 65	107 89	122 139	191 166	338 275	436 450	449 506	360 488	212 308	79 191	
— —	— —	— —	— —	1 1	1 2	3 1	8 7	19 4	20 9	44 15	26 16	24 19	13 12	5 5	6 3	80
— —	2 —	4 —	2 —	5 3	15 4	25 8	49 16	81 34	137 42	182 83	269 140	308 215	314 235	182 209	96 139	
— —	2 —	2 —	1 —	2 2	8 1	16 4	24 5	25 4	34 6	26 6	14 6	9 3	11 4	3 1	— —	
— —	— —	1 —	1 —	3 1	7 3	9 4	23 11	56 30	103 36	151 77	255 133	295 208	297 230	177 205	94 139	
— —	— —	1 —	— —	— —	— —	— —	2 —	— —	— —	5 —	— 1	4 4	6 1	2 3	2 —	81
1 2	1 1	1 4	1 1	4 2	4 9	6 9	13 18	10 16	34 21	38 48	49 67	60 60	58 81	22 57	10 34	
1 —	— 1	1 2	1 —	3 2	3 6	4 7	9 15	9 16	25 16	33 46	45 64	59 59	56 80	19 56	9 33	
— 2	1 —	— 2	— 1	1 —	1 3	2 2	4 3	1 —	9 5	5 2	4 3	1 1	2 1	3 1	1 1	
— —	1 —	— 1	— 1	— 2	— 2	2 1	3 4	5 5	5 3	4 11	5 4	4 11	4 4	— 1	1 1	83
— —	— —	1 —	1 —	2 —	1 —	1 —	2 2	1 2	3 3	3 5	3 1	1 7	3 2	— —	— 1	
— —	1 —	— —	— —	— —	— 1	— —	1 2	3 3	2 —	— 6	2 3	3 4	1 2	— 1	— —	
— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	84
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
84	Dis. of the lymphatic system (Lymphangitis, &c.)	M 26	7	1	6	3	17	1	—	1	—	19	—
		F 25	2	3	3	2	10	1	1	1	—	13	—
	A. Status lymphaticus.	M 14	5	—	5	1	11	1	—	1	—	13	—
		F 12	2	3	3	1	9	—	—	—	—	9	—
	B. Other diseases of the lymphatic system.	M 12	2	1	1	2	6	—	—	—	—	6	—
		F 13	—	—	—	1	1	1	1	1	—	4	—
85	Hæmorrhage, other dis. of the circulatory system.	M 44	1	—	—	—	1	—	—	—	—	1	—
		F 57	—	—	—	—	—	—	—	—	—	—	—
	A. Functional disease of the heart.	M 34	—	—	—	—	—	—	—	—	—	—	—
		F 46	—	—	—	—	—	—	—	—	—	—	—
	B. Epistaxis	M 3	1	—	—	—	1	—	—	—	—	1	—
		F 2	—	—	—	—	—	—	—	—	—	—	—
	C. Other diseases included under 85.	M 7	—	—	—	—	—	—	—	—	—	—	—
		F 9	—	—	—	—	—	—	—	—	—	—	—
	IV.—Diseases of the Respiratory System.	M 11,799	300	756	766	1,159	2,981	936	217	147	106	4,387	24
		F 9,576	206	525	512	848	2,091	802	217	151	103	3,364	22
86	Diseases of the nasal fossæ.	M 13	—	2	2	1	5	—	—	1	—	6	—
		F 3	—	1	—	—	1	—	1	—	—	2	—
87	Diseases of the larynx.	M 117	4	8	11	9	32	21	6	14	6	79	1
		F 108	5	5	5	9	24	16	5	13	14	72	2
	A. Laryngismus stridulus.	M 25	1	2	1	6	10	7	1	3	—	21	—
		F 18	—	1	—	4	5	3	1	4	1	14	—
	B. Laryngitis	M 85	3	6	10	3	22	14	5	11	4	56	1
		F 89	5	4	5	5	19	13	4	9	13	58	1
	C. Other diseases of larynx.	M 7	—	—	—	—	—	—	—	—	2	2	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
88	Diseases of the thyroid body	M 4	—	—	—	—	—	—	—	—	—	—	—
		F 49	—	—	—	—	—	—	—	—	—	—	—
89 & 90	Bronchitis	M 4,885	182	417	315	319	1,233	206	33	23	18	1,513	—
		F 4,512	123	287	227	257	894	164	38	27	10	1,133	—
	A. Bronchiectasis, Bronchial catarrh, &c.	M 88	7	5	3	1	16	2	—	—	—	18	—
		F 64	4	7	1	2	14	—	1	—	—	15	—
	B. Other bronchitis.	M 4,797	175	412	312	318	1,217	204	33	23	18	1,495	—
		F 4,448	119	280	226	255	880	164	37	27	10	1,118	—
	Broncho-pneumonia.	M 3,011	84	266	366	669	1,385	541	120	73	59	2,178	—
		F 2,428	57	196	218	480	951	498	124	81	48	1,702	1
92	Pneumonia, lobar and undefined	M 3,101	19	58	65	153	295	154	49	32	21	551	—
		F 1,975	15	34	54	87	190	111	43	27	27	398	—
	A. Lobar pneumonia	M 1,412	5	15	23	41	84	50	14	9	6	163	—
		F 891	5	11	11	24	51	30	15	12	11	119	—
	B. Pneumonia (type not stated).	M 1,689	14	43	42	112	211	104	35	23	15	388	—
		F 1,084	10	23	43	63	139	81	28	15	16	279	—

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1920—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
1 1	— —	1 —	— 1	— —	— —	— —	— 1	— —	1 —	2 —	— —	1 1	— 2	— 3	1 1	}	84
1 —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
1 1	— —	1 —	— —	— —	— —	— —	— 1	— —	1 —	2 —	— —	1 1	— 2	— 3	1 1	}	B
1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
1 1	— 2	— —	2 —	3 —	1 3	— 2	4 4	3 3	4 4	6 3	8 6	4 9	3 10	4 5	— 5	}	85
1 —	— 1	— —	1 —	1 —	1 3	— 2	3 4	1 1	2 2	6 3	7 5	4 7	3 9	4 4	— 5		
— 1	— —	— —	1 —	1 —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	}	B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	1 —	— —	— —	1 —	— —	— —	1 —	2 1	2 2	— —	1 1	— 2	— 1	— 1	— —	}	C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
68 66	157 104	180 103	188 163	288 198	307 181	412 209	460 239	561 336	659 360	742 503	894 754	845 867	753 877	429 633	229 392	}	86-98
2 1	— —	2 —	— —	— —	— —	1 —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —		
1 1	2 1	— 1	— —	1 2	— —	— 1	1 1	3 1	3 —	— 1	1 1	4 2	2 2	— 2	1 —	}	87
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
1 1	2 1	— 1	— —	— 2	— —	— —	1 1	3 1	3 —	— 1	1 1	2 2	1 2	— 2	— —	}	B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	1 —	— —	— 1	— —	— —	— —	— —	— —	— —	2 —	1 —	— —	}	C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
1 1	1 1	1 1	1 1	1 1	1 1	3 3	4 4	5 5	1 1	7 7	9 9	6 6	5 5	3 3	— —	}	88
8 6	11 12	10 8	12 26	30 21	42 33	80 51	121 70	183 133	262 166	373 279	553 452	585 630	563 648	339 493	179 326		
— —	3 —	3 —	4 1	3 —	— 3	7 1	2 3	9 3	7 3	6 3	4 5	5 4	8 5	7 7	1 11	}	A
8 6	8 12	7 8	8 25	27 21	42 30	73 50	119 67	174 130	255 163	367 276	549 447	580 626	555 643	332 486	178 315		
19 15	17 17	21 16	21 21	31 25	37 21	43 27	48 35	57 40	71 46	80 61	102 83	83 66	56 79	34 45	14 22	}	91
31 39	113 66	126 67	143 108	199 130	202 107	249 110	243 110	253 125	239 111	220 113	176 151	115 116	98 81	38 57	17 20		
19 18	48 36	59 39	76 60	101 60	111 61	138 60	121 65	124 64	125 49	121 51	70 75	41 50	36 40	11 13	4 7	}	A
12 21	65 30	67 28	67 48	98 70	91 46	111 50	122 45	129 61	114 62	99 62	106 76	74 66	62 41	27 44	13 13		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	B

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1920—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
3 1	8 4	16 5	4 2	15 9	11 7	8 7	19 5	18 6	26 10	20 13	19 10	8 12	3 12	2 4	2 —	93
2 1	6 1	10 2	1 —	13 2	4 1	3 3	3 —	4 1	7 —	6 3	6 —	1 1	— —	— —	— —	
1 —	2 3	6 3	3 2	2 7	7 6	5 4	16 5	14 5	19 10	14 10	13 10	7 11	3 12	2 4	2 —	94
2 —	3 —	1 1	1 1	1 3	1 1	5 1	3 3	4 11	10 7	6 3	6 15	18 12	17 33	7 23	14 17	
— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 2	— —	1 —	A
2 —	2 —	1 1	1 1	1 3	1 1	4 1	3 3	3 10	8 6	5 2	6 12	14 11	13 19	4 20	13 12	
— —	— —	— —	— —	— —	— —	1 —	— —	1 1	2 1	1 1	— 3	4 1	4 11	3 3	— 5	C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	
— —	— —	— —	1 —	2 —	2 1	1 1	1 —	— 1	1 —	— 1	— 1	2 1	— —	— —	— —	95
1 —	2 2	1 2	3 4	4 5	8 7	16 6	17 10	28 13	31 16	34 20	22 28	23 19	10 14	6 5	1 5	
— —	— —	— —	2 —	— —	— —	3 —	— —	5 —	3 1	2 3	7 2	6 —	4 1	3 1	1 —	97
1 2	— 1	3 2	1 —	5 2	4 3	6 2	5 1	9 1	12 2	7 2	7 2	1 3	— 2	— —	— 2	
— —	— —	1 —	— —	1 —	4 1	3 1	4 —	6 1	5 1	3 1	6 —	1 1	— 1	— —	— —	A
1 2	— 1	2 2	1 —	4 2	— 2	3 1	1 1	3 —	7 1	4 1	1 2	— 2	— 1	— —	— 2	
79 70	86 55	69 57	69 83	85 84	108 88	170 137	162 122	194 177	221 171	231 186	207 195	184 206	109 167	66 102	31 64	99- 118
2 3	2 1	2 2	— —	3 2	3 4	5 3	4 4	2 2	4 1	3 2	2 2	2 2	— 2	— 2	1 1	
1 3	2 1	2 1	— —	3 2	2 3	5 3	4 4	2 1	4 1	3 1	2 1	1 1	— 1	— —	1 1	A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
1 —	— —	— —	— —	— —	1 1	— —	— —	— 1	— —	— —	— 1	1 —	— 1	— 2	— —	C
— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— 1	— —	— —	— —	
— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— 1	— —	— —	— —	D

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
100	Diseases of the pharynx, Tonsillitis.	M 99	1	2	—	4	7	5	6	3	1	22	14	
		F 79	—	1	1	4	6	6	2	3	3	20	23	
	A. Tonsillitis	M 64	—	—	—	2	2	3	5	3	1	14	9	
		F 56	—	—	—	1	1	3	2	1	3	10	20	
	B. Ludwig's angina.	M 11	—	—	—	1	1	—	—	—	—	1	—	
		F 9	—	—	1	1	2	2	—	2	—	6	—	
	C. Other diseases of the pharynx.	M 24	1	2	—	1	4	2	1	—	—	7	5	
		F 14	—	1	—	2	3	1	—	—	—	4	3	
	101 Diseases of the œsophagus.	M 9	—	—	—	—	—	—	—	—	—	—	—	
		F 4	—	—	—	—	—	—	—	—	—	—	—	
102 Perforating ulcer of stomach.	M 296	—	—	—	1	1	—	—	—	—	1	2		
	F 224	—	—	—	—	—	—	—	—	—	—	—		
103	Other diseases of the stomach.	M 408	35	77	45	32	189	21	3	3	4	220	12	
		F 364	27	32	38	22	119	17	3	2	4	145	18	
	A. Inflammation of stomach	M 347	34	72	42	30	178	19	2	3	3	205	9	
		F 313	26	29	37	22	114	16	2	2	2	136	13	
	B. Other diseases included under 103.	M 61	1	5	3	2	11	2	1	—	1	15	3	
		F 51	1	3	1	—	5	1	1	—	2	9	5	
	104 & 105 Diarrhoea and enteritis	M 1,255	115	284	259	167	825	67	23	11	6	932	11	
		F 923	80	137	159	136	512	60	25	13	10	620	15	
	A. Infective enteritis.	M 206	19	53	50	44	166	19	6	—	1	192	3	
		F 133	15	21	31	25	92	13	2	2	2	111	2	
B. Diarrhoea—not returned as infective.	M 202	21	43	64	33	161	6	1	—	—	168	1		
	F 153	12	23	34	17	86	6	7	2	3	104	4		
C. Enteritis—not returned as infective.	M 284	22	67	64	31	184	19	4	6	2	215	3		
	F 237	17	34	26	33	110	17	7	2	1	137	1		
D. Gastro-enteritis—not returned as infective.	M 353	44	101	73	50	268	21	12	5	3	309	4		
	F 301	31	47	61	54	193	22	9	6	4	234	8		
E. Dyspepsia—under 2 years.	M 37	6	16	6	7	35	2	—	—	—	37	—		
	F 30	4	10	7	7	28	2	—	—	—	30	—		
F. Colic	M 14	3	4	1	1	9	—	—	—	—	9	—		
	F 3	—	2	—	—	2	—	—	—	—	2	—		
G. Ulceration of intestines.	M 25	—	—	1	1	2	—	—	—	—	2	—		
	F 32	1	—	—	—	1	—	—	1	—	2	—		
H. Duodenal ulcer.	M 134	—	—	—	—	—	—	—	—	—	—	—		
	F 34	—	—	—	—	—	—	—	—	—	—	—		
106 Ankylostomiasis	M —	—	—	—	—	—	—	—	—	—	—	—		
	F —	—	—	—	—	—	—	—	—	—	—	—		
107 Other intestinal parasites.	M 1	—	—	—	—	—	—	—	1	—	1	—		
	F 1	—	—	—	—	—	—	1	—	—	1	—		
108 Appendicitis	M 323	—	—	—	1	1	—	3	6	7	17	32		
	F 296	—	—	—	—	—	—	2	6	10	18	47		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
109	Hernia, Intestinal obstruction. { M } { F }	518 491	23 9	15 1	33 17	41 21	112 48	16 4	1 3	3 2	1 1	133 58	11 6
	A. Hernia - - { M } { F }	262 220	6 3	6 —	4 3	4 2	20 8	5 —	— —	— —	— —	25 8	— —
	B. Intestinal obstruction. { M } { F }	316 271	17 6	9 1	29 14	37 19	92 40	11 4	1 3	3 2	1 1	108 50	11 6
110	Other diseases of the intestines. { M } { F }	65 57	1 1	2 1	4 2	1 2	8 6	3 —	1 —	— —	— —	12 6	1 2
111	Acute yellow atrophy of the liver. { M } { F }	4 11	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
112	Hydatid of liver - { M } { F }	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver { M } { F }	275 146	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	2 —
	A. Cirrhosis of the liver not ret'd alcoholic. { M } { F }	254 135	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	2 —
	B. Cirrhosis of the liver ret'd as alcoholic. { M } { F }	18 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Dis. formerly classed to "Other dis. of liver and gall bladder." { M } { F }	3 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
114	Biliary calculi - { M } { F }	56 127	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver. { M } { F }	96 113	— —	— —	4 1	2 —	6 1	— —	1 —	— —	1 1	8 2	— 2
116	Diseases of the spleen. { M } { F }	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Infarction of spleen. { M } { F }	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other diseases of the spleen. { M } { F }	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
117	Peritonitis (cause unstated). { M } { F }	38 67	2 1	1 2	— —	1 —	4 3	— 2	— —	— 3	1 2	5 10	2 19
118	Other diseases of the digestive system. { M } { F }	30 37	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1
	A. Abdominal abscess, Sub-phrenic absces. { M } { F }	3 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1
	B. Other diseases included under 118. { M } { F }	27 32	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —
119-133	VI. Non-Vene-real Diseases of the Genito-Urinary System and Anexa. { M } { F }	2,589 1,725	6 2	8 6	3 1	2 5	19 14	12 4	7 5	8 6	8 8	54 37	20 24
119	Acute Nephritis - { M } { F }	222 182	3 1	2 2	2 —	1 5	8 8	10 4	5 4	6 3	7 7	36 26	16 17

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1920—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
2	11	9	8	23	10	17	18	24	28	41	56	48	43	22	14	109
—	1	4	6	6	9	25	30	49	31	56	68	67	42	25	8	
—	2	1	—	8	3	7	8	15	14	20	28	28	22	13	8	A
—	—	—	—	1	3	11	19	23	16	35	40	31	17	12	4	
2	9	8	8	15	7	10	10	9	14	21	28	20	21	9	6	B
—	1	4	6	5	6	14	11	26	15	21	28	36	25	13	4	
1	1	1	3	1	—	5	5	5	4	11	2	3	6	3	1	110
—	2	—	2	1	4	1	—	7	1	8	5	1	5	6	6	
—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	111
—	—	—	3	2	2	2	—	—	—	2	—	—	—	—	—	
—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	112
—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	
3	1	—	1	1	8	17	24	39	55	53	32	20	9	8	1	113
3	—	—	1	2	3	13	16	24	25	16	22	8	8	4	1	
3	1	—	1	—	7	16	23	35	49	50	29	20	9	7	1	A
3	—	—	1	1	3	10	15	22	23	16	21	8	7	4	1	
—	—	—	—	1	1	1	1	4	4	3	3	—	—	—	—	B
—	—	—	—	1	—	3	1	2	—	—	1	—	—	—	—	
—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	C
—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	
—	—	—	—	—	2	4	1	2	10	7	11	9	5	4	1	114
—	—	—	—	1	3	3	6	8	12	12	17	24	30	6	5	
2	2	1	3	4	5	5	2	9	12	15	11	9	5	3	—	115
—	1	2	4	5	1	10	7	8	11	14	8	17	11	5	5	
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	116
1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	B
1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
2	1	3	—	1	4	4	—	1	3	4	2	5	—	1	—	117
5	3	1	5	4	3	3	2	1	2	2	1	2	2	—	2	
—	1	—	2	1	1	5	4	4	3	5	2	1	—	—	—	118
1	1	—	1	1	2	8	3	2	2	7	1	4	3	—	—	
—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	A
—	1	—	—	—	1	1	—	—	1	—	—	—	—	—	—	
—	1	—	2	1	1	5	2	4	3	5	1	1	—	—	—	B
1	—	—	1	1	1	7	3	2	1	7	1	4	3	—	—	
28	26	42	47	53	68	122	132	208	250	311	344	338	310	161	75	119— 133
25	32	35	60	84	114	130	160	135	156	198	169	162	114	66	24	
16	11	10	7	7	13	10	22	15	20	10	14	5	7	2	1	119
12	4	8	11	13	17	15	14	4	15	10	2	6	5	1	2	

ENGLAND AND WALES—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1920—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
12 10	11 14	27 18	36 22	42 35	46 54	92 62	91 93	151 109	163 122	200 157	179 144	166 131	125 92	43 46	24 14	{ 120
8 8	9 9	17 15	27 14	33 26	39 47	68 46	73 73	124 87	140 106	166 133	151 124	145 120	103 82	30 38	20 10	{ A
4 2	2 5	10 3	9 8	9 9	7 7	24 16	18 20	27 22	23 16	34 24	28 20	21 11	22 10	13 8	4 4	{ B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 121
—	2 3	3 —	— 2	— 4	2 7	8 6	5 8	2 3	8 2	5 7	5 5	6 2	6 —	3 —	— 3	{ 122
—	1 —	—	—	—	— 1	2 —	— 3	—	—	2 —	1 1	—	—	—	—	{ A
—	—	—	—	—	— 1	— 3	— 2	—	—	— 1	1 1	—	—	—	—	{ B
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	{ C
—	1 3	3 —	— 2	— 4	2 5	6 3	5 3	2 3	8 2	3 6	3 3	6 2	5 —	3 —	— 2	{ D
— 2	1 —	1 —	3 1	— 3	3 3	1 4	1 4	2 3	5 1	5 —	5 1	4 2	3 3	3 1	2 —	{ 123
—	— 3	1 1	—	2 4	3 —	3 3	3 1	11 1	24 4	18 8	38 4	47 8	53 6	42 12	16 4	{ 124
—	—	—	1	2	1	7	9	15	16	19	15	10 1	8	1	—	{ 125
—	—	—	—	—	—	1	1	—	1	1	1	—	—	—	—	{ A
—	—	—	1	2	1	6	8	15	15	18	14	10 1	8	1	—	{ B
—	—	—	—	—	—	1	—	11	12	52	88	99	108	67	31	{ 126
—	1	—	—	—	—	—	1	1	2	2	—	1	—	—	1	{ 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 128
—	—	—	1	—	1	2	2	1	—	—	—	—	—	—	—	{ A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B
—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	{ 129
—	—	—	3	3	12	18	16	9	2	10	3	5	3	—	1	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
138	Puerperal albumin- uria and convul- sions.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	189	—	—	—	—	—	—	—	—	—	—	
	A. Puerperal ne- phritis and uræmia.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	40	—	—	—	—	—	—	—	—	—	—	
	B. Puerperal albuminuria and Bright's disease.	M	—	—	—	—	—	—	—	—	—	—		
		F	10	—	—	—	—	—	—	—	—	—		
	C. Puerperal convulsions.	M	—	—	—	—	—	—	—	—	—	—		
		F	139	—	—	—	—	—	—	—	—	—		
139	Puerperal phlegma- sia alba dolens, embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—		
		F	78	—	—	—	—	—	—	—	—	—		
	A. Puerperal phlegmasia alba dolens. and phlebitis.	M	—	—	—	—	—	—	—	—	—	—		
		F	7	—	—	—	—	—	—	—	—	—		
	B. Puerperal em- bolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—		
		F	71	—	—	—	—	—	—	—	—	—		
140	Puerperal insanity	M	—	—	—	—	—	—	—	—	—	—		
		F	5	—	—	—	—	—	—	—	—	—		
141	Puerperal diseases of the breast.	M	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	—	—	—	—	—		
142— 145	VIII. Diseases of the Skin and of the Cellular Tissue.	M	455	41	14	11	18	84	6	2	3	2	97	5
		F	409	30	20	6	11	67	5	—	—	2	74	1
142	Gangrene - -	M	188	—	—	—	—	—	—	—	1	1	2	3
		F	184	—	—	—	—	—	1	—	—	—	1	—
	A. Senile gangrene.	M	171	—	—	—	—	—	—	—	—	—	—	—
		F	163	—	—	—	—	—	—	—	—	—	—	—
	B. Noma, Gan- grene of mouth.	M	5	—	—	—	—	—	—	—	—	1	1	3
		F	8	—	—	—	—	—	—	—	—	—	—	—
	C. Noma pudendi	M	6	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	1	—
	D. Other gan- grene.	M	6	—	—	—	—	—	—	—	1	—	1	—
		F	12	—	—	—	—	—	—	—	—	—	—	—
143	Carbuncle, Boil -	M	52	—	—	2	2	4	—	—	—	—	4	—
		F	20	1	1	—	1	3	1	—	—	—	4	—
144	Phlegmon, Acute abscess.	M	95	7	9	3	1	20	3	2	—	—	25	1
		F	82	6	8	1	2	17	3	—	—	2	22	1
	A. Phlegmon -	M	62	5	4	1	—	10	—	1	—	—	11	—
		F	50	3	4	1	1	9	1	—	—	—	10	—
	B. Acute Abscess	M	33	2	5	2	1	10	3	1	—	—	14	1
		F	32	3	4	—	1	8	2	—	—	2	12	1

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1920—continued.

AGES AT DEATH																International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
—	7	43	40	49	32	18	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	7	12	8	9	4	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	1	2	3	3	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	7	35	26	38	20	13	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	1	8	17	23	20	9	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	3	1	3	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	1	8	14	22	17	9	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	—	1	2	2	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	
4	6	2	5	6	8	8	8	17	19	26	50	49	70	49	26	142— 145
3	4	5	6	6	12	8	7	10	15	20	44	52	59	51	32	
—	—	1	—	—	1	—	1	1	5	11	24	29	46	42	22	142
—	1	2	—	—	1	1	1	—	7	10	28	34	37	40	21	
—	—	—	—	—	—	—	—	1	1	8	24	28	45	42	22	A
—	—	—	—	—	—	—	—	—	—	9	24	33	36	40	21	
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	1	2	—	—	1	1	—	—	—	—	2	1	—	—	—	
—	—	—	—	—	1	—	1	—	1	1	—	1	1	—	—	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	3	2	—	—	—	—	—	D
—	—	—	—	—	—	—	1	—	7	1	2	—	1	—	—	
—	4	—	4	—	2	2	2	4	2	6	4	7	10	1	—	143
1	—	—	1	1	1	1	2	1	—	3	1	2	1	—	1	
4	2	1	1	6	3	3	4	9	6	5	15	3	4	2	1	144
1	1	1	2	5	7	5	4	2	2	3	7	7	7	4	1	
3	1	1	1	4	2	1	4	6	5	5	13	1	1	2	1	A
1	1	1	1	2	6	2	3	1	1	3	5	4	5	4	—	
1	1	—	—	2	1	2	—	3	1	—	2	2	3	—	—	B
—	—	—	1	3	1	3	1	1	1	—	2	3	2	—	1	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
145	Diseases of the integumentary system.	M 120	34	5	6	15	60	3	—	2	1	66	1
		F 123	23	11	5	8	47	—	—	—	—	47	—
	A. Ulcer, Bedsore	M 31	1	—	1	1	3	—	—	—	—	3	1
		F 46	1	1	—	—	2	—	—	—	—	2	—
	B. Eczema -	M 33	9	4	3	12	28	2	—	—	—	30	—
		F 17	2	6	3	2	13	—	—	—	—	13	—
	C. Pemphigus -	M 20	12	—	—	—	12	1	—	1	—	14	—
		F 21	13	2	2	—	17	—	—	—	—	17	—
	D. Other Dis. of the integumentary system.	M 36	12	1	2	2	17	—	—	1	1	19	—
		F 39	7	2	—	6	15	—	—	—	—	15	—
146-149	IX. Diseases of the Bones and of the Organs of Locomotion.	M 107	1	5	—	2	8	2	1	2	2	15	13
		F 83	—	2	2	2	6	2	—	2	—	10	9
146	Diseases of the bones	M 87	—	4	—	1	5	2	1	2	2	12	12
		F 55	—	1	1	2	4	1	—	—	—	5	6
147	Diseases of the joints.	M 19	1	1	—	1	3	—	—	—	—	3	1
		F 25	—	1	1	—	2	1	—	2	—	5	3
148	Amputations -	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system.	M 1	—	—	—	—	—	—	—	—	—	—	—
		F 3	—	—	—	—	—	—	—	—	—	—	—
	X. Malformations.												
150	Congenital malformations.	M 584	347	119	43	23	532	15	8	4	—	559	7
		F 486	328	76	26	18	448	9	3	3	1	464	7
	A. Congenital hydrocephalus.	M 47	8	4	8	5	25	9	2	3	—	39	3
		F 28	12	1	2	7	22	2	1	—	1	26	1
	B. Phimosis -	M 6	1	2	1	—	4	1	—	—	—	5	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	C. Congenital malformation of heart.	M 247	170	37	15	5	227	4	4	—	—	235	2
		F 182	124	23	4	7	158	3	1	1	—	163	6
	D. Other congenital malformations.	M 284	168	76	19	13	276	1	2	1	—	280	2
		F 276	192	52	20	4	268	4	1	2	—	275	—
151-153	XI. Diseases of Early Infancy.	M 4,307	3,600	490	162	55	4,307	—	—	—	—	4,307	—
151	Premature birth, Infantile debility, Icterus and Sclerema.	F 3,173	2,616	365	143	49	3,173	—	—	—	—	3,173	—
		M 3,787	3,098	472	162	55	3,787	—	—	—	—	3,787	—
		F 2,848	2,301	355	143	49	2,848	—	—	—	—	2,848	—
	A. Premature birth.	M 2,535	2,312	200	20	3	2,535	—	—	—	—	2,535	—
		F 1,945	1,765	156	19	5	1,945	—	—	—	—	1,945	—
	B. Infantile atrophy, debility and marasmus.	M 1,100	668	246	134	52	1,100	—	—	—	—	1,100	—
		F 814	465	188	118	43	814	—	—	—	—	814	—
	C. Icterus neonatorum.	M 132	107	22	3	—	132	—	—	—	—	132	—
		F 72	67	4	1	—	72	—	—	—	—	72	—
	D. Sclerema and oedema neonatorum.	M 4	4	—	—	—	4	—	—	—	—	4	—
		F 3	3	—	—	—	3	—	—	—	—	3	—
	E. Want of breast milk.	M 16	7	4	5	—	16	—	—	—	—	16	—
		F 14	1	7	5	1	14	—	—	—	—	14	—

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1920--continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
—	—	—	—	—	2	3	1	3	6	4	7	10	10	4	3	145
1	2	2	3	—	3	1	—	7	6	4	8	9	14	7	9	
—	—	—	—	—	1	1	1	—	3	3	2	6	6	2	2	
—	—	—	1	—	1	—	—	4	3	2	6	5	10	4	8	
—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	B
—	—	1	—	—	—	—	—	—	1	—	—	1	1	—	—	
—	—	—	—	—	—	—	—	—	1	1	1	1	2	—	—	C
—	—	—	1	—	1	—	—	—	—	1	—	—	1	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
1	2	1	1	—	1	2	—	3	2	—	3	3	—	2	1	
—	—	—	—	—	1	1	—	3	2	1	2	3	2	3	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	12	5	4	1	3	—	5	3	10	6	2	3	1	1	1	146— 149
9	2	3	3	3	3	—	7	4	4	4	8	5	5	4	—	
22	12	5	3	1	3	—	2	2	5	5	—	1	1	1	—	146
8	2	2	2	3	3	—	5	2	2	3	5	3	3	1	—	
—	—	—	1	—	—	—	3	1	5	1	2	2	—	—	—	147
1	—	1	1	—	—	—	2	—	2	1	3	2	2	2	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	148
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	149
—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	
8	4	3	1	—	—	1	1	—	—	—	—	—	—	—	—	150
6	3	—	3	2	1	—	—	—	—	—	—	—	—	—	—	
1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	2	2	—	—	—	—	1	—	—	—	—	—	—	—	—	C
5	3	—	3	1	1	—	—	—	—	—	—	—	—	—	—	
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151— 153
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	E
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
152	Other diseases pe- culiar to early infancy.	M 468 F 293	450 283	18 10	— —	— —	468 293	— —	— —	— —	— —	468 293	— —
	A. Diseases of umbilicus, &c.	M 46 F 43	39 38	7 5	— —	— —	46 43	— —	— —	— —	— —	46 43	— —
	B. Atelectasis -	M 232 F 143	225 140	7 3	— —	— —	232 143	— —	— —	— —	— —	232 143	— —
	C. Injuries at birth.	M 187 F 106	183 104	4 2	— —	— —	187 106	— —	— —	— —	— —	187 106	— —
	D. Cyanosis neonatorum.	M 3 F 1	3 1	— —	— —	— —	3 1	— —	— —	— —	— —	3 1	— —
153	Lack of care -	M 52 F 32	52 32	— —	— —	— —	52 32	— —	— —	— —	— —	52 32	— —
	XII.—Old Age.												
154	Old age -	M 2,628 F 3,794	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Senile dementia.	M 112 F 161	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Senile decay -	M 2,516 F 3,633	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
155- 186	XIII.—Affections produced by Ex- ternal Causes.	M 3,263 F 1,247	61 49	30 27	22 19	18 15	131 110	47 38	55 29	32 27	53 32	318 236	209 86
155	Suicide by poison -	M 62 F 40	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia	M 39 F 25	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation.	M 173 F 49	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning	M 170 F 118	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms	M 59 F 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments.	M 173 F 38	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place.	M 19 F 9	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing	M 39 F 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides -	M — F 7	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
155- 163	<i>Suicide -</i>	M 734 F 291	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food -	M 4 F 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —
165	Other acute poison- ings.	M 22 F 14	— —	— 1	— 1	— —	— 2	2 2	2 —	— 1	— —	4 5	1 1
166	Conflagration -	M 9 F 4	— —	— 1	— —	— —	— 1	— —	— —	— —	2 —	2 1	2 1
167	Burns (conflagra- tion excepted).	M 151 F 202	— —	1 —	2 2	6 10	9 12	28 25	27 17	11 14	9 16	84 84	13 22

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1920—*continued.*

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	152
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	153
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	8	21	101	440	774	746	537	154
—	—	—	—	—	—	—	—	2	9	31	132	514	933	1116	1057	
—	—	—	—	—	—	—	—	—	6	4	21	18	29	23	11	A
—	—	—	—	—	—	—	—	1	5	6	22	27	38	35	27	
—	—	—	—	—	—	—	—	1	2	17	80	422	745	723	526	B
—	—	—	—	—	—	—	—	1	4	25	110	487	895	1081	1030	
130	187	196	168	201	217	227	261	259	248	202	172	112	89	39	28	155— 186
40	44	55	47	54	52	60	76	62	64	52	70	71	67	65	46	
—	3	5	5	7	7	5	4	7	10	3	6	—	—	—	—	155
—	2	9	4	2	1	4	5	3	3	3	2	1	—	—	1	
—	1	1	3	2	3	2	6	5	4	7	3	2	—	—	—	156
—	1	1	4	—	8	4	2	—	5	—	—	—	—	—	—	
—	7	2	7	10	10	17	19	23	22	18	15	12	7	4	—	157
—	—	1	1	4	4	2	7	7	6	9	4	3	—	1	—	
1	1	3	9	11	17	13	16	19	16	24	24	10	3	3	—	158
2	9	7	10	15	9	14	18	6	10	5	3	9	1	—	—	
1	1	6	4	7	5	7	10	9	2	5	1	—	1	—	—	159
—	—	1	—	—	1	—	—	—	1	—	1	—	—	—	—	
—	1	2	4	10	22	21	21	28	20	14	19	4	7	—	—	160
—	1	1	3	4	2	3	7	4	4	2	3	3	—	1	—	
—	—	1	1	2	—	2	2	1	5	3	—	2	—	—	—	161
—	—	—	1	1	1	2	1	1	—	1	1	—	—	—	—	
—	1	2	3	2	2	7	8	3	3	5	3	—	—	—	—	162
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
1	—	1	1	—	1	—	3	—	—	—	—	—	—	—	—	163
2	15	22	36	51	66	74	86	95	82	79	71	30	18	7	—	
3	13	21	24	26	27	30	43	21	29	20	14	16	1	2	1	155— 163
—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	
—	—	—	2	1	—	—	1	—	—	—	—	1	—	—	—	164
—	1	—	3	2	—	2	2	3	3	—	—	—	1	—	—	
—	—	—	1	2	—	—	1	2	1	—	1	—	—	—	—	165
—	—	1	1	1	—	—	—	—	—	1	—	—	1	—	—	
—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	166
1	4	7	5	3	5	1	5	2	4	3	2	3	4	4	1	
6	9	6	5	1	5	5	1	9	4	5	6	8	8	12	6	167

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
168	Absorption of dele- terious gases (conflagration ex- cepted). { M F	114 75	44 31	27 22	11 11	6 1	88 65	— —	— —	— —	— —	88 65	— 1
169	Accidental drown- ing. { M F	487 108	4 5	— —	— —	— —	4 5	7 5	15 8	9 2	16 3	51 23	73 9
170	Injury by firearms { M F	21 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
171	Injury by cutting or piercing instruments. { M F	4 —	— —	— —	— —	1 —	1 —	— —	— —	— —	1 —	2 —	— —
172	Injury by fall { M F	414 273	— —	— —	1 —	4 1	5 1	1 1	3 1	2 3	5 —	16 6	12 6
173	Injury in mines and quarries. { M F	232 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines { M F	68 7	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— 1	1 —
175	Injury by other crushing (vehi- cles, railways, landslides, &c.) { M F	760 167	— —	— —	— 1	1 —	1 1	3 2	7 1	8 5	19 12	38 21	96 42
176	Injury by animals { M F	14 3	— —	— —	— —	— —	— —	— 1	— —	— —	1 —	1 1	— —
177	Starvation { M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
178	Excessive cold { M F	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat { M F	11 11	— —	— —	— —	— —	— —	1 1	— —	1 1	— —	2 2	2 1
180	Lightning { M F	7 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —
181	Electricity (light- ning excepted). { M F	10 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by fire- arms. { M F	4 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cut- ting or piercing instruments. { M F	8 7	— —	— 2	1 —	— —	1 2	— —	1 1	— —	— —	2 3	2 —
184	Homicide by other means. { M F	25 23	11 11	1 —	1 —	— 1	13 12	1 —	— —	— —	— —	14 12	— 1
185	Fractures (cause not specified). { M F	8 4	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	1 —	— —
186	Other violence { M F	153 41	2 2	1 1	5 4	— 2	8 9	4 1	— 1	1 —	— 1	13 12	5 2
187- 189	XIV. Ill-defined Causes. { M F	270 209	13 14	3 5	4 —	5 1	25 20	33 17	3 6	3 1	— 1	64 45	2 3
187	Dropsy { M F	2 3	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1920—*continued.*

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
2 —	3 —	1 —	3 —	2 1	2 —	1 1	1 —	2 2	3 1	1 1	1 1	— 1	2 1	1 —	1 —	} 168
37 9	42 8	33 9	29 4	36 5	26 2	25 8	32 8	34 4	17 2	16 4	13 4	15 —	3 5	3 4	2 —	
3 1	— 2	3 —	1 —	1 —	2 —	4 —	1 —	2 —	— 1	2 —	— —	2 —	— —	— —	— —	} 170
— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	
7 4	15 1	10 1	7 1	14 3	17 7	26 6	37 9	35 7	40 13	38 15	31 36	31 34	40 40	17 45	21 39	} 172
6 —	31 —	28 —	17 —	14 —	33 —	19 —	22 —	21 —	16 —	16 —	7 —	1 —	1 —	— —	— —	
5 1	10 1	6 1	5 —	6 1	4 —	6 —	7 1	5 —	7 —	1 1	5 —	— —	— —	— —	— —	} 174
55 13	53 5	61 11	36 4	40 6	43 4	52 6	53 7	51 11	62 8	40 5	31 3	25 10	15 10	7 1	2 —	
2 —	2 —	— —	— —	1 —	— —	1 —	— 1	3 1	2 —	1 —	1 —	— —	— —	— —	— —	} 176
— —	— —	— —	— —	— —	— —	— —	— —	— 1	1 —	— —	1 —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	} 177
— —	— —	— —	— —	— —	— —	— —	— —	— 2	— —	— —	— 1	— —	— —	— —	— —	
2 1	— 1	— 1	— —	1 —	— —	— —	— 1	1 1	1 1	— —	1 1	— 1	1 —	— —	— —	} 179
— —	2 —	1 —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	
1 —	— —	— —	3 —	— —	2 —	1 —	2 —	1 —	— —	— —	— —	— —	— —	— —	— —	} 181
— —	1 1	1 1	1 1	— 1	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— 1	— 1	— —	2 —	1 —	— —	— —	— 1	1 —	— —	— 1	— —	— —	— —	— —	} 183
— —	— —	1 2	— 2	— —	— 1	2 2	5 2	— —	1 —	— —	— 1	1 —	— —	— —	1 —	
— —	— —	— —	— —	1 —	— —	1 2	— —	— 1	2 1	1 —	— —	— 1	1 1	— —	— —	} 185
7 2	7 2	21 1	21 3	25 7	12 5	12 —	8 1	3 —	6 3	3 1	6 1	2 —	2 —	— 1	— —	
2 1	4 2	1 4	4 6	5 1	6 11	15 9	22 9	20 24	32 21	33 37	50 30	5 2	5 2	— 1	— 1	} 187- 189
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	1 —	— 1	— —	— 1	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
188	Syncope, Sudden death. {	M 34	—	—	—	—	—	—	—	—	—	—	1
		F 21	—	—	—	—	—	—	—	—	—	—	1
	A. Syncope (aged 1 year and under 70 years). {	M 34	—	—	—	—	—	—	—	—	—	—	1
		F 21	—	—	—	—	—	—	—	—	—	—	1
	B. Sudden death (not otherwise defined). {	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
189	Ill-defined causes - {	M 234	13	3	4	5	25	32	3	3	—	63	1
		F 185	14	5	—	1	20	17	6	1	1	45	2
	A. Heart failure (aged 1 year and under 70). {	M 128	—	—	—	—	—	1	1	—	—	2	1
		F 118	—	—	—	—	—	1	—	1	—	2	2
	B. Atrophy, debility, marasmus (aged 1 year and under 70). {	M 34	—	—	—	—	—	28	2	2	—	32	—
		F 27	—	—	—	—	—	15	6	—	1	22	—
	C. Teething - {	M 10	—	—	2	5	7	3	—	—	—	10	—
		F 2	—	—	—	1	1	1	—	—	—	2	—
	D. Pyrexia - - {	M 3	—	1	—	—	1	—	—	—	—	1	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
	E. Other ill-defined deaths. {	M 40	3	1	2	—	6	—	—	1	—	7	—
		F 23	3	5	—	—	8	—	—	—	—	8	—
	F. Cause not specified. {	M 19	10	1	—	—	11	—	—	—	—	11	—
		F 14	11	—	—	—	11	—	—	—	—	11	—

CHANGES in the BOUNDARIES of ADMINISTRATIVE AREAS and POOR LAW AREAS which took effect during the six months ending 31st December, 1920.

Authority and Date of Change.	Areas decreased or abolished by Change.	Areas increased or constituted by Change.	Civil Parishes transferred.	Area in Statute Acres (Land and Inland Water).	Population, 1911.
M. of H. Order No. 66,336. (1st Oct., 1920.)	Dartford R.D. - -	Crayford U.D. -	Crayford - -	2,455	6,234
Portsmouth Corporation Act, 1920. (1st Oct., 1920.)	Fareham R.D.— Cosham C.P. - -	Portsmouth C.B.— Portsmouth C.P.	Cosham (part of)	1,914	2,432
M. of H. Order No. 66,051. (1st Oct., 1920.)	Falmouth Borough C.P. (abolished). Budock Urban C.P. (abolished).	{ Falmouth C.P. }	Falmouth Borough. Budock Urban -	27 148	3,244 1,160
M. of H. Order No. 66,666. (1st Oct., 1920.)	Droitwich Union and R.D.— Hartlebury C.P. - Droitwich Union and R.D.— Hartlebury C.P. -	Kidderminster Union and Stourport U.D.— Lower Mitton C.P. Martley Union and R.D.— Areley Kings C.P.	Hartlebury (part of). Hartlebury (part of).	284 20	360 Area only.
M. of H. Order No. 66,289. (1st Oct., 1920.)	Chilvers Coton C.P. (abolished).	Nuneaton C.P. -	Chilvers Coton	4,056	10,492
M. of H. Order No. 66,290. (1st Oct., 1920.)	Wyken C.P. - - -	Stoke Heath C.P. (New Civil Parish).	Wyken (part of)	74	5
M. of H. Order No. 66,441. (1st Oct., 1920.)	Hinckley U.D.— Hinckley C.P. - -	Hinckley R.D.— Barwell C.P.	Hinckley (part of).	67	3
	Hinckley R.D.— Barwell C.P. - -	Hinckley U.D.— Hinckley C.P.	Barwell (part of).	42	Area only.
M. of H. Order No. 66,417. (1st Oct., 1920.)	Bucklow R.D.— Carrington C.P. - - Dunham Massey C.P. -	Altrincham U.D.— { Altrincham C.P. }	Carrington (part of). Dunham Massey (part of).	84 679	Area only. 1,279
		Total from	Bucklow R.D. -	763	1,279
M. of H. Order No. 66,324. (1st Oct., 1920.)	Guisborough R.D.— Kirkleatham C.P. -	Redcar U.D.— Coatham C.P.	Kirkleatham (part of).	1,871	101
M. of H. Order No. 66,418. (1st Oct., 1920.)	Lanchester R.D.— Knitsley C.P. - - Healeyfield C.P. -	Consett U.D.— { Consett C.P. }	Knitsley (part of). Healeyfield (part of).	306 200	78 28
		Total from	Lanchester R.D.	506	106
	Knitsley C.P. - -	Healeyfield C.P.	Knitsley (part of).	43	148

CHANGES in the BOUNDARIES of ADMINISTRATIVE AREAS and POOR LAW AREAS which took effect during the six months ending 31st December, 1920—*continued*.

Authority and Date of Change.	Areas decreased or abolished by Change.	Areas increased or constituted by Change.	Civil Parishes transferred.	Area in Statute Acres (Land and Inland Water).	Population, 1911.
M. of H. Provisional Order Confirmation (Southampton Extension) Act, 1920. (9th Nov., 1920.)	Itchen U.D. (abolished) -	Southampton C.B.	Itchen - -	2,089	19,484
	South Stoneham R.D. -	Southampton C.B.	Bitterne - -	615	3,142
	South Stoneham R.D.—	Southampton C.B.			
	North Stoneham C.P. -	St. Nicholas C.P. (new Civil Parish)	North Stoneham (part of).	1,314	1,612
	South Stoneham C.P. -		South Stoneham (part of).	570	1,846
		Total from South Stoneham R.D.		2,499	6,600
	South Stoneham C.P. (remainder of).	West End C.P.	South Stoneham (part of).	754	88
M. of H. Provisional Order Confirmation (New Windsor Extension) Act, 1920. (9th Nov., 1920.)	Windsor R.D. - - -	New Windsor M.B.	Clewer Without	1,900	6,356
M. of H. Provisional Order Confirmation (Hertford Extension) Act, 1920. (9th Nov., 1920.)	Hertford R.D.—	Hertford M.B.			
	Bengeo Rural C.P. -	Hertford C.P.	Bengeo Rural (part of).	84	Area only.
	Bramfield C.P. - -		Bramfield (part of).	1	Area only.
	Little Amwell C.P. -		Little Amwell (part of).	15	123
	St. Andrew Rural C.P. -		St. Andrew Rural (part of).	170	12
	St. John Rural C.P. -		St. John Rural (part of).	97	152
		Total from Hertford R.D.		367	287
M. of H. Provisional Order Confirmation (Lincoln Extension) Act, 1920. (9th Nov., 1920.)	St. Andrew Rural C.P. -	Bramfield C.P. -	St. Andrew Rural (part of).	0·4	Area only.
	Bracebridge U.D. (abolished)—	Lincoln C.B.			
	Bracebridge C.P. (abolished).	Lincoln C.P.	Bracebridge -	348	2,281
	Branston R.D.—	Lincoln C.B.			
	Boultham C.P. (abolished).	Lincoln C.P.	Boultham -	1,330	1,028
	Bracebridge Heath C.P.		Bracebridge Heath (part of).	46	58
	North Hykeham C.P. -		North Hykeham (part of).	305	391
	Skellingthorpe C.P. -		Skellingthorpe (part of).	344	303
		Total from Branston R.D.		2,025	1,780

CHANGES in the BOUNDARIES of ADMINISTRATIVE AREAS and POOR LAW AREAS which took effect during the six months ending 31st December, 1920—*continued*.

Authority and Date of Change.	Areas decreased or abolished by Change.	Areas Increased or constituted by Change.	Civil Parishes transferred.	Area in Statute Acres (Land and Inland Water).	Population, 1911.
M. of H. Provisional Order Confirmation (Chesterfield Extension) Act, 1920. (9th Nov., 1920.)	Brampton and Walton U.D.— Brampton C.P. - - Walton C.P. - -	Chesterfield M.B. { Chesterfield C.P. }	Brampton (part of). Walton (part of).	173 575	38 28
	Total from Brampton and Walton U.D.			748	66
	Whittington and Newbold U.D.*— Whittington C.P. (abolished). Newbold and Dunston C.P.	Chesterfield M.B. { Chesterfield C.P. }	Whittington - Newbold and Dunston C.P. (part of).	1,581 2,583	10,344 6,869
	Whittington and Newbold U.D.*— Newbold and Dunston C.P. (remainder of).	Brampton and Walton U.D. Brampton C.P.	Newbold and Dunston (part of).	15	Area only.
	Total from Whittington and Newbold U.D.			4,179	17,213
	Chesterfield R.D.— Tapton C.P. (abolished) Brimington C.P. - - Hasland C.P. - -	Chesterfield M.B. { Chesterfield C.P. }	Tapton - - Brimington (part of). Hasland (part of).	699 60 159	441 34 49
	Total from Chesterfield R.D.			918	624
	Total of area added to Chesterfield M.B.			5,830	17,903
	Warrington Union and R.D.— Cuerdley C.P. - -	Prescot Union and Widnes M.B. Widnes C.P. -	Cuerdley (part of).	497	46
	Whiston R.D.— Ditton C.P. - - Halewood C.P. - -	Widnes M.B. { Widnes C.P. }	Ditton (part of). Halewood (part of).	1,587 673	2,871 1,377
	Total from Whiston R.D.			2,667	4,248
	Ditton C.P. (remainder of).	Tarbock C.P. -	Ditton (part of)	349	29

* Whittington and Newbold U.D. absorbed in Chesterfield M.B. and Brampton and Walton U.D. (9th November 1920).

ENUMERATED POPULATIONS by SEX and AGE, 1911, of AREAS transferred between URBAN and RURAL DISTRICTS during the six months ending 31st December, 1920.

Ages.	Area transferred from Dartford R.D. to Crayford U.D.		Area transferred from Fareham R.D. to Portsmouth C.B.		Area transferred from Droitwich R.D. to Stourport U.D.		Area transferred from Hinckley U.D. to Hinckley R.D.		Area transferred from Bucklow R.D. to Altrincham U.D.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
All Ages	3,169	3,065	1,241	1,191	175	185	2	1	647	632
Under 1	91	76	24	23	5	5	—	—	16	13
1-	68	62	27	32	4	9	—	—	10	3
2-	82	76	23	33	5	3	—	—	23	13
3-	86	82	24	24	6	6	—	—	16	16
4-	92	78	27	20	3	5	—	—	15	19
Under 5	419	374	125	132	23	28	—	—	80	64
5-	375	390	101	119	26	27	—	—	67	69
10-	330	337	111	106	19	16	—	—	76	68
15-	313	259	181	97	16	18	—	—	52	61
20-	213	242	145	108	11	16	1	—	59	46
25-	253	223	106	110	10	13	—	—	48	52
30-	243	216	91	87	13	13	—	—	71	66
35-	226	216	73	96	13	12	—	—	48	62
40-	195	190	69	83	12	8	—	—	57	57
45-	148	148	64	70	4	4	1	—	24	18
50-	126	133	55	48	10	7	—	—	32	26
55-	119	100	37	34	5	8	—	1	14	15
60-	73	78	25	36	5	2	—	—	12	8
65-	66	63	29	23	3	6	—	—	3	6
70-	37	58	13	16	—	4	—	—	4	6
75-	21	22	9	21	3	1	—	—	—	5
80-	10	10	3	4	1	1	—	—	—	2
85 and upwards	2	6	4	1	1	1	—	—	—	1

ENUMERATED POPULATIONS by SEX and AGE, 1911, of AREAS transferred between URBAN and RURAL DISTRICTS during the six months ending 31st December 1920—*continued*.

Ages.	Area transferred from Guisborough R.D. to Redcar U.D.		Area transferred from Lanchester R.D. to Consett U.D.		Itchen U.D. (entire) Area transferred to Southampton C.B.		Area transferred from South Stoneham R.D. to Southampton C.B.		Area transferred from Windsor R.D. to New Windsor M.B.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
All Ages.	56	45	55	51	9,699	9,785	3,147	3,453	2,899	3,457
Under 1.	2	—	3	2	277	245	84	72	57	78
1-	1	—	2	—	278	244	81	72	62	73
2-	1	3	4	3	265	255	75	87	76	78
3-	2	—	—	1	299	261	81	74	61	77
4-	1	—	2	3	252	248	76	74	78	74
Under 5	7	3	11	9	1,371	1,253	397	379	334	380
5-	7	6	5	2	1,196	1,205	354	373	311	343
10-	7	13	5	7	1,090	1,138	333	307	348	382
15-	11	5	3	3	877	778	276	274	273	315
20-	2	3	4	1	745	712	214	291	189	262
25-	4	1	4	10	787	777	226	288	210	264
30-	—	1	5	3	680	741	259	288	229	256
35-	4	3	5	4	680	737	232	250	193	239
40-	4	5	3	3	606	617	175	229	201	232
45-	4	2	3	2	464	472	152	190	146	183
50-	3	1	—	2	348	406	151	143	143	156
55-	1	—	1	1	306	258	124	112	115	135
60-	—	—	3	1	208	218	90	119	81	107
65-	1	1	—	1	152	190	62	87	47	83
70-	—	—	1	1	103	141	51	62	43	61
75-	—	1	2	1	62	84	31	37	18	37
80-	1	—	—	—	20	44	14	18	16	18
85 and upwards	—	—	—	—	4	14	6	6	2	4

ENUMERATED POPULATIONS by SEX and AGE, 1911, of AREAS transferred between URBAN and RURAL DISTRICTS during the six months ending 31st December, 1920—continued.

Ages.	Area transferred from Hertford R.D. to Hertford M.B.		Bracebridge U.D. (entire) Area transferred to Lincoln C.B.		Area transferred from Branston R.D. to Lincoln C.B.		Area transferred from Brampton and Walton U.D. to Chesterfield M.B.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
All Ages	152	135	1,138	1,143	916	864	27	39
Under 1	2	—	22	29	25	20	—	—
1-	3	3	29	26	19	20	—	2
2-	1	3	26	34	31	18	—	—
3-	3	2	23	38	18	22	1	1
4-	3	3	22	24	22	18	1	—
Under 5	12	11	122	151	115	98	2	3
5-	11	11	125	149	100	119	2	4
10-	11	10	107	125	90	83	3	5
15-	7	8	112	84	78	70	3	3
20-	9	11	95	79	60	63	2	8
25-	8	12	90	90	85	80	2	3
30-	9	9	123	101	94	86	1	5
35-	6	11	85	75	88	62	5	—
40-	15	10	58	69	53	52	1	2
45-	3	5	57	43	39	38	1	1
50-	8	6	36	41	33	29	2	2
55-	12	6	44	42	34	26	—	1
60-	11	5	32	46	19	23	1	—
65-	8	7	26	25	12	19	—	—
70-	12	6	16	12	8	7	1	1
75-	6	4	7	9	6	7	1	1
80-	2	3	2	1	1	1	—	—
85 and upwards	2	—	1	1	1	1	—	—

ENUMERATED POPULATIONS by SEX and AGE, 1911, of AREAS transferred between URBAN and RURAL DISTRICTS during the six months ending 31st December 1920—*continued.*

Ages.	Area transferred from Whittington and Newbold U.D. to Chesterfield M.B.		Area transferred from Chesterfield R.D. to Chesterfield M.B.		Area transferred from Warrington R.D. to Widnes M.B.		Area transferred from Whiston R.D. to Widnes M.B.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
All Ages	8,860	8,353	317	307	22	24	2,234	2,014
Under 1	266	255	9	8	—	—	53	67
1-	241	229	5	3	—	—	59	43
2-	237	221	7	8	—	—	59	61
3-	245	240	3	6	—	1	58	59
4-	201	187	6	5	—	1	46	57
Under 5	1,190	1,132	30	30	—	2	275	287
5-	1,045	1,050	31	34	3	1	316	227
10-	920	996	31	27	3	2	250	209
15-	899	761	35	43	5	3	210	197
20-	740	693	39	22	1	3	201	159
25-	793	685	28	26	1	3	174	156
30-	709	661	22	18	2	1	169	169
35-	613	570	15	24	—	1	149	115
40-	478	427	22	21	—	—	121	122
45-	384	357	20	22	2	2	92	102
50-	351	295	17	13	3	4	96	79
55-	289	245	12	10	1	1	65	63
60-	167	178	6	6	—	—	34	47
65-	127	147	5	3	—	1	37	33
70-	94	84	3	6	1	—	24	28
75-	46	49	1	2	—	—	15	14
80-	12	17	—	—	—	—	6	7
85 and upwards	3	6	—	—	—	—	—	—



